

# Eclipse Scout Migration Guide

Version 22.0

# Table of Contents

About This Document .....	2
Obtaining the Latest Version .....	3
Scout Runtime for Java .....	3
Scout Runtime for JavaScript .....	3
IDE Tooling (Scout SDK) .....	3
TypeVersion Annotation Type Change .....	5
Annotation EnumVersion removed .....	6
Native Notification Support .....	7



Looking for something else? Visit <https://eclipsescout.github.io> for all Scout related documentation.

# About This Document

This document describes all relevant changes **from Eclipse Scout 11.0 to Eclipse Scout 22.0**. If existing code has to be migrated, instructions are provided here.

# Obtaining the Latest Version

## Scout Runtime for Java

Scout Runtime artifacts for Java are distributed using Maven Central:

- [22.0-SNAPSHOT](#) on *Maven Central*
- [22.0-SNAPSHOT](#) on *mvnrepository.com*

Usage example in the parent POM of your Scout application:

```
<dependency>
  <groupId>org.eclipse.scout.rt</groupId>
  <artifactId>org.eclipse.scout.rt</artifactId>
  <version>22.0-SNAPSHOT</version>
  <type>pom</type>
  <scope>import</scope>
</dependency>
```

## Scout Runtime for JavaScript

Scout Runtime artifacts for JavaScript are distributed using npm:

- [Scout Core Runtime](#)
- [All official Scout JavaScript packages](#)

Usage example in your package.json:

```
{
  "name": "my-module",
  "version": "1.0.0",
  "dependencies": {
    "@eclipse-scout/core": "22.0.0-snapshot",
    "jquery": "3.5.1"
  }
}
```

The pre-built Scout JavaScript assets are also available using a CDN (e.g. to be directly included in a html document): <https://www.jsdelivr.com/package/npm/@eclipse-scout/core?path=dist>

## IDE Tooling (Scout SDK)

Starting with Scout 11 the IDE Tooling requires at least Java 11 to run. With the help of the SDK plugins you can still develop applications running with Java 8, but the IDE itself requires Java 11 or newer.

Scout officially supports [IntelliJ IDEA](#) and [Eclipse for Scout Developers](#).

## **IntelliJ IDEA**

You can download the Scout plugin for IntelliJ IDEA from the [JetBrains Plugin Repository](#) or you can use the plugins client built into IntelliJ IDEA. Please refer to the [IntelliJ Help](#) on how to install and manage plugins.

## **Eclipse**

You can download the complete Eclipse IDE with Scout SDK included here:

[Eclipse for Scout Developers](#)

To install the Scout SDK into your existing Eclipse IDE, use this P2 update site:

<http://download.eclipse.org/scout/releases/11.0/>

# TypeVersion Annotation Type Change

The type version of a data object is used to identify a certain structure version of the stored data object. A data object may be stored in a database or be available as a container to export certain data for import in a different compatible system. Such a data object may evolve over time and undergo structural changes. Some structural changes make it necessary to apply migrations to existing serialized data objects to comply with the new structure.

In order to prepare for migration support, the type version annotation so far containing a `String` value changes to a value of `Class<? extends ITypeVersion>`. A `ITypeVersion` represents a namespace/version and its dependencies.

## Migration

For each different `String` value used in type version annotation, create an implementation of `ITypeVersion` as described in *Data Objects/Namespace and ITypeVersion* in the technical documentation.

`DataObjectInventory#getTypeVersion` returns `NamespaceVersion` instead of `String`. Use `NamespaceVersion::unwrap` to access text representation.

# Annotation EnumVersion removed

`EnumVersion` was designed for migration support similar as the `TypeVersion` but was never part of any serialization output of a data object, therefore couldn't be used as indicator for migrations. Support for `EnumVersion` is removed.

## Migration

Remove `EnumVersion` annotation on `IEnum` implementors.



# Native Notification Support

The new notifications displayed by the browser use the application logo configured in `AbstractDesktop#getConfiguredLogoId()`.

**Migration** If you use native notifications, provide an application logo with a resolution of at least 150x150 px.



Do you want to improve this document? Have a look at the [sources](#) on GitHub.