
## TABLE OF CONTENTS



•000

#### Review: find the domain of the following function.

$$f(x) = \frac{\sqrt{3 - x^2}}{\log(x + 1)}$$

Where might you expect f(x) to have a vertical asymptote? What does the function look like nearby? (Recall: a vertical asymptote occurs at x = a if the function has an infinite discontinuity at a. That is,  $\lim_{x\to a^{\pm}} f(x) = \pm \infty$ .)

Where is 
$$f(x) = 0$$
?

What happens to f(x) near its other endpoint, x = -1?

0000

#### Good things to check:

- Domain
- Vertical asymptotes:  $\lim_{x \to a} f(x) = \pm \infty$
- Intercepts: x = 0, f(x) = 0
- Horizontal asymptotes and end behavior:  $\lim_{x \to \pm \infty} f(x)$

### **CURVE SKETCHING**

3.6.1: Domain, Intercepts, Asymptotes

0000

Identify: domain, vertical asymptotes, intercepts, and horizontal asymptotes

$$f(x) = \frac{x-2}{(x+3)^2}$$

### **CURVE SKETCHING**

3.6.1: Domain, Intercepts, Asymptotes

0000

Identify: domain, vertical asymptotes, intercepts, and horizontal asymptotes

$$f(x) = \frac{(x+2)(x-3)^2}{x(x-5)}$$

Add complexity: Increasing/decreasing, critical and singular points.

$$f(x) = \frac{1}{2}x^4 - \frac{4}{3}x^3 - 15x^2$$

What does the graph of the following function look like?

$$f(x) = \frac{1}{3}x^3 + 2x^2 + 4x + 24$$

What does the graph of the following function look like?

$$f(x) = e^{\frac{x+1}{x-1}}$$

### SIGNS OF FACTORED FUNCTIONS

$$f(x) = (x-1) (x-2)^2 (x-3)$$




### SIGNS OF FACTORED FUNCTIONS


3.6.1: Domain, Intercepts, Asymptotes

$$f(x) = (x-3)(x-1)^2 x(x+2)^3 (x+5)^4$$


Where is f(x) positive? Where is it negative?



### **CONCAVITY**



- ► Slopes are increasing
- ► f''(x) > 0
- ► "concave up"
- ► tangent line below curve




- ► Slopes are decreasing
- ► f''(x) < 0
- ► "concave down"
- ► tangent line above curve

# MNEMONIC





# **C**ONCAVITY



Sketch graphs with the following properties, or explain that none exist.

|            | concave up  | concave down   |
|------------|---|--|
| increasing | $\longleftrightarrow x$   | $\begin{array}{c} y \\ \uparrow \\ \downarrow \end{array}$   |
| decreasing | $ \begin{array}{c} y \\ \uparrow \\ \downarrow \\ \end{array} $ | $\leftarrow \qquad \qquad \downarrow \qquad \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \downarrow \qquad \qquad \downarrow \qquad \qquad \downarrow \qquad \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \qquad $ |

Describe the concavity of the function  $f(x) = e^x$ .

- A. concave up
- B. concave down
- C. concave up for x < 0; concave down for x > 0
- D. concave down for x < 0; concave up for x > 0
- E. I'm not sure

Is it possible to be concave up and decreasing?

A. Yes

B. No

C. I'm not sure

Suppose a function f(x) is defined for all real numbers, and is concave up on the interval [0,1]. Which of the following must be true?


- A. f'(0) < f'(1)
- B. f'(0) > f'(1)
- C. f'(0) is positive
- D. f'(0) is negative
- E. I'm not sure

✓ original example

$$f(x) = \frac{1}{2}x^4 - \frac{4}{3}x^3 - 15x^2$$

3.6.3: Concavity

0000000




$$f''(x) = 6x^2 - 8x - 30 = 2(x - 3)(3x + 5)$$


Sketch:

$$f(x) = x^5 - 15x^3$$

### **EVEN AND ODD FUNCTIONS**




## **EVEN AND ODD FUNCTIONS**



A function f(x) is even if, for all x in its domain,

$$f(-x) = f(x)$$



#### Even Function – Definition 3.6.5

A function f(x) is even if, for all x in its domain,

$$f(-x) = f(x)$$

#### **Examples:**

$$f(x) = x^2$$


$$f(x) = x^4$$

$$f(x) = \cos(x)$$

$$f(x) = \cos(x)$$
  
$$f(x) = \frac{x^4 + \cos(x)}{x^{16} + 7}$$

### **ODD FUNCTIONS**

3.6.1: Domain, Intercepts, Asymptotes



Suppose 
$$f(1) = 2$$
. Then  $f(-1) =$   
Suppose  $f(3) = -2$ . Then  $f(-3) =$ 

#### Odd Function – Definition 3.6.6

A function f(x) is odd if, for all x in its domain,

$$f(-x) = -f(x)$$

#### Odd Function – Definition 3.6.6

A function f(x) is odd if, for all x in its domain,

$$f(-x) = -f(x)$$

#### **Examples:**

$$f(x) = x$$

$$f(x) = x^3$$


$$f(x) = \sin(x)$$


$$f(x) = \sin(x)$$
$$f(x) = \frac{x(1+x^2)}{x^2+5}$$


### POLL TIIIME

3.6.1: Domain, Intercepts, Asymptotes

Pick out the odd function.












### POLL TIIIME

3.6.1: Domain, Intercepts, Asymptotes

Pick out the even function.









### EVEN MORE POLL TIIIIIME

Suppose f(x) is an odd function, continuous, defined for all real numbers. What is f(0)? Pick the best answer.

A. 
$$f(0) = f(-0)$$

B. 
$$f(0) = -f(0)$$

C. 
$$f(0) = 0$$

D. all of the above are true

E. none of the above are necessarily true

#### EVEN MORE AND MORE POLL TIIIIIME

Suppose f(x) is an even function, continuous, defined for all real numbers. What is f(0)? Pick the best answer.

A. 
$$f(0) = f(-0)$$

B. 
$$f(0) = -f(0)$$

C. 
$$f(0) = 0$$

D. all of the above are true

E. none of the above are necessarily true

### OK OK... LAST ONE

3.6.1: Domain, Intercepts, Asymptotes

Suppose f(x) is an even function, differentiable for all real numbers. What can we say about f'(x)?

- A. f'(x) is also even
- B. f'(x) is odd
- C. f'(x) is constant
- D. all of the above are true
- E. none of the above are necessarily true

#### Periodic – Definition 3.6.9

A function is periodic with period P > 0 if

$$f(x) = f(x + P)$$

whenever x and x + P are in the domain of f, and P is the smallest such (positive) number

Examples:  $\sin(x)$ ,  $\cos(x)$  both have period  $2\pi$ ;  $\tan(x)$  has period  $\pi$ .

Ignoring concavity, sketch  $f(x) = \sin(\sin x)$ .

3.6.1: Domain, Intercepts, Asymptotes

Challenge: ignoring exact locations of extrema, sketch  $g(x) = \sin(2\pi \sin x)$ .

$$f(x) = (x^2 - 64)^{1/3}$$

3.6.3: Concavity

$$f'(x) = \frac{2x}{3(x^2 - 64)^{2/3}};$$

$$f''(x) = \frac{-2(\frac{1}{3}x^2 + 64)}{3(x^2 - 64)^{5/3}}$$

### LET'S GRAPH

$$f(x) = \frac{x^2 + x}{(x+1)(x^2+1)^2}$$

Note: for 
$$x \neq -1$$
,  $f(x) = \frac{x(x+1)}{(x+1)(x^2+1)^2} = \frac{x}{(x^2+1)^2}$ 
$$g(x) := \frac{x}{(x^2+1)^2}$$

$$g'(x) = \frac{1 - 3x^2}{(x^2 + 1)^3}$$
$$g''(x) = \frac{12x(x^2 - 1)}{(x^2 + 1)^4}$$

# LET'S GRAPH

$$f(x) = x(x-1)^{2/3}$$

$$f'(x) = \frac{5x - 3}{3\sqrt[3]{x - 1}}$$


• 
$$f'(x) = \frac{5x - 3}{3\sqrt[3]{x - 1}}$$
  
•  $f''(x) = \frac{2(5x - 6)}{9(\sqrt[3]{x - 1})^4}$ 

- ►  $f(3/5) \approx 0.3$
- ►  $f(6/5) \approx 0.4$


Ch 3.6 Review: matching

#### MATCH THE FUNCTION TO ITS GRAPH

A. 
$$f(x) = x^3(x+2)(x-2) = x^5 - 4x^3$$
  
B.  $f(x) = x(x+2)^3(x-2) = x^5 + 4x^4 - 16x^2 - 16x$   
C.  $f(x) = x(x+2)(x-2)^3 = x^5 - 4x^4 + 16x^2 - 16x$ 




TT





A. 
$$f(x) = \frac{x-1}{(x+1)(x+2)}$$

A. 
$$f(x) = \frac{x-1}{(x+1)(x+2)}$$
  
B.  $f(x) = \frac{(x-1)^2}{(x+1)(x+2)}$ 






C. 
$$f(x) = \frac{x-1}{(x+1)^2(x+2)}$$

C. 
$$f(x) = \frac{x-1}{(x+1)^2(x+2)}$$
  
D.  $f(x) = \frac{(x-1)^2}{(x+1)^2(x+2)}$ 






#### MATCH THE FUNCTION TO ITS GRAPH


A. 
$$f(x) = |x|^e$$

$$B. f(x) = e^{|x|}$$


$$C. f(x) = e^{x^2}$$

$$D. f(x) = e^{x^4 - x}$$





A. 
$$f(x) = x^5 + 15x^3$$
 B.  $f(x) = x^5 - 15x^3$  C.  $f(x) = x^5 - 15x^2$  D.  $f(x) = x^3 - 15x$  E.  $f(x) = x^7 - 15x^4$ 



#### Included Work

