



## TABLE OF CONTENTS



















$$\int_{-1}^{2} f(x) \, dx - \int_{-1}^{2} g(x) \, dx = \int_{-1}^{2} \left[ f(x) - g(x) \right] dx$$
$$= \int_{-1}^{2} \left[ \frac{1}{3} x^{3} - x + 2 - x^{2} + \frac{1}{3} x^{3} \right] dx$$



$$\int_{-1}^{2} f(x) dx - \int_{-1}^{2} g(x) dx = \int_{-1}^{2} \left[ f(x) - g(x) \right] dx$$

$$= \int_{-1}^{2} \left[ \frac{1}{3} x^{3} - x + 2 - x^{2} + \frac{1}{3} x^{3} \right] dx$$


$$= \int_{-1}^{2} \left[ \frac{2}{3} x^{3} - x^{2} - x + 2 \right] dx$$


$$= \left[ \frac{1}{6} x^{4} - \frac{1}{3} x^{3} - \frac{1}{2} x^{2} + 2x \right]_{-1}^{2}$$

$$= \frac{16}{6} - \frac{8}{3} - \frac{4}{2} + 4 - \left( \frac{1}{6} + \frac{1}{3} - \frac{1}{2} - 2 \right)$$

$$= 2 - (-2) = 4$$








$$\int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \left[ f(x) - g(x) \right] \mathrm{d}x$$





$$\int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \left[ f(x) - g(x) \right] \mathrm{d}x$$



$$\int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \left[ f(x) - g(x) \right] dx = \int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \left( e^{\sin x} \cos x - \sin x \cos x \right) dx$$

$$\int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \left[ f(x) - g(x) \right] dx = \int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \left( e^{\sin x} \cos x - \sin x \cos x \right) dx$$


Let  $u = \sin x$ .

Then: 
$$du = \cos x \, dx$$
,  $u\left(\frac{\pi}{2}\right) = \sin\left(\frac{\pi}{2}\right) = 1$ ,  $u\left(\frac{-\pi}{2}\right) = \sin\left(\frac{-\pi}{2}\right) = -1$ .

$$= \int_{-1}^{1} (e^{u} - u) du$$
$$= \left[ e^{u} - \frac{1}{2} u^{2} \right]_{-1}^{1}$$
$$= e - \frac{1}{e}$$




Find the (unsigned) area of the finite region bounded by f(x) and g(x).







Find the (unsigned) area of the finite region bounded by f(x) and g(x).



## Find the (unsigned) area of the finite region bounded by f(x) and g(x).



$$\int_{\frac{1}{2}}^{3} \left[ g(x) - f(x) \right] dx = \int_{\frac{1}{2}}^{3} \left[ \frac{7}{3} - \frac{2}{3}x - \frac{1}{x} \right] dx = \left[ \frac{7}{3}x - \frac{1}{3}x^{2} - \log x \right]_{\frac{1}{2}}^{3}$$
$$= (7 - 3 - \log 3) - \left( \frac{7}{6} - \frac{1}{12} - \log \frac{1}{2} \right) = \frac{35}{12} - \log 6$$





Intersections at 
$$x = 0$$
 and  $x = \pm \frac{1}{\sqrt{2}}$ :
$$xe^{x^2} = xe^{1-x^2}$$

$$e^{x^2} = e^{1-x^2} \text{ or } x = 0$$

$$g(x) = xe^{1-x^2}$$

$$x = \pm \frac{1}{\sqrt{2}}$$

$$x = \pm \frac{1}{\sqrt{2}}$$

Area = 
$$\int_0^{\frac{1}{\sqrt{2}}} \left[ g(x) - f(x) \right] dx + \int_{\frac{1}{\sqrt{2}}}^1 \left[ f(x) - g(x) \right] dx$$



Area = 
$$\int_0^{\frac{1}{\sqrt{2}}} \left[ g(x) - f(x) \right] dx + \int_{\frac{1}{\sqrt{2}}}^1 \left[ f(x) - g(x) \right] dx$$
  
=  $\int_0^{\frac{1}{\sqrt{2}}} \left[ xe^{1-x^2} - xe^{x^2} \right] dx + \int_{\frac{1}{\sqrt{2}}}^1 \left[ xe^{x^2} - xe^{1-x^2} \right] dx$ 




Area 
$$= \int_0^{\frac{1}{\sqrt{2}}} \left[ g(x) - f(x) \right] dx + \int_{\frac{1}{\sqrt{2}}}^1 \left[ f(x) - g(x) \right] dx$$

$$= \int_0^{\frac{1}{\sqrt{2}}} \left[ x e^{1 - x^2} - x e^{x^2} \right] dx + \int_{\frac{1}{\sqrt{2}}}^1 \left[ x e^{x^2} - x e^{1 - x^2} \right] dx$$
Aside: 
$$\int_{u=1-x^2, du=-2x dx} x e^{1 - x^2} + C \qquad \int_{u=x^2, du=2x dx} x e^{x^2} dx = \frac{1}{2} e^{x^2} + C$$


$$Area = \left[ -\frac{1}{2} e^{1 - x^2} - \frac{1}{2} e^{x^2} \right]_0^{\frac{1}{\sqrt{2}}} + \left[ \frac{1}{2} e^{x^2} - \left( -\frac{1}{2} e^{1 - x^2} \right) \right]_{\frac{1}{\sqrt{2}}}^1$$


$$= -\frac{1}{2} \left[ \left( e^{\frac{1}{2}} + e^{\frac{1}{2}} \right) - \left( e^{1} + e^{0} \right) \right] + \frac{1}{2} \left[ \left( e^{1} + e^{0} \right) - \left( e^{\frac{1}{2}} + e^{\frac{1}{2}} \right) \right]$$

$$= e - 2\sqrt{e} + 1$$











Option 1: 
$$\int_{1}^{2} \left[ \sqrt{x-1} - \left( -\sqrt{x-1} \right) \right] dx + \int_{2}^{5} \left[ \sqrt{x-1} - (x-3) \right] dx$$


Option 2: Swapping *x* and *y* results in a figure with the same area.








Option 2: Swapping x and y results in a figure with the same area.





$$\int_{-1}^{2} \left[ (x+3) - (1+x^2) \right] dx$$



## Included Work

- 'Notebook' by Iconic is licensed under CC BY 3.0 (accessed 9 June 2021, modified), 24, 25
- Notebook' by Iconic is licensed under CC BY 3.0 (accessed 9 June 2021), 6, 11, 14, 18