

RAINFALL at Sether

County of Nairn

Observer Col. Hon. J. M. Campbell, D.S.O.

River Basin Findhorn & L. I.

Standard Rain Gauge, by.....

Diameter										5
Height										1.1
Altitude										350
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929
January86 1.74
February49 1.05
March29 1.09
April										2.48 1.45
May										2.66 1.27
June										2.13 1.31
July										2.69 1.87
August										3.34 1.95
September										1.69 1.73
October										3.75 1.26
November										1.75 1.49
December										2.01 1.39
TOTALS										24.14 31.60

1929. House 30'-40' high, 51° N.E.
 Shrubs 5'-7' " 21'-30' W. & S.W.
 Tree 50'-60' " 123' S.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map..... Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1929.			Nairn	6 m. N.W.		Auldearn	2½ m. N.N.E.	

RAINFALL at *London*County of *Middlesex*Observer *Cd. Hon. I.M. Campbell, D.S.O.*River Basin *— Hertfordshire & C.*

Type of Gauge.....

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

Diameter	5										
Height	1.1	1.	6.								
Altitude	850		300								
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January	3.56	2.76	1.39	1.49	1.49	2.06	2.69	2.42	4.02	.83	
February	1.76	1.57	2.99	1.60	2.17	1.07	3.08	1.17	1.09	.95	
March	1.20	3.67	0.43	3.63	1.85	1.21	2.10	1.09	2.26	2.93	
April	2.00	4.11	2.60	4.87	2.94	1.78	1.54	1.66	1.42	1.90	
May	2.64	3.48	1.60	2.26	1.75	1.24	1.35	2.28	.89	2.26	
June	3.47	2.1	2.75	1.42	3.56	1.65	2.97	4.31	1.41	.68	
July	4.46	3.46	2.42	4.46	1.78	5.54	4.24	5.06	5.92	9.29	
August	2.83	1.35	2.34	1.87	3.13	2.62	2.64	1.88	1.88	1.46	
September	1.88	3.31	0.88	.93	4.94	2.11	1.48	4.07	1.77	2.23	
October	2.31	5.27	4.57	3.84	6.13	2.24	2.23	3.81	2.27	4.16	
November	1.62	3.62	0.87	1.61	2.57	1.44	1.72	2.98	2.50	5.48	
December	1.24	1.76	0.40	2.27	2.16	2.50	2.48	1.16	2.80	3.73	
TOTALS	28.97	33.57	23.24	28.14	33.97	26.06	26.52	30.89	28.08	35.86	
	D.										

1930 Hedge and shrub border 6' high 3' wide W.

1931 Shrub border + hedge 7' high by 6' W.

Position of Station on reduced Ordnance Survey Map. } No. of Map..... Reference No.....
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1934			Auldearn	3 m	NNW/N	Auldearn	2½ m	NNW/N
1937			Mairns	5 miles	N	Auldearn	3 miles	NE

BRITISH RAINFALL ORGANIZATION, EXHIBITION ROAD, LONDON, S.W.7.

807696

Station No. 5685 41

RAINFALL at Letter

County of Nairn

Observer Col Hon I M Campbell, DSO

River Basin 1 - Findhorn & C

Major J. S. Walker (1942)

Type of Gauge

Major D. J. Brodie

Annual Average in. based on years obs. un-weighted. Period of average Ref.

File No.

Diameter	5"			807	696						
Height	1'6"					1					
Altitude	300'					41					
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	1.78	3.26	1.34	2.33	4.02	0.75	1.02	2.11	3.34	1.76	
February	3.39	1.98	2.32	2.27	1.97	2.20	1.08	1.88	1.69	1.45	
March	1.94	4.45	1.68	1.57	.69	1.08	1.48	1.16	1.80	1.51	
April	1.31	1.52	1.17	1.58	1.14	1.37	1.66	2.84	2.05	3.18	
May	3.86	2.89	3.83	2.21	3.49	1.63	1.75	2.28	2.28	1.80	
June	0.64	.88	2.56	2.91	2.91	2.83	3.80	5.89	1.16	2.16	
July	1.37	2.65	1.12	.91	2.02	1.31	2.71	3.25	1.58	2.00	
August	7.11	2.42	3.49	1.78	4.95	3.25	1.45	9.12	5.64	2.00	
September	.61	2.29	3.35	3.64	2.22	4.03	3.45	2.68	1.65	4.78	
October	3.50	3.12	2.45	3.49	4.80	2.21	1.12	2.53	1.58	.82	
November	1.97	1.50	3.06	3.40	.34	3.23	5.02	2.08	2.81	4.09	
December	2.35	1.01	.80	3.21	2.81	1.03	1.64	2.23	5.04	(1.77)	
TOTALS	29.83	23.97	27.47	29.30	30.86	27.92	24.18	58.05	30.62	27.62	

1942 up low. Letters have been written in possible cash was only received.
 1943 No measure. Rain area in glass bottle in gauge included in half mile. New measure 12/43.
 Sept 30th, g. moved 200' E. Wall 12' high 28' N
 1950 Dec. adj. for snow. Apple tree & fence 10ft high 24' S

00014

Position of Station on reduced Ordnance Survey Map, } No. of Map Reference No.
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1943			Nairn	5 m	NW	Auldearn	3 m	N

807696

Station No. 5685

51

RAINFALL at LethenCounty of SairnObserver Maj. D. J. Brodie
D. G. Macmillan
(Ass. M. P. G. Miller)River Basin Findhorn & C-1Type of Gauge Snowdon

Annual Average in. based on years obs. un-weighted. Period of average Ref.

File No.

Diameter	5"				807	696					
Height	1' 6"						1				
Altitude	300'						51				
Year	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January	2.34	2.26	1.33	1.77	1.48	2.08	2.43	3.64	2.92	2.57	
February	2.52	1.36	1.81	1.02	2.13	2.52	1.67	3.12	0.70	(1.94)	
March	2.47	1.66	.99	1.52	1.61	.84	3.83	1.40	0.97	0.57	
April	4.51	.72	3.01	1.19	1.02	2.23	.61	1.52	2.98	1.73	
May	0.75	1.45	2.91	4.15	3.07	1.23	.83	3.87	0.75	0.22	
June	2.95	2.11	4.87	2.28	.91	2.94	2.21	2.67	2.55	3.28	
July	3.45	2.45	4.70	4.12	.60	7.68	6.76	3.99	2.77	3.28	
August	5.53	4.37	2.68	2.18	.58	4.88	6.58	3.66	1.49	8.67	
September	.77	3.07	2.46	1.90	2.01	3.33	2.61	2.21	0.82	2.20	
October	1.45	1.91	1.01	6.10	3.80	3.06	1.29	1.42	3.08	3.11	
November	4.32	3.61	2.50	1.79	.72	1.72	2.95	1.00	3.25	1.24	
December	3.69	3.03	2.79	4.90	6.77	3.00	2.72	2.11	1.47	1.29	
TOTALS	34.75	28.00	31.06	32.92	23.76	35.51	34.61	30.61	23.78	30.10	
	D	D	D	D	D	D	D	D	D	D	

Ins. 8.5.59. Q. in moderate condition - delivery pipe loose. 0/3 to N-NE (brush elev 40° NNW Trees 50° N 40° NNW 30° NE. 0/e S (level for few years then sheep slope 6 55°). Moved into brush part of garden where ground uneven level. Station carries on under own momentum. Neither down nor alluvium very interested.

15.5.59. Q. moved to ~~new~~ proposed site.

1960 Feb. est. M.O. Edin

20004

Position of Station on Ordnance One-Inch map : No. of Map National Grid Reference NH(28)938517

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Parish Church.	Distance from gauge

Summary of Earlier Records from 10-year Sheets :

Record D, or d		1910-19	1920-30	1931-40	1941-50	1951-60
		C 1929	—	✓	H 143-50 NP 42-40	✓