

113
RAINFALL AT Cerrig-y-Dduidion Hafodllanaisaf

Lat. Lon. County of Denbigh
 Rain Gauge, by N.Y. Observer Dr. H. R. Mill f7 Weasenby Esq. C.B.
 See - 1.

Diameter ..							5				
Height ..							1. 0				
Altitude ..							1200				
Year ..	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEANS.
January ..							5.70	2.67	4.18	3.25	
February ..							4.49	2.30	3.47	2.40	
March ..							(4.00)	2.70	4.38	3.20	
April ..							(1.48)	2.00	2.27	4.00	
May ..							4.75	2.90	3.28	1.30	
June ..							2.19	4.58	2.27	2.30	
July ..							.90	2.17	4.78	3.50	
August ..							3.69	3.08	4.47	2.60	
September ..							1.37	.77	3.28	6.00	
October ..							6.85	9.25	1.57	7.30	
November ..							5.28	2.88	4.58	2.20	
December ..							5.18	4.27	3.40	7.90	
TOTALS ..							45.88	39.57	41.93	45.05	
											4267

- 7pm - 7pm

1906 March + April Correction made for leaky can - (new leaky can sent 5/4/06)
 also graduated up rate.
 St Mary's Church Cerrig 3 1/2 Miles S E New funnel sent 6/11/06
 Denbigh Station 12 NE notes from correc. in
 Home 30 ft high 10 yard N P.B. 203.

+ Inspected Erected by C.S. Dec. '05

RAINFALL at Cerrig-y-Dduon Hafod-Cluniau No. 2

County of Denbigh

Observer

J. Parkin Esq.

River Basin Dee

Rain Gauge, by

Diameter ...					5						
Height.....					1.0						
Altitude ...						1260					
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.
January ...						5.40	3.00	2.22	3.40	3.71	
February ...						5.85	5.97	.92	4.08	5.87	
March85	2.24	3.31	1.40	5.95	
April					# 1.30	2.17	3.20	2.56	1.73	3.57	
May						2.78	2.45	4.05	2.82	3.90	1.12
June.....						4.30	.61	2.25	2.02	2.29	2.27
July						5.75	3.85	1.79	1.70	3.58	1.73
August.....						2.45	3.35	2.90	8.42	2.37	3.72
September ..						2.37	1.40	4.16	2.00	9.05	3.77
October ...						3.02	2.32	8.35	6.60	2.80	5.20
November..						4.95	3.63	4.33	4.12	2.63	3.04
December...						8.52	7.34	2.50	2.40	6.14	7.15
TOTALS ...						39.22	44.54	39.09	43.27	43.50	

1914 f. E. J. Parkin House

Site selected by Col. W. M.

(monotsi)

Letter d. 15.5.15 states this record does not support
contention that original gauge was over-shielded.

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.

RAINFALL at Llerrig-y-Dauidion, Hafod-llan-Gwaf N63

County of Denbigh

Observer J. T. Parkin Esq.

River Basin Dee - I

Rain Gauge, by

Diameter ...										5			
Height										10			
Altitude ...										1200			
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.		
January ...										1.63	3.07	3.45	
February84	3.32	2.16	
March										2.43	1.38	5.47	
April										1.82	1.74	3.14	
May										2.76	(3.88)	1.01	
June.....										1.90	2.18	1.92	
July										1.52	3.56	1.73	
August.....										8.25	2.29	3.48	
September...										3.80	1.64	8.94	3.51
October ...										9.56	6.06	2.62	5.00
November..										4.16	3.43	2.69	3.00
December...										2.22	1.88	5.44	0.98
TOTALS ...										34.16	(41.41)	40.85	
										3	3	3	

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.

RAINFALL at Dr. Oliver (Kafel-llan - Daf) No. 1.

County of Denbigh.

Observer J. H. Parfitt Esq. 1921 R. T. Baker Esq.

River Basin Dee - 1

Birkenhead 1 mi.

Rain Gauge, by _____

Diameter ...	5									MEANS.
Height	1.0									
Altitude ...	1200	1215								
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929
January ...	4.55	5.18	4.52	2.83	2.90					
February ...	3.91	4.5	3.52	3.21	1.77					
March	5.18	3.11	3.11	1.24	1.10					
April.....	5.23	1.51	3.50	2.00	2.87					
May	2.57	1.33	6.6	4.27	4.52					
June	2.44	1.16	2.42	1.92	1.61					
July	6.11	1.21	4.18	2.23	3.52					
August	2.95	4.50	2.33	3.52	3.35					
September...	3.10	1.05	2.45	2.97	4.36					
October.....	1.86	2.43	7.6	4.54	2.92					
November...	1.64	2.62	2.85	3.85	1.45					
December...	2.94	4.37	6.02	3.31	3.27					
TOTAL	(42.45)	27.92	36.32	37.09	32.84	#				
	0	2	P	0	P					

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map _____ Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
			Denbigh	12 m.	N.E.	Sopwith-in-Denbigh	4 m.	S.

RAINFALL at R. Afon Gafod Llan-~~Gaf~~ v.2,

County of Denbigh

Observer J. H. Paskin Esq.

River Basin See - /

Breckenhead Res.

(1926) Standard Rain Gauge, by _____
(1927) M. O. _____

Diameter ...	5									5	
Height	1.2	1.0								1.0	
Altitude ...	1200	1172								1172	
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	MEDIAN 1930.	
January ...	5.25	7.01	6.15	3.52	3.23	4.12	4.32	4.38	7.13	1.33	5.46
February ...	4.78	6.9	4.76	6.63	1.15	6.25	2.20	2.37	4.28	1.91	.90
March	6.20	4.07	3.90	1.78	1.34	1.95	1.45	4.49	2.57	1.38	2.80
April.....	6.80	1.68	3.75	2.39	3.59	3.05	2.03	2.24	1.13	1.37	4.27
May	3.28	1.92	7.4	5.14	5.39	3.68	3.12	2.42	2.19	1.90	1.57
June	2.85	3.5	2.75	1.10	2.11	.03	1.77	5.83	5.67	1.81	1.03
July	6.92	1.88	5.28	2.58	5.04	1.93	5.36	2.45	1.50	3.06	5.27
August	7.25	5.76	2.42	4.81	4.95	2.77	3.96	7.19	3.72	4.17	5.50
September...	3.55	1.38	3.06	3.98	6.12	5.37	4.87	5.22	2.59	2.03	4.59
October.....	2.27	3.09	7.7	7.03	4.45	5.05	3.39	5.10	6.49	5.63	7.02
November...	2.02	3.85	3.03	4.91	2.13	3.01	5.99	4.96	7.43	6.84	6.01
December...	3.49	5.95	6.22	4.60	5.05	5.52	1.75	1.48	3.43	7.66	6.44
TOTALS...	50.4	37.03	43.03	48.47	44.53	42.73	40.21	48.13	48.43	37.08	50.86
	10	10	10	10	10	10	10	10	10	10	10

Inspected September 1928 see green file

1930. Gauge read 9 am winter.
10 ... summer.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map _____ Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge
1926.	53° 3' " 33" 0'		Corwen				

RAINFALL at R. Slewer, (Kafid-Ullan-iaf) etc. 3.

County of DarbyshireObserver J. H. Parker, Esq.River Basin See - 1Birkdale Woods(1926) Snowdonia Rain Gauge, by _____

Diameter ...	<u>5"</u>										
Height	<u>1.0</u>										
Altitude ...	<u>1200</u>	<u>1169</u>						<u>1169</u>			
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	<u>Mean</u> <u>1930.</u>
January ...	<u>4.63</u>	<u>6.00</u>	<u>5.43</u>	<u>3.58</u>	<u>3.27</u>	<u>3.92</u>	<u>4.28</u>	<u>4.07</u>	<u>6.95</u>	<u>1.49</u>	<u>6.24</u>
February ...	<u>4.52</u>	<u>5.2</u>	<u>4.74</u>	<u>7.61</u>	<u>1.05</u>	<u>5.87</u>	<u>2.16</u>	<u>2.36</u>	<u>4.13</u>	<u>1.92</u>	<u>.97</u>
March	<u>6.00</u>	<u>3.52</u>	<u>3.58</u>	<u>1.80</u>	<u>1.32</u>	<u>1.74</u>	<u>1.12</u>	<u>4.36</u>	<u>2.67</u>	<u>.40</u>	<u>3.05</u>
April.....	<u>6.34</u>	<u>1.37</u>	<u>3.82</u>	<u>2.44</u>	<u>3.53</u>	<u>3.13</u>	<u>2.01</u>	<u>2.07</u>	<u>1.13</u>	<u>1.38</u>	<u>4.46</u>
May	<u>3.16</u>	<u>1.81</u>	<u>.78</u>	<u>4.96</u>	<u>5.43</u>	<u>2.70</u>	<u>3.01</u>	<u>2.41</u>	<u>2.16</u>	<u>2.19</u>	<u>1.66</u>
June	<u>2.85</u>	<u>.26</u>	<u>2.82</u>	<u>.98</u>	<u>2.06</u>	<u>.03</u>	<u>1.64</u>	<u>5.60</u>	<u>5.30</u>	<u>1.88</u>	<u>1.16</u>
July	<u>6.60</u>	<u>1.63</u>	<u>5.42</u>	<u>2.51</u>	<u>5.08</u>	<u>1.93</u>	<u>5.25</u>	<u>2.45</u>	<u>1.16</u>	<u>3.11</u>	<u>5.47</u>
August	<u>2.98</u>	<u>5.87</u>	<u>2.53</u>	<u>4.72</u>	<u>4.76</u>	<u>2.78</u>	<u>3.95</u>	<u>7.23</u>	<u>3.64</u>	<u>4.33</u>	<u>5.61</u>
September...	<u>2.30</u>	<u>1.26</u>	<u>2.98</u>	<u>4.00</u>	<u>5.92</u>	<u>5.42</u>	<u>4.74</u>	<u>5.18</u>	<u>2.53</u>	<u>2.19</u>	<u>4.82</u>
October.....	<u>2.36</u>	<u>3.07</u>	<u>.86</u>	<u>7.17</u>	<u>4.40</u>	<u>5.07</u>	<u>3.43</u>	<u>4.82</u>	<u>7.49</u>	<u>5.96</u>	<u>7.26</u>
November...	<u>1.83</u>	<u>3.07</u>	<u>3.02</u>	<u>4.74</u>	<u>2.06</u>	<u>2.95</u>	<u>6.11</u>	<u>4.88</u>	<u>8.28</u>	<u>7.87</u>	<u>6.38</u>
December...	<u>2.40</u>	<u>5.41</u>	<u>6.67</u>	<u>4.51</u>	<u>5.15</u>	<u>4.75</u>	<u>1.73</u>	<u>1.49</u>	<u>3.74</u>	<u>8.89</u>	<u>7.29</u>
TOTALS.	<u>47.97</u>	<u>33.79</u>	<u>42.65</u>	<u>49.02</u>	<u>44.05</u>	<u>41.29</u>	<u>39.43</u>	<u>46.92</u>	<u>49.48</u>	<u>40.11</u>	<u>54.37</u>
	<u>D</u>										

Inspected 12/28 area green free
 Turf wall built round gauge 20/10/28
 1930. Gauge read 10 a.m. summer
 " 9 " winter.

Position of Station on reduced Ordnance Survey } No. of Map _____ Reference No. _____
 Map, 2 miles to 1 inch Series }

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge
1926	53° 3' 40"	3° 33' 0"					

RAINFALL at River Alwen (Hafod-llan-isaf) N°2

County of Derbyshire Observer R.F.Baker, B.E.

River Basin 1-Dee.....

Type of Gauge..... M. O. (Standard)

~~Annual Average 39.2 in. based on 8 years obs un-weighted. Period of average (1881-1915) Ref. S~~
~~* not the median B.R. 5-year average of annual totals from 1881-1940~~

Diameter	5										
Height	10										
Altitude	1172										
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January	4.66	5.35	3.63	2.99	2.49	7.08	4.25	6.19	7.51	2.32	4.6471
February	4.55	.15	3.92	4.42	6.39	4.02	6.14	5.58	4.05	3.18	3.440
March	.99	3.43	2.36	2.52	1.17	2.93	3.47	1.44	4.65	3.02	2.598
April	5.14	5.48	1.29	2.37	4.57	2.39	4.24	.40	2.74	3.49	3.211
May	4.54	3.24	1.90	2.34	1.46	3.15	1.96	2.65	1.87	2.55	2.566
June	3.85	1.83	2.71	1.72	4.97	5.94	1.91	4.95	3.77	1.73	3.338
July	2.37	6.84	1.86	1.69	1.07	4.74	2.12	4.25	6.53	3.97	3.496
August	7.01	3.11	1.22	4.64	1.52	1.94	.71	3.46	2.46	9.0	2.597
September	5.86	3.99	1.04	1.84	7.80	5.22	1.65	1.94	1.19	4.00	3.453
October	2.32	7.63	5.41	4.14	7.87	2.92	3.83	6.48	4.22	5.42	5.024
November	7.61	3.21	1.78	1.86	6.10	5.87	1.62	5.51	7.82	8.12	4.955
December	2.38	2.97	1.46	5.90	3.29	5.96	3.34	4.82	3.34	2.84	3.630
TOTALS	51.28	47.23	28.08	32.43	48.75	51.18	35.24	43.67	50.15	41.54	42.955

1935. This record to be transmuted at end of 1935. Orange over-exposed.
(Chamber dimensions to obtain same.)

1948-1949-1950-1951-1952-1953

Position of Station on reduced Ordnance Survey Map, { *No. of Map*..... *Reference No.*.....
1 mile to 1 inch Series

RAINFALL at River Aeron (Hafod-Uan-waf) No. 3.

County of Denbigh Observer R.F. Baker, G.E.

River Basin 1 Dec.

Type of Gauge 16.0

Annual Average 36.8 in. based on 60 years obs. un-weighted. Period of average 1931-1945 Ref. S
* average deleted from 1940.

660551/26

Diameter	5											
Height	10											
Altitude	1169											
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means	
January	5.12	5.12	3.73	4.25	3.09	7.14	4.76	6.83	7.96	2.42	5042	
February	4.80	1.14	4.54	1.40	6.74	4.15	6.69	1.81	4.23	3.27	3677	
March	1.09	3.69	2.93	3.06	1.19	3.16	2.73	1.48	5.10	3.30	2873	
April	5.17	5.76	1.88	3.03	4.73	2.67	4.48	1.42	2.82	3.57	3402	
May	4.62	3.26	2.23	2.96	1.48	3.14	2.06	2.85	1.91	2.63	2713	
June	4.12	1.88	3.80	2.00	5.18	6.60	1.93	5.05	3.84	1.73	3613	
July	2.61	6.80	2.00	2.14	1.13	5.33	2.16	4.40	6.80	3.94	3731	
August	7.13	3.08	1.42	5.65	1.58	1.14	1.77	3.44	2.43	.90	2754	
September	5.87	3.87	1.47	2.82	7.99	5.60	1.72	1.98	1.21	4.04	3647	
October	2.42	7.64	4.10	7.15	8.36	3.23	3.65	7.17	4.41	5.57	5390	
November	7.51	3.08	1.47	2.54	6.14	6.58	1.63	6.16	8.03	8.16	5130	
December	2.33	3.14	1.55	7.55	3.39	6.89	3.64	6.07	3.48	2.8	4005	
TOTALS	52.79	47.44	30.62	43.55	51.00	55.53	37.62	46.66	52.22	42.34	45977	KM

Surrounded by turf wall (30/9/28)
 1935. Record in better accord since erection of turf wall, but probably still less than actual rainfall.
 1940 np BR. 1940-42

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....
 1 mile to 1 inch Series }

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge		Parish Church.	Distance from gauge
				Direction	from gauge		

Station No. T.F. 4290

41

RAINFALL at River Alwen (Hafod-Ulam-Waen) N^W_E
 County of Denbigh
 River Basin I-Dee
 Type of Gauge Standard

Annual Average 2.2 in. based on 8 years obs. unweighted. Period of average 1881-1915. Ref. S

* Not to be used in B.R. q.s. over extended

File No. 660551 216

Diameter	5										
Height	10										
Altitude	1172										
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	3.12	5.78	6.24	5.36	4.20	5.93					
February	4.84	2.24	2.99	2.35	4.75	6.81					
March	3.77	2.97	1.39	1.23	1.40	1.64					
April	4.44	2.31	1.92	1.38	2.59						
May	2.98	3.88	4.33	1.81	4.42						
June	1.94	1.62	3.24	2.35	4.02						
July	1.61	3.94	2.95	3.01	2.34						
August	5.57	4.99	4.50	2.56	2.10						
September	1.08	3.97	5.85	6.06	2.41						
October	5.74	3.33	4.75	6.36	5.42						
November	3.18	1.45	4.03	7.99	.85						
December	2.84	5.21	2.45	5.33	5.32						
TOTALS	37.11	40.69	44.64	45.74	39.82						
	D.n.p.	N.D.P.	N.D.P.	N.D.P.	D.n.p.						

Turf Wall round gauge. 1943 n.p. low. observer agrees site unsatisfactory.
 1944 low 1945 n.p. low.

1941-42 n.p. 1940-42 D.R.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series No. of Map..... Reference No. 4290

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge

Station No. T.F. 4360

41

RAINFALL at River Alwen (Hafod-llan-isaf) N°3 ✓

County of Denbigh

Observer R.F. Baker Esq. C.E.

River Basin 1-Dee

died Oct 1944

Type of Gauge H.O. Standard (1940)

F.G. Hartson Esq. C.E.

Annual Average 31.8 in. based on 6 years obs. un-weighted. Period of average 1881-1915 Ref. S
not to be used in G.P. & open-expedited.

File No. 66.0551 26

Diameter	5										
Height	1	0									
Altitude	1169										
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	3.21	6.08	6.82	5.06	4.59	6.39					
February	4.95	2.35	3.55	2.59	5.10	7.05					
March	3.90	3.02	1.54	1.30	1.52	1.79					
April	1.46	2.47	2.14	1.50	2.79						
May	3.38	4.24	4.69	1.98	4.53						
June	1.92	1.66	3.44	2.42	4.24						
July	1.66	4.11	3.17	3.18	2.43						
August	5.80	5.06	4.76	2.67	2.17						
September	1.10	4.00	6.06	6.39	2.57						
October	5.83	3.34	5.00	6.73	5.60						
November	3.32	1.53	4.24	8.34	.85						
December	2.87	5.62	2.69	5.63	5.59						
TOTALS	38.40	42.48	48.16	148.39	41.98						
	D.p.p.	D.p.p.	D.p.p.	N.P.D.	D.p.p.						

43 np low. observer agrees with unsatisfactory. 1944-1-0W
1945 np low.

1946, 1947 np. BR 1940-42

Turf wall round gauge.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series No. of Map.....

Reference No. A.M. Satis -

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge

R. Alwyn
RAINFALL at (Hafod-y-llyn-Gwaf)

Station No. 4300/

41

County of Denbigh
River Basin 1 - Dee
Type of Gauge Standard (1950)Observer E. G. Hutton, Esq. C.E.
W. K. Lewis, Esq., M.A. (IV. 52)

Annual Average in. based on years obs. un-weighted. Period of average

Ref.

File No. 660551/26

Diameter				5"	S43	S09					
Height				1' 0"		1					
Altitude				1180		41					
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January				-100	4.80	7.77	5.13	11.26	4.01	2.11	
February				-100	6.45	8.57	2.08	3.82	2.65	7.45	
March				-100	1.77	1.64	1.02	2.45	1.81	2.55	
April				1.56	3.13	1.23	5.42	2.68	4.94	5.47	
May				2.20	4.89	3.04	3.72	1.21	3.69	2.32	
June				2.79	4.43	5.01	2.91	6.34	0.71	1.81	
July				3.39	2.57	2.35	3.28	2.46	2.07	3.53	
August				2.85	2.25	6.67	0.54	4.79	3.06	6.52	
September				6.62	2.82	5.46	2.32	3.06	1.30	10.10	
October				7.04	6.76	1.52	0.61	3.03	8.12	4.54	
November				8.82	83	6.67	6.74	3.91	6.94	5.80	
December				6.23	5.81	5.86	3.99	6.99	2.15	5.41	
TOTALS				-100	46.51	55.79	43.76	52.00	48.22	57.61	
				Imp.	D	D	D	D	D	D	

No. 1944 Record commenced. New gauge, position shown on 6' - 1 m. tracing (188C of file)
 To be regarded as a replacement for gauges Nos 2 & 3 - (S/N 4289 & 4300)
 1945. Record accepted for printing.
 No permanent objects near gauge.

Position of Station on reduced Ordnance Survey Map, No. of Map..... Reference No.....
 1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge
1945			Cerrig	13 m	S.E.	Cerrig-y-donion	3 m.

RAINFALL at River Alwen (Hafod-y-Han-Gwaf.) 51
 County of Denbighshire Observer H. K. Lewis Esq. B.Sc. M.R.C. ✓
 River Basin 1 - Dee Water Engineer Birkhead.
 Type of Gauge Standard.

Annual Average 47.8 in. based on 11 years obs. unweighted. Period of average 1881-1915 Ref. P.B. 390.
 " 50.17 " " 12 " " within 1945-51. " " " S File No. 6600551126

Diameter	5"			543	509						
Height	1' 0"					1					
Altitude	1180'					51					
Year	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January	4.53	7.54	1.49	3.85	4.59	5.37	6.22	5.31	6.87	8.27	
February	4.81	2.06	2.73	3.96	4.21	1.14	4.75	8.70	0.83	5.92	
March	6.82	1.52	2.64	3.63	2.36	2.63	3.21	1.50	2.73	2.35	
April	4.09	2.58	4.37	1.20	1.87	2.61	0.97	1.44	6.45	2.56	
May	3.40	3.40	2.45	5.82	6.48	1.83	2.34	3.98	2.52	1.82	
June	1.68	2.18	2.62	3.58	3.95	2.62	1.12	4.40	2.35	1.58	
July	1.85	1.13	4.72	4.70	1.17	5.54	7.15	4.62	4.25	3.89	
August	7.17	4.63	4.30	5.84	1.61	8.25	10.05	3.74	6.35	3.85	
September	5.17	6.04	6.00	6.47	2.30	4.02	7.78	7.22	0.31	6.59	
October	2.18	7.62	2.32	9.70	4.25	3.88	5.01	4.53	6.46	5.70	
November	9.23	3.85	5.73	9.39	2.65	2.68	2.90	2.60	6.37	10.34	
December	8.84	5.45	1.82	5.53	5.93	4.88	4.31	3.86	6.22	5.84	
TOTALS	59.12	48.00	42.19	62.67	41.27	44.68	55.81	51.90	50.48	58.71	
	D	D	D	D	D	D	D	D	D	D	

Installed 20-3-58 now 2nd. Gangswept, measure certified. Site of 5. Recommended rainfall

Position of Station on Ordnance One-Inch map : No. of Map National Grid Reference 23/957529

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Parish Church.	Distance from gauge.
1945*			Llanuwchllyn	13 ml S.E.	Cenig-y-Dduidion	3 ml S.

Summary of Earlier Records from 10-year Sheets :

Record D, or d	1910-19	1920-30	1931-40	1944-50	1951-60
				1944 imp 1945-50 D	