

RAINFALL AT *Gamer House Seddingin*

60

R D Blackmore

Rain { By *Cassella*
Gauge { Diameter *5* in.

Height above Ground, *10* ft. *10* in.

Above Mean Sea Level, *26* ft.

1- Thames. Colne & Brent

YEAR.....							1866	1867	1868	1869	MEANS.
January								3.88	3.62	2.88	
February								1.48	.90	2.53	
March								2.12	1.13	1.12	
April								1.99	1.39	1.25	
May								1.06	1.21	3.38	
June								1.91	.42	1.30	
July								4.02	2.21	.81	
August								2.53	2.89	1.30	
September ...							<i>#</i> 3.76	1.99	2.12	4.00	
October							1.37	1.84	2.31	1.85	
November							1.49	.72	1.06	2.24	
December							1.90	1.32	5.28	2.62	
TOTALS								24.86	24.62	25.08	

C C C C

1868 July 12th 2.64 W 1.36 and almost continuous. L came with it, it was all absorbed immediately & seems to have been quite local. We have had no less than 7 real gales of wind during Dec. and almost daily rain, the fall exceeds that of any month - I believe since Oct. 1852

1869 The heaviest fall of the year was on the 27th of Nov. began from the SE & ended from NW with a breeze but not a gale the entire fall was 1.06 0.04 having fall before 9 a.m. I think it rained for 18 hours

RAINFALL AT Teddington, Gomer House

Lat.....

Lon.....

County of.....

Middlesex

Rain Gauge, by.....

Observer

Rich^d D. Blackman Esq

1- Thames. Soler = Bent.

Diameter.....	5										
Height.....	.10										
Altitude.....	26.0										
YEAR.....	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	MEANS.
January.....	1.00	2.12	3.80	2.37	1.12	3.55	87	4.88	1.11	2.81	2.371
February.....	1.48	.94	1.05	1.71	1.32	.95	1.99	1.73	1.16	3.45	1.578
March.....	2.28	1.05	1.84	1.63	.52	.63	2.42	2.38	1.15	.69	1.459
April.....	.38	3.27	1.25	.72	1.67	1.86	1.78	2.94	3.32	2.99	2.018
May.....	.58	.71	3.69	1.42	.61	1.27	1.06	2.02	3.31	3.90	1.857
June.....	.59	3.66	2.22	2.19	2.91	2.60	1.28	1.79	2.25	4.32	2.381
July.....	.63	3.34	1.49	1.81	1.17	4.64	.89	2.91	2.10	3.37	2.235
August.....	2.70	.90	1.85	2.04	1.50	.58	2.06	2.67	4.47	5.37	2.414
September.....	1.48	4.46	1.35	2.45	2.81	1.45	2.32	.72	1.12	3.03	2.119
October.....	3.04	.92	4.65	2.98	3.83	3.82	1.47	1.84	1.90	.58	2.503
November.....	1.39	.42	3.22	2.00	2.19	2.88	2.44	4.15	2.68	.80	2.217
December.....	2.72	1.19	3.83	.45	1.64	1.01	5.95	1.45	1.24	.83	2.031
TOTALS.....	18.35	22.98	30.24	21.77	21.29	25.24	24.53	29.48	25.81	32.14	25.183

1879 Cherry tree 10ft high 18ft distant from gauge W.N.W.

RAINFALL AT *Gower House, Teddington*

80

Lat.

Lon.

County of *Middlesex*

Rain Gauge, by

Observer *J. D. Blackmore, Esq.*

1. Thames - Gower - Brent.

Diameter	<i>5</i>										
Height	<i>10</i>										
Altitude	<i>267</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>0.35</i>	<i>1.52</i>	<i>1.29</i>	<i>2.06</i>	<i>2.26</i>	<i>1.55</i>	<i>3.92</i>	<i>1.53</i>	<i>.88</i>	<i>.87</i>	<i>16.23</i>
February	<i>2.19</i>	<i>2.20</i>	<i>1.46</i>	<i>3.44</i>	<i>1.38</i>	<i>2.93</i>	<i>.45</i>	<i>.54</i>	<i>.97</i>	<i>2.20</i>	<i>17.76</i>
March	<i>0.60</i>	<i>1.92</i>	<i>.75</i>	<i>0.87</i>	<i>1.23</i>	<i>1.46</i>	<i>1.33</i>	<i>1.62</i>	<i>2.69</i>	<i>1.57</i>	<i>14.14</i>
April	<i>1.80</i>	<i>.56</i>	<i>2.28</i>	<i>1.62</i>	<i>1.16</i>	<i>1.45</i>	<i>1.32</i>	<i>1.45</i>	<i>2.06</i>	<i>2.44</i>	<i>16.14</i>
May	<i>0.26</i>	<i>.97</i>	<i>1.01</i>	<i>1.79</i>	<i>.55</i>	<i>2.63</i>	<i>3.72</i>	<i>1.82</i>	<i>1.10</i>	<i>2.88</i>	<i>16.78</i>
June	<i>3.02</i>	<i>1.41</i>	<i>1.89</i>	<i>1.42</i>	<i>1.59</i>	<i>1.78</i>	<i>.89</i>	<i>1.06</i>	<i>2.38</i>	<i>.81</i>	<i>16.25</i>
July	<i>6.12</i>	<i>2.03</i>	<i>1.84</i>	<i>3.21</i>	<i>1.57</i>	<i>.28</i>	<i>2.16</i>	<i>1.01</i>	<i>5.06</i>	<i>1.58</i>	<i>24.86</i>
August	<i>0.50</i>	<i>4.69</i>	<i>1.30</i>	<i>0.74</i>	<i>.85</i>	<i>1.59</i>	<i>.63</i>	<i>2.99</i>	<i>2.96</i>	<i>2.27</i>	<i>18.52</i>
September	<i>4.41</i>	<i>2.05</i>	<i>2.41</i>	<i>2.52</i>	<i>1.69</i>	<i>4.48</i>	<i>2.03</i>	<i>1.81</i>	<i>1.22</i>	<i>1.32</i>	<i>24.34</i>
October	<i>6.31</i>	<i>2.24</i>	<i>5.80</i>	<i>1.71</i>	<i>1.09</i>	<i>3.20</i>	<i>2.38</i>	<i>1.31</i>	<i>1.33</i>	<i>4.13</i>	<i>29.50</i>
November	<i>1.78</i>	<i>2.42</i>	<i>2.29</i>	<i>2.63</i>	<i>1.21</i>	<i>3.17</i>	<i>2.71</i>	<i>3.40</i>	<i>3.80</i>	<i>.64</i>	<i>24.05</i>
December	<i>3.10</i>	<i>2.33</i>	<i>2.05</i>	<i>0.57</i>	<i>2.26</i>	<i>1.13</i>	<i>4.09</i>	<i>1.54</i>	<i>1.18</i>	<i>1.16</i>	<i>19.41</i>
TOTALS	<i>30.44</i>	<i>24.34</i>	<i>24.37</i>	<i>22.98</i>	<i>16.84</i>	<i>25.70</i>	<i>25.63</i>	<i>20.08</i>	<i>25.63</i>	<i>21.97</i>	<i>23.798</i>

1880. Teddington

1/2 mile

N.E.

Annual Average (London Survey) = 24.2.

RAINFALL AT *Teddington Corner House*

Lat. _____

Lon. _____

County of *Middlesex*

Rain Gauge, by _____

Observer *R.D. Blackmore Esq*

1 - Thames - below a Bent.

Diameter	5											
Height	0. 10											
Altitude	26 π											
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.	
January	2.34	1.86	.49	1.60	3.77	1.68	.64	2.01	.88	2.51	1.778	
February88	.00	1.52	2.69	1.67	.09	.24	2.20	1.35	2.16	1.280	
March	1.66	1.81	1.09	.28	1.13	1.25	2.86	4.16	1.25	.50	1.599	
April	1.89	1.19	1.13	.13	1.72	1.47	.62	1.82	.98	2.24	1.320	
May	1.60	2.64	1.43	1.59	1.69	.41	.23	1.23	2.53	1.33	1.468	
June	3.13	1.43	3.04	.88	2.13	.22	1.88	3.62	1.16	1.91	1.940	
July	4.25	3.11	1.96	2.21	5.95	4.13	1.39	1.21	.93	.89	2.553	
August	1.99	4.31	2.39	1.39	2.18	4.02	2.27	2.91	1.24	.43	2.313	
September....	2.52	1.17	2.32	.97	1.38	1.39	6.72	2.08	.42	2.24	2.121	
October95	5.97	2.65	3.79	4.54	2.84	2.78	.54	3.40	2.23	3.069	
November....	1.47	2.43	2.81	2.12	3.02	3.48	1.24	1.06	2.39	4.07	2.409	
December71	3.25	1.28	2.28	1.90	2.85	3.45	2.29	2.37	1.48	2.136	
TOTALS . . .	23.39	29.17	23.11	19.93	31.08	23.33	24.33	25.13	18.90	21.49	23.986	

Annual average = 24.2 used in London Survey.