

check50

cs50/problems/2025/x/credit

:) credit.c exists

Log

```
checking that credit.c exists...
```

:) credit.c compiles

Log

```
running clang credit.c -o credit -std=c11 -ggdb -lm -lcs50...
```

:) identifies 378282246310005 as AMEX

Log

```
running ./credit...
sending input 378282246310005...
checking for output "AMEX\n"...
checking for EOF...
checking that program exited with status 0...
```

:) identifies 371449635398431 as AMEX

Log

```
running ./credit...
sending input 371449635398431...
checking for output "AMEX\n"...
checking for EOF...
checking that program exited with status 0...
```

:) identifies 5555555555554444 as MASTERCARD

Log

```
running ./credit...
sending input 5555555555554444...
checking for output "MASTERCARD\n"...
```

```
checking for EOF...
checking that program exited with status 0...
```

:) identifies 5105105105105100 as MASTERCARD

Log

```
running ./credit...
sending input 5105105105105100...
checking for output "MASTERCARD\n"...
checking for EOF...
checking that program exited with status 0...
```

:) identifies 4111111111111111 as VISA

Log

```
running ./credit...
sending input 4111111111111111...
checking for output "VISA\n"...
checking for EOF...
checking that program exited with status 0...
```

:) identifies 401288888881881 as VISA

Log

```
running ./credit...
sending input 401288888881881...
checking for output "VISA\n"...
checking for EOF...
checking that program exited with status 0...
```

:) identifies 422222222222 as VISA

Log

```
running ./credit...
sending input 422222222222...
checking for output "VISA\n"...
checking for EOF...
checking that program exited with status 0...
```

:) identifies 1234567890 as INVALID (invalid length, checksum, identifying digits)

Log

```
running ./credit...
sending input 1234567890...
checking for output "INVALID\n"...
checking for EOF...
checking that program exited with status 0...
```

:) identifies 369421438430814 as INVALID (invalid identifying digits)

Log

```
running ./credit...
sending input 369421438430814...
checking for output "INVALID\n"...
checking for EOF...
checking that program exited with status 0...
```

:) identifies 4062901840 as INVALID (invalid length)

Log

```
running ./credit...
sending input 4062901840...
checking for output "INVALID\n"...
checking for EOF...
checking that program exited with status 0...
```

:) identifies 5673598276138003 as INVALID (invalid identifying digits)

Log

```
running ./credit...
sending input 5673598276138003...
checking for output "INVALID\n"...
checking for EOF...
checking that program exited with status 0...
```

:) identifies 4111111111111113 as INVALID (invalid checksum)

Log

```
running ./credit...
sending input 4111111111111113...
checking for output "INVALID\n"...
checking for EOF...
checking that program exited with status 0...
```

:) identifies 4222222222223 as INVALID (invalid checksum)

Log

```
running ./credit...
sending input 422222222223...
checking for output "INVALID\n"...
checking for EOF...
checking that program exited with status 0...
```

:) identifies 340000000000620 as INVALID (AMEX identifying digits, VISA/Mastercard length)

Log

```
running ./credit...
sending input 340000000000620...
checking for output "INVALID\n"...
checking for EOF...
checking that program exited with status 0...
```

:) identifies 430000000000000 as INVALID (VISA identifying digits, AMEX length)

Log

```
running ./credit...
sending input 430000000000000...
checking for output "INVALID\n"...
checking for EOF...
checking that program exited with status 0...
```