CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International Advanced Subsidiary and Advanced Level

MARK SCHEME for the May/June 2015 series

9700 BIOLOGY

9700/33

Paper 3 (Advanced Practical Skills 1), maximum raw mark 40

www.PapaCambridge.com

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

Page 2	Mark Scheme Sy.	per				
	Cambridge International AS/A Level – May/June 2015 970 970	2				
Mark scheme abbreviations:						
;	separates marking points	Or.				
1	alternative answers for the same point	8				
R	reject	i, G				
Α	accept (for answers correctly cued by the question, or by extra guidance)	On				
AW	alternative wording (where responses vary more than usual)					
underline	actual word given must be used by candidate (grammatical variants accepted)					

Mark scheme abbreviations:

max indicates the maximum number of marks that can be given

or reverse argument ora

marking point (with relevant number) mp

error carried forward ecf

ignore

Pag	ge 3	Mark Scheme Syl	per		
		Cambridge International AS/A Level – May/June 2015 970			
1 ((a) (i)	Mark Scheme Cambridge International AS/A Level – May/June 2015 starch test + iodine solution; reducing sugar test + add Benedict's solution + heat (80 °C – 100 °C); table with heading + solutions + (any column / row headed) + observations;	Phys.		
	(ii)	reducing sugar test + add Benedict's solution + heat (80 °C – 100 °C);	Tag		
	(iii)	table with heading + solutions + (any column/row headed) + observations;			
		records results for reducing sugar test and starch test for S1 , S2 and S3 ;			
		for starch test on S3 records colour change to blue-black + for reducing sugar test on S2 records colour change from blue to yellow, green, red;			
	(iv)	completed table identifying mixture of sucrose and glucose as S2 + sodium chloride as S1 + starch as S3 ;	[1]		
	(v)	(level of risk) medium or high;	[1]		
((b) (i)	completed sentence, inserting leaves + plasmolysed;	[1]		
	(ii)	table with heading + solutions + (any column/row headed) + number + cells;			
		records repeats;			
		for W records number as 0 or 1 + for S1 records number as 6 or above ;	[3]		
	(iii)	idea of difficulty judging which cells are plasmolysed;	[1]		
	(iv)	1 thin and continuous lines + size at least 70 mm for at least one cell;			

2 draws one cell for W and one cell for S1 + cell walls drawn as double

for \$1, draws cell membrane coming away from cell wall;

for **S1**, water moving out of cell + correct reference to water potential;

for **S3**, *idea of* no net movement of water **or** correct ref. to water potential;

correct label with label line to cytoplasm for ${\bf W}$ and ${\bf S1}$;

(v) for S1 or S3, osmosis + correct direction of water movement;

lines;

[Total: 19]

[4]

[3]

Page 4 Mark Scheme Sy Cambridge International AS/A Level – May/June 2015 970 2 (a) (i) using syringe to fill or empty tubes to lines marked on tube; (ii) 1 table with heading + tubes + (any column/row headed) + volume + cm³; 2 for 4 tubes, volumes for V₀ and volumes for V⋄; 3 records number as whole numbers or to correct precision; 4 for processed results (V₀ – V⋄), correct calculation of volume of water evaporated; [4] (iii) completed table according to candidate's results; [7] (iv) using lid without holes or no lid; [7] (v) increase temperature + thermostatically-controlled water-bath or linerease wind speed + fan or lower humidity + fan or use of named water absorber; [7] (2) (b) crientation (x-axis) total circumference of holes (/) mm + (y-axis) rate of evaporation of water (/) cm³ day⁻¹; scale (x-axis) 2 cm to 5 labelled each 2 cm + (y-axis) 2 cm to 0.2 labelled each 2 cm; plotting correct plotting of 5 points as small cross or dot in circle to ± half a square; line 5 plots with ruled lines as line of best fit or exactly point to point + quality smooth line less than 1 mm thick; [4] (c) 1 draws at least 3 layers of tissue + size at least 70 mm + no shading; 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; [4] (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; [2] (iii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm; [2]	Р	age 4	4		Mark Scheme Sy.	per		
3 records number as whole numbers or to correct precision; 4 for processed results (V ₀ – V ₉), correct calculation of volume of water evaporated; (iii) completed table according to candidate's results; (iv) using lid without holes or no lid; (v) increase temperature + thermostatically-controlled water-bath or increase wind speed + fan or lower humidity + fan or use of named water absorber; (b) orientation (x-axis) total circumference of holes (/) mm + (y-axis) rate of evaporation of water (/) cm³ day⁻¹; scale (x-axis) 2 cm to 5 labelled each 2 cm + (y-axis) 2 cm to 0.2 labelled each 2 cm; plotting correct plotting of 5 points as small cross or dot in circle to ± half a square; line 5 plots with ruled lines as line of best fit or exactly point to point + quality smooth line less than 1 mm thick; (c) 1 draws at least 3 layers of tissue + size at least 70 mm + no shading; 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; (2) (iii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm;		- J			Cambridge International AS/A Level – May/June 2015 970	Apar 1		
3 records number as whole numbers or to correct precision; 4 for processed results (V ₀ – V ₉), correct calculation of volume of water evaporated; (iii) completed table according to candidate's results; (iv) using lid without holes or no lid; (v) increase temperature + thermostatically-controlled water-bath or increase wind speed + fan or lower humidity + fan or use of named water absorber; (b) orientation (x-axis) total circumference of holes (/) mm + (y-axis) rate of evaporation of water (/) cm³ day⁻¹; scale (x-axis) 2 cm to 5 labelled each 2 cm + (y-axis) 2 cm to 0.2 labelled each 2 cm; plotting correct plotting of 5 points as small cross or dot in circle to ± half a square; line 5 plots with ruled lines as line of best fit or exactly point to point + quality smooth line less than 1 mm thick; (c) 1 draws at least 3 layers of tissue + size at least 70 mm + no shading; 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; (2) (iii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm;	2	(a)	(i)	us	sing syringe to fill or empty tubes to lines marked on tube ;	and		
3 records number as whole numbers or to correct precision; 4 for processed results (V ₀ – V ₉), correct calculation of volume of water evaporated; (iii) completed table according to candidate's results; (iv) using lid without holes or no lid; (v) increase temperature + thermostatically-controlled water-bath or increase wind speed + fan or lower humidity + fan or use of named water absorber; (b) orientation (x-axis) total circumference of holes (/) mm + (y-axis) rate of evaporation of water (/) cm³ day⁻¹; scale (x-axis) 2 cm to 5 labelled each 2 cm + (y-axis) 2 cm to 0.2 labelled each 2 cm; plotting correct plotting of 5 points as small cross or dot in circle to ± half a square; line 5 plots with ruled lines as line of best fit or exactly point to point + quality smooth line less than 1 mm thick; (c) 1 draws at least 3 layers of tissue + size at least 70 mm + no shading; 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; (2) (iii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm;			(ii)	1	Toda			
4 for processed results (V ₀ – V ₉), correct calculation of volume of water evaporated; [4] (iii) completed table according to candidate's results; [1] (iv) using lid without holes or no lid; [1] (v) increase temperature + thermostatically-controlled water-bath or increase wind speed + fan or lower humidity + fan or use of named water absorber;; [2] (b) orientation (x-axis) total circumference of holes (/) mm + (y-axis) rate of evaporation of water (/) cm³ day⁻¹; scale (x-axis) 2 cm to 5 labelled each 2 cm + (y-axis) 2 cm to 0.2 labelled each 2 cm; plotting correct plotting of 5 points as small cross or dot in circle to ± half a square; line 5 plots with ruled lines as line of best fit or exactly point to point + quality smooth line less than 1 mm thick; [4] (c) 1 draws at least 3 layers of tissue + size at least 70 mm + no shading; 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; [4] (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; [2] (ii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm; [2]				2	for 4 tubes, volumes for V_0 and volumes for V_9 ;			
evaporated; (iii) completed table according to candidate's results; (iv) using lid without holes or no lid; (v) increase temperature + thermostatically-controlled water-bath or increase wind speed + fan or lower humidity + fan or use of named water absorber;; (b) orientation (x-axis) total circumference of holes (/) mm + (y-axis) rate of evaporation of water (/) cm³ day⁻¹; scale (x-axis) 2 cm to 5 labelled each 2 cm + (y-axis) 2 cm to 0.2 labelled each 2 cm; plotting correct plotting of 5 points as small cross or dot in circle to ± half a square; line 5 plots with ruled lines as line of best fit or exactly point to point + quality smooth line less than 1 mm thick; (c) 1 draws at least 3 layers of tissue + size at least 70 mm + no shading; 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; (2] (iii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm;				3	records number as whole numbers or to correct precision;	·		
 (iv) using lid without holes or no lid; (y) increase temperature + thermostatically-controlled water-bath or increase wind speed + fan or lower humidity + fan or use of named water absorber;; (b) orientation (x-axis) total circumference of holes (/) mm + (y-axis) rate of evaporation of water (/) cm³ day⁻¹; scale (x-axis) 2 cm to 5 labelled each 2 cm + (y-axis) 2 cm to 0.2 labelled each 2 cm; plotting correct plotting of 5 points as small cross or dot in circle to ± half a square; line 5 plots with ruled lines as line of best fit or exactly point to point + quality smooth line less than 1 mm thick; (c) 1 draws at least 3 layers of tissue + size at least 70 mm + no shading; 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; (2) (ii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm; (2) 				4		[4]		
 (v) increase temperature + thermostatically-controlled water-bath or increase wind speed + fan or lower humidity + fan or use of named water absorber; [2] (b) orientation (x-axis) total circumference of holes (/) mm + (y-axis) rate of evaporation of water (/) cm³ day⁻¹; scale (x-axis) 2 cm to 5 labelled each 2 cm + (y-axis) 2 cm to 0.2 labelled each 2 cm; plotting correct plotting of 5 points as small cross or dot in circle to ± half a square; line 5 plots with ruled lines as line of best fit or exactly point to point + quality smooth line less than 1 mm thick; [4] (c) 1 draws at least 3 layers of tissue + size at least 70 mm + no shading; 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; [4] (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; [2] (ii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm; [2] 			(iii)	СО	impleted table according to candidate's results;	[1]		
or increase wind speed + fan or lower humidity + fan or use of named water absorber; ; [2] (b) orientation (x-axis) total circumference of holes (/) mm + (y-axis) rate of evaporation of water (/) cm³ day⁻¹; scale (x-axis) 2 cm to 5 labelled each 2 cm + (y-axis) 2 cm to 0.2 labelled each 2 cm; plotting correct plotting of 5 points as small cross or dot in circle to ± half a square; line 5 plots with ruled lines as line of best fit or exactly point to point + quality smooth line less than 1 mm thick; [4] (c) 1 draws at least 3 layers of tissue + size at least 70 mm + no shading; 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; [4] (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; [2] (iii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm; [2]			(iv)	us	ing lid without holes or no lid ;	[1]		
increase wind speed + fan or lower humidity + fan or use of named water absorber; [2] (b) orientation (x-axis) total circumference of holes (/) mm + (y-axis) rate of evaporation of water (/) cm² day¹; scale (x-axis) 2 cm to 5 labelled each 2 cm + (y-axis) 2 cm to 0.2 labelled each 2 cm; plotting correct plotting of 5 points as small cross or dot in circle to ± half a square; line 5 plots with ruled lines as line of best fit or exactly point to point + quality smooth line less than 1 mm thick; [4] (c) 1 draws at least 3 layers of tissue + size at least 70 mm + no shading; 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; [4] (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; [2] (iii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm; [2]								
 lower humidity + fan or use of named water absorber; ; [2] (b) orientation (x-axis) total circumference of holes (/) mm + (y-axis) rate of evaporation of water (/) cm³ day⁻¹; scale (x-axis) 2 cm to 5 labelled each 2 cm + (y-axis) 2 cm to 0.2 labelled each 2 cm; plotting correct plotting of 5 points as small cross or dot in circle to ± half a square; line 5 plots with ruled lines as line of best fit or exactly point to point + quality smooth line less than 1 mm thick; [4] (c) 1 draws at least 3 layers of tissue + size at least 70 mm + no shading; 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; [4] (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; [2] (ii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm; [2] 				ind	crease wind speed + fan			
(x-axis) total circumference of holes (/) mm + (y-axis) rate of evaporation of water (/) cm³ day⁻¹; scale (x-axis) 2 cm to 5 labelled each 2 cm + (y-axis) 2 cm to 0.2 labelled each 2 cm; plotting correct plotting of 5 points as small cross or dot in circle to ± half a square; line 5 plots with ruled lines as line of best fit or exactly point to point + quality smooth line less than 1 mm thick; [4] (c) 1 draws at least 3 layers of tissue + size at least 70 mm + no shading; 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; [4] (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 µm; [2] (ii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + µm;						[2]		
 (x-axis) 2 cm to 5 labelled each 2 cm + (y-axis) 2 cm to 0.2 labelled each 2 cm; plotting correct plotting of 5 points as small cross or dot in circle to ± half a square; line 5 plots with ruled lines as line of best fit or exactly point to point + quality smooth line less than 1 mm thick; [4] (c) 1 draws at least 3 layers of tissue + size at least 70 mm + no shading; 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; [4] (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; [2] (ii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm; 		(b)	(x-axis) total circumference of holes (/) mm + (y-axis) rate of evaporation of water (/) cm ³ day ⁻¹ ;					
correct plotting of 5 points as small cross or dot in circle to ± half a square; line 5 plots with ruled lines as line of best fit or exactly point to point + quality smooth line less than 1 mm thick; [4] (c) 1 draws at least 3 layers of tissue + size at least 70 mm + no shading; 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; [4] (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; [2] (ii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm;								
5 plots with ruled lines as line of best fit or exactly point to point + quality smooth line less than 1 mm thick; [4] (c) 1 draws at least 3 layers of tissue + size at least 70 mm + no shading; 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; [4] (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; [2] (ii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm; [2]			•	<u> </u>				
 2 no cells drawn + correct quarter drawn; 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; (ii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm; [2] 				plo	· · · · · · · · · · · · · · · · · · ·	[4]		
 3 draws at least 4 layers of tissue; 4 vascular bundle drawn to correct proportions; (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; (ii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm; [2] 		(c)	1	dr	aws at least 3 layers of tissue + size at least 70 mm + no shading ;			
 4 vascular bundle drawn to correct proportions; [4] (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; [2] (ii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm; [2] 			2	no	cells drawn + correct quarter drawn ;			
 (d) (i) shows 0.024 multiplied by 1000; shows answer as 24 μm; (ii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μm; [2] 			3	dr	aws at least 4 layers of tissue ;			
shows answer as $24\mu\text{m}$; [2] (ii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by $24 + \mu\text{m}$; [2]			4	va	scular bundle drawn to correct proportions ;	[4]		
(ii) shows length of Y as eyepiece graticule divisions within range; shows length of Y multiplied by 24 + μ m; [2]		(d)	(i)	sh	ows 0.024 multiplied by 1000 ;			
shows length of Y multiplied by 24 + μm; [2]				sh	ows answer as 24 μm ;	[2]		
			(ii)	sh	ows length of Y as eyepiece graticule divisions within range ;			
[Total: 21]				sh	ows length of Y multiplied by 24 + μm ;	[2]		
						[Total: 21]		