CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International Advanced Subsidiary and Advanced Level

MARK SCHEME for the May/June 2015 series

9700 BIOLOGY

9700/23

Paper 2 (AS Structured Questions), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

S CAMPRIDCE

www.PapaCambridge.com

| Page 2 | Mark Scheme | Sy. per |
|------------|---|----------------|
| | Cambridge International AS/A Level – May/June 2015 | 970 |
| Mark schen | ne abbreviations: | Can |
| , | separates marking points | O. |
| / | alternative answers for the same point | 95 |
| R | reject | - G |
| Α | accept (for answers correctly cued by the question, or by extra | guidance) |
| AW | alternative wording (where responses vary more than usual) | 7 |
| underline | actual word given must be used by candidate (grammatical vari | ants accepted) |

Mark scheme abbreviations:

max indicates the maximum number of marks that can be given

or reverse argument ora

marking point (with relevant number) mp

error carried forward ecf

ignore

| age 3 | 3 | Mark Sc | heme | Sv. Z.A. | per |
|-------|-----------------------|---|--|------------------|--------------|
| - J | | Cambridge International AS | /A Level – May/June 2015 | Sy. 7. 7. 9. 970 | 30 |
| (a) | | spholipid (and protein) molecules, ein (molecules), scattered/AW; | move about/diffuse/AW; | | Da Cambridge |
| (b) | (co | | A detail of orientation of phospho A lipid bilayer | | |
| | (Da (flui | erence (look for ora) vson Danielli) layer(s) of protein/p d mosaic) ref. to proteins, in differe types/named or described; d mosaic) presence of cholesterol | ent locations discrete/different | | [max 2] |
| (c) | 1 2 3 4 5 | requirement for, energy/ATP; R uses, carrier/transport, protein; conformational change (of carrier moving against a concentration g specific, binding site; A ref. to sp | A pump protein); AW radient; A low to high concentrate | | [max 3] |
| (d) | 1 2 3 | to max 2 loss of, tertiary structure/quaterna A loss of shape of active site in coloss of globular, shape/structure/breakage of, ionic/hydrogen/hyd | orrect context / form ; | ; | |
| | 4 5/6 7 | to max 2 loss of function of (membrane) pr detail;; e.g. transport of, polar molecules loss of cell to cell adhesion unable to receive cell signals loss of enzyme function ref. to membranes, become leaky | /ions, impaired AW | ; | |
| | 8 | A cannot regulate, entry/exit | t, substances in and phospholipid bilayer/descri | ibod : | [max 3] |
| | 0 | distupt interaction between protei | iii aliu pilospilolipiu bilayei / uescil | | |
| | | | | | [Total: 10] |
| (a) | (late | e) interphase/phase/after G1 pha A after first growth phase/before | | rtokinesis | [max 1] |
| (b) | (i) | hydrogen/H, (bonds); | | | [1] |
| | (ii) | Y, single ring structure; A smalle | er molecule compared to X | | [1] |
| | | | | | |

Page 3

1

2

| Page | 4 | Mark Scheme Sy. | ner |
|-------|--------------------------------------|--|---|
| i age | | Cambridge International AS/A Level – May/June 2015 970 | No. |
| (c) | (i) | change in, nucleotide/base , sequence of DNA; any one from new allele fomed; deletion/substitution/addition/frame shift, (mutation); change to/altered, mRNA; A altered codon(s) (causing) change in, primary structure/amino acid sequence, of, polypeptide/protein; | O Der |
| | | A different protein/altered function of protein/non-functional protein | [max 2] |
| | (ii) | cell cycle shorter/interphase shorter/division more frequent; (cell cycle) checkpoints not controlled; uncontrolled (growth/division)/AW; AVP; e.g. no differentiation (into epithelial cell) | |
| | | A no cell death/apoptosis | [max 2] |
| | | | [Total: 7] |
| 3 (a) | (rib | doplasmic reticulum/RER) has ribosomes ; osomes/RER) site of protein synthesis ; | |
| | | ibodies are proteins; R for, modification/transport/transport vesicle formation; | [max 2] |
| (b) | if in kno this | 00 ;; A 2933/3067 <i>if units given allow one mark only</i> accorrect allow one mark for correct length measured 44/45/46 mm and owledge of formula is correct (magnification = image length/actual length – is can also be seen by workings e.g. 45 mm/15 μm) but incorrect conversion tor used for final calculation | [2] |
| (c) | Va | riola (virus) ; | [1] |
| (d) | to ride (me me | mory cells produced (along with plasma cells); nax 2 a of greater number of (specific immune system) cells; emory cells are) long(er) lived/remain in circulation; mory T and B cells; to/detail of, faster secondary response (to give immunity); | [max 3] |
| (e) | 1 2 3 4 5 6 7 8 | <pre>two relevant e.g. vaccine, thermostable/freeze-dried ; A idea of longer shelf-life/no wastage virus did not mutate; A pathogen/strain same vaccine could be used everywhere; cheap to produce (in large quantities); ease of production; used a live virus/vaccine gave a strong immune response; no need for boosters; ease of administration; e.g. ref. to enthusiastic volunteers needles could be, sterilised/re-used high percentage cover/AW;</pre> | |
| | 10 11 | ref. to ring vaccination/described; global effort/AW; | [2] |

| | | Man | |
|------------|------------------|--|----------------------------|
| Page 5 | 5 | Mark Scheme Sy. | per |
| | | Cambridge International AS/A Level – May/June 2015 970 | Do- |
| (f) | arti | ificial active/active artificial ; | Danda Canning (Total Total |
| 4 (a) | (i) | A bp for blood pressure throughout bp decreases with distance (from, heart/LV); A named vessels to indicate distance difference between minimum and maximum bp decreases (with distance); maximum and minimum bp are the same, at the capilaries/after arterioles; (BP) reaches zero kPa, at large veins/vena cava(e); A after small veins A no blood pressure steepest decrease in bp between aterioles and capillaries; correct data quotes; e.g. mp 1 from 16 kPa to 0 kPa for maximum bp mp 1 from 10.6–10.8 kPa to 0 kPa for minimum bp mp 2 11.6/11.8 kPa, in aorta/nearest to left ventricle and 0 kPa at capillaries mp 3 (same bp of) 5 kPa | [max 3] |
| <i>a</i> , | (ii) | (presence of) valves; R bicuspid/tricuspid, valves to stop backflow/allows one-way flow/flow only towards heart; | [max 2] |
| (b) | | hydrolysis; A breaking bond using water (of/breaking of) peptide bond; between Phe and His/Phe-His bond; removal of, two amino acids/His and Leu/dipeptide; | [max 3] |
| (c) | 1 2 3 4 | <pre>(ACE) inhibitor/drug, has similar shape as, substrate/polypeptide; complementary (shape) to active site (shape); binds to/fits into/enters, active site (of ACE enzyme); A forms enzyme-substrate complex substrate cannot, enter/bind; A competes with substrate for active site A no/few/prevents formation of, ES complexes</pre> | |

(a) (light microscope) observe living cells/cells would be killed (with EM); vacuum used in electron microscope; (light microscope) can have water on slide (to allow cells to move); ora AVP; e.g. more readily available for use organisms move in response to light [max 2]

reduces rate of, reaction/formation of angiotensin/product formation;

[max 3]

| J | | Cambridge International AS/A Level – May/June 2015 970 | 80 | |
|-----|--------------------------------------|---|-------------|--|
| (b) | (i) | (part of/used in synthesis, of) <u>chlorophyll</u> (molecule); R gives chlorophyll green colour | a Cambridge | |
| | | in translation/joining of large and small subunits (of ribosomes); | | |
| | | enzyme, cofactor/activator/described; idea of role in enzyme catalysis A correctly named enzymes e.g. DNA polymerase | | |
| | | AVP; e.g. stabilizing, cell wall/proteins/nucleic acids/membranes important in energy transfers/ATP synthesis DNA, synthesis/replication | | |
| | | ref. to role in, light absorption/capture (for photosynthesis) | [max 1] | |
| | (ii) | any two from good solvent/polar (for substances needed by the organism); AW transparent/allows light through, (for photosynthesis); liquid over wide range of temperatures; high specific heat capacity; A description high latent heat of vaporisation; ref. to density; e.g. ice/solid, less dense than, water/liquid circulation bringing nutrients to surface ref. to low viscosity for locomotion; | [max 2] | |
| (c) | 1 2 3 4 5 6 | assume multicellular organisms unless stated, then accept ora small, surface area to volume ratio/SA:V; A as organisms increase in size, SA:V decreases ref. to (larger size means) long distances (to reach, cells/tissues); diffusion, too slow/insufficient/unable to satisfy needs; transport system decreases time to supply cells; require, bulk/mass, flow; ref. to transport system means efficient supply (to cells) of nutrients/named/assimilates/water; A brings supplies close to cells (for transfer) | [max 4] | |
| (d) | 1 2 3 4 5 6 7 8 | mass flow; A pressure flow sucrose/solutes/assimilates/sugars, decreases, water potential/ Ψ; A more negative/lowers, water potential A for water potential A solute potential water enters (sieve tubes) by osmosis; (water enters) down water potential gradient; (increased volume) increase in/high(er), hydrostatic pressure; ref. to hydrostatic required once only in mp 5 or mp 7or mp 8 unloading/removal, of sucrose/AW, at the sink/named sink; lowers hydrostatic pressure/low pressure at sink; movement is, down pressure gradient/from high to low (hydrostatic) pressure; | [max 5] | |

Mark Scheme

Page 6

[Total: 14]

per

| | | 2. |
|--------|--|---------|
| Page 7 | Mark Scheme | Sy. per |
| | Cambridge International AS/A Level – May/June 2015 | 970 |
| | | *** |

6 (a) (i) nitrification;

(ii) by bacteria;denitrification/reduction;ref. anaerobic conditions;A ref. to waterlogging

[max 2]

(b) (i) idea of (unit made up of) biotic and abiotic, components; AW further detail; interacting/functioning together;
 A idea of self-sustaining unit

[2]

(ii) carries out photosynthesis/converts light (energy) to chemical energy;
A (photo)autotrophic
synthesises (complex) organic compounds from inorganic, compounds;
(occupies) lowest/first trophic level; A acts as a producer

[max 1]

(iii) place where an organism lives; A population/species/community

[1]

[Total: 7]