

# Cambridge International AS & A Level

			1 hour 15 minute
Paper 2 AS Level Structured Questions			May/June 202
CHEMISTRY			9701/22
CENTRE NUMBER		CANDIDATE NUMBER	
CANDIDATE NAME			

You must answer on the question paper.

You will need: Data booklet

#### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working, use appropriate units and use an appropriate number of significant figures.

#### **INFORMATION**

- The total mark for this paper is 60.
- The number of marks for each question or part question is shown in brackets [].

This document has **12** pages. Any blank pages are indicated.

PapaCambridge

## Answer **all** the questions in the spaces provided.

A Group 2 metal combines with bromine to form a crystalline solid, $\mathbf{M}Br_2$ .	
Excess aqueous $AgNO_3$ is added to a solution of $MBr_2$ and a precipitate forms. The mixture filtered. The precipitate is dried and the mass of the precipitate is recorded.	e is
(a) State the formula and colour of the precipitate.	
	[2]
<b>(b)</b> Complete the equation to represent the reaction between <b>M</b> Br <sub>2</sub> and AgNO <sub>3</sub> .	
<b>M</b> Br <sub>2</sub> +AgNO <sub>3</sub> $\rightarrow$	[1]
(c) A 0.250 g sample of pure $\mathbf{M}\mathrm{Br}_2$ contains $8.415\times10^{-4}\mathrm{mol}~\mathrm{MBr}_2$ .	
Calculate the relative formula mass, $M_{\rm r}$ , of ${\bf M}{\rm Br}_2$ . Use this to identify ${\bf M}$ .	
Show your working.	
$M_{\rm r} = \dots$	
M =	[3]
(d) A sample of $\mathbf{M}\mathrm{Br}_2$ is dissolved in water. Chlorine gas is then bubbled into the solution.	
(i) Describe the observations for this reaction.	
	[1]
(ii) Name the type of reaction that occurs when <b>M</b> Br <sub>2</sub> reacts with chlorine gas.	
	[1]

1

(e)	Compound <b>Y</b> is a pure <b>insoluble</b> solid which contains halide ions.				
	A si	ngle reagent is added directly to compound <b>Y</b> to determine the halide ion present.			
	lder ions	ntify the reagent added. State the observation which would confirm that $old Y$ contains bromics.	le		
	reag	gent			
	obs	ervation[	 2]		
(f)		arate 1.0g samples of three different magnesium salts are tested in order to identify the present in each sample.	ıe		
	(i)	Explain how the action of heat is used to identify which sample is:			
		<ul> <li>MgCO<sub>3</sub></li> <li>Mg(NO<sub>3</sub>)<sub>2</sub></li> <li>MgO.</li> </ul>			
		[	3]		
	(ii)	Complete the electron configuration of the magnesium cation present in these salts.			
		1s <sup>2</sup>	1]		
(g)		ample of MgCO <sub>3</sub> (s) is distinguished from a sample of Mg(OH) <sub>2</sub> (s) by adding a small amou ach solid to HC $l$ (aq).	nt		
	Stat	e <b>one</b> similarity and <b>one</b> difference in these two reactions.			
	simi	larity			
	diffe	erence			
		Г			
		ι [Total: 1	2]		
		I IOIAL I	UΙ		

	The strength of interaction between particles determines whether the substance is a solid, liquid or gas at room temperature.				
(a)		nium sulfide, $\rm Li_2S$ , is a crystalline solid with a melting point of 938 °C. It conducts electricity en it is molten.			
	(i)	Give the formulae of the particles present in solid lithium sulfide.			
		[1]			
	(ii)	Explain, in terms of the structure of the crystalline solid, why lithium sulfide has a high melting point.			
		[2]			
(b)	Car bor	rbon monoxide, CO, is a gas at room temperature and pressure. It contains a coordinate			
	(i)	Explain what is meant by coordinate bond.			
		[1]			
	(ii)	Draw a 'dot-and-cross' diagram to show the arrangement of outer electrons in CO.			
		Show the electrons belonging to the C atom as x.			
		Show the electrons belonging to the O atom as ●.			

[2]



2

	S.	erature and pressure. Neither CO nor $\mathrm{N}_{\mathrm{2}}$ is an idea		
(i)	State two assumptions that are made	about the behaviour	of particles in an idea	l gas.
	1			
	2			
				[2]
(ii)	Explain why N <sub>2</sub> does not behave as a	n ideal gas at very hi	gh pressures.	[-]
				[2]
(iii)				[∠]
	Complete the table by naming <b>all</b> the separate samples of $N_2(g)$ and $CO(g)$		ular forces (van der V	
			ular forces (van der V	
num				
	separate samples of N <sub>2</sub> (g) and CO(g)	N <sub>2</sub> (g)	CO(g)	
pres	separate samples of N <sub>2</sub> (g) and CO(g)	N₂(g) 14	CO(g)	
pres	separate samples of N <sub>2</sub> (g) and CO(g)  nber of electrons per molecule sence of a dipole moment	N <sub>2</sub> (g) 14  X	CO(g) 14 ✓	
pres	separate samples of N <sub>2</sub> (g) and CO(g)  here of electrons per molecule sence of a dipole moment ing point/°C	N <sub>2</sub> (g) 14  X	CO(g) 14 ✓	
pres	separate samples of N <sub>2</sub> (g) and CO(g)  here of electrons per molecule sence of a dipole moment ing point/°C	N <sub>2</sub> (g) 14  X -195.8	CO(g) 14 ✓ -191.5	Vaals') in
pres boili inte	separate samples of N <sub>2</sub> (g) and CO(g)  here of electrons per molecule sence of a dipole moment ing point/°C  rmolecular forces (van der Waals')	N <sub>2</sub> (g) 14  X -195.8  of CO contains a dipo	CO(g) 14 ✓ -191.5	Vaals') in

[Turn over

Papa Cambridge


3 A large excess of 2-bromo-2-methylpropane is added to 0.0010 mol of NaOH(aq), which contains a few drops of phenolphthalein indicator. A stopwatch is started as soon as the substances are mixed. The time taken for the pink colour to disappear is recorded.

The experiment is repeated at different temperatures, keeping all concentrations and volumes of reagents constant.

temperature /°C	time taken for pink colour to disappear/s
20	300
25	65
35	20


**(b)** The graph shows the energy distribution of molecules in a sample of 2-bromo-2-methylpropane at 25 °C.

 $E_a$  represents the activation energy for the reaction.



- (i) Label the graph to show the proportion of 2-bromo-2-methylpropane molecules which have sufficient energy to react. [1]
- (ii) Use the same axes to sketch the distribution of energies of molecules in a sample of 2-bromo-2-methylpropane at 50 °C. [2]
- (iii) State the effect of an increase in temperature on  $E_a$  for this reaction.



(c) (i) Draw the mechanism to show the reaction of 2-bromo-2-methylpropane with OH<sup>-</sup>(aq). Show the intermediate formed in this reaction.

Include all charges, partial charges, lone pairs and curly arrows as appropriate.

			[3]
	(ii)	Name the mechanism for this reaction.	
			. [1]
(d)		e original experiment is repeated at 25°C with 2-chloro-2-methylpropane instearomo-2-methylpropane. All other variables remain constant.	d of
		edict the effect of using 2-chloro-2-methylpropane compared to 2-bromo-2-methylprop the time taken for the pink colour to disappear. Explain your answer.	ane
			. [2]
		lTotal	l: 111

4 (a) The table shows the structural formulae of four compounds,  $\bf A$ ,  $\bf B$ ,  $\bf C$  and  $\bf D$ , with molecular formula  $\bf C_4\bf H_8$ .

(i) Complete the table by giving the systematic name of  $\, A, \, B, \, C \,$  and  $\, D. \,$ 

	structural formula	name
Α	CH <sub>3</sub> CH <sub>2</sub> CH=CH <sub>2</sub>	
В	$H_3C$ $CH_3$	
С	H <sub>3</sub> C H C=C CH <sub>3</sub>	
D	CH <sub>2</sub> =C(CH <sub>3</sub> ) <sub>2</sub>	

[4]

	(ii)	Explain what is meant by stereoisomerism.	
			[1]
(b)		is an alkene with formula $C_4H_8$ . It reacts with HBr to form two possible carbocatio $_3C^+(H)(CH_2CH_3)$ and $H_2C^+CH_2CH_2CH_3$ .	ns
	(i)	Identify <b>W</b> as compound <b>A</b> , <b>B</b> , <b>C</b> or <b>D</b> .	

	(ii)		etal formula of the major is is the major organic pr		ed when HBr reacts with <b>W</b> .	
					[3]	
(c)	As	ample of propar	n-1-ol reacts with concen	trated sulfuric acid to f	orm propene.	
	lde	ntify the role of	concentrated sulfuric acid	d in this reaction.		
					[1]	
(d)	Alc	ohol <b>Y</b> reacts co	ompletely when warmed	with acidified Cr <sub>2</sub> O <sub>7</sub> <sup>2-</sup> to	o form <b>Z</b> .	
` ,			ne reaction mixture as so			
	Toll	ens' reagent is	added to a sample of <b>Z</b> a	and warmed. A silver m	nirror forms.	
	(i)	Name the type	e of reaction that occurs v	when <b>Y</b> reacts to form	Z.	
					[1]	
	(ii)	Identify with a	tick (✓) the functional gro	oup(s) present in <b>Z</b> .		
			functional group	present in <b>Z</b>		
			aldehyde			
			ketone			
			carboxylic acid			
					[1]	
					[Total: 12]	

[Turn over

- **5** S is a secondary alcohol with molecular formula  $C_4H_{10}O$ .
  - (a) Draw the displayed formula of S.

[1]

(b) S is converted to V in a three-step reaction sequence.



In step 1, the secondary alcohol **S** reacts with  $PBr_3$  to produce **T**, which has molecular formula  $C_4H_9Br$ .

(i) Give the systematic name of **T**.

[1]

(ii) Name the type of reaction that occurs in step 1.

.....[1]

(iii) State the reagent(s) and conditions for step 2.

[2]


(iv) Step 3 involves heating C<sub>4</sub>H<sub>9</sub>CN with dilute acid to form V.

Complete the equation for this reaction.

....
$$C_4H_9CN + ....H^+ + ....H_2O \rightarrow ....$$
 [2]

(v) An unlabelled sample contains either S, T or U.

The sample produces the infrared spectrum shown.



Explain how this spectrum confirms that the unknown sample contains  ${\bf U}.$ 

In your answer identify <b>one</b> relevant absorption in the infrared spectrum and the bond the corresponds to this absorption in the region above 1500 cm <sup>-1</sup> .	d that
[	[1]
[Total:	8]

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

© UCLES 2021 9701/22/M/J/21

