

SE2 Requirement Analysis and Specification Document

Edoardo Giacomello Mattia Fontana

November 2, 2015

Contents

1	Introduction	2
1.1	Purpose	2
1.2	Scope	2
1.2.1	Goals	2
1.2.2	Actors and Stakeholders	3
1.3	Definitions, Acronyms, Abbreviations	3
1.3.1	Definitions	3
1.3.2	Acronyms	4
1.3.3	Abbreviations	4
1.4	Reference Documents	4
1.5	Document Overview	4
2	Overall description	4
2.1	Product Perspective	4
2.1.1	System Interfaces	5
2.1.2	User Interfaces	5
2.1.3	Hardware Interfaces	9
2.1.4	Software Interfaces	9
2.1.5	Communications Interfaces	10
2.1.6	Memory Constraints	10
2.1.7	Operations	11
2.2	Product Functions	12
2.3	User characteristics	13
2.4	Constraints	13
2.4.1	Regulatory Policies	13
2.4.2	Hardware Limitations	13
2.4.3	Interfaces to other applications	13
2.4.4	Reliability Requirements	13
2.4.5	Criticality of the application	13
2.4.6	Safety and Security Consideration	13
2.5	Assumptions and Dependancies	14
2.5.1	Assumptions	14
3	Specific Requirements	14

1 Introduction

1.1 Purpose

This document represents the Requirement Analysis and Specification Document (RASD). The main goal of this document is to completely describe the system in terms of functional and non-functional requirements, analyse the real need of the customer to modelling the system, show the constraints and the limit of the software and simulate the typical use cases that will occur after the development. This document is intended to all developer and programmer who have to implement the requirements, to system analyst who want to integrate other system with this one, and could be used as a contractual basis between the customer and the developer.

1.2 Scope

The scope of MyTaxiService is to manage a taxi service in a more efficient way, along with an emprovement in the interaction between the customers and the service providers.

In particular, the following goals have be highlighted by the stakeholders:

1.2.1 Goals

1. Providing the passenger a *simplified access* for making real-time *requests* for the taxi service, according to appropriate *usability metrics*.
2. Providing the passenger the possibility to *reserve* a taxi for a later moment.
3. Providing the passenger a clear confirmation of the taxi ride hes requesting for.
4. Providing the passenger an estimation of the *waiting time* for a taxi ride.
5. Providing the taxi drivers a *simplified access* for receiving and handling transportation requests from the passengers.
6. Guaranteeing a fair management of the taxi queue, in term of minimizing the passenger *waiting time*.
7. Providing *system developers* a programmatic interface to further extend the system.

1.2.2 Actors and Stakeholders

Customer The person(s) who requested the developing of the system. Also referred as Government in the assignment text.

Passenger The person who avails of the taxi service, in particular those who make a request for a Taxi ride.

Taxi Driver The employee which is in charge to meet the passenger and take him to the desired location

User General term for describing whoever interacts with the system interfaces. It can be a passenger, a taxi driver, a system developer, a system administrator, etc.

System Developers The persons which are qualified and in charge to extend the present system with additional features or services

System Administrator : The persons in charge to manage the relationship between the transportation service and the system. For example a system administrator could register new taxi drivers profiles, manage the passenger profiles or manage data backups.

1.3 Definitions, Acronyms, Abbreviations

1.3.1 Definitions

Simplified Access Human-to-Machine interaction that satisfy some usability metrics

Usability Metric Precise measurable requirements that an interface has to satisfy in order to provide an efficient and easy experience to the user.

Waiting time Time in minutes between the submission of a request and the arrival of a taxi.

Request (*when made by the passenger to the taxi service*) In this document we refer to a *request* when the passenger's intent is to meet the taxi as soon as possible.

Reservation In this document we refer to a *reservation* when the passenger's intent is to meet the taxi at a precise moment in the future

1.3.2 Acronyms

1.3.3 Abbreviations

1.4 Reference Documents

- Specification Document: Assignments 1 and 2 (RASD and DD).pdf.
- Specification Document:Project Description And Rules.pdf
- IEEE Std 830-1998 IEEE Recommended Practice for Software Requirements Specifications.

1.5 Document Overview

The following part of this document will focus on a deeper analysis of the goals highlighted by the stakeholders in addition to some assumptions that must hold in order to keep the system properties valid. The last part of the document will exhibit the software requirements that resulted from the goals examination along with some scenario and use cases that will offer the stakeholders a better comprehension of the final system.

2 Overall description

This section will cover the overall description of the product. In particular it will put this product into the perspective of other products or systems.


2.1 Product Perspective

The MyTaxiService system will partially replace any former traditional system that is based on phone calls with a new interactive system based on mobile and web interfaces.

The decision of completely dismissing the former phone call system in favor to the new one will be left to the customer, since MyTaxiService requires the passengers to access a web interface or a mobile application, which is still generally not accessible by some users.

The project will therefore consists in releasing a web application and a mobile app which are not integrated with any other existing taxi management service. The system is created to improve the possibility to connect with the taxi service for requesting a taxi, that is based on phone calls. With this system, the taxi service can provide a fast and innovative system that allow to manage the user request rapidly, without any loss of time. Both the mobile application and the web interface are connected to the central system and allow the user to know in real time the waiting time, the taxi occupation and their location, and allows to make a taxi request receiving

a rapid response. The application will furthermore provide a programmatic interface for the integration with future systems and extensions. /newline



2.1.1 System Interfaces

1. MyTaxiService mobile application will run on tablets and smartphones
2. MyTaxiService web application will run on every terminal which is provided an internet connection and a web browser

2.1.2 User Interfaces

Both the web and mobile applications will have a similar user interface, rearranged to fit the device screen.

1. Application for passengers

- It has to provide a **login page** that allows users to be recognized by the system, along with a registration form that let the user to sign up to the service and a link for resetting the user password. In the home page after the login, it is possible to see the map of the zone in which the user is and the taxis that are nearby, along with a menu for accessing the other functionalities. If a taxi is available, the user can request a ride by selecting the button "Call Now". If a taxi is not available, a text message will display the estimated waiting time and the button will let the user to queue. When the user select the request button, a **confirmation dialog** will ask the user to insert the precise meeting location and, in the case the user is making a reservation, the meeting time. After the

user has made a taxi request, the system will show directly in the home page the estimated waiting time for that request. In the case he has made a reservation, the home page is steal usable for making a request, while clicking on **"your reservation"** a page will display the current reservation status.

- **Passenger menu**

Home Shows the home page from which is possible to make a new request or check the arrival time and the taxi code of the pending request.

Your Reservation Shows the list of pending reservations along with the status or estimated arrival time/taxi code.


Reserve a Taxi Display the **confirmation dialog** in which the passenger can set the meeting time and location

Your Account Lead to the account administration page in which the user can show and edit his account

Logout Ends the session and leads to the login page


2. Example of the mobile application for passengers:

Login Page for passengers - Web Application




The web application login page features a yellow header with a 'LOGO' placeholder. The main content area has a light beige background with a faint map of a city street. On the left, there are input fields for 'email' and 'password', followed by a 'Sign In' button and a 'forgot password' link. On the right, there is a vertical stack of input fields for 'Name', 'Surname', 'Phone Number', 'Tax Code', 'Email', and 'password', with a 'Sign up' button at the bottom.

Login Page for Passenger Mobile Application




The mobile application login page has a yellow header with a 'LOGO' placeholder. Below the header, there are input fields for 'Taxi Code' and 'password', followed by a 'Sign In' button. The background of the page shows a map of a city street.


Passenger Home - Taxi Available now (Web Application)




Passenger Home
Taxi Available now (Mobile)




Passenger Home - Taxi not Available (Web Application)



Passenger Home
Taxi not Available (Mobile)



Sliding Menu (Mobile)



Confirmation Dialogs (Various Cases) - (Both Mobile and Web)

Delayed Reservation Dialog

When:

Where:

Taxi request Dialog

When:



Where:

Taxi request Dialog

When:

Where:

Your Reservation (Request Pending)



3. Application for System Administrators (Web)

- From the same **login** page for the users, system administrators can access the administration page by inserting their login data. From the administration panel the user can see the list of all the

taxis and their current status. From the menu they can access the log page from which it is possible to read all the system history, the account administrator page or the backup/restore facility.

4. Example of the web application for administrators:

Administration - Taxi Management (Web Application)

LOGO	Taxi Management Add New			
	Code	Status	Location	Manage
Taxi Management Logs Account Management Backups Logout	1234	On Ride	Via Bonardi (45.479281, 9.227633)	Edit
	1423	Pending	Piazza Bottini (45.484268, 9.236227)	Edit
	4321	Offline	N.A.	Edit

Administration - Logs


LOGO	Logs Download
	<p>[26/11/2015 12:36] Taxi 1423 logged in from Piazza Bottini (45.4792482,9.2011928)</p> <p>[26/11/2015 12:37] Taxi 1234 accepted ride #123747</p> <p>[26/11/2015 12:37] Taxi 6516 completed ride #123746 in Piazza Piola (45.4792482,9.2011928) and is now pending</p> <p>[26/11/2015 12:38] Security: Taxi 4321 login failed from 8.8.8.8. Remaining retries: 3.</p>

5. Application for taxi drivers (Mobile)

- The taxi drivers have a particular login page that allows them to access by taxi code/email and password.

The taxi application interface is as simple as can be, for avoiding loss of time and incomprehensions. In the homepage the user can see a map of the newarby area. When a request arrives, the user is notified about the time and location of the request. Two buttons allow to accept/decline the request, and when a request is accepted the taxi driver can state he completed the ride or release the ride for another drive.

6. Example of the mobile application for taxi drivers:



2.1.3 Hardware Interfaces

The MyTaxiService mobile application will require a smartphone or tablet and will support the most common screen resolutions.

For the correct functionality of MyTaxiService mobile and web application (both for passenger and taxi drivers) the device will be required to support the GPS localization and a WiFi or data internet connection.

2.1.4 Software Interfaces

- MyTaxiService Application Server
 - Database Management System (DBMS):

Name : MySQL.
Version : 5.6.19
Source : <http://www.mysql.it/>
– Application server:
Name : Jboss application server J2EE open source.
Source : <http://www.jboss.org/>
– Operative Systems:
* : Ubuntu/Debian Linux
* : Windows Server, Windows 7, Windows 8, Windows 10

- MyTaxiService Application Server

- Mobile Application
OS : Android 4.4.2 or higher, iOS, Windows Mobile.
- Web Application

Web Browsers : Chrome, Firefox, Safari, Opera, Internet Explorer

Other : JRE 1.7 or higher

2.1.5 Communications Interfaces

The communication between the server and mobile application will make use of the following ports:

Protocol	Application	Port
TCP	HTTP	80
TCP	HTTPS	443
TCP	DBMS	3306

The default communication protocol will be HTTPS.

2.1.6 Memory Constraints

The suggested memory requirements are:

- Application Server

Main Memory : 4GB

Secondary Memory : 2GB

- Mobile Application

Main Memory : 500Mb

Secondary Memory : 100Mb

2.1.7 Operations

In this section will be described what operations each kind of user can do by interacting with the system interface:

1. Passengers (Web and Mobile Application)

Registration The user can create a new account filling in his personal informations

Login The user can access the main page by inserting his email and password.

Map The user can visualize the map of the zone he is in.

Request The user can request a taxi immediately, or adding to the queue according to the taxi availability

Reservation The user can make a reservation of a taxi ride for a later moment

Pending Reservation The user can visualize data such the estimated taxi arrival time about the reservation he made and cancel a reservation.

Information The user can access some information about the system usage and rules

Profile The user can access its profile personal data

Logout The user can logout from the system

2. Taxi Drivers (Mobile Application Only)

Login The user can access the main page by inserting his taxi code and password. This will state the availability of accepting requests.

Map The user can see a map of the nearby area. When a request arrives the map will show the meeting point

Request Incoming The user can accept or refuse an incoming request

Active Ride The user can complete a ride when the passenger is at his desired location, or release the ride to another taxi driver if some unexpected event occurs.

Logout The user can logout from the system and state his unavailability of taking requests.

3. System Administrators (Web Interface Only)

Login The user can login and access the administration page

Taxi Management The user can access the list of all active and unactive taxi accounts. He can Add and Remove taxi driver accounts or change their passwords.

Account Management The user can access user profiles to provide support to end users and reset their passwords.

Logs The user can view and download the logs associated to each accepted/refused request, all ride data such passenger account, departure/arrival date and location, and the taxi driver who made the ride.

Backup/Restore The user can make security backups of account data and restore them.

4. System Operations

Store user information Creates or updates a passenger profile

Store taxi information Creates or updates a taxi profile

Update Map Update the map every 30 seconds with each taxi location

Registration Confirmation The system sends a confirmation email to the user upon registration

Request Confirmation The system sends a confirmation email about the acceptance of a taxi request

Reservation Confirmation The system sends a confirmation email about the acceptance of a taxi reservation

Reservation Reminder The system sends a remainder email to the user who reserved a taxi 2 hour before the meeting time

Time estimation The system estimate the time needed to move by car from a location A to a location B. It can make use of external map services for this purpose.

System Support Operation **Backup Database** The system make a backup of the database and logs

Restore Database The system make a restore of a previous backup of the database

2.2 Product Functions

This section will list the general functions of the system, with an eventual reference to the goal they contribute to satisfy.

1. *Relative to goal 1:*

2.3 User characteristics

2.4 Constraints

2.4.1 Regulatory Policies

The system shall comply with the following regulatory policies:

- CODICE IN MATERIA DI PROTEZIONE DEI DATI PERSONALI
"Decreto legislativo 30 giugno 2003, n. 196"

2.4.2 Hardware Limitations

2.4.3 Interfaces to other applications

2.4.4 Reliability Requirements

2.4.5 Criticality of the application

2.4.6 Safety and Security Consideration

MyTaxiService should comply to the security statements listed above:

- Only logged users can request a taxi ride. This is for preventing any malicious behaviour in which unknown users can make taxi request without making use of the transportation service.
- At the time of registration, a user must read and accept any privacy policy about the user data management
- The system must undertake to not divulge the user data to third parties, in addition the user data will be used only for the supply of the service
- For the reason stated before, the user MUST supply:
 - Name
 - Surname
 - e-mail address
 - Phone number or Tax Code
- The system should therefore warn the user about the regulation policy about false impersonation.
- The system will hash the user password before storing it into the database, preventing unauthorized access in the case of data leak.
- The system will ask the user the email address or the phone number in order to reset his password. The new password will be sent on the user e-mail address.

2.5 Assumptions and Dependancies

2.5.1 Assumptions

1. The city is already divided in Taxi Zones of approximately 2x2 km each.
2. Taxis or Taxi Drivers are assumed to be in possession of a mobile device that 1) have GPS functionalities and 2) is capable of establishing an internet connection with the facility in which the system is hosted. In the case one of these assumption does not hold, the Taxi driver must contact his referent in order to solve the issue.
3. The number of taxi in service are at least equal to the number of zones.
Rationale: In this way, in the case that a zone queue is empty, an incoming request is guaranteed to be served by at least one taxi in an estimable time by propagating the request to adjacent zone and forwarding the request to the first taxi that is either available or have the scheduled arrival location in that zone.
4. The service is currently running a traditional system based on phone calls
5. The payment will occur directly to the taxi driver by cash or credit card and it will be managed by the transportation company

3 Specific Requirements