


Introduction to Grid Computing

Midwest Grid Workshop Module 1



Open Science Grid


Scaling up Social Science: Citation Network Analysis



Scaling up the analysis

- Database queries of 25+ million citations
- Work started on small workstations
- Queries grew to month-long duration
- With database distributed across
U of Chicago TeraPort **cluster**:
 - 50 (faster) CPUs gave 100 X speedup
 - Many more methods and hypotheses can be tested!
- Higher *throughput* and *capacity* enables *deeper analysis* and *broader community access*.

Computing clusters have commoditized supercomputing




PUMA: Analysis of Metabolism

PUMA Knowledge Base

Information about proteins analyzed against ~2 million gene sequences

NCBI protein ID: 16726111 - putative autotransporter protein [Yersinia pestis]																
NCBI taxon ID: 15931992, 25511357																
TaxID: 15931992																
PIR-ID: NF0798375																
NCBI accession: CAC293445.1																
Organism: Yersinia pestis C92																
Protein ID: 234602																
Chromosomal Compartions:																
The SEED																
NCBI related proteins:																
Similarity - Global:																
BLAST vs. nr:																
FASTA3 vs. UniProt:																
Blocks-Blast:																
PhyloBlast:																
BLink:																
Similarity - Local:																
InterPro:																
INTERPROF:																
Blocks:																
DART:																
Protein families:																
CDGs:																
TIGRFAMs:																
BLAST vs. nr:																
InterPro:																
Blocks:																
DART:																
Protein families:																
CDGs:																
TIGRFAMs:																
BLAST vs. nr:																
InterPro:																
Blocks:																
DART:																
Protein families:																
CDGs:																
TIGRFAMs:																
BLAST vs. nr:																
InterPro:																
Blocks:																
DART:																
Protein families:																
CDGs:																
TIGRFAMs:																
BLAST vs. nr:																
InterPro:																
Blocks:																
DART:																
Protein families:																
CDGs:																
TIGRFAMs:																
BLAST vs. nr:																
InterPro:																
Blocks:																
DART:																
Protein families:																
CDGs:																
TIGRFAMs:																
BLAST vs. nr:																
InterPro:																
Blocks:																
DART:																
Protein families:																
CDGs:																
TIGRFAMs:																
BLAST vs. nr:																
InterPro:																
Blocks:																
DART:																
Protein families:																
CDGs:																
TIGRFAMs:																

Grids Provide Global Resources To Enable e-Science



Ian Foster's Grid Checklist


- A Grid is a system that:
 - Coordinates resources that are not subject to centralized control
 - Uses standard, open, general-purpose protocols and interfaces
 - Delivers non-trivial qualities of service

Virtual Organizations

- Groups of organizations that use the Grid to share resources for specific purposes
- Support a single community
- Deploy compatible technology and agree on working policies
 - Security policies - difficult
- Deploy different network accessible services:
 - Grid Information
 - Grid Resource Brokering
 - Grid Monitoring
 - Grid Accounting



What is a grid made of? *Middleware*.




- Security to control access and protect communication (GSI)
- Directory to locate grid sites and services: (VORs, MDS)
- Uniform interface to computing sites (GRAM)
- Facility to maintain and schedule queues of work (Condor-G)
- Fast and secure data set mover (GridFTP, RFT)
- Directory to track where datasets live (RLS)

We will focus on Globus and Condor

- Condor provides both client & server scheduling
 - In grids, Condor provides an agent to queue, schedule and manage work submission
- Globus Toolkit provides the lower-level middleware
 - Client tools which you can use from a command line
 - APIs (scripting languages, C, C++, Java, ...) to build your own tools, or use direct from applications
 - Web service interfaces
 - Higher level tools built from these basic components, e.g. Reliable File Transfer (RFT)

Grid components form a “stack”



Grid architecture is evolving to a Service-Oriented approach.

...but this is beyond our workshop's scope.

See "Service-Oriented Science" by Ian Foster.

■ Service-oriented **applications**

- Wrap applications as services
- Compose applications into workflows


■ Service-oriented **Grid infrastructure**

- Provision physical resources to support application workloads

Users
↓
Composition

Workflows
↓
Invocation

Appln Service Appln Service



"The Many Faces of IT as Service", Foster, Tuecke, 2005

Security

Workshop Module 2

Grid security is a crucial component

- Resources are typically valuable
 - Problems being solved might be sensitive
 - Resources are located in distinct administrative domains
 - Each resource has own policies, procedures, security mechanisms, etc.
 - Implementation must be broadly available & applicable
 - Standard, well-tested, well-understood protocols; integrated with wide variety of tools
-

Security Services

- Forms the underlying communication medium for all the services
 - Secure *Authentication* and *Authorization*
 - Single Sign-on
 - User explicitly authenticates only once – then single sign-on works for all service requests
 - Uniform Credentials
 - Example: GSI (Grid Security Infrastructure)
-

Authentication means identifying that you *are* whom you claim to be

- Authentication stops imposters
 - *Examples of authentication:*
 - Username and password
 - Passport
 - ID card
 - Public keys or certificates
 - Fingerprint
-

Authorization controls what you are allowed to *do*.

- Is this device allowed to access to this service?
 - Read, write, execute permissions in Unix
 - Access control lists (ACLs) provide more flexible control
 - Special “callouts” in the grid stack in job and data management perform authorization checks.
-


Job and resource management

Workshop Module 3

Job Management Services provide a standard interface to remote resources

- Includes CPU, Storage and Bandwidth
 - Globus component is *Globus Resource Allocation Manager (GRAM)*
 - The primary Condor grid *client* component is *Condor-G*
 - Other needs:
 - scheduling
 - monitoring
 - job migration
 - notification
-

GRAM provides a uniform interface to diverse resource scheduling systems.



GRAM: What is it?

- *Globus Resource Allocation Manager*
- Given a job specification:
 - Create an environment for a job
 - Stage files to and from the environment
 - Submit a job to a local resource manager
 - Monitor a job
 - Send notifications of the job state change
 - Stream a job's stdout/err during execution

A “Local Resource Manager” is a batch system for running jobs across a computing cluster

- In GRAM
 - *Examples:*
 - Condor
 - PBS
 - LSF
 - Sun Grid Engine
 - Most systems allow you to access “fork”
 - Default behavior
 - It runs on the gatekeeper:
 - A bad idea in general, but okay for testing
-

Managing your jobs

- We need something more than just the basic functionality of the globus job submission commands
 - Some desired features
 - Job tracking
 - Submission of a set of inter-dependant jobs
 - Check-pointing and Job resubmission capability
 - Matchmaking for selecting appropriate resource for executing the job
 - *Options:* Condor, PBS, LSF, ...
-

Data Management

Workshop Module 4

Data management services provide the mechanisms to find, move and share data

- Fast
 - Flexible
 - Secure
 - Ubiquitous
 - Grids are used for analyzing and manipulating large amounts of data
 - Metadata (data about data): *What is the data?*
 - Data location: *Where is the data?*
 - Data transport: *How to move the data?*
-

GridFTP is a secure, efficient and standards-based data transfer protocol

- Robust, fast and widely accepted
 - Globus GridFTP server
 - Globus *globus-url-copy* GridFTP client
 - Other clients exist (e.g., *uberftp*)
-

GridFTP is secure, reliable and fast

- Security through GSI
 - Authentication and authorization
 - Can also provide encryption
 - Reliability by restarting failed transfers
 - Fast
 - Can set TCP buffers for optimal performance
 - Parallel transfers
 - Striping (multiple endpoints)
 - Not all features are accessible from basic client
 - Can be embedded in higher level and application-specific frameworks
-

File catalogues tell you where the data is


- Replica Location Service (RLS)
 - Phedex
 - RefDB / PupDB
-

Requirements from a File Catalogue

- Abstract out the logical file name (LFN) for a physical file
 - maintain the mappings between the LFNs and the PFNs (*physical file names*)
 - Maintain the location information of a file
-

In order to avoid ‘*hotspots*’, replicate data files in more than one location

- Effective use of the grid resources
 - Each LFN can have more than 1 PFN
 - Avoids single point of failure
 - Manual or automatic replication
 - Automatic replication considers the demand for a file, transfer bandwidth, etc.



Replicating >1 Terabyte/day to 8 sites


>40 million replicas so far




National Grid Cyberinfrastructure

Workshop Module 5

TeraGrid provides vast resources via a number of huge computing facilities.




Open Science Grid (OSG) provides shared computing resources, benefiting a broad set of disciplines



- OSG incorporates advanced networking and focuses on general services, operations, end-to-end performance
- Composed of a large number (>50 and growing) of shared computing facilities, or “sites”


<http://www.opensciencegrid.org/>



To efficiently use a Grid, you must locate and monitor its resources.


- Check the availability of different grid sites
- Discover different grid services
- Check the status of “jobs”
- Make better scheduling decisions with information maintained on the “health” of sites

OSG Resource Selection Service: VORS

 Virtual Organization Resource Selector

All OSG TeraGrid EGEE OSG-ITB






Virtual Organization Selection

All	CDF	CMS	CompBioGrid	DES	DOSAR	DZero	Engage	Fermilab	fMRI	GADU
geant4	GLOW	GPN	GRASE	GridChem	GridEx	GROW	i2u2	iVDGL	LIGO	
mariachi	MIS	nanoHUB	NWICG	Ops	OSG	OSGEDU	SDSS	STAR	USATLAS	

Resources

Name	Gatekeeper	Type	Grid	Status	Last Test Date
BNL ATLAS 1	gridgk01.raef.bnl.gov:2119	compute	OSG	PASS	2006-12-08 14:57:13
BNL ATLAS 2	gridgk02.raef.bnl.gov:2119	compute	OSG	PASS	2006-12-08 14:58:43
BU ATLAS Tier2	atlas.bu.edu:2119	compute	OSG	PASS	2006-12-08 15:00:44


Monitoring and Discovery Service - MDS



Grid Workflow

Workshop Module 6


A typical workflow pattern in image analysis runs many filtering apps.




Workflow courtesy James Dobson, Dartmouth Brain Imaging Center

Workflows can process vast datasets.

- Many HEP and Astronomy experiments consist of:
 - Large datasets as inputs (find datasets)
 - “Transformations” which work on the input datasets (process)
 - The output datasets (store and publish)
- The emphasis is on the sharing of the large datasets
- Transformations are usually independent and can be parallelized. *But they can vary greatly in duration.*




Virtual data model enables workflow to abstract grid details.



An important application pattern:
Grid Data Mining

Mining Seismic data for hazard analysis (Southern Calif. Earthquake Center).



Data mining in the grid

- **Decompose** across network
- Clients **integrate** dynamically
 - Select & compose services
 - Select “best of breed” providers
 - Publish result as a new service
- Decouple **resource & service** providers




Fig: S. G. Djorgovski

Conclusion: Why Grids?

- New approaches to inquiry based on
 - Deep analysis of huge quantities of data
 - Interdisciplinary collaboration
 - Large-scale simulation and analysis
 - Smart instrumentation
 - ***Dynamically assemble the resources to tackle a new scale of problem***
 - Enabled by access to resources & services without regard for location & other barriers
-

Grids: Because Science Takes a Village ...

- Teams organized around common goals
 - People, resource, software, data, instruments...
 - With diverse membership & capabilities
 - Expertise in multiple areas required
 - And geographic and political distribution
 - No location/organization possesses all required skills and resources
 - Must adapt as a function of the situation
 - Adjust membership, reallocate responsibilities, renegotiate resources
-

Based on:

Grid Intro and Fundamentals Review



Open Science Grid



GriPhyN
Data Intensive Science



Dr Gabrielle Allen

Center for Computation & Technology

Department of Computer Science

Louisiana State University

gallen@cct.lsu.edu

Grid Summer Workshop

June 26-30, 2006