

## THIRD YEAR PROJECT REPORT

---

**\*3YP Title Here\***

---

*Authors:*

Kitty Fung, Edward Gunn,  
Terence Tan, Di Wan

*Supervisors:*

David De Roure, Kevin Page

April 12, 2022

UNIVERSITY OF OXFORD

# *Abstract*

Faculty Name  
Department of Engineering Science

Third Year Project

**\*3YP Title Here\***

by Kitty Fung, Edward Gunn, Terence Tan, Di Wan

The Project Abstract is written here (and usually kept to just this page). The page is kept centered vertically so can expand into the blank space above the title too...

# Contents

## List of Figures

# List of Tables



## Chapter 1

# Project Definition

### 1.1 Introduction

The process of writing music often begins with an idea for a melody which is followed by the development of chords to accompany it. The matching of chords to a melody is a skill which usually requires years of training in musical techniques such as harmonisation. There is a large market of amateur musicians who lack the necessary training for this task but would otherwise enjoy the experience of developing music. In this report we will detail the design of **INSERT NAME HERE**, a system which facilitates the generation of an appropriately matched set of chords to a given monophonic melody. Users are able to record a melody using their microphone and regenerate the chord sequence until they feel they have found one suitable for the intended feel of their song. Songs and generated chord accompaniments can be played back to the user, saved to a library of songs and shared using our songwriting community feature.

The problem of converting a recorded melody to a set of chords can be decomposed into a set of simpler sub-problems, these being: The conversion of the recorded melody into a form which numerically represents its features. The generation of a set of chords from this numerical representation. The latter of these two problems can be solved in many ways many of which require a detailed knowledge of music to find patterns in melodies to match to chords. **WHY IS THIS A PROBLEM FOR US** A method which requires little knowledge of music is the use of a machine learning model to extract these patterns from data of known chord melody pairings from professionally composed music. The curation and processing of an appropriate dataset requires significant effort and care in itself. This leads to a natural division of labour across the project into the categories of: User Interface and general product design - detailed in ?? by Di Wan; Curation and preparation of a dataset in an appropriate format - detailed in ?? by Terence Tan; The design of an appropriate machine learning model - detailed in ?? by Edward Gunn; The conversion of recorded melody to the same format as expressed in the dataset - detailed in ?? by Kitty Fung.

#### 1.1.1 Musical terminology

Throughout this report we will use a variety of musical terminology which will be defined here. A piece of music is composed of a sequence of adjacent **measures**, periods of time in which notes and chords can be played. We will generally take a **measure** to mean a bar in the music, however it is not restricted to this. We restrict **chord** to refer to a triad of notes, the justification for this is explained in **reference to explanation**. The use of **melody** refers to a monophonic melody in which only one note is played at a time, excluding accompanying chords, unless otherwise stated.

### 1.1.2 Subsection 2

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget ornare odio. Proin accumsan, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

## 1.2 Project management

Sed ullamcorper quam eu nisl interdum at interdum enim egestas. Aliquam placerat justo sed lectus lobortis ut porta nisl porttitor. Vestibulum mi dolor, lacinia molestie gravida at, tempus vitae ligula. Donec eget quam sapien, in viverra eros. Donec pellentesque justo a massa fringilla non vestibulum metus vestibulum. Vestibulum in orci quis felis tempor lacinia. Vivamus ornare ultrices facilisis. Ut hendrerit volutpat vulputate. Morbi condimentum venenatis augue, id porta ipsum vulputate in. Curabitur luctus tempus justo. Vestibulum risus lectus, adipiscing nec condimentum quis, condimentum nec nisl. Aliquam dictum sagittis velit sed iaculis. Morbi tristique augue sit amet nulla pulvinar id facilisis ligula mollis. Nam elit libero, tincidunt ut aliquam at, molestie in quam. Aenean rhoncus vehicula hendrerit.

### 1.3 Tech strat

### 1.4 Risk

### 1.5 Finance

### 1.6 Ethics

From the National Society of Professional Engineers Code of Ethics **codeofethics**, Engineering work impacts life directly, thus it is of the utmost importance to ensure service upholds honesty, impartiality, fairness, and equity, and must be dedicated to the protection of the public health, safety, and welfare. Since our design interacts with users through a mobile application, ethical concerns have arisen regarding the interactions between users as well as data handling on our end. In this section we will address issues related to data ethics and online hate crime.

#### 1.6.1 Data ethics

Governmental organisations have published regulations **EUdataregulations2018** and frameworks **framework** that are minimum standards for handling data ethically. The core values of data ethics is to treat data responsibly and righteously. There are 3 overarching principles **framework** to adhere to but in short, we as the developer should treat our users, data as we would for our own.



## Transparency

We should be clear and publish specifications of our project in a way that users can understand and access easily. It is necessary to delineate a privacy policy and make sure users read and agree to it before they use our application and keep the policy at a prominent location, i.e. in the footer for webpage, in the developer section of the app listing or on the sign-in interface of the app.

We would include the following items in our privacy policy:

1. Company licence and registration reference number: Registration at the Information Commissioner's Office is required before collecting data from the public
2. Details and purpose of data collected: We should limit data collection to what is necessary and to an explicit purpose. Thus, we will collect

**Personal details** - Name and email address are the necessary fields, gender, age and profile picture are optional data that will help improve user experience and accuracy of the model.

**Audio data** - Audio signal and metadata to feed in our machine learning model to improve accuracy.

**Networks and connections** - for our interactive community features

**Usage** - Contents and functions that the users have viewed or engaged with, as well as the duration.

**Device information** - Device attributes like signal strength, battery levels, version of operating system

**Cookie data** - Both first- and third-party cookies are needed. For the first-party cookies, to personalise and optimise user experience, we would save their usage preference like language, dark or light background mode. There are 2 purposes for using third-party cookies. Firstly, since we will be displaying advertisements, these advertising companies will be able to place cookies on our app for standard users, but not the premium users who subscribed to our services. Secondly, we will be implementing social sign-on so users do not have to create a new account on our end. In this case, the social media platform will be placing their third-party cookies on our app.

It is important to note that users have the right to know the third parties that have access to their data.

3. Data retention policy: We will specify how long information will be kept and the procedure of disposing the data when an user deactivated his account or when the data is no longer necessary to collect. Moreover, we would have to erase or rectify inaccurate data without delay. Although there is no limitation on data storage, we will have to act ethically and decide the timeframe based on the genuine motivation of retaining the data. Data should only be collected when it is vital in the context of app operation, thus we should not keep data just in case it is needed in the future. For data that has expired (past the retention period), we would have to either delete it or anonymise it. If we are to delete the data, we have to ensure all digital and hard copies of the data are destroyed. This action requires careful documentation of data storage from the date we collect data from users as traces may often reside in forgotten

databases. Anonymising data means that the information cannot be associated with an identity, which will not help with improving user experience, but still can be used to monitor the entire application performance.

4. Access rights within the team: Different team members of our project will have access rights to different types of data collected from the users, and we should delineate who will be responsible for which part of the data we store.
5. Rights that users have over their data: Users should have the right to request a copy of data provided, request us to delete the data and object to our data processing.
6. Notification of changes to privacy policy: We will contact users to review and accept the revised policy through email.
7. Security standards: We should specify the encryption standards and the processes in place to test the confidentiality, integrity and availability of our system.
8. Contact information: Organisation contact number, email address, office and postal address

### Accountability

We should process personal data responsibly and systematically, as well as endeavour to reduce risks for individuals and mitigate social and ethical implications. **principles** This can be done by creating a department that overviews the entire project and ensures data is managed ethically throughout the process. As we have an interactive community feature, we must ensure that our app does no harm in any way. A new Online Safety Bill is being drafted recently to fight online hate crime, and online companies are liable for failures to deal with inappropriate material posted online. **francis parliamentlaw** Companies have the responsibilities to confine illegal and harmful discussions and a conventional and efficient method to guarantee this is to implement algorithmic censorship.

Moreover, to be publicly accountable, effective governance and oversight mechanisms that can be exercised by the public are necessary. We can enact this by hiring an independent third-party audit review our data processing.

### Fairness

When processing data, we should ensure no societal, racial or health bias is involved. Our project collects minimal personal data so the problem of differential processing for distinct groups can be avoided. On the other hand, another perspective of fairness can be manifested in the form of **Responsible Research and Innovation (RRI)**:

RRI is a process that seeks to promote creativity and opportunities for science and innovation that are socially desirable and undertaken in the public interest. **ukri** Not only does research bring novelty and value to society, it may also bring forward ethical dilemmas, social transformations and adverse consequences to society. Thus it is key to put emphasis on innovating responsibly and creating changes that have positive societal and environmental impacts.

There are a few areas of RRI that we should keep in mind:

1. Anticipation: We should vision the consequences of our research and innovation conducted. It is to ensure that the consequences of undertaking the

research are considered and reflected in the research design. Although in this project we are not creating physical technology, we are building a platform that allows users to communicate with each other and if not dealt carefully, our app may become a breeding ground for online hate crime.

2. Reflection: researchers should always reflect on the research question they are investigating, the type of data collected, the method used to analyse the data and the implications of the findings. They should also judge if the research is required. An organisation can force reflection through organisational processes and structures like a project advisory board or quality assurance reviews. Reflection allows researchers to review the project from a macroscopic point of view.
3. Ethics: Researchers should uphold integrity and prevent misconduct. They should take accountability for both the undergoing research and behaviour.
4. Gender Equality: Since male engineers still dominate the engineering industry, it is easy to be biased in a project design, i.e. building models and interfaces that better suit male users. Thus it is paramount to have opinions from the underrepresented group as to create a comprehensive innovation.
5. Open Access: Making the research output publicly available to everyone so the whole society can be benefitted by reducing wasteful duplication, increasing transparency and reproducibility of results.
6. Governance: Organisations should establish practices that foster RRI, i.e.
  - Having transparent and reflective internal procedures
  - Promoting participatory governance
  - Fostering stakeholder engagement exercises
  - Encouraging future-oriented governance
  - Valuing responsiveness
7. Public Engagement: Researchers should settle upon a motivation and suitable audience before any public engagement. For our project, the goal would be to allow amateurs to enjoy composing music without music professionalism.

## 1.7 Sustainability

As technology advances, energy consumed by computers and digital personal devices is taking up a larger portion in worldwide energy consumption. There are about 8,918,157,500 active mobile devices consuming about 2 kWh energy per year. While a lot of effort has been put into reducing the energy consumption from the hardware perspective, it is also prime to focus on the impact that software implementation has on the energy consumption of a program. Other than writing energy-efficient codes (i.e. optimised searching and sorting algorithms), the programming language chosen can make a substantial difference too. Energy, time and memory size are classified as the major resources required for running a program. At first glance, since  $Energy = Power * Time$ , there seems to be a correlation between energy and time. Yet, Pereira et al. 2017 suggests that since  $Power$  is not a constant, we cannot

draw the conclusion that when *Time* increases, *Energy* must increase. Pereira ranked the performance of different programming languages according to its energy, time and memory size consumption (p.7). Surprisingly, there is no strong correlation between these 3 components. Instead, the performance depends on the category of the programming language. The programming languages can be divided into 3 execution types: compiler, interpreter and virtual machine.

Compiler converts the entire high-level language code to machine-readable language all at once. Some examples are C, C++, Rust and Go.

Interpreter translates one statement of the high-level language code to machine-readable language at a time. Common interpreted languages are PHP, Python and JavaScript. Thus, even if an interpreter takes less time to analyze the source code, it takes longer time to execute the process.

Virtual machine executes an intermediate code translated from the high-level language inputted. Some of the popular languages that uses virtual machines are Java, Scala, JRuby.

Since our application has no requirements on the computational time and memory size, we can solely focus on the energy consumption between different languages. Even though the energy needed to run different algorithms varies for different languages, it is certain that compiled language requires less energy compared to virtual machine and interpreted languages thus it would make sense to use C/ C++/ Rust to code.

Also, since we plan to employ a cloud network architecture and host most of the operation on cloud, we would be creating an enormous carbon footprint. Carbon3IT estimates datacentres account for at least 12% of UK electricity consumption, which is equivalent to 41.11TWh a year **carbon** Therefore, we should not underestimate the

## 1.8 Legality

## Chapter 2

# Product Design

### 2.1 Main Section 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam ultricies lacinia euismod. Nam tempus risus in dolor rhoncus in interdum enim tincidunt. Donec vel nunc neque. In condimentum ullamcorper quam non consequat. Fusce sagittis tempor feugiat. Fusce magna erat, molestie eu convallis ut, tempus sed arcu. Quisque molestie, ante a tincidunt ullamcorper, sapien enim dignissim lacus, in semper nibh erat lobortis purus. Integer dapibus ligula ac risus convallis pellentesque.

#### 2.1.1 Subsection 1

Nunc posuere quam at lectus tristique eu ultrices augue venenatis. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aliquam erat volutpat. Vivamus sodales tortor eget quam adipiscing in vulputate ante ullamcorper. Sed eros ante, lacinia et sollicitudin et, aliquam sit amet augue. In hac habitasse platea dictumst.

#### 2.1.2 Subsection 2

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget ornare odio. Proin accumsan, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

### 2.2 Main Section 2

Sed ullamcorper quam eu nisl interdum at interdum enim egestas. Aliquam placerat justo sed lectus lobortis ut porta nisl porttitor. Vestibulum mi dolor, lacinia molestie gravida at, tempus vitae ligula. Donec eget quam sapien, in viverra eros. Donec pellentesque justo a massa fringilla non vestibulum metus vestibulum. Vestibulum in orci quis felis tempor lacinia. Vivamus ornare

ultrices facilisis. Ut hendrerit volutpat vulputate. Morbi condimentum venenatis augue, id porta ipsum vulputate in. Curabitur luctus tempus justo. Vestibulum risus lectus, adipiscing nec condimentum quis, condimentum nec nisl. Aliquam dictum sagittis velit sed iaculis. Morbi tristique augue sit amet nulla pulvinar id facilisis ligula mollis. Nam elit libero, tincidunt ut aliquam at, molestie in quam. Aenean rhoncus vehicula hendrerit.

## Chapter 3

# Data

### 3.1 Main Section 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam ultricies lacinia euismod. Nam tempus risus in dolor rhoncus in interdum enim tincidunt. Donec vel nunc neque. In condimentum ullamcorper quam non consequat. Fusce sagittis tempor feugiat. Fusce magna erat, molestie eu convallis ut, tempus sed arcu. Quisque molestie, ante a tincidunt ullamcorper, sapien enim dignissim lacus, in semper nibh erat lobortis purus. Integer dapibus ligula ac risus convallis pellentesque.

#### 3.1.1 Subsection 1

Nunc posuere quam at lectus tristique eu ultrices augue venenatis. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aliquam erat volutpat. Vivamus sodales tortor eget quam adipiscing in vulputate ante ullamcorper. Sed eros ante, lacinia et sollicitudin et, aliquam sit amet augue. In hac habitasse platea dictumst.

#### 3.1.2 Subsection 2

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget ornare odio. Proin accumsan, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

### 3.2 Main Section 2

Sed ullamcorper quam eu nisl interdum at interdum enim egestas. Aliquam placerat justo sed lectus lobortis ut porta nisl porttitor. Vestibulum mi dolor, lacinia molestie gravida at, tempus vitae ligula. Donec eget quam sapien, in viverra eros. Donec pellentesque justo a massa fringilla non vestibulum metus vestibulum. Vestibulum in orci quis felis tempor lacinia. Vivamus ornare

ultrices facilisis. Ut hendrerit volutpat vulputate. Morbi condimentum venenatis augue, id porta ipsum vulputate in. Curabitur luctus tempus justo. Vestibulum risus lectus, adipiscing nec condimentum quis, condimentum nec nisl. Aliquam dictum sagittis velit sed iaculis. Morbi tristique augue sit amet nulla pulvinar id facilisis ligula mollis. Nam elit libero, tincidunt ut aliquam at, molestie in quam. Aenean rhoncus vehicula hendrerit.



## Chapter 4

# Model

### 4.1 Main Section 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam ultricies lacinia euismod. Nam tempus risus in dolor rhoncus in interdum enim tincidunt. Donec vel nunc neque. In condimentum ullamcorper quam non consequat. Fusce sagittis tempor feugiat. Fusce magna erat, molestie eu convallis ut, tempus sed arcu. Quisque molestie, ante a tincidunt ullamcorper, sapien enim dignissim lacus, in semper nibh erat lobortis purus. Integer dapibus ligula ac risus convallis pellentesque.

#### 4.1.1 Subsection 1

Nunc posuere quam at lectus tristique eu ultrices augue venenatis. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aliquam erat volutpat. Vivamus sodales tortor eget quam adipiscing in vulputate ante ullamcorper. Sed eros ante, lacinia et sollicitudin et, aliquam sit amet augue. In hac habitasse platea dictumst.

#### 4.1.2 Subsection 2

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget ornare odio. Proin accumsan, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

### 4.2 Main Section 2

Sed ullamcorper quam eu nisl interdum at interdum enim egestas. Aliquam placerat justo sed lectus lobortis ut porta nisl porttitor. Vestibulum mi dolor, lacinia molestie gravida at, tempus vitae ligula. Donec eget quam sapien, in viverra eros. Donec pellentesque justo a massa fringilla non vestibulum metus vestibulum. Vestibulum in orci quis felis tempor lacinia. Vivamus ornare

ultrices facilisis. Ut hendrerit volutpat vulputate. Morbi condimentum venenatis augue, id porta ipsum vulputate in. Curabitur luctus tempus justo. Vestibulum risus lectus, adipiscing nec condimentum quis, condimentum nec nisl. Aliquam dictum sagittis velit sed iaculis. Morbi tristique augue sit amet nulla pulvinar id facilisis ligula mollis. Nam elit libero, tincidunt ut aliquam at, molestie in quam. Aenean rhoncus vehicula hendrerit.

standalone

beamer tikz arrows.meta, positioning

## Chapter 5

# Audio Processing

Before we feed the audio clip to our machine learning model, it is crucial to get rid of the noise as to achieve higher accuracy. The choice and implementation of noise filter will then be explained in [LINK TO SECTION 1](#). We then feed the filtered output to a pitch detection algorithm (PDA) [LINK TO SECTION 2](#) and then a key detection algorithm (KDA) [LINK TO SECTION 3](#)

[[fragile] General Settings 1

### 5.1 Noise Filter

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam ultricies lacinia euismod. Nam tempus risus in dolor rhoncus in interdum enim tincidunt. Donec vel nunc neque. In condimentum ullamcorper quam non consequat. Fusce sagittis tempor feugiat. Fusce magna erat, molestie eu convallis ut, tempus sed arcu. Quisque molestie, ante a tincidunt ullamcorper, sapien enim dignissim lacus, in semper nibh erat lobortis purus. Integer dapibus ligula ac risus convallis pellentesque.

#### 5.1.1 Possible Models

A. Low-pass filter Transform time-signal to frequency-signal using fourier transform Cutoff frequency selection: depending on the gender and age Window function: (most simple) rectangular function/ hamming/ hanning window

B. Wavelet transform Wavelet transform creates a representation of the signal in both time and frequency domain so localized information of the signal

every edge/.style = draw=cyan, line width=2mm, shorten >=1pt, shorten <=1pt, -Triangle[scale=0.6], N/.style args = 1/2fill=1, text width=2, font=, align=center, N/.default = cyan/7em, [node distance=8mm] (n1) [N] **User sings into our app** (Obtain input audio signal); (n2) [N=cyan/8em, right=of n1] **Trim silence at the start/end of audio clip**; (n3) [N, right=of n2] **Implement noise filter**; (n4) [N, below=of n3] **Spectral reduction**; (n5) [N, right=of n4] **Low-pass filter**; (n6) [N, right=of n3] **Implement PDA**; (n7) [N, right=of n6] **Implement KDA**; (n8) [N=red!30/8em, below=of n7] **Pass the output to Ed's ML model** (Notes and keys); (n1) edge (n2) (n2) edge (n3) (n3) edge (n4) (n4) edge (n5) (n3) edge (n6) (n6) edge (n7) (n7) edge (n8));

can be efficiently accessed. Fourier transform (FT) has limitations: For windowed FT, if the feature is larger or shorter than the window, it cannot be captured completely. Time resolution for high frequencies is the same for low frequencies. As frequency increases, rate of change of the signal increases, and high frequency signals contain more information in a window than that of low frequency, thus we need a higher time resolution for that. Usually for stationary signals, we use traditional fourier transform, but for non-stationary ones, we can use wavelet transform, in particular continuous wavelet transform (CWT) which gives better time-scale information compared to short-time fourier transform (STFT).

Wavelet transform analyses a signal into different frequencies at different resolution (multiresolution analysis).

Advantages of DWT: The wavelet expansion allows a more accurate local description and separation of signal characteristics. A Fourier coefficient represents a component that lasts for all time and, therefore, temporary events must be described by a phase characteristic that allows cancellation or reinforcement over large time periods. A wavelet expansion coefficient represents a component that is itself local and is easier to interpret. The wavelet expansion may allow a separation of components of a signal whose Fourier description overlap in both time and frequency. Wavelets are adjustable and adaptable. Because there is not just one wavelet, they can be designed to fit individual applications. They are ideal for adaptive systems that adjust themselves to suit the signal. Disadvantages of DWT: Sensitive to shifting Poor directionality Lack of phase information Hard to choose an appropriate mother wavelet and number of decomposition levels

C. PCA Computes eigenvalue, eigenvector pair. Then select the dominant values as principal component (since they explain most of the variance in the signal) and ignore the smaller eigenvalue and eigenvectors. The method helps reducing dimensionality but does not eliminate noise. It is also sensitive to relative scaling of other variables

D. Spectral reduction Define our noisy audio  $y(n) = x(n) + d(n)$ , for  $0 \leq n \leq N-1$ , where  $x(n)$  is our original signal (signal we wish to recover),  $d(n)$  is the noise,  $n$  is the time index,  $N$  is the number of samples. Assuming  $d(n)$  and  $x(n)$  have no correlation,  $Y(\omega) =$  Used by audacity <https://github.com/timsainb/noisereduce> Did a really good job, able to filter white noise, but not sudden background noise (I accidentally used an audio with a sharp squeal in the beginning and it didn't get filtered, which makes sense if we think about spectral subtraction, it is impossible to subtract an unexpected frequency) Will use spectral reduction in our project!!!

### 5.1.2 Assumptions

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida

cursus. Cras sed pretium lorem. Pellentesque eget ornare odio. Proin accumsan, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

### 5.1.3 Implementation

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget ornare odio. Proin accumsan, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

### 5.1.4 Improvements

use the silence to feed in spectral reduction

## 5.2 Pitch Detection Algorithm (PDA)

Sed ullamcorper quam eu nisl interdum at interdum enim egestas. Aliquam placerat justo sed lectus lobortis ut porta nisl porttitor. Vestibulum mi dolor, lacinia molestie gravida at, tempus vitae ligula. Donec eget quam sapien, in viverra eros. Donec pellentesque justo a massa fringilla non vestibulum metus vestibulum. Vestibulum in orci quis felis tempor lacinia. Vivamus ornare ultrices facilisis. Ut hendrerit volutpat vulputate. Morbi condimentum venenatis augue, id porta ipsum vulputate in. Curabitur luctus tempus justo. Vestibulum risus lectus, adipiscing nec condimentum quis, condimentum nec nisl. Aliquam dictum sagittis velit sed iaculis. Morbi tristique augue sit amet nulla pulvinar id facilisis ligula mollis. Nam elit libero, tincidunt ut aliquam at, molestie in quam. Aenean rhoncus vehicula hendrerit.

### 5.2.1 Possible Models

Nunc posuere quam at lectus tristique eu ultrices augue venenatis. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aliquam erat volutpat. Vivamus sodales tortor eget quam adipiscing in vulputate ante ullamcorper. Sed eros ante, lacinia et sollicitudin et, aliquam sit amet augue. In hac habitasse platea dictumst.

### 5.2.2 Assumptions

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida

cursus. Cras sed pretium lorem. Pellentesque eget ornare odio. Proin accum-san, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

### 5.2.3 Implementation

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulv-inar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget ornare odio. Proin accum-san, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

## 5.3 Key Detection Algorithm (KDA)

Sed ullamcorper quam eu nisl interdum at interdum enim egestas. Aliquam placerat justo sed lectus lobortis ut porta nisl porttitor. Vestibulum mi dolor, lacinia molestie gravida at, tempus vitae ligula. Donec eget quam sapien, in viverra eros. Donec pellentesque justo a massa fringilla non vestibulum metus vestibulum. Vestibulum in orci quis felis tempor lacinia. Vivamus ornare ultrices facilisis. Ut hendrerit volutpat vulputate. Morbi condimentum venenatis augue, id porta ipsum vulputate in. Curabitur luctus tempus justo. Vestibulum risus lectus, adipiscing nec condimentum quis, condimentum nec nisl. Aliquam dictum sagittis velit sed iaculis. Morbi tristique augue sit amet nulla pulvinar id facilisis ligula mollis. Nam elit libero, tincidunt ut aliquam at, molestie in quam. Aenean rhoncus vehicula hendrerit.

### 5.3.1 Possible Models

Nunc posuere quam at lectus tristique eu ultrices augue venenatis. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aliquam erat volutpat. Vivamus sodales tortor eget quam adipiscing in vulputate ante ullamcorper. Sed eros ante, lacinia et sollicitudin et, aliquam sit amet augue. In hac habitasse platea dictumst.

### 5.3.2 Assumptions

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulv-inar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget ornare odio. Proin accum-san, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

### 5.3.3 Implementation

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget ornare odio. Proin accumsan, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.



## Chapter 6

# Chapter Title Here

### 6.1 Welcome and Thank You

Welcome to this L<sup>A</sup>T<sub>E</sub>X Thesis Template, a beautiful and easy to use template for writing a thesis using the L<sup>A</sup>T<sub>E</sub>X typesetting system.

If you are writing a thesis (or will be in the future) and its subject is technical or mathematical (though it doesn't have to be), then creating it in L<sup>A</sup>T<sub>E</sub>X is highly recommended as a way to make sure you can just get down to the essential writing without having to worry over formatting or wasting time arguing with your word processor.

L<sup>A</sup>T<sub>E</sub>X is easily able to professionally typeset documents that run to hundreds or thousands of pages long. With simple mark-up commands, it automatically sets out the table of contents, margins, page headers and footers and keeps the formatting consistent and beautiful. One of its main strengths is the way it can easily typeset mathematics, even *heavy* mathematics. Even if those equations are the most horribly twisted and most difficult mathematical problems that can only be solved on a super-computer, you can at least count on L<sup>A</sup>T<sub>E</sub>X to make them look stunning.

### 6.2 Learning L<sup>A</sup>T<sub>E</sub>X

L<sup>A</sup>T<sub>E</sub>X is not a WYSIWYG (What You See is What You Get) program, unlike word processors such as Microsoft Word or Apple's Pages. Instead, a document written for L<sup>A</sup>T<sub>E</sub>X is actually a simple, plain text file that contains *no formatting*. You tell L<sup>A</sup>T<sub>E</sub>X how you want the formatting in the finished document by writing in simple commands amongst the text, for example, if I want to use *italic text for emphasis*, I write the `\emph{text}` command and put the text I want in italics in between the curly braces. This means that L<sup>A</sup>T<sub>E</sub>X is a "mark-up" language, very much like HTML.

#### 6.2.1 A (not so short) Introduction to L<sup>A</sup>T<sub>E</sub>X

If you are new to L<sup>A</sup>T<sub>E</sub>X, there is a very good eBook – freely available online as a PDF file – called, "The Not So Short Introduction to L<sup>A</sup>T<sub>E</sub>X". The book's title is typically shortened to just *lshort*. You can download the latest version (as it is occasionally updated) from here: <http://www.ctan.org/tex-archive/info/lshort/english/lshort.pdf>

It is also available in several other languages. Find yours from the list on this page: <http://www.ctan.org/tex-archive/info/lshort/>

It is recommended to take a little time out to learn how to use  $\text{\LaTeX}$  by creating several, small ‘test’ documents, or having a close look at several templates on: <http://www.LaTeXTemplates.com>

Making the effort now means you’re not stuck learning the system when what you *really* need to be doing is writing your thesis.

### 6.2.2 A Short Math Guide for $\text{\LaTeX}$

If you are writing a technical or mathematical thesis, then you may want to read the document by the AMS (American Mathematical Society) called, “A Short Math Guide for  $\text{\LaTeX}$ ”. It can be found online here: <http://www.ams.org/tex/amslatex.html> under the “Additional Documentation” section towards the bottom of the page.

### 6.2.3 Common $\text{\LaTeX}$ Math Symbols

There are a multitude of mathematical symbols available for  $\text{\LaTeX}$  and it would take a great effort to learn the commands for them all. The most common ones you are likely to use are shown on this page: <http://www.sunilpatel.co.uk/latex-type/latex-math-symbols/>

You can use this page as a reference or crib sheet, the symbols are rendered as large, high quality images so you can quickly find the  $\text{\LaTeX}$  command for the symbol you need.

### 6.2.4 $\text{\LaTeX}$ on a Mac

The  $\text{\LaTeX}$  distribution is available for many systems including Windows, Linux and Mac OS X. The package for OS X is called MacTeX and it contains all the applications you need – bundled together and pre-customized – for a fully working  $\text{\LaTeX}$  environment and work flow.

MacTeX includes a custom dedicated  $\text{\LaTeX}$  editor called TeXShop for writing your ‘.tex’ files and BibDesk: a program to manage your references and create your bibliography section just as easily as managing songs and creating playlists in iTunes.

## 6.3 Getting Started with this Template

If you are familiar with  $\text{\LaTeX}$ , then you should explore the directory structure of the template and then proceed to place your own information into the *THE-SIS INFORMATION* block of the main.tex file. You can then modify the rest of this file to your unique specifications based on your degree/university. Section ?? on page ?? will help you do this. Make sure you also read section ?? about thesis conventions to get the most out of this template.

If you are new to  $\text{\LaTeX}$  it is recommended that you carry on reading through the rest of the information in this document.

Before you begin using this template you should ensure that its style complies with the thesis style guidelines imposed by your institution. In most cases this template style and layout will be suitable. If it is not, it may only require a small change to bring the template in line with your institution's recommendations. These modifications will need to be done on the `MastersDoctoralThesis.cls` file.

### 6.3.1 About this Template

This L<sup>A</sup>T<sub>E</sub>X Thesis Template is originally based and created around a L<sup>A</sup>T<sub>E</sub>X style file created by Steve R. Gunn from the University of Southampton (UK), department of Electronics and Computer Science. You can find his original thesis style file at his site, here: <http://www.ecs.soton.ac.uk/~srg/softwaretools/document/templates/>

Steve's `ecsthesis.cls` was then taken by Sunil Patel who modified it by creating a skeleton framework and folder structure to place the thesis files in. The resulting template can be found on Sunil's site here: <http://www.sunilpatel.co.uk/thesis-template>

Sunil's template was made available through <http://www.LaTeXTemplates.com> where it was modified many times based on user requests and questions. Version 2.0 and onwards of this template represents a major modification to Sunil's template and is, in fact, hardly recognisable. The work to make version 2.0 possible was carried out by Vel and Johannes Böttcher.

## 6.4 What this Template Includes

### 6.4.1 Folders

This template comes as a single zip file that expands out to several files and folders. The folder names are mostly self-explanatory:

**Appendices** – this is the folder where you put the appendices. Each appendix should go into its own separate `.tex` file. An example and template are included in the directory.

**Chapters** – this is the folder where you put the thesis chapters. A thesis usually has about six chapters, though there is no hard rule on this. Each chapter should go in its own separate `.tex` file and they can be split as:

- Chapter 1: Introduction to the thesis topic
- Chapter 2: Background information and theory
- Chapter 3: (Laboratory) experimental setup
- Chapter 4: Details of experiment 1
- Chapter 5: Details of experiment 2
- Chapter 6: Discussion of the experimental results
- Chapter 7: Conclusion and future directions

This chapter layout is specialised for the experimental sciences, your discipline may be different.

**Figures** – this folder contains all figures for the thesis. These are the final images that will go into the thesis document.

### 6.4.2 Files

Included are also several files, most of them are plain text and you can see their contents in a text editor. After initial compilation, you will see that more auxiliary files are created by  $\LaTeX$  or BibTeX and which you don't need to delete or worry about:

**example.bib** – this is an important file that contains all the bibliographic information and references that you will be citing in the thesis for use with BibTeX. You can write it manually, but there are reference manager programs available that will create and manage it for you. Bibliographies in  $\LaTeX$  are a large subject and you may need to read about BibTeX before starting with this. Many modern reference managers will allow you to export your references in BibTeX format which greatly eases the amount of work you have to do.

**MastersDoctoralThesis.cls** – this is an important file. It is the class file that tells  $\LaTeX$  how to format the thesis.

**main.pdf** – this is your beautifully typeset thesis (in the PDF file format) created by  $\LaTeX$ . It is supplied in the PDF with the template and after you compile the template you should get an identical version.

**main.tex** – this is an important file. This is the file that you tell  $\LaTeX$  to compile to produce your thesis as a PDF file. It contains the framework and constructs that tell  $\LaTeX$  how to layout the thesis. It is heavily commented so you can read exactly what each line of code does and why it is there. After you put your own information into the *THESIS INFORMATION* block – you have now started your thesis!

Files that are *not* included, but are created by  $\LaTeX$  as auxiliary files include:

**main.aux** – this is an auxiliary file generated by  $\LaTeX$ , if it is deleted  $\LaTeX$  simply regenerates it when you run the main .tex file.

**main.bbl** – this is an auxiliary file generated by BibTeX, if it is deleted, BibTeX simply regenerates it when you run the main.aux file. Whereas the .bib file contains all the references you have, this .bbl file contains the references you have actually cited in the thesis and is used to build the bibliography section of the thesis.

**main.blg** – this is an auxiliary file generated by BibTeX, if it is deleted BibTeX simply regenerates it when you run the main .aux file.

**main.lof** – this is an auxiliary file generated by  $\LaTeX$ , if it is deleted  $\LaTeX$  simply regenerates it when you run the main .tex file. It tells  $\LaTeX$  how to build the *List of Figures* section.

**main.log** – this is an auxiliary file generated by  $\LaTeX$ , if it is deleted  $\LaTeX$  simply regenerates it when you run the main .tex file. It contains messages from  $\LaTeX$ , if you receive errors and warnings from  $\LaTeX$ , they will be in this .log file.

**main.lot** – this is an auxiliary file generated by  $\LaTeX$ , if it is deleted  $\LaTeX$  simply regenerates it when you run the main .tex file. It tells  $\LaTeX$  how to build the *List of Tables* section.

**main.out** – this is an auxiliary file generated by  $\text{\LaTeX}$ , if it is deleted  $\text{\LaTeX}$  simply regenerates it when you run the `main.tex` file.

So from this long list, only the files with the `.bib`, `.cls` and `.tex` extensions are the most important ones. The other auxiliary files can be ignored or deleted as  $\text{\LaTeX}$  and BibTeX will regenerate them.

## 6.5 Filling in Your Information in the `main.tex` File

You will need to personalise the thesis template and make it your own by filling in your own information. This is done by editing the `main.tex` file in a text editor or your favourite LaTeX environment.

Open the file and scroll down to the third large block titled *THESIS INFORMATION* where you can see the entries for *University Name*, *Department Name*, etc ...

Fill out the information about yourself, your group and institution. You can also insert web links, if you do, make sure you use the full URL, including the `http://` for this. If you don't want these to be linked, simply remove the `\href{url}{name}` and only leave the name.

When you have done this, save the file and recompile `main.tex`. All the information you filled in should now be in the PDF, complete with web links. You can now begin your thesis proper!

## 6.6 The `main.tex` File Explained

The `main.tex` file contains the structure of the thesis. There are plenty of written comments that explain what pages, sections and formatting the  $\text{\LaTeX}$  code is creating. Each major document element is divided into commented blocks with titles in all capitals to make it obvious what the following bit of code is doing. Initially there seems to be a lot of  $\text{\LaTeX}$  code, but this is all formatting, and it has all been taken care of so you don't have to do it.

Begin by checking that your information on the title page is correct. For the thesis declaration, your institution may insist on something different than the text given. If this is the case, just replace what you see with what is required in the *DECLARATION PAGE* block.

Then comes a page which contains a funny quote. You can put your own, or quote your favourite scientist, author, person, and so on. Make sure to put the name of the person who you took the quote from.

Following this is the abstract page which summarises your work in a condensed way and can almost be used as a standalone document to describe what you have done. The text you write will cause the heading to move up so don't worry about running out of space.

Next come the acknowledgements. On this page, write about all the people who you wish to thank (not forgetting parents, partners and your advisor/supervisor).

The contents pages, list of figures and tables are all taken care of for you and do not need to be manually created or edited. The next set of pages are more

likely to be optional and can be deleted since they are for a more technical thesis: insert a list of abbreviations you have used in the thesis, then a list of the physical constants and numbers you refer to and finally, a list of mathematical symbols used in any formulae. Making the effort to fill these tables means the reader has a one-stop place to refer to instead of searching the internet and references to try and find out what you meant by certain abbreviations or symbols.

The list of symbols is split into the Roman and Greek alphabets. Whereas the abbreviations and symbols ought to be listed in alphabetical order (and this is *not* done automatically for you) the list of physical constants should be grouped into similar themes.

The next page contains a one line dedication. Who will you dedicate your thesis to?

Finally, there is the block where the chapters are included. Uncomment the lines (delete the % character) as you write the chapters. Each chapter should be written in its own file and put into the *Chapters* folder and named *Chapter1*, *Chapter2*, etc. . . Similarly for the appendices, uncomment the lines as you need them. Each appendix should go into its own file and placed in the *Appendices* folder.

After the preamble, chapters and appendices finally comes the bibliography. The bibliography style (called *authoryear*) is used for the bibliography and is a fully featured style that will even include links to where the referenced paper can be found online. Do not underestimate how grateful your reader will be to find that a reference to a paper is just a click away. Of course, this relies on you putting the URL information into the BibTeX file in the first place.

## 6.7 Thesis Features and Conventions

To get the best out of this template, there are a few conventions that you may want to follow.

One of the most important (and most difficult) things to keep track of in such a long document as a thesis is consistency. Using certain conventions and ways of doing things (such as using a Todo list) makes the job easier. Of course, all of these are optional and you can adopt your own method.

### 6.7.1 Printing Format

This thesis template is designed for double sided printing (i.e. content on the front and back of pages) as most theses are printed and bound this way. Switching to one sided printing is as simple as uncommenting the *oneside* option of the `documentclass` command at the top of the `main.tex` file. You may then wish to adjust the margins to suit specifications from your institution.

The headers for the pages contain the page number on the outer side (so it is easy to flick through to the page you want) and the chapter name on the inner side.

The text is set to 11 point by default with single line spacing, again, you can tune the text size and spacing should you want or need to using the options at

the very start of `main.tex`. The spacing can be changed similarly by replacing the *singlespacing* with *onehalfspacing* or *doublespacing*.

### 6.7.2 Using US Letter Paper

The paper size used in the template is A4, which is the standard size in Europe. If you are using this thesis template elsewhere and particularly in the United States, then you may have to change the A4 paper size to the US Letter size. This can be done in the margins settings section in `main.tex`.

Due to the differences in the paper size, the resulting margins may be different to what you like or require (as it is common for institutions to dictate certain margin sizes). If this is the case, then the margin sizes can be tweaked by modifying the values in the same block as where you set the paper size. Now your document should be set up for US Letter paper size with suitable margins.

### 6.7.3 References

The `biblatex` package is used to format the bibliography and inserts references such as this one (**Reference1**). The options used in the `main.tex` file mean that the in-text citations of references are formatted with the author(s) listed with the date of the publication. Multiple references are separated by semicolons (e.g. (**Reference2**; **Reference1**)) and references with more than three authors only show the first author with *et al.* indicating there are more authors (e.g. (**Reference3**)). This is done automatically for you. To see how you use references, have a look at the `Chapter1.tex` source file. Many reference managers allow you to simply drag the reference into the document as you type.

Scientific references should come *before* the punctuation mark if there is one (such as a comma or period). The same goes for footnotes<sup>1</sup>. You can change this but the most important thing is to keep the convention consistent throughout the thesis. Footnotes themselves should be full, descriptive sentences (beginning with a capital letter and ending with a full stop). The APA6 states: "Footnote numbers should be superscripted, [...], following any punctuation mark except a dash." The Chicago manual of style states: "A note number should be placed at the end of a sentence or clause. The number follows any punctuation mark except the dash, which it precedes. It follows a closing parenthesis."

The bibliography is typeset with references listed in alphabetical order by the first author's last name. This is similar to the APA referencing style. To see how  $\text{\LaTeX}$  typesets the bibliography, have a look at the very end of this document (or just click on the reference number links in in-text citations).

#### A Note on `bibtex`

The `bibtex` backend used in the template by default does not correctly handle unicode character encoding (i.e. "international" characters). You may see a warning about this in the compilation log and, if your references contain unicode characters, they may not show up correctly or at all. The solution to this is to use the `biber` backend instead of the outdated `bibtex` backend.

<sup>1</sup>Such as this footnote, here down at the bottom of the page.

TABLE 6.1: The effects of treatments X and Y on the four groups studied.

Groups	Treatment X	Treatment Y
1	0.2	0.8
2	0.17	0.7
3	0.24	0.75
4	0.68	0.3

This is done by finding this in `main.tex`: `backend=bibtex` and changing it to `backend=biber`. You will then need to delete all auxiliary BibTeX files and navigate to the template directory in your terminal (command prompt). Once there, simply type `biber main` and `biber` will compile your bibliography. You can then compile `main.tex` as normal and your bibliography will be updated. An alternative is to set up your LaTeX editor to compile with `biber` instead of `bibtex`, see [here](#) for how to do this for various editors.

#### 6.7.4 Tables

Tables are an important way of displaying your results, below is an example table which was generated with this code:

```
\begin{table}
\caption{The effects of treatments X and Y on the four groups studied.}
\label{tab:treatments}
\centering
\begin{tabular}{l l l}
\toprule
\thead{Groups} & \thead{Treatment X} & \thead{Treatment Y} \\
\midrule
1 & 0.2 & 0.8 \\
2 & 0.17 & 0.7 \\
3 & 0.24 & 0.75 \\
4 & 0.68 & 0.3 \\
\bottomrule
\end{tabular}
\end{table}
```

You can reference tables with `\ref{<label>}` where the label is defined within the table environment. See `Chapter1.tex` for an example of the label and citation (e.g. Table ??).

#### 6.7.5 Figures

There will hopefully be many figures in your thesis (that should be placed in the *Figures* folder). The way to insert figures into your thesis is to use a code template like this:

```
\begin{figure}
\centering
```



```
\includegraphics{Figures/Electron}  
\decoRule  
\caption[An Electron]{An electron (artist's impression).}  
\label{fig:Electron}  
\end{figure}
```

Also look in the source file. Putting this code into the source file produces the picture of the electron that you can see in the figure below.



---

FIGURE 6.1: An electron (artist's impression).

Sometimes figures don't always appear where you write them in the source. The placement depends on how much space there is on the page for the figure. Sometimes there is not enough room to fit a figure directly where it should go (in relation to the text) and so  $\LaTeX$  puts it at the top of the next page. Positioning figures is the job of  $\LaTeX$  and so you should only worry about making them look good!

Figures usually should have captions just in case you need to refer to them (such as in Figure ??). The `\caption` command contains two parts, the first part, inside the square brackets is the title that will appear in the *List of Figures*, and so should be short. The second part in the curly brackets should contain the longer and more descriptive caption text.

The `\decoRule` command is optional and simply puts an aesthetic horizontal line below the image. If you do this for one image, do it for all of them.

$\LaTeX$  is capable of using images in pdf, jpg and png format.

### 6.7.6 Typesetting mathematics

If your thesis is going to contain heavy mathematical content, be sure that  $\LaTeX$  will make it look beautiful, even though it won't be able to solve the equations for you.

The “Not So Short Introduction to  $\LaTeX$ ” (available on [CTAN](#)) should tell you everything you need to know for most cases of typesetting mathematics. If you need more information, a much more thorough mathematical guide is available from the AMS called, “A Short Math Guide to  $\LaTeX$ ” and can be downloaded from: <ftp://ftp.ams.org/pub/tex/doc/amsmath/short-math-guide.pdf>

There are many different  $\LaTeX$  symbols to remember, luckily you can find the most common symbols in [The Comprehensive  \$\LaTeX\$  Symbol List](#).

You can write an equation, which is automatically given an equation number by  $\LaTeX$  like this:

```
\begin{equation}
E = mc^2
\label{eqn:Einstein}
\end{equation}
```

This will produce Einstein's famous energy-matter equivalence equation:

$$E = mc^2 \tag{6.1}$$

All equations you write (which are not in the middle of paragraph text) are automatically given equation numbers by  $\LaTeX$ . If you don't want a particular equation numbered, use the unnumbered form:

```
\[ a^2=4 \]
```

## 6.8 Sectioning and Subsectioning

You should break your thesis up into nice, bite-sized sections and subsections.  $\LaTeX$  automatically builds a table of Contents by looking at all the `\chapter{}`, `\section{}` and `\subsection{}` commands you write in the source.

The Table of Contents should only list the sections to three (3) levels. A `\chapter{}` is level zero (0). A `\section{}` is level one (1) and so a `\subsection{}` is level two (2). In your thesis it is likely that you will even use a `\subsubsection{}`, which is level three (3). The depth to which the Table of Contents is formatted is set within `MastersDoctoralThesis.cls`. If you need this changed, you can do it in `main.tex`.

## 6.9 In Closing

You have reached the end of this mini-guide. You can now rename or overwrite this pdf file and begin writing your own `Chapter1.tex` and the rest of your

thesis. The easy work of setting up the structure and framework has been taken care of for you. It's now your job to fill it out!

Good luck and have lots of fun!

Guide written by —  
Sunil Patel: [www.sunilpatel.co.uk](http://www.sunilpatel.co.uk)  
Vel: [LaTeXTemplates.com](http://LaTeXTemplates.com)

## Appendix A

# Frequently Asked Questions

### A.1 How do I change the colors of links?

The color of links can be changed to your liking using:

`\hypersetup{urlcolor=red}`, or

`\hypersetup{citecolor=green}`, or

`\hypersetup{allcolor=blue}`.

If you want to completely hide the links, you can use:

`\hypersetup{allcolors=.}`, or even better:

`\hypersetup{hidelinks}`.

If you want to have obvious links in the PDF but not the printed text, use:

`\hypersetup{colorlinks=false}`.