


$$\int \sqrt{5-x^2} dx$$


Solution

Because of seeing $\sqrt{a^2-x^2}$ in the integral with $a = \sqrt{5}$, we apply trig substitution with $x = \sqrt{5} \sin \theta$, for $-\frac{\pi}{2} \leq \theta \leq \frac{\pi}{2}$.

So, $dx = \sqrt{5} \cos \theta d\theta$ and we use $\sin \theta = \frac{x}{\sqrt{5}}$ to draw a right triangle with x as the opposite side at $\sqrt{5}$ as the hypotenuse.



The remaining side is found using the Pythagorean Theorem, and we have



So our integral becomes

$$\int \sqrt{5-x^2} dx = \int \sqrt{5-x^2} \sqrt{5} \cos \theta d\theta$$

We still need to replace $\sqrt{5-x^2}$, so we look to the side of the triangle with that quantity (it is adjacent to θ) and the number side (which is the hypotenuse). Since $\cos \theta = \frac{\sqrt{5-x^2}}{\sqrt{5}}$, we have $\sqrt{5-x^2} = \sqrt{5} \cos \theta$. So, our integral becomes

$$\begin{aligned} \int \sqrt{5} \cos \theta \sqrt{5} \cos \theta d\theta &= 5 \int \cos^2 \theta d\theta \\ &= \frac{5}{2} \int 1 + \cos 2\theta d\theta \\ &= \frac{5}{2} \theta + \frac{5}{2} \cdot \sin 2\theta + C \\ &= \frac{5}{2} \theta + \frac{5}{2} \cdot 2 \sin \theta \cos \theta + C \\ &= \frac{5}{2} \sin^{-1} \frac{x}{\sqrt{5}} + 5 \cdot \frac{x}{\sqrt{5}} \cdot \frac{\sqrt{5-x^2}}{\sqrt{5}} + C. \end{aligned}$$