

# SOUTHERN UNIVERSITY OF SCIENCE AND TECHNOLOGY

# CS212 Intelligent Data Analysis

Director: Prof. Peter Tiňo

# Investigating Properties of Houses from a New York Airbnb Dataset

Author: Edward Yidong FANG

Student Number: 11510493

Email: 11510493@mail.sustc.edu.cn

Shenzhen, China July 2, 2017

#### Abstract

In these experiments, three basic methods of data analysis are implemented, which is Principle Components Analysis (PCA), Clustering and Self-organizing Map (SOM). By applying there methods, the relations among different attributes are discussed. After the dimension reduction, it was found that the attributes can be predicted by others to some extent, while some can not. The relations will be presented mostly as different firgures.

# Contents

1	Intr	roduction	2					
<b>2</b>	Data Preprocessing							
	2.1	Data Description	2					
	2.2	Data Preprocessing	3					
		2.2.1 Removing of the useless data and the Selection of the records	3					
3			4					

#### 1 Introduction

Airbnb is an online marketplace and hospitality service, enabling people to lease or rent short-term lodging including vacation rentals, apartment rentals, homestays, hostel beds, or hotel rooms. The dataset analysed in there experiments is derived from Tom Slee's blog[1] and it is crawled from the website of Airbnb. And only a small part of data for New York, crawled on 05/06/2017, are analysed.

# 2 Data Preprocessing

#### 2.1 Data Description

Here is the meaning for each column in the collected CSV file:

- room\_id: A unique number identifying an Airbnb listing. The listing has a URL on the Airbnb web site of http://airbnb.com/rooms/room\_id
- survey\_id: A unique number identifying the behaviour of survey.
- host\_id: A unique number identifying an Airbnb host. The host's page has a URL on the Airbnb web site of http://airbnb.com/users/show/host\_id
- room\_type: One of "Entire home/apt", "Private room", or "Shared room"
- country: the nation the room located in; acutually no data
- city: the city the room located in
- borough: A subregion of the city or search area for which the survey is carried out. The borough is taken from a shapefile of the city that is obtained independently of the Airbnb web site. For some cities, there is no borough information; for others the borough may be a number. If you have better shapefiles for a city of interest, please send them to me.
- neighborhood: As with borough: a subregion of the city or search area for which the survey is carried out. For cities that have both, a neighbourhood is smaller than a borough. For some cities there is no neighbourhood information.
- reviews: The number of reviews that a listing has received. Airbnb has said that 70% of visits end up with a review, so the number of reviews can be used to estimate the number of visits. Note that such an estimate will not be reliable for an individual listing (especially as reviews occasionally vanish from the site), but over a city as a whole it should be a useful metric of traffic.

- overall\_satisfaction: The average rating (out of five) that the listing has received from those visitors who left a review.
- accommodates: The number of guests a listing can accommodate.
- bedrooms: The number of bedrooms a listing offers.
- bathrooms: The number of bathrooms a listing offers, actually not available.
- price: The price (in \$US) for a night stay.
- minstay: The minimum stay for a visit, as posted by the host.
- name: The name of the room.
- property\_type: "Apartment", "Loft", "Villa", "House", etc.
- latitude and longitude: The latitude and longitude of the listing as posted on the Airbnb site: this may be off by a few hundred metres.
- last\_modified: the date and time that the values were read from the Airbnb web site.
- location: Unkown, certain number related to the location of the room.

The first line of the CSV file holds the column headings.

#### 2.2 Data Preprocessing

#### 2.2.1 Removing of the useless data and the Selection of the records

As the amount of data is really large (up to 40,730 rows), we just remove the data records without avaiable reviews or overrall\_satisfication. Since the prices higher than \$200 per night are assumed as not reasonable, the records with those extremely high prices are removed. Also, as the columns room\_id, survey\_id, host\_id, country, city, last\_modified and location are meaningless, we removed them from the data. In addition, it is found that the values of column bathrooms and minstay are unavailable.

Finally, for the simplification of the problem, we just retrieve the records whose boroughs are "Manhattan" or "Brooklyn". And the experimental data are sampled from the original data under the sample fraction of 0.1.

The data at the end looks like the Table 1:

	room_type	borough	accommodates	reviews	$over all\_satisfaction$	bedrooms	price	longitude	latitude	property_type
0	Entire home/apt	Brooklyn	2	95	5.0	0.0	125.0	-73.943276	40.721256	Apartment
1	Entire home/apt	Brooklyn	3	3	4.5	1.0	165.0	-73.952168	40.723975	House
2	Entire home/apt	Manhattan	5	25	4.0	2.0	220.0	-73.962862	40.758275	Apartment
3	Entire home/apt	Manhattan	2	2	0.0	1.0	180.0	-74.003905	40.733196	Apartment
4	Entire home/apt	Brooklyn	4	3	5.0	1.0	132.0	-73.957279	40.733538	Apartment

Table 1: Data After preprocessing

# 2.2.2 One Hot Encoding

3

# References

[1] T. Slee. Airbnb data collection: Get the data, 2017. URL http://tomslee.net/airbnb-data-collection-get-the-data.