

# Computation of positively graded filiform Lie algebras over $\mathbb{Q}$

John Edwards                      Cameron Krome  
Utah State University          Idaho State University  
Tracy Payne  
Idaho State University

May 21, 2020

## Summary table (starting on the next page)

### Explanation of table

- Column 1 (search) - A character string for text searching purposes
- Column 2 (algebra) - The subclass of positively graded filiform Lie algebra(s)
- Column 3 (Jac) - A check indicates that the class is nonempty
- Column 4 (sol) - Number of Lie algebras in the class

search	algebra	Jac	sol
m1A25	$\mathbf{m}_{1A}(2, 5)$	$\checkmark$	1
m2A26	$\mathbf{m}_{2A}(2, 6)$	$\checkmark$	1
m1A36	$\mathbf{m}_{1A}(3, 6)$	$\checkmark$	1
m1A27	$\mathbf{m}_{1A}(2, 7)$	$\checkmark$	1
m3A27	$\mathbf{m}_{3A}(2, 7)$	$\checkmark$	$\infty$
m2A37	$\mathbf{m}_{2A}(3, 7)$	$\checkmark$	1
m1A47	$\mathbf{m}_{1A}(4, 7)$	$\checkmark$	1
m2A28	$\mathbf{m}_{2A}(2, 8)$	$\checkmark$	1
m4A28	$\mathbf{m}_{4A}(2, 8)$	$\checkmark$	$\infty$
m1A38	$\mathbf{m}_{1A}(3, 8)$	$\checkmark$	1
m3A38	$\mathbf{m}_{3A}(3, 8)$	$\checkmark$	$\infty$
m2A48	$\mathbf{m}_{2A}(4, 8)$	$\checkmark$	1
m1A58	$\mathbf{m}_{1A}(5, 8)$	$\checkmark$	1
m1A29	$\mathbf{m}_{1A}(2, 9)$	$\checkmark$	1
m3A29	$\mathbf{m}_{3A}(2, 9)$	$\checkmark$	1
m5A29	$\mathbf{m}_{5A}(2, 9)$	$\checkmark$	$\infty$
m2A39	$\mathbf{m}_{2A}(3, 9)$	$\checkmark$	1
m4A39	$\mathbf{m}_{4A}(3, 9)$	$\checkmark$	$\infty$
m1A49	$\mathbf{m}_{1A}(4, 9)$	$\checkmark$	1
m3A49	$\mathbf{m}_{3A}(4, 9)$	$\checkmark$	$\infty$
m2A59	$\mathbf{m}_{2A}(5, 9)$	$\checkmark$	1
m1A69	$\mathbf{m}_{1A}(6, 9)$	$\checkmark$	1
m2A210	$\mathbf{m}_{2A}(2, 10)$	$\checkmark$	1
m4A210	$\mathbf{m}_{4A}(2, 10)$	$\checkmark$	1
m6A210	$\mathbf{m}_{6A}(2, 10)$	$\checkmark$	$\infty$
m1A310	$\mathbf{m}_{1A}(3, 10)$	$\checkmark$	1
m3A310	$\mathbf{m}_{3A}(3, 10)$	$\checkmark$	$\infty$
m5A310	$\mathbf{m}_{5A}(3, 10)$	$\checkmark$	$\infty$
m2A410	$\mathbf{m}_{2A}(4, 10)$	$\checkmark$	1
m4A410	$\mathbf{m}_{4A}(4, 10)$	$\checkmark$	$\infty$
m1A510	$\mathbf{m}_{1A}(5, 10)$	$\checkmark$	1
m3A510	$\mathbf{m}_{3A}(5, 10)$	$\checkmark$	$\infty$
m2A610	$\mathbf{m}_{2A}(6, 10)$	$\checkmark$	1
m1A710	$\mathbf{m}_{1A}(7, 10)$	$\checkmark$	1
m1A211	$\mathbf{m}_{1A}(2, 11)$	$\checkmark$	1
m3A211	$\mathbf{m}_{3A}(2, 11)$	$\checkmark$	1
m5A211	$\mathbf{m}_{5A}(2, 11)$	$\checkmark$	1
m7A211	$\mathbf{m}_{7A}(2, 11)$	$\checkmark$	$\infty$
m2A311	$\mathbf{m}_{2A}(3, 11)$	$\checkmark$	1
m4A311	$\mathbf{m}_{4A}(3, 11)$	$\checkmark$	1
m6A311	$\mathbf{m}_{6A}(3, 11)$	$\checkmark$	$\infty$
m1A411	$\mathbf{m}_{1A}(4, 11)$	$\checkmark$	1

search	algebra	Jac	sol
m3A411	$\mathbf{m}_{3A}(4, 11)$	$\checkmark$	$\infty$
m5A411	$\mathbf{m}_{5A}(4, 11)$	$\checkmark$	$\infty$
m2A511	$\mathbf{m}_{2A}(5, 11)$	$\checkmark$	1
m4A511	$\mathbf{m}_{4A}(5, 11)$	$\checkmark$	$\infty$
m1A611	$\mathbf{m}_{1A}(6, 11)$	$\checkmark$	1
m3A611	$\mathbf{m}_{3A}(6, 11)$	$\checkmark$	$\infty$
m2A711	$\mathbf{m}_{2A}(7, 11)$	$\checkmark$	1
m1A811	$\mathbf{m}_{1A}(8, 11)$	$\checkmark$	1
m2A212	$\mathbf{m}_{2A}(2, 12)$	$\checkmark$	1
m4A212	$\mathbf{m}_{4A}(2, 12)$		0
m6A212	$\mathbf{m}_{6A}(2, 12)$		0
m8A212	$\mathbf{m}_{8A}(2, 12)$	$\checkmark$	2
m1A312	$\mathbf{m}_{1A}(3, 12)$	$\checkmark$	1
m3A312	$\mathbf{m}_{3A}(3, 12)$	$\checkmark$	$\infty$
m5A312	$\mathbf{m}_{5A}(3, 12)$	$\checkmark$	$\infty$
m7A312	$\mathbf{m}_{7A}(3, 12)$	$\checkmark$	$\infty$
m2A412	$\mathbf{m}_{2A}(4, 12)$	$\checkmark$	1
m4A412	$\mathbf{m}_{4A}(4, 12)$	$\checkmark$	$\infty$
m6A412	$\mathbf{m}_{6A}(4, 12)$	$\checkmark$	$\infty$
m1A512	$\mathbf{m}_{1A}(5, 12)$	$\checkmark$	1
m3A512	$\mathbf{m}_{3A}(5, 12)$	$\checkmark$	$\infty$
m5A512	$\mathbf{m}_{5A}(5, 12)$	$\checkmark$	$\infty$
m2A612	$\mathbf{m}_{2A}(6, 12)$	$\checkmark$	1
m4A612	$\mathbf{m}_{4A}(6, 12)$	$\checkmark$	$\infty$
m1A712	$\mathbf{m}_{1A}(7, 12)$	$\checkmark$	1
m3A712	$\mathbf{m}_{3A}(7, 12)$	$\checkmark$	$\infty$
m2A812	$\mathbf{m}_{2A}(8, 12)$	$\checkmark$	1
m1A912	$\mathbf{m}_{1A}(9, 12)$	$\checkmark$	1
m1A213	$\mathbf{m}_{1A}(2, 13)$	$\checkmark$	1
m3A213	$\mathbf{m}_{3A}(2, 13)$	$\checkmark$	1
m9A213	$\mathbf{m}_{9A}(2, 13)$	$\checkmark$	2
m2A313	$\mathbf{m}_{2A}(3, 13)$	$\checkmark$	1
m4A313	$\mathbf{m}_{4A}(3, 13)$	$\checkmark$	1
m6A313	$\mathbf{m}_{6A}(3, 13)$	$\checkmark$	1
m8A313	$\mathbf{m}_{8A}(3, 13)$	$\checkmark$	$\infty$
m1A413	$\mathbf{m}_{1A}(4, 13)$	$\checkmark$	1
m3A413	$\mathbf{m}_{3A}(4, 13)$	$\checkmark$	$\infty$
m5A413	$\mathbf{m}_{5A}(4, 13)$	$\checkmark$	$\infty$
m7A413	$\mathbf{m}_{7A}(4, 13)$	$\checkmark$	$\infty$
m2A513	$\mathbf{m}_{2A}(5, 13)$	$\checkmark$	1
m4A513	$\mathbf{m}_{4A}(5, 13)$	$\checkmark$	$\infty$
m6A513	$\mathbf{m}_{6A}(5, 13)$	$\checkmark$	$\infty$

search	algebra	Jac	sol
m1A613	$\mathbf{m}_{1A}(6, 13)$	$\checkmark$	1
m3A613	$\mathbf{m}_{3A}(6, 13)$	$\checkmark$	$\infty$
m5A613	$\mathbf{m}_{5A}(6, 13)$	$\checkmark$	$\infty$
m2A713	$\mathbf{m}_{2A}(7, 13)$	$\checkmark$	1
m4A713	$\mathbf{m}_{4A}(7, 13)$	$\checkmark$	$\infty$
m1A813	$\mathbf{m}_{1A}(8, 13)$	$\checkmark$	1
m3A813	$\mathbf{m}_{3A}(8, 13)$	$\checkmark$	$\infty$
m2A913	$\mathbf{m}_{2A}(9, 13)$	$\checkmark$	1
m1A1013	$\mathbf{m}_{1A}(10, 13)$	$\checkmark$	1
m2A214	$\mathbf{m}_{2A}(2, 14)$	$\checkmark$	1
m4A214	$\mathbf{m}_{4A}(2, 14)$		0
m10A214	$\mathbf{m}_{10A}(2, 14)$	$\checkmark$	2
m1A314	$\mathbf{m}_{1A}(3, 14)$	$\checkmark$	1
m3A314	$\mathbf{m}_{3A}(3, 14)$	$\checkmark$	$\infty$
m5A314	$\mathbf{m}_{5A}(3, 14)$	$\checkmark$	1
m7A314	$\mathbf{m}_{7A}(3, 14)$	$\checkmark$	1
m9A314	$\mathbf{m}_{9A}(3, 14)$	$\checkmark$	$\infty$
m2A414	$\mathbf{m}_{2A}(4, 14)$	$\checkmark$	1
m4A414	$\mathbf{m}_{4A}(4, 14)$	$\checkmark$	$\infty$
m6A414	$\mathbf{m}_{6A}(4, 14)$	$\checkmark$	$\infty$
m8A414	$\mathbf{m}_{8A}(4, 14)$	$\checkmark$	$\infty$
m1A514	$\mathbf{m}_{1A}(5, 14)$	$\checkmark$	1
m3A514	$\mathbf{m}_{3A}(5, 14)$	$\checkmark$	$\infty$
m5A514	$\mathbf{m}_{5A}(5, 14)$	$\checkmark$	$\infty$
m7A514	$\mathbf{m}_{7A}(5, 14)$	$\checkmark$	$\infty$
m2A614	$\mathbf{m}_{2A}(6, 14)$	$\checkmark$	1
m4A614	$\mathbf{m}_{4A}(6, 14)$	$\checkmark$	$\infty$
m6A614	$\mathbf{m}_{6A}(6, 14)$	$\checkmark$	$\infty$
m1A714	$\mathbf{m}_{1A}(7, 14)$	$\checkmark$	1
m3A714	$\mathbf{m}_{3A}(7, 14)$	$\checkmark$	$\infty$
m5A714	$\mathbf{m}_{5A}(7, 14)$	$\checkmark$	$\infty$
m2A814	$\mathbf{m}_{2A}(8, 14)$	$\checkmark$	1
m4A814	$\mathbf{m}_{4A}(8, 14)$	$\checkmark$	$\infty$
m1A914	$\mathbf{m}_{1A}(9, 14)$	$\checkmark$	1
m3A914	$\mathbf{m}_{3A}(9, 14)$	$\checkmark$	$\infty$
m2A1014	$\mathbf{m}_{2A}(10, 14)$	$\checkmark$	1
m1A1114	$\mathbf{m}_{1A}(11, 14)$	$\checkmark$	1
m2B26	$\mathbf{m}_{2B}(2, 6)$	$\checkmark$	1
m2B28	$\mathbf{m}_{2B}(2, 8)$		0
m4B28	$\mathbf{m}_{4B}(2, 8)$	$\checkmark$	1
m3B38	$\mathbf{m}_{3B}(3, 8)$	$\checkmark$	1
m2B48	$\mathbf{m}_{2B}(4, 8)$	$\checkmark$	1

search	algebra	Jac	sol
m2B210	$\mathbf{m}_{2B}(2, 10)$		0
m4B210	$\mathbf{m}_{4B}(2, 10)$		0
m6B210	$\mathbf{m}_{6B}(2, 10)$	$\checkmark$	2
m3B310	$\mathbf{m}_{3B}(3, 10)$	$\checkmark$	1
m5B310	$\mathbf{m}_{5B}(3, 10)$	$\checkmark$	$\infty$
m2B410	$\mathbf{m}_{2B}(4, 10)$		0
m4B410	$\mathbf{m}_{4B}(4, 10)$	$\checkmark$	1
m3B510	$\mathbf{m}_{3B}(5, 10)$	$\checkmark$	1
m2B610	$\mathbf{m}_{2B}(6, 10)$	$\checkmark$	1
m2B212	$\mathbf{m}_{2B}(2, 12)$		0
m4B212	$\mathbf{m}_{4B}(2, 12)$		0
m6B212	$\mathbf{m}_{6B}(2, 12)$		0
m8B212	$\mathbf{m}_{8B}(2, 12)$	$\checkmark$	1
m3B312	$\mathbf{m}_{3B}(3, 12)$		0
m5B312	$\mathbf{m}_{5B}(3, 12)$		0
m7B312	$\mathbf{m}_{7B}(3, 12)$	$\checkmark$	2
m2B412	$\mathbf{m}_{2B}(4, 12)$		0
m4B412	$\mathbf{m}_{4B}(4, 12)$	$\checkmark$	1
m6B412	$\mathbf{m}_{6B}(4, 12)$	$\checkmark$	$\infty$
m3B512	$\mathbf{m}_{3B}(5, 12)$	$\checkmark$	1
m5B512	$\mathbf{m}_{5B}(5, 12)$	$\checkmark$	$\infty$
m2B612	$\mathbf{m}_{2B}(6, 12)$		0
m4B612	$\mathbf{m}_{4B}(6, 12)$	$\checkmark$	1
m3B712	$\mathbf{m}_{3B}(7, 12)$	$\checkmark$	1
m2B812	$\mathbf{m}_{2B}(8, 12)$	$\checkmark$	1
m2B214	$\mathbf{m}_{2B}(2, 14)$		0
m4B214	$\mathbf{m}_{4B}(2, 14)$		0
m10B214	$\mathbf{m}_{10B}(2, 14)$		0
m3B314	$\mathbf{m}_{3B}(3, 14)$		0
m5B314	$\mathbf{m}_{5B}(3, 14)$		0
m7B314	$\mathbf{m}_{7B}(3, 14)$		0
m9B314	$\mathbf{m}_{9B}(3, 14)$	$\checkmark$	4
m2B414	$\mathbf{m}_{2B}(4, 14)$		0
m4B414	$\mathbf{m}_{4B}(4, 14)$	$\checkmark$	1
m6B414	$\mathbf{m}_{6B}(4, 14)$	$\checkmark$	1
m8B414	$\mathbf{m}_{8B}(4, 14)$	$\checkmark$	$\infty$
m3B514	$\mathbf{m}_{3B}(5, 14)$		0
m5B514	$\mathbf{m}_{5B}(5, 14)$	$\checkmark$	1
m7B514	$\mathbf{m}_{7B}(5, 14)$	$\checkmark$	$\infty$
m2B614	$\mathbf{m}_{2B}(6, 14)$		0
m4B614	$\mathbf{m}_{4B}(6, 14)$	$\checkmark$	1
m6B614	$\mathbf{m}_{6B}(6, 14)$	$\checkmark$	$\infty$

search	algebra	Jac	sol
m3B714	$\mathfrak{m}_{3B}(7, 14)$	$\checkmark$	1
m5B714	$\mathfrak{m}_{5B}(7, 14)$	$\checkmark$	$\infty$
m2B814	$\mathfrak{m}_{2B}(8, 14)$		0
m4B814	$\mathfrak{m}_{4B}(8, 14)$	$\checkmark$	1
m3B914	$\mathfrak{m}_{3B}(9, 14)$	$\checkmark$	1
m2B1014	$\mathfrak{m}_{2B}(10, 14)$	$\checkmark$	1

## Algebra details

$\mathfrak{m}_{1A}(2, 5)$

m1A25 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_2, e_3] = e_5 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{2A}(2, 6)$

m2A26 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_2, e_3] = e_5 & [e_2, e_4] = e_6 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(3, 6)$

m1A36 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_2, e_3] = e_6 & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(2, 7)$

m1A27 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_2, e_5] = e_7 \\ [e_3, e_4] = -e_7 & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(2, 7)$

m3A27 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_2, e_3] = e_5 \\ [e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\ [e_3, e_4] = \alpha_{3,4}^7 e_7 & \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 \quad = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,5}^7 \rightarrow x_1$$

$$\alpha_{3,4}^7 \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(3, 7)$

m2A37 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_2, e_3] = e_6 \\ [e_2, e_4] = e_7 & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(4, 7)$

m1A47 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_2, e_3] = e_7 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{2A}(2, 8)$

m2A28 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_2, e_5] = e_7 & [e_2, e_6] = 2e_8 \\ [e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(2, 8)$

m4A28 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_2, e_3] = e_5 & [e_2, e_4] = e_6 \\
[e_2, e_5] = \alpha_{2,5}^7 e_7 & [e_2, e_6] = \alpha_{2,6}^8 e_8 \\
[e_3, e_4] = \alpha_{3,4}^7 e_7 & [e_3, e_5] = \alpha_{3,5}^8 e_8
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,6}^8 \rightarrow x_1 \\
\alpha_{3,5}^8 \rightarrow x_2 \\
\alpha_{2,5}^7 \rightarrow x_3 \\
\alpha_{3,4}^7 \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_3 - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 - x_2 + x_3 & = 0 \\
(e_1, e_3, e_4) : & -x_2 + x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + 2x_4 - 1 = 0 \\
x_2 - x_4 = 0 \\
x_3 + x_4 - 1 = 0
\end{array}$$

$\mathfrak{m}_{1A}(3, 8)$

m1A38 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_2, e_5] = e_8 & [e_3, e_4] = -e_8 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(3, 8)$

m3A38 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_2, e_3] = e_6 & [e_2, e_4] = e_7 \\ [e_2, e_5] = \alpha_{2,5}^8 e_8 & [e_3, e_4] = \alpha_{3,4}^8 e_8 \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 \quad = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l} \alpha_{3,4}^8 \rightarrow x_1 \\ \alpha_{2,5}^8 \rightarrow x_2 \end{array}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$



$\mathfrak{m}_{2A}(4, 8)$

m2A48 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_2, e_3] = e_7 & [e_2, e_4] = e_8 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(5, 8)$

m1A58 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_2, e_3] = e_8 & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(2, 9)$

m1A29 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_7] = e_9 \\ [e_3, e_6] = -e_9 & [e_4, e_5] = e_9 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(2, 9)$

m3A29 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_5] = e_7 \\
[e_2, e_6] = 2e_8 & [e_2, e_7] = 0 \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = 2e_9 & [e_4, e_5] = -3e_9
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_5] = e_7 \\
[e_2, e_6] = 2e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_4, e_5] = \alpha_{4,5}^9 e_9
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{4,5}^9 = -3 \\
\alpha_{3,6}^9 = 2 \\
\alpha_{2,7}^9 = 0
\end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{4,5}^9 \rightarrow x_1$$

$$\alpha_{3,6}^9 \rightarrow x_2$$

$$\alpha_{2,7}^9 \rightarrow x_3$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_2 - x_3 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 - x_2 - 1 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_3 \quad = 0$$

Groebner basis (3 variables, 3 linear, 0 nonlinear)

$$x_1 + 3 = 0$$

$$x_2 - 2 = 0$$

$$x_3 = 0$$

Solution 1:

$$x_1 = -3$$

$$x_2 = 2$$

$$x_3 = 0$$

$\mathfrak{m}_{5A}(2, 9)$

m5A29 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_2, e_4] = e_6$$

$$[e_2, e_6] = \alpha_{2,6}^8 e_8$$

$$[e_3, e_4] = \alpha_{3,4}^7 e_7$$

$$[e_3, e_6] = \alpha_{3,6}^9 e_9$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_2, e_3] = e_5$$

$$[e_2, e_5] = \alpha_{2,5}^7 e_7$$

$$[e_2, e_7] = \alpha_{2,7}^9 e_9$$

$$[e_3, e_5] = \alpha_{3,5}^8 e_8$$

$$[e_4, e_5] = \alpha_{4,5}^9 e_9$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,5}^8 \rightarrow x_1$$

$$\alpha_{3,6}^9 \rightarrow x_2$$

$$\alpha_{2,5}^7 \rightarrow x_3$$

$$\alpha_{3,4}^7 \rightarrow x_4$$

$$\alpha_{2,6}^8 \rightarrow x_5$$

$$\alpha_{2,7}^9 \rightarrow x_6$$

$$\alpha_{4,5}^9 \rightarrow x_7$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_3 - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 + x_3 - x_5 & = 0 \\
(e_1, e_3, e_4) : & -x_1 + x_4 & = 0 \\
(e_1, e_2, e_6) : & -x_2 + x_5 - x_6 & = 0 \\
(e_1, e_3, e_5) : & x_1 - x_2 - x_7 & = 0 \\
(e_2, e_3, e_4) : & -x_2 + x_4 x_6 + x_7 & = 0
\end{aligned}$$

Groebner basis (7 variables, 5 linear, 1 nonlinear)

$$\begin{aligned}
x_1 + \frac{x_6}{3} - \frac{x_7}{3} - \frac{1}{3} &= 0 \\
x_2 + \frac{x_6}{3} + \frac{2x_7}{3} - \frac{1}{3} &= 0
\end{aligned}$$

$$\begin{aligned}
x_3 - \frac{x_6}{3} + \frac{x_7}{3} - \frac{2}{3} &= 0 \\
x_4 + \frac{x_6}{3} - \frac{x_7}{3} - \frac{1}{3} &= 0 \\
x_5 - \frac{2x_6}{3} + \frac{2x_7}{3} - \frac{1}{3} &= 0 \\
x_6^2 - x_6x_7 - 2x_6 - 5x_7 + 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{2A}(3, 9)$

m2A39 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_2, e_5] &= e_8 \\
[e_2, e_6] &= 2e_9 & [e_3, e_4] &= -e_8 \\
[e_3, e_5] &= -e_9
\end{aligned}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(3, 9)$

m4A39 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_2, e_3] &= e_6 \\
[e_2, e_4] &= e_7 & [e_2, e_5] &= \alpha_{2,5}^8 e_8 \\
[e_2, e_6] &= \alpha_{2,6}^9 e_9 & [e_3, e_4] &= \alpha_{3,4}^8 e_8 \\
[e_3, e_5] &= \alpha_{3,5}^9 e_9
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : \quad & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & &= 0 \\
(e_1, e_2, e_5) : \quad & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & &= 0 \\
(e_1, e_3, e_4) : \quad & \alpha_{3,4}^8 - \alpha_{3,5}^9 & &= 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,5}^9 \rightarrow x_1$$

$$\alpha_{3,4}^8 \rightarrow x_2$$

$$\alpha_{2,5}^8 \rightarrow x_3$$

$$\alpha_{2,6}^9 \rightarrow x_4$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_2 - x_3 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_1 + x_3 - x_4 \quad = 0$$

$$(e_1, e_3, e_4) : \quad -x_1 + x_2 \quad = 0$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 + \frac{x_4}{2} - \frac{1}{2} = 0$$

$$x_2 + \frac{x_4}{2} - \frac{1}{2} = 0$$

$$x_3 - \frac{x_4}{2} - \frac{1}{2} = 0$$

$\mathfrak{m}_{1A}(4, 9)$

m1A49 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3 \quad [e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5 \quad [e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7 \quad [e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9 \quad [e_2, e_5] = e_9$$

$$[e_3, e_4] = -e_9$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(4, 9)$

m3A49 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_2, e_3] = e_7 \\
 [e_2, e_4] = e_8 & [e_2, e_5] = \alpha_{2,5}^9 e_9 \\
 [e_3, e_4] = \alpha_{3,4}^9 e_9 & 
 \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 \quad = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
 \alpha_{3,4}^9 \rightarrow x_1 \\
 \alpha_{2,5}^9 \rightarrow x_2
 \end{array}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(5, 9)$

m2A59 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_2, e_3] = e_8 \\
 [e_2, e_4] = e_9 & 
 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(6, 9)$

m1A69 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_3] = e_9 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{2A}(2, 10)$

m2A210 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_2, e_7] = e_9 & [e_2, e_8] = 3e_{10} \\ [e_3, e_6] = -e_9 & [e_3, e_7] = -2e_{10} \\ [e_4, e_5] = e_9 & [e_4, e_6] = e_{10} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(2, 10)$

m4A210 (this line included for string searching purposes)



Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_5] = e_7 & [e_2, e_6] = 2e_8 \\
[e_2, e_7] = 0 & [e_2, e_8] = -5e_{10} \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = 2e_9 & [e_3, e_7] = 5e_{10} \\
[e_4, e_5] = -3e_9 & [e_4, e_6] = -3e_{10}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_5] = e_7 & [e_2, e_6] = 2e_8 \\
[e_2, e_7] = \alpha_{2,7}^9 e_9 & [e_2, e_8] = \alpha_{2,8}^{10} e_{10} \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_4, e_5] = \alpha_{4,5}^9 e_9 & [e_4, e_6] = \alpha_{4,6}^{10} e_{10}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0
\end{array}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,6}^9 &= 2 \\
\alpha_{2,8}^{10} &= -5 \\
\alpha_{4,5}^9 &= -3 \\
\alpha_{2,7}^9 &= 0 \\
\alpha_{4,6}^{10} &= -3 \\
\alpha_{3,7}^{10} &= 5
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{3,6}^9 &\rightarrow x_1 \\
\alpha_{2,8}^{10} &\rightarrow x_2 \\
\alpha_{4,5}^9 &\rightarrow x_3 \\
\alpha_{2,7}^9 &\rightarrow x_4 \\
\alpha_{4,6}^{10} &\rightarrow x_5 \\
\alpha_{3,7}^{10} &\rightarrow x_6
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_6) : & \quad -x_1 - x_4 + 2 & = 0 \\
(e_1, e_3, e_5) : & \quad -x_1 - x_3 - 1 & = 0 \\
(e_2, e_3, e_4) : & \quad -x_4 & = 0 \\
(e_1, e_2, e_7) : & \quad -x_2 + x_4 - x_6 & = 0 \\
(e_1, e_3, e_6) : & \quad x_1 - x_5 - x_6 & = 0 \\
(e_1, e_4, e_5) : & \quad x_3 - x_5 & = 0 \\
(e_2, e_3, e_5) : & \quad -x_2 - x_6 & = 0
\end{aligned}$$

Groebner basis (6 variables, 6 linear, 0 nonlinear)

$$\begin{aligned}
x_1 - 2 &= 0 \\
x_2 + 5 &= 0 \\
x_3 + 3 &= 0 \\
x_4 &= 0
\end{aligned}$$

$$x_5 + 3 = 0$$

$$x_6 - 5 = 0$$

Solution 1:

$$x_1 = 2$$

$$x_2 = -5$$

$$x_3 = -3$$

$$x_4 = 0$$

$$x_5 = -3$$

$$x_6 = 5$$

$\mathbf{m}_{6A}(2, 10)$

m6A210 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_2, e_3] = e_5$$

$$[e_2, e_5] = \alpha_{2,5}^7 e_7$$

$$[e_2, e_7] = \alpha_{2,7}^9 e_9$$

$$[e_3, e_4] = \alpha_{3,4}^7 e_7$$

$$[e_3, e_6] = \alpha_{3,6}^9 e_9$$

$$[e_4, e_5] = \alpha_{4,5}^9 e_9$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_2, e_4] = e_6$$

$$[e_2, e_6] = \alpha_{2,6}^8 e_8$$

$$[e_2, e_8] = \alpha_{2,8}^{10} e_{10}$$

$$[e_3, e_5] = \alpha_{3,5}^8 e_8$$

$$[e_3, e_7] = \alpha_{3,7}^{10} e_{10}$$

$$[e_4, e_6] = \alpha_{4,6}^{10} e_{10}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \quad \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \quad \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \quad \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \quad \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \quad \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \quad \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \quad \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & \quad -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{3,5}^8 & \rightarrow x_1 \\
\alpha_{3,6}^9 & \rightarrow x_2 \\
\alpha_{2,5}^7 & \rightarrow x_3 \\
\alpha_{3,4}^7 & \rightarrow x_4 \\
\alpha_{2,6}^8 & \rightarrow x_5 \\
\alpha_{2,8}^{10} & \rightarrow x_6 \\
\alpha_{2,7}^9 & \rightarrow x_7 \\
\alpha_{4,5}^9 & \rightarrow x_8 \\
\alpha_{4,6}^{10} & \rightarrow x_9 \\
\alpha_{3,7}^{10} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_3 - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 + x_3 - x_5 & = 0 \\
(e_1, e_3, e_4) : & -x_1 + x_4 & = 0 \\
(e_1, e_2, e_6) : & -x_2 + x_5 - x_7 & = 0 \\
(e_1, e_3, e_5) : & x_1 - x_2 - x_8 & = 0 \\
(e_2, e_3, e_4) : & -x_2 + x_4 x_7 + x_8 & = 0 \\
(e_1, e_2, e_7) : & -x_{10} - x_6 + x_7 & = 0 \\
(e_1, e_3, e_6) : & -x_{10} + x_2 - x_9 & = 0 \\
(e_1, e_4, e_5) : & x_8 - x_9 & = 0 \\
(e_2, e_3, e_5) : & x_1 x_6 - x_{10} x_3 & = 0
\end{array}$$

Groebner basis (10 variables, 8 linear, 1 nonlinear)

$$\begin{array}{l}
x_1 - x_{10} - 2x_9 = 0 \\
-x_{10} + x_2 - x_9 = 0 \\
x_{10} + x_3 + 2x_9 - 1 = 0 \\
-x_{10} + x_4 - 2x_9 = 0 \\
2x_{10} + x_5 + 4x_9 - 1 = 0 \\
4x_{10} + x_6 + 5x_9 - 1 = 0 \\
3x_{10} + x_7 + 5x_9 - 1 = 0 \\
x_8 - x_9 = 0 \\
\frac{3x_{10}^2}{10} + \frac{11x_{10}x_9}{10} + x_9^2 - \frac{x_9}{5} = 0
\end{array}$$

$\mathfrak{m}_{1A}(3, 10)$

m1A310 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_7] = e_{10} & [e_3, e_6] = -e_{10} \\
[e_4, e_5] = e_{10} &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(3, 10)$

m3A310 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_5] = e_8 & [e_2, e_6] = 2e_9 \\
[e_2, e_7] = \alpha_{2,7}^{10} e_{10} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_4, e_5] = \alpha_{4,5}^{10} e_{10} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,7}^{10} \rightarrow x_1$$

$$\alpha_{3,6}^{10} \rightarrow x_2$$

$$\alpha_{4,5}^{10} \rightarrow x_3$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_2 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_3 - 1 & = 0
\end{array}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$x_1 - x_3 - 3 = 0$$

$$x_2 + x_3 + 1 = 0$$

$m_{5A}(3, 10)$

m5A310 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_3] = e_6 & [e_2, e_4] = e_7 \\
[e_2, e_5] = \alpha_{2,5}^8 e_8 & [e_2, e_6] = \alpha_{2,6}^9 e_9 \\
[e_2, e_7] = \alpha_{2,7}^{10} e_{10} & [e_3, e_4] = \alpha_{3,4}^8 e_8 \\
[e_3, e_5] = \alpha_{3,5}^9 e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_4, e_5] = \alpha_{4,5}^{10} e_{10} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,5}^8 \rightarrow x_1 \\
\alpha_{4,5}^{10} \rightarrow x_2 \\
\alpha_{2,6}^9 \rightarrow x_3 \\
\alpha_{3,6}^{10} \rightarrow x_4 \\
\alpha_{2,7}^{10} \rightarrow x_5 \\
\alpha_{3,5}^9 \rightarrow x_6 \\
\alpha_{3,4}^8 \rightarrow x_7
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_7 + 1 & = 0 \\
(e_1, e_2, e_5) : & x_1 - x_3 - x_6 & = 0 \\
(e_1, e_3, e_4) : & -x_6 + x_7 & = 0 \\
(e_1, e_2, e_6) : & x_3 - x_4 - x_5 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_4 + x_6 & = 0
\end{array}$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_7 - 1 = 0 \\
x_2 - x_5 - 3x_7 + 1 = 0 \\
x_3 + 2x_7 - 1 = 0 \\
x_4 + x_5 + 2x_7 - 1 = 0 \\
x_6 - x_7 = 0
\end{array}$$

$\mathfrak{m}_{2A}(4, 10)$

m2A410 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_5] = e_9 & [e_2, e_6] = 2e_{10} \\
[e_3, e_4] = -e_9 & [e_3, e_5] = -e_{10}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(4, 10)$

m4A410 (this line included for string searching purposes)



Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_3] = e_7 & [e_2, e_4] = e_8 \\
[e_2, e_5] = \alpha_{2,5}^9 e_9 & [e_2, e_6] = \alpha_{2,6}^{10} e_{10} \\
[e_3, e_4] = \alpha_{3,4}^9 e_9 & [e_3, e_5] = \alpha_{3,5}^{10} e_{10}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,6}^{10} \rightarrow x_1 \\
\alpha_{3,4}^9 \rightarrow x_2 \\
\alpha_{2,5}^9 \rightarrow x_3 \\
\alpha_{3,5}^{10} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_2 - x_3 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 + x_3 - x_4 & = 0 \\
(e_1, e_3, e_4) : & x_2 - x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + 2x_4 - 1 = 0 \\
x_2 - x_4 = 0 \\
x_3 + x_4 - 1 = 0
\end{array}$$

$\mathfrak{m}_{1A}(5, 10)$

m1A510 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_2, e_5] = e_{10} & [e_3, e_4] = -e_{10} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(5, 10)$

m3A510 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_2, e_3] = e_8 & [e_2, e_4] = e_9 \\ [e_2, e_5] = \alpha_{2,5}^{10} e_{10} & [e_3, e_4] = \alpha_{3,4}^{10} e_{10} \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 \quad = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,4}^{10} \rightarrow x_1$$

$$\alpha_{2,5}^{10} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(6, 10)$

m2A610 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_2, e_3] = e_9 & [e_2, e_4] = e_{10} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(7, 10)$

m1A710 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_2, e_3] = e_{10} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(2, 11)$

m1A211 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_2, e_9] = e_{11} \\ [e_3, e_8] = -e_{11} & [e_4, e_7] = e_{11} \\ [e_5, e_6] = -e_{11} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(2, 11)$

m3A211 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_7] = e_9 \\
[e_2, e_8] = 3e_{10} & [e_2, e_9] = 0 \\
[e_3, e_6] = -e_9 & [e_3, e_7] = -2e_{10} \\
[e_3, e_8] = 3e_{11} & [e_4, e_5] = e_9 \\
[e_4, e_6] = e_{10} & [e_4, e_7] = -5e_{11} \\
[e_5, e_6] = 6e_{11} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_7] = e_9 \\
[e_2, e_8] = 3e_{10} & [e_2, e_9] = \alpha_{2,9}^{11}e_{11} \\
[e_3, e_6] = -e_9 & [e_3, e_7] = -2e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11}e_{11} & [e_4, e_5] = e_9 \\
[e_4, e_6] = e_{10} & [e_4, e_7] = \alpha_{4,7}^{11}e_{11} \\
[e_5, e_6] = \alpha_{5,6}^{11}e_{11} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{11} - \alpha_{3,8}^{11} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{11} - \alpha_{4,7}^{11} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{11} - \alpha_{5,6}^{11} + 1 & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,9}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} & = 0
\end{array}$$

Solution 1:

$$\alpha_{2,9}^{11} = 0$$

$$\alpha_{3,8}^{11} = 3$$

$$\alpha_{5,6}^{11} = 6$$

$$\alpha_{4,7}^{11} = -5$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{2,9}^{11} \rightarrow x_1$$

$$\alpha_{3,8}^{11} \rightarrow x_2$$

$$\alpha_{5,6}^{11} \rightarrow x_3$$

$$\alpha_{4,7}^{11} \rightarrow x_4$$

Jacobi Tests

$$(e_1, e_2, e_8) : \quad -x_1 - x_2 + 3 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_2 - x_4 - 2 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_3 - x_4 + 1 \quad = 0$$

$$(e_2, e_3, e_6) : \quad -x_1 \quad = 0$$

$$(e_2, e_4, e_5) : \quad x_1 \quad = 0$$

Groebner basis (4 variables, 4 linear, 0 nonlinear)

$$x_1 = 0$$

$$x_2 - 3 = 0$$

$$x_3 - 6 = 0$$

$$x_4 + 5 = 0$$

Solution 1:

$$x_1 = 0$$

$$x_2 = 3$$

$$x_3 = 6$$

$$x_4 = -5$$

$\mathfrak{m}_{5A}(2, 11)$

m5A211 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_7 \\
[e_2, e_6] = 2e_8 & [e_2, e_7] = 0 \\
[e_2, e_8] = -5e_{10} & [e_2, e_9] = -\frac{5e_{11}}{2} \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = 2e_9 & [e_3, e_7] = 5e_{10} \\
[e_3, e_8] = -\frac{5e_{11}}{2} & [e_4, e_5] = -3e_9 \\
[e_4, e_6] = -3e_{10} & [e_4, e_7] = \frac{15e_{11}}{2} \\
[e_5, e_6] = -\frac{21e_{11}}{2} & 
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_7 \\
[e_2, e_6] = 2e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,9}^{11} \alpha_{3,6}^9 - 2\alpha_{3,8}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} \alpha_{4,5}^9 - \alpha_{4,7}^{11} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{2,9}^{11} &= -5/2 \\
\alpha_{3,6}^9 &= 2 \\
\alpha_{4,7}^{11} &= 15/2 \\
\alpha_{2,8}^{10} &= -5 \\
\alpha_{3,8}^{11} &= -5/2 \\
\alpha_{4,5}^9 &= -3 \\
\alpha_{2,7}^9 &= 0 \\
\alpha_{4,6}^{10} &= -3 \\
\alpha_{5,6}^{11} &= -21/2 \\
\alpha_{3,7}^{10} &= 5
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{2,9}^{11} &\rightarrow x_1 \\
\alpha_{3,6}^9 &\rightarrow x_2 \\
\alpha_{4,7}^{11} &\rightarrow x_3
\end{aligned}$$

$$\alpha_{2,8}^{10} \rightarrow x_4$$

$$\alpha_{3,8}^{11} \rightarrow x_5$$

$$\alpha_{4,5}^9 \rightarrow x_6$$

$$\alpha_{2,7}^9 \rightarrow x_7$$

$$\alpha_{4,6}^{10} \rightarrow x_8$$

$$\alpha_{5,6}^{11} \rightarrow x_9$$

$$\alpha_{3,7}^{10} \rightarrow x_{10}$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_2 - x_7 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_2 - x_6 - 1 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_7 \quad = 0$$

$$(e_1, e_2, e_7) : \quad -x_{10} - x_4 + x_7 \quad = 0$$

$$(e_1, e_3, e_6) : \quad -x_{10} + x_2 - x_8 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_6 - x_8 \quad = 0$$

$$(e_2, e_3, e_5) : \quad -x_{10} - x_4 \quad = 0$$

$$(e_1, e_2, e_8) : \quad -x_1 + x_4 - x_5 \quad = 0$$

$$(e_1, e_3, e_7) : \quad x_{10} - x_3 - x_5 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_3 + x_8 - x_9 \quad = 0$$

$$(e_2, e_3, e_6) : \quad x_1 x_2 - 2x_5 \quad = 0$$

$$(e_2, e_4, e_5) : \quad x_1 x_6 - x_3 \quad = 0$$

Groebner basis (10 variables, 10 linear, 0 nonlinear)

$$x_1 + \frac{5}{2} = 0$$

$$x_2 - 2 = 0$$

$$x_3 - \frac{15}{2} = 0$$

$$x_4 + 5 = 0$$

$$x_5 + \frac{5}{2} = 0$$

$$x_6 + 3 = 0$$

$$x_7 = 0$$

$$x_8 + 3 = 0$$



$$x_9 + \frac{21}{2} = 0$$

$$x_{10} - 5 = 0$$

Solution 1:

$$x_1 = -5/2$$

$$x_2 = 2$$

$$x_3 = 15/2$$

$$x_4 = -5$$

$$x_5 = -5/2$$

$$x_6 = -3$$

$$x_7 = 0$$

$$x_8 = -3$$

$$x_9 = -21/2$$

$$x_{10} = 5$$

$\mathfrak{m}_{7A}(2, 11)$

m7A211 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_2, e_4] = e_6$$

$$[e_2, e_6] = \alpha_{2,6}^8 e_8$$

$$[e_2, e_8] = \alpha_{2,8}^{10} e_{10}$$

$$[e_3, e_4] = \alpha_{3,4}^7 e_7$$

$$[e_3, e_6] = \alpha_{3,6}^9 e_9$$

$$[e_3, e_8] = \alpha_{3,8}^{11} e_{11}$$

$$[e_4, e_6] = \alpha_{4,6}^{10} e_{10}$$

$$[e_5, e_6] = \alpha_{5,6}^{11} e_{11}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_2, e_3] = e_5$$

$$[e_2, e_5] = \alpha_{2,5}^7 e_7$$

$$[e_2, e_7] = \alpha_{2,7}^9 e_9$$

$$[e_2, e_9] = \alpha_{2,9}^{11} e_{11}$$

$$[e_3, e_5] = \alpha_{3,5}^8 e_8$$

$$[e_3, e_7] = \alpha_{3,7}^{10} e_{10}$$

$$[e_4, e_5] = \alpha_{4,5}^9 e_9$$

$$[e_4, e_7] = \alpha_{4,7}^{11} e_{11}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{2,9}^{11} & \rightarrow x_1 \\
\alpha_{3,5}^8 & \rightarrow x_2 \\
\alpha_{3,6}^9 & \rightarrow x_3 \\
\alpha_{2,5}^7 & \rightarrow x_4 \\
\alpha_{3,4}^7 & \rightarrow x_5 \\
\alpha_{4,7}^{11} & \rightarrow x_6 \\
\alpha_{2,6}^8 & \rightarrow x_7 \\
\alpha_{2,8}^{10} & \rightarrow x_8 \\
\alpha_{3,8}^{11} & \rightarrow x_9 \\
\alpha_{2,7}^9 & \rightarrow x_{10} \\
\alpha_{4,5}^9 & \rightarrow x_{11}
\end{aligned}$$

$$\alpha_{4,6}^{10} \rightarrow x_{12}$$

$$\alpha_{5,6}^{11} \rightarrow x_{13}$$

$$\alpha_{3,7}^{10} \rightarrow x_{14}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_4 - x_5 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_2 + x_4 - x_7 & = 0 \\
(e_1, e_3, e_4) : & -x_2 + x_5 & = 0 \\
(e_1, e_2, e_6) : & -x_{10} - x_3 + x_7 & = 0 \\
(e_1, e_3, e_5) : & -x_{11} + x_2 - x_3 & = 0 \\
(e_2, e_3, e_4) : & x_{10}x_5 + x_{11} - x_3 & = 0 \\
(e_1, e_2, e_7) : & x_{10} - x_{14} - x_8 & = 0 \\
(e_1, e_3, e_6) : & -x_{12} - x_{14} + x_3 & = 0 \\
(e_1, e_4, e_5) : & x_{11} - x_{12} & = 0 \\
(e_2, e_3, e_5) : & -x_{14}x_4 + x_2x_8 & = 0 \\
(e_1, e_2, e_8) : & -x_1 + x_8 - x_9 & = 0 \\
(e_1, e_3, e_7) : & x_{14} - x_6 - x_9 & = 0 \\
(e_1, e_4, e_6) : & x_{12} - x_{13} - x_6 & = 0 \\
(e_2, e_3, e_6) : & x_1x_3 - x_{13} - x_7x_9 & = 0 \\
(e_2, e_4, e_5) : & x_1x_{11} + x_{13} - x_4x_6 & = 0
\end{array}$$

Groebner basis (14 variables, 11 linear, 4 nonlinear)

$$\begin{array}{l}
x_1 + 4x_{12} + x_{13} + 5x_{14} - 1 = 0 \\
-2x_{12} - x_{14} + x_2 = 0 \\
-x_{12} - x_{14} + x_3 = 0 \\
2x_{12} + x_{14} + x_4 - 1 = 0 \\
-2x_{12} - x_{14} + x_5 = 0 \\
-x_{12} + x_{13} + x_6 = 0 \\
4x_{12} + 2x_{14} + x_7 - 1 = 0 \\
5x_{12} + 4x_{14} + x_8 - 1 = 0 \\
x_{12} - x_{13} - x_{14} + x_9 = 0 \\
x_{10} + 5x_{12} + 3x_{14} - 1 = 0 \\
x_{11} - x_{12} = 0
\end{array}$$

$$\begin{aligned}
x_{12}^2 + \frac{11x_{12}x_{14}}{10} - \frac{x_{12}}{5} + \frac{3x_{14}^2}{10} &= 0 \\
x_{12}x_{13} + \frac{3x_{12}x_{14}}{5} + \frac{2x_{12}}{15} + \frac{x_{13}x_{14}}{3} - \frac{2x_{13}}{3} - \frac{x_{14}^2}{5} &= 0 \\
x_{12}x_{14}^2 - \frac{8x_{12}x_{14}}{9} - \frac{2x_{12}}{9} + \frac{x_{13}x_{14}^2}{9} + \frac{8x_{13}x_{14}}{9} + \frac{7x_{13}}{9} + \frac{5x_{14}^3}{6} + \frac{x_{14}^2}{3} &= 0 \\
x_{13}^2x_{14}^2 + 8x_{13}^2x_{14} + 7x_{13}^2 + \frac{51x_{13}x_{14}^3}{10} + \frac{83x_{13}x_{14}^2}{5} + \frac{3x_{13}x_{14}}{5} - \frac{2x_{13}}{5} + \frac{63x_{14}^4}{10} + \frac{6x_{14}^3}{5} &= 0
\end{aligned}$$

$\mathfrak{m}_{2A}(3, 11)$

m2A311 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_2, e_7] &= e_{10} \\
[e_2, e_8] &= 3e_{11} & [e_3, e_6] &= -e_{10} \\
[e_3, e_7] &= -2e_{11} & [e_4, e_5] &= e_{10} \\
[e_4, e_6] &= e_{11} & &
\end{aligned}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(3, 11)$

m4A311 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \frac{5e_{10}}{3} \\
[e_2, e_8] = 0 & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \frac{e_{10}}{3} \\
[e_3, e_7] = \frac{5e_{11}}{3} & [e_4, e_5] = -\frac{4e_{10}}{3} \\
[e_4, e_6] = -\frac{4e_{11}}{3} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0
\end{array}$$

Solution 1:

$$\alpha_{4,5}^{10} = -4/3$$

$$\alpha_{4,6}^{11} = -4/3$$

$$\alpha_{3,6}^{10} = 1/3$$

$$\alpha_{2,7}^{10} = 5/3$$

$$\alpha_{3,7}^{11} = 5/3$$

$$\alpha_{2,8}^{11} = 0$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{4,5}^{10} \rightarrow x_1$$

$$\alpha_{4,6}^{11} \rightarrow x_2$$

$$\alpha_{3,6}^{10} \rightarrow x_3$$

$$\alpha_{2,7}^{10} \rightarrow x_4$$

$$\alpha_{3,7}^{11} \rightarrow x_5$$

$$\alpha_{2,8}^{11} \rightarrow x_6$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_3 - x_4 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 - x_3 - 1 \quad = 0$$

$$(e_1, e_2, e_7) : \quad x_4 - x_5 - x_6 \quad = 0$$

$$(e_1, e_3, e_6) : \quad -x_2 + x_3 - x_5 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_1 - x_2 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_6 \quad = 0$$

Groebner basis (6 variables, 6 linear, 0 nonlinear)

$$x_1 + \frac{4}{3} = 0$$

$$x_2 + \frac{4}{3} = 0$$

$$x_3 - \frac{1}{3} = 0$$

$$x_4 - \frac{5}{3} = 0$$

$$x_5 - \frac{5}{3} = 0$$

$$x_6 = 0$$

Solution 1:

$$x_1 = -4/3$$

$$x_2 = -4/3$$

$$x_3 = 1/3$$

$$x_4 = 5/3$$

$$x_5 = 5/3$$

$$x_6 = 0$$

$\mathfrak{m}_{6A}(3, 11)$

m6A311 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_2, e_4] = e_7$$

$$[e_2, e_6] = \alpha_{2,6}^9 e_9$$

$$[e_2, e_8] = \alpha_{2,8}^{11} e_{11}$$

$$[e_3, e_5] = \alpha_{3,5}^9 e_9$$

$$[e_3, e_7] = \alpha_{3,7}^{11} e_{11}$$

$$[e_4, e_6] = \alpha_{4,6}^{11} e_{11}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_2, e_3] = e_6$$

$$[e_2, e_5] = \alpha_{2,5}^8 e_8$$

$$[e_2, e_7] = \alpha_{2,7}^{10} e_{10}$$

$$[e_3, e_4] = \alpha_{3,4}^8 e_8$$

$$[e_3, e_6] = \alpha_{3,6}^{10} e_{10}$$

$$[e_4, e_5] = \alpha_{4,5}^{10} e_{10}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{2,5}^8 & \rightarrow x_1 \\
\alpha_{4,5}^{10} & \rightarrow x_2 \\
\alpha_{4,6}^{11} & \rightarrow x_3 \\
\alpha_{2,6}^9 & \rightarrow x_4 \\
\alpha_{3,6}^{10} & \rightarrow x_5 \\
\alpha_{2,7}^{10} & \rightarrow x_6 \\
\alpha_{2,8}^{11} & \rightarrow x_7 \\
\alpha_{3,7}^{11} & \rightarrow x_8 \\
\alpha_{3,5}^9 & \rightarrow x_9 \\
\alpha_{3,4}^8 & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests



$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & x_1 - x_4 - x_9 & = 0 \\
(e_1, e_3, e_4) : & x_{10} - x_9 & = 0 \\
(e_1, e_2, e_6) : & x_4 - x_5 - x_6 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_5 + x_9 & = 0 \\
(e_1, e_2, e_7) : & x_6 - x_7 - x_8 & = 0 \\
(e_1, e_3, e_6) : & -x_3 + x_5 - x_8 & = 0 \\
(e_1, e_4, e_5) : & x_2 - x_3 & = 0 \\
(e_2, e_3, e_4) : & x_{10}x_7 + x_3 - x_8 & = 0
\end{array}$$

Groebner basis (10 variables, 8 linear, 1 nonlinear)

$$\begin{array}{l}
x_1 + x_{10} - 1 = 0 \\
-\frac{x_{10}}{2} + x_2 + \frac{x_8}{2} = 0 \\
-\frac{x_{10}}{2} + x_3 + \frac{x_8}{2} = 0 \\
2x_{10} + x_4 - 1 = 0 \\
-\frac{x_{10}}{2} + x_5 - \frac{x_8}{2} = 0 \\
\frac{5x_{10}}{2} + x_6 + \frac{x_8}{2} - 1 = 0 \\
\frac{5x_{10}}{2} + x_7 + \frac{3x_8}{2} - 1 = 0 \\
\frac{5x_{10}^2}{3} + x_{10}x_8 - x_{10} + x_8 = 0 \\
-x_{10} + x_9 = 0
\end{array}$$

$\mathfrak{m}_{1A}(4, 11)$

m1A411 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_7] = e_{11} \\
[e_3, e_6] = -e_{11} & [e_4, e_5] = e_{11}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(4, 11)$

m3A411 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_9 \\
[e_2, e_6] = 2e_{10} & [e_2, e_7] = \alpha_{2,7}^{11}e_{11} \\
[e_3, e_4] = -e_9 & [e_3, e_5] = -e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11}e_{11} & [e_4, e_5] = \alpha_{4,5}^{11}e_{11}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,6}^{11} \rightarrow x_1$$

$$\alpha_{4,5}^{11} \rightarrow x_2$$

$$\alpha_{2,7}^{11} \rightarrow x_3$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_3 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_2 - 1 & = 0
\end{array}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$x_1 + x_3 - 2 = 0$$

$$x_2 - x_3 + 3 = 0$$

$\mathfrak{m}_{5A}(4, 11)$

m5A411 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_7 \\
[e_2, e_4] = e_8 & [e_2, e_5] = \alpha_{2,5}^9 e_9 \\
[e_2, e_6] = \alpha_{2,6}^{10} e_{10} & [e_2, e_7] = \alpha_{2,7}^{11} e_{11} \\
[e_3, e_4] = \alpha_{3,4}^9 e_9 & [e_3, e_5] = \alpha_{3,5}^{10} e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11} e_{11} & [e_4, e_5] = \alpha_{4,5}^{11} e_{11}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,5}^9 \rightarrow x_1 \\
\alpha_{4,5}^{11} \rightarrow x_2 \\
\alpha_{2,7}^{11} \rightarrow x_3 \\
\alpha_{3,4}^9 \rightarrow x_4 \\
\alpha_{3,6}^{11} \rightarrow x_5 \\
\alpha_{2,6}^{10} \rightarrow x_6 \\
\alpha_{3,5}^{10} \rightarrow x_7
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & x_1 - x_6 - x_7 & = 0 \\
(e_1, e_3, e_4) : & x_4 - x_7 & = 0 \\
(e_1, e_2, e_6) : & -x_3 - x_5 + x_6 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_5 + x_7 & = 0
\end{array}$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_7 - 1 = 0 \\
x_2 + x_5 - x_7 = 0 \\
x_3 + x_5 + 2x_7 - 1 = 0 \\
x_4 - x_7 = 0 \\
x_6 + 2x_7 - 1 = 0
\end{array}$$

$\mathfrak{m}_{2A}(5, 11)$

m2A511 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_3, e_4] = -e_{10} \\
[e_3, e_5] = -e_{11} &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(5, 11)$

m4A511 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_5] = \alpha_{2,5}^{10} e_{10} \\
[e_2, e_6] = \alpha_{2,6}^{11} e_{11} & [e_3, e_4] = \alpha_{3,4}^{10} e_{10} \\
[e_3, e_5] = \alpha_{3,5}^{11} e_{11} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{3,4}^{10} \rightarrow x_1 \\
\alpha_{2,5}^{10} \rightarrow x_2 \\
\alpha_{3,5}^{11} \rightarrow x_3 \\
\alpha_{2,6}^{11} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_2 + 1 & = 0 \\
(e_1, e_2, e_5) : & x_2 - x_3 - x_4 & = 0 \\
(e_1, e_3, e_4) : & x_1 - x_3 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + \frac{x_4}{2} - \frac{1}{2} = 0 \\
x_2 - \frac{x_4}{2} - \frac{1}{2} = 0 \\
x_3 + \frac{x_4}{2} - \frac{1}{2} = 0
\end{array}$$

$\mathfrak{m}_{1A}(6, 11)$

m1A611 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_{11} \\
[e_3, e_4] = -e_{11} & 
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(6, 11)$

m3A611 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_9 \\
[e_2, e_4] = e_{10} & [e_2, e_5] = \alpha_{2,5}^{11} e_{11} \\
[e_3, e_4] = \alpha_{3,4}^{11} e_{11} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 \quad = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,4}^{11} \rightarrow x_1$$

$$\alpha_{2,5}^{11} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(7, 11)$

m2A711 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_2, e_3] = e_{10} \\ [e_2, e_4] = e_{11} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(8, 11)$

m1A811 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_2, e_3] = e_{11} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{2A}(2, 12)$

m2A212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_9] = e_{11} & [e_2, e_{10}] = 4e_{12} \\
[e_3, e_8] = -e_{11} & [e_3, e_9] = -3e_{12} \\
[e_4, e_7] = e_{11} & [e_4, e_8] = 2e_{12} \\
[e_5, e_6] = -e_{11} & [e_5, e_7] = -e_{12}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(2, 12)$

m4A212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_7] = e_9 & [e_2, e_8] = 3e_{10} \\
[e_2, e_9] = \alpha_{2,9}^{11} e_{11} & [e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} \\
[e_3, e_6] = -e_9 & [e_3, e_7] = -2e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_3, e_9] = \alpha_{3,9}^{12} e_{12} \\
[e_4, e_5] = e_9 & [e_4, e_6] = e_{10} \\
[e_4, e_7] = \alpha_{4,7}^{11} e_{11} & [e_4, e_8] = \alpha_{4,8}^{12} e_{12} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & [e_5, e_7] = \alpha_{5,7}^{12} e_{12}
\end{array}$$



Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{11} - \alpha_{3,8}^{11} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{11} - \alpha_{4,7}^{11} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{11} - \alpha_{5,6}^{11} + 1 & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,9}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & -2\alpha_{2,10}^{12} - \alpha_{3,9}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,9}^{12} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{5,7}^{12} & \rightarrow x_1 \\
\alpha_{2,9}^{11} & \rightarrow x_2 \\
\alpha_{4,7}^{11} & \rightarrow x_3 \\
\alpha_{2,10}^{12} & \rightarrow x_4 \\
\alpha_{3,8}^{11} & \rightarrow x_5 \\
\alpha_{4,8}^{12} & \rightarrow x_6 \\
\alpha_{5,6}^{11} & \rightarrow x_7 \\
\alpha_{3,9}^{12} & \rightarrow x_8
\end{aligned}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_2 - x_5 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_3 - x_5 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_3 - x_7 + 1 & = 0 \\
(e_2, e_3, e_6) : & -x_2 & = 0 \\
(e_2, e_4, e_5) : & x_2 & = 0 \\
(e_1, e_2, e_9) : & x_2 - x_4 - x_8 & = 0 \\
(e_1, e_3, e_8) : & x_5 - x_6 - x_8 & = 0 \\
(e_1, e_4, e_7) : & -x_1 + x_3 - x_6 & = 0 \\
(e_1, e_5, e_6) : & -x_1 + x_7 & = 0 \\
(e_2, e_3, e_7) : & -2x_4 - x_8 & = 0 \\
(e_2, e_4, e_6) : & x_4 & = 0 \\
(e_3, e_4, e_5) : & x_8 & = 0
\end{array}$$

Groebner basis (8 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{6A}(2, 12)$

m6A212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_5] = e_7 & [e_2, e_6] = 2e_8 \\
[e_2, e_7] = \alpha_{2,7}^9 e_9 & [e_2, e_8] = \alpha_{2,8}^{10} e_{10} \\
[e_2, e_9] = \alpha_{2,9}^{11} e_{11} & [e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_3, e_9] = \alpha_{3,9}^{12} e_{12} \\
[e_4, e_5] = \alpha_{4,5}^9 e_9 & [e_4, e_6] = \alpha_{4,6}^{10} e_{10} \\
[e_4, e_7] = \alpha_{4,7}^{11} e_{11} & [e_4, e_8] = \alpha_{4,8}^{12} e_{12} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & [e_5, e_7] = \alpha_{5,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,9}^{11} \alpha_{3,6}^9 - 2\alpha_{3,8}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} \alpha_{4,5}^9 - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - 2\alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,9}^{12} \alpha_{4,5}^9 + \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,8}^{12} \rightarrow x_1$$

$$\alpha_{5,7}^{12} \rightarrow x_2$$

$$\alpha_{2,9}^{11} \rightarrow x_3$$

$$\alpha_{3,6}^9 \rightarrow x_4$$

$$\alpha_{4,7}^{11} \rightarrow x_5$$

$$\alpha_{2,10}^{12} \rightarrow x_6$$

$$\alpha_{2,8}^{10} \rightarrow x_7$$

$$\alpha_{3,8}^{11} \rightarrow x_8$$

$$\alpha_{4,5}^9 \rightarrow x_9$$

$$\alpha_{2,7}^9 \rightarrow x_{10}$$

$$\alpha_{4,6}^{10} \rightarrow x_{11}$$

$$\alpha_{5,6}^{11} \rightarrow x_{12}$$

$$\alpha_{3,9}^{12} \rightarrow x_{13}$$

$$\alpha_{3,7}^{10} \rightarrow x_{14}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_{10} - x_4 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_4 - x_9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -x_{10} & = 0 \\
(e_1, e_2, e_7) : & x_{10} - x_{14} - x_7 & = 0 \\
(e_1, e_3, e_6) : & -x_{11} - x_{14} + x_4 & = 0 \\
(e_1, e_4, e_5) : & -x_{11} + x_9 & = 0 \\
(e_2, e_3, e_5) : & -x_{14} - x_7 & = 0 \\
(e_1, e_2, e_8) : & -x_3 + x_7 - x_8 & = 0 \\
(e_1, e_3, e_7) : & x_{14} - x_5 - x_8 & = 0 \\
(e_1, e_4, e_6) : & x_{11} - x_{12} - x_5 & = 0 \\
(e_2, e_3, e_6) : & x_3 x_4 - 2x_8 & = 0 \\
(e_2, e_4, e_5) : & x_3 x_9 - x_5 & = 0 \\
(e_1, e_2, e_9) : & -x_{13} + x_3 - x_6 & = 0 \\
(e_1, e_3, e_8) : & -x_1 - x_{13} + x_8 & = 0 \\
(e_1, e_4, e_7) : & -x_1 - x_2 + x_5 & = 0 \\
(e_1, e_5, e_6) : & x_{12} - x_2 & = 0 \\
(e_2, e_3, e_7) : & -x_{10} x_{13} + x_{14} x_6 & = 0 \\
(e_2, e_4, e_6) : & -2x_1 + x_{11} x_6 & = 0 \\
(e_3, e_4, e_5) : & x_1 + x_{13} x_9 - x_2 & = 0
\end{array}$$

Groebner basis (14 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{8A}(2, 12)$

m8A212 (this line included for string searching purposes)

Solution 1

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_2, e_3] = e_5$	$[e_2, e_4] = e_6$
$[e_2, e_5] = e_7$	$[e_2, e_6] = e_8$
$[e_2, e_7] = e_9$	$[e_2, e_8] = e_{10}$
$[e_2, e_9] = e_{11}$	$[e_2, e_{10}] = e_{12}$
$[e_3, e_4] = 0$	$[e_3, e_5] = 0$
$[e_3, e_6] = 0$	$[e_3, e_7] = 0$
$[e_3, e_8] = 0$	$[e_3, e_9] = 0$
$[e_4, e_5] = 0$	$[e_4, e_6] = 0$
$[e_4, e_7] = 0$	$[e_4, e_8] = 0$
$[e_5, e_6] = 0$	$[e_5, e_7] = 0$

Solution 2

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_5 & [e_2, e_4] = e_6 \\
[e_2, e_5] = \frac{9e_7}{10} & [e_2, e_6] = \frac{4e_8}{5} \\
[e_2, e_7] = \frac{5e_9}{7} & [e_2, e_8] = \frac{9e_{10}}{14} \\
[e_2, e_9] = \frac{7e_{11}}{12} & [e_2, e_{10}] = \frac{8e_{12}}{15} \\
[e_3, e_4] = \frac{e_7}{10} & [e_3, e_5] = \frac{e_8}{10} \\
[e_3, e_6] = \frac{3e_9}{35} & [e_3, e_7] = \frac{e_{10}}{14} \\
[e_3, e_8] = \frac{5e_{11}}{84} & [e_3, e_9] = \frac{e_{12}}{20} \\
[e_4, e_5] = \frac{e_9}{70} & [e_4, e_6] = \frac{e_{10}}{70} \\
[e_4, e_7] = \frac{e_{11}}{84} & [e_4, e_8] = \frac{e_{12}}{105} \\
[e_5, e_6] = \frac{e_{11}}{420} & [e_5, e_7] = \frac{e_{12}}{420}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_5 & [e_2, e_4] = e_6 \\
[e_2, e_5] = \alpha_{2,5}^7 e_7 & [e_2, e_6] = \alpha_{2,6}^8 e_8 \\
[e_2, e_7] = \alpha_{2,7}^9 e_9 & [e_2, e_8] = \alpha_{2,8}^{10} e_{10} \\
[e_2, e_9] = \alpha_{2,9}^{11} e_{11} & [e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} \\
[e_3, e_4] = \alpha_{3,4}^7 e_7 & [e_3, e_5] = \alpha_{3,5}^8 e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_3, e_9] = \alpha_{3,9}^{12} e_{12} \\
[e_4, e_5] = \alpha_{4,5}^9 e_9 & [e_4, e_6] = \alpha_{4,6}^{10} e_{10} \\
[e_4, e_7] = \alpha_{4,7}^{11} e_{11} & [e_4, e_8] = \alpha_{4,8}^{12} e_{12} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & [e_5, e_7] = \alpha_{5,7}^{12} e_{12}
\end{array}$$



Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - \alpha_{2,6}^8 \alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,4}^7 \alpha_{5,7}^{12} - \alpha_{3,5}^8 \alpha_{4,8}^{12} + \alpha_{3,9}^{12} \alpha_{4,5}^9 & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{4,8}^{12} &= 0 \\
\alpha_{5,7}^{12} &= 0 \\
\alpha_{2,9}^{11} &= 1 \\
\alpha_{3,5}^8 &= 0 \\
\alpha_{3,6}^9 &= 0 \\
\alpha_{2,5}^7 &= 1 \\
\alpha_{3,4}^7 &= 0 \\
\alpha_{4,7}^{11} &= 0 \\
\alpha_{2,6}^8 &= 1 \\
\alpha_{2,8}^{10} &= 1 \\
\alpha_{2,10}^{12} &= 1 \\
\alpha_{3,8}^{11} &= 0 \\
\alpha_{2,7}^9 &= 1 \\
\alpha_{4,5}^9 &= 0 \\
\alpha_{4,6}^{10} &= 0 \\
\alpha_{5,6}^{11} &= 0 \\
\alpha_{3,9}^{12} &= 0 \\
\alpha_{3,7}^{10} &= 0
\end{aligned}$$

Solution 2:

$$\begin{aligned}
\alpha_{4,8}^{12} &= 1/105 \\
\alpha_{5,7}^{12} &= 1/420 \\
\alpha_{2,9}^{11} &= 7/12 \\
\alpha_{3,5}^8 &= 1/10 \\
\alpha_{3,6}^9 &= 3/35 \\
\alpha_{2,5}^7 &= 9/10 \\
\alpha_{3,4}^7 &= 1/10 \\
\alpha_{4,7}^{11} &= 1/84 \\
\alpha_{2,6}^8 &= 4/5 \\
\alpha_{2,8}^{10} &= 9/14 \\
\alpha_{2,10}^{12} &= 8/15 \\
\alpha_{3,8}^{11} &= 5/84 \\
\alpha_{2,7}^9 &= 5/7 \\
\alpha_{4,5}^9 &= 1/70 \\
\alpha_{4,6}^{10} &= 1/70 \\
\alpha_{5,6}^{11} &= 1/420 \\
\alpha_{3,9}^{12} &= 1/20 \\
\alpha_{3,7}^{10} &= 1/14
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{4,8}^{12} &\rightarrow x_1 \\
\alpha_{5,7}^{12} &\rightarrow x_2 \\
\alpha_{2,9}^{11} &\rightarrow x_3 \\
\alpha_{3,5}^8 &\rightarrow x_4 \\
\alpha_{3,6}^9 &\rightarrow x_5 \\
\alpha_{2,5}^7 &\rightarrow x_6 \\
\alpha_{3,4}^7 &\rightarrow x_7 \\
\alpha_{4,7}^{11} &\rightarrow x_8 \\
\alpha_{2,6}^8 &\rightarrow x_9
\end{aligned}$$

$$\alpha_{2,8}^{10} \rightarrow x_{10}$$

$$\alpha_{2,10}^{12} \rightarrow x_{11}$$

$$\alpha_{3,8}^{11} \rightarrow x_{12}$$

$$\alpha_{2,7}^9 \rightarrow x_{13}$$

$$\alpha_{4,5}^9 \rightarrow x_{14}$$

$$\alpha_{4,6}^{10} \rightarrow x_{15}$$

$$\alpha_{5,6}^{11} \rightarrow x_{16}$$

$$\alpha_{3,9}^{12} \rightarrow x_{17}$$

$$\alpha_{3,7}^{10} \rightarrow x_{18}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_6 - x_7 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_4 + x_6 - x_9 & = 0 \\
(e_1, e_3, e_4) : & -x_4 + x_7 & = 0 \\
(e_1, e_2, e_6) : & -x_{13} - x_5 + x_9 & = 0 \\
(e_1, e_3, e_5) : & -x_{14} + x_4 - x_5 & = 0 \\
(e_2, e_3, e_4) : & x_{13}x_7 + x_{14} - x_5 & = 0 \\
(e_1, e_2, e_7) : & -x_{10} + x_{13} - x_{18} & = 0 \\
(e_1, e_3, e_6) : & -x_{15} - x_{18} + x_5 & = 0 \\
(e_1, e_4, e_5) : & x_{14} - x_{15} & = 0 \\
(e_2, e_3, e_5) : & x_{10}x_4 - x_{18}x_6 & = 0 \\
(e_1, e_2, e_8) : & x_{10} - x_{12} - x_3 & = 0 \\
(e_1, e_3, e_7) : & -x_{12} + x_{18} - x_8 & = 0 \\
(e_1, e_4, e_6) : & x_{15} - x_{16} - x_8 & = 0 \\
(e_2, e_3, e_6) : & -x_{12}x_9 - x_{16} + x_3x_5 & = 0 \\
(e_2, e_4, e_5) : & x_{14}x_3 + x_{16} - x_6x_8 & = 0 \\
(e_1, e_2, e_9) : & -x_{11} - x_{17} + x_3 & = 0 \\
(e_1, e_3, e_8) : & -x_1 + x_{12} - x_{17} & = 0 \\
(e_1, e_4, e_7) : & -x_1 - x_2 + x_8 & = 0 \\
(e_1, e_5, e_6) : & x_{16} - x_2 & = 0 \\
(e_2, e_3, e_7) : & x_{11}x_{18} - x_{13}x_{17} - x_2 & = 0 \\
(e_2, e_4, e_6) : & -x_1x_9 + x_{11}x_{15} & = 0 \\
(e_3, e_4, e_5) : & -x_1x_4 + x_{14}x_{17} + x_2x_7 & = 0
\end{array}$$

Groebner basis (18 variables, 0 linear, 18 nonlinear)

$$\begin{aligned}
x_1 - \frac{20363x_{18}^5}{60} - \frac{129x_{18}^4}{8} - \frac{9x_{18}^3}{4} - \frac{3x_{18}^2}{2} &= 0 \\
-\frac{12271x_{18}^5}{30} - \frac{81x_{18}^4}{4} - 3x_{18}^3 + x_2 &= 0 \\
\frac{30233x_{18}^5}{6} + \frac{987x_{18}^4}{4} + 36x_{18}^3 + 6x_{18}^2 + 5x_{18} + x_3 - 1 &= 0 \\
-\frac{23149x_{18}^5}{10} - \frac{453x_{18}^4}{4} - \frac{33x_{18}^3}{2} - 3x_{18}^2 - x_{18} + x_4 &= 0 \\
-\frac{23149x_{18}^5}{20} - \frac{453x_{18}^4}{8} - \frac{33x_{18}^3}{4} - \frac{3x_{18}^2}{2} - x_{18} + x_5 &= 0 \\
\frac{23149x_{18}^5}{10} + \frac{453x_{18}^4}{4} + \frac{33x_{18}^3}{2} + 3x_{18}^2 + x_{18} + x_6 - 1 &= 0 \\
-\frac{23149x_{18}^5}{10} - \frac{453x_{18}^4}{4} - \frac{33x_{18}^3}{2} - 3x_{18}^2 - x_{18} + x_7 &= 0 \\
-\frac{8981x_{18}^5}{12} - \frac{291x_{18}^4}{8} - \frac{21x_{18}^3}{4} - \frac{3x_{18}^2}{2} + x_8 &= 0 \\
\frac{23149x_{18}^5}{5} + \frac{453x_{18}^4}{2} + 33x_{18}^3 + 6x_{18}^2 + 2x_{18} + x_9 - 1 &= 0 \\
x_{10} + \frac{23149x_{18}^5}{4} + \frac{2265x_{18}^4}{8} + \frac{165x_{18}^3}{4} + \frac{15x_{18}^2}{2} + 4x_{18} - 1 &= 0 \\
x_{11} + \frac{118531x_{18}^5}{30} + \frac{777x_{18}^4}{4} + \frac{57x_{18}^3}{2} + 3x_{18}^2 + 6x_{18} - 1 &= 0 \\
x_{12} + \frac{8981x_{18}^5}{12} + \frac{291x_{18}^4}{8} + \frac{21x_{18}^3}{4} + \frac{3x_{18}^2}{2} - x_{18} &= 0 \\
x_{13} + \frac{23149x_{18}^5}{4} + \frac{2265x_{18}^4}{8} + \frac{165x_{18}^3}{4} + \frac{15x_{18}^2}{2} + 3x_{18} - 1 &= 0 \\
x_{14} - \frac{23149x_{18}^5}{20} - \frac{453x_{18}^4}{8} - \frac{33x_{18}^3}{4} - \frac{3x_{18}^2}{2} &= 0 \\
x_{15} - \frac{23149x_{18}^5}{20} - \frac{453x_{18}^4}{8} - \frac{33x_{18}^3}{4} - \frac{3x_{18}^2}{2} &= 0 \\
x_{16} - \frac{12271x_{18}^5}{30} - \frac{81x_{18}^4}{4} - 3x_{18}^3 &= 0 \\
x_{17} + \frac{5439x_{18}^5}{5} + \frac{105x_{18}^4}{2} + \frac{15x_{18}^3}{2} + 3x_{18}^2 - x_{18} &= 0 \\
x_{18}^6 - \frac{x_{18}^5}{14} &= 0
\end{aligned}$$

Solution 1:

$$x_1 = 0$$

$$x_2 = 0$$

$$x_3 = 1$$

$$x_4 = 0$$

$$x_5 = 0$$

$$x_6 = 1$$

$$x_7 = 0$$

$$x_8 = 0$$

$$x_9 = 1$$

$$x_1 0 = 1$$

$$x_1 1 = 1$$

$$x_1 2 = 0$$

$$x_1 3 = 1$$

$$x_1 4 = 0$$

$$x_1 5 = 0$$

$$x_1 6 = 0$$

$$x_1 7 = 0$$

$$x_1 8 = 0$$

Solution 2:

$$x_1 = 1/105$$

$$x_2 = 1/420$$

$$x_3 = 7/12$$

$$x_4 = 1/10$$

$$x_5 = 3/35$$

$$x_6 = 9/10$$

$$x_7 = 1/10$$

$$x_8 = 1/84$$

$$x_9 = 4/5$$

$$x_1 0 = 9/14$$

$$x_1 1 = 8/15$$

$$x_1 2 = 5/84$$

$$x_1 3 = 5/7$$

$$x_1 4 = 1/70$$

$$x_1 5 = 1/70$$

$$x_1 6 = 1/420$$

$$x_1 7 = 1/20$$

$$x_1 8 = 1/14$$

$\mathfrak{m}_{1A}(3, 12)$

m1A312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_9] = e_{12} & [e_3, e_8] = -e_{12} \\
[e_4, e_7] = e_{12} & [e_5, e_6] = -e_{12}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(3, 12)$

m3A312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_7] = e_{10} & [e_2, e_8] = 3e_{11} \\
[e_2, e_9] = \alpha_{2,9}^{12} e_{12} & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_4, e_5] = e_{10} & [e_4, e_6] = e_{11} \\
[e_4, e_7] = \alpha_{4,7}^{12} e_{12} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{12} - \alpha_{4,7}^{12} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{12} - \alpha_{5,6}^{12} + 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,8}^{12} \rightarrow x_1$$

$$\alpha_{2,9}^{12} \rightarrow x_2$$

$$\alpha_{5,6}^{12} \rightarrow x_3$$

$$\alpha_{4,7}^{12} \rightarrow x_4$$

Jacobi Tests

$$(e_1, e_2, e_8) : \quad -x_1 - x_2 + 3 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_1 - x_4 - 2 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_3 - x_4 + 1 \quad = 0$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 + x_4 + 2 = 0$$

$$x_2 - x_4 - 5 = 0$$

$$x_3 + x_4 - 1 = 0$$

$\mathfrak{m}_{5A}(3, 12)$

m5A312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_2, e_5] = e_8 & [e_2, e_6] = 2e_9 \\ [e_2, e_7] = \alpha_{2,7}^{10} e_{10} & [e_2, e_8] = \alpha_{2,8}^{11} e_{11} \\ [e_2, e_9] = \alpha_{2,9}^{12} e_{12} & [e_3, e_4] = -e_8 \\ [e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\ [e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\ [e_4, e_5] = \alpha_{4,5}^{10} e_{10} & [e_4, e_6] = \alpha_{4,6}^{11} e_{11} \\ [e_4, e_7] = \alpha_{4,7}^{12} e_{12} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12} \end{array}$$



Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{4,5}^{10} & \rightarrow x_1 \\
\alpha_{4,6}^{11} & \rightarrow x_2 \\
\alpha_{4,7}^{12} & \rightarrow x_3 \\
\alpha_{3,8}^{12} & \rightarrow x_4 \\
\alpha_{3,6}^{10} & \rightarrow x_5 \\
\alpha_{5,6}^{12} & \rightarrow x_6 \\
\alpha_{2,7}^{10} & \rightarrow x_7 \\
\alpha_{3,7}^{11} & \rightarrow x_8 \\
\alpha_{2,8}^{11} & \rightarrow x_9 \\
\alpha_{2,9}^{12} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_5 - x_7 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_5 - 1 & = 0 \\
(e_1, e_2, e_7) : & x_7 - x_8 - x_9 & = 0 \\
(e_1, e_3, e_6) : & -x_2 + x_5 - x_8 & = 0 \\
(e_1, e_4, e_5) : & x_1 - x_2 & = 0 \\
(e_2, e_3, e_4) : & -x_9 & = 0 \\
(e_1, e_2, e_8) : & -x_{10} - x_4 + x_9 & = 0 \\
(e_1, e_3, e_7) : & -x_3 - x_4 + x_8 & = 0 \\
(e_1, e_4, e_6) : & x_2 - x_3 - x_6 & = 0 \\
(e_2, e_3, e_5) : & -x_{10} - x_4 & = 0
\end{array}$$

Groebner basis (10 variables, 9 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + \frac{4}{3} = 0 \\
x_2 + \frac{4}{3} = 0 \\
-x_{10} + x_3 - \frac{5}{3} = 0 \\
x_{10} + x_4 = 0 \\
x_5 - \frac{1}{3} = 0 \\
x_{10} + x_6 + 3 = 0 \\
x_7 - \frac{5}{3} = 0 \\
x_8 - \frac{5}{3} = 0 \\
x_9 = 0
\end{array}$$

$\mathfrak{m}_{7A}(3, 12)$

m7A312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_6 & [e_2, e_4] = e_7 \\
[e_2, e_5] = \alpha_{2,5}^8 e_8 & [e_2, e_6] = \alpha_{2,6}^9 e_9 \\
[e_2, e_7] = \alpha_{2,7}^{10} e_{10} & [e_2, e_8] = \alpha_{2,8}^{11} e_{11} \\
[e_2, e_9] = \alpha_{2,9}^{12} e_{12} & [e_3, e_4] = \alpha_{3,4}^8 e_8 \\
[e_3, e_5] = \alpha_{3,5}^9 e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_4, e_5] = \alpha_{4,5}^{10} e_{10} & [e_4, e_6] = \alpha_{4,6}^{11} e_{11} \\
[e_4, e_7] = \alpha_{4,7}^{12} e_{12} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{ll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{12} + \alpha_{2,9}^{12} \alpha_{3,5}^9 + \alpha_{5,6}^{12} = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,5}^8 \rightarrow x_1$$

$$\alpha_{4,5}^{10} \rightarrow x_2$$

$$\alpha_{4,6}^{11} \rightarrow x_3$$

$$\alpha_{4,7}^{12} \rightarrow x_4$$

$$\alpha_{3,8}^{12} \rightarrow x_5$$

$$\alpha_{2,6}^9 \rightarrow x_6$$

$$\alpha_{3,6}^{10} \rightarrow x_7$$

$$\alpha_{5,6}^{12} \rightarrow x_8$$

$$\alpha_{2,9}^{12} \rightarrow x_9$$

$$\alpha_{2,7}^{10} \rightarrow x_{10}$$

$$\alpha_{2,8}^{11} \rightarrow x_{11}$$

$$\alpha_{3,7}^{11} \rightarrow x_{12}$$

$$\alpha_{3,5}^9 \rightarrow x_{13}$$

$$\alpha_{3,4}^8 \rightarrow x_{14}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_{14} + 1 & = 0 \\
(e_1, e_2, e_5) : & x_1 - x_{13} - x_6 & = 0 \\
(e_1, e_3, e_4) : & -x_{13} + x_{14} & = 0 \\
(e_1, e_2, e_6) : & -x_{10} + x_6 - x_7 & = 0 \\
(e_1, e_3, e_5) : & x_{13} - x_2 - x_7 & = 0 \\
(e_1, e_2, e_7) : & x_{10} - x_{11} - x_{12} & = 0 \\
(e_1, e_3, e_6) : & -x_{12} - x_3 + x_7 & = 0 \\
(e_1, e_4, e_5) : & x_2 - x_3 & = 0 \\
(e_2, e_3, e_4) : & x_{11}x_{14} - x_{12} + x_3 & = 0 \\
(e_1, e_2, e_8) : & x_{11} - x_5 - x_9 & = 0 \\
(e_1, e_3, e_7) : & x_{12} - x_4 - x_5 & = 0 \\
(e_1, e_4, e_6) : & x_3 - x_4 - x_8 & = 0 \\
(e_2, e_3, e_5) : & -x_1x_5 + x_{13}x_9 + x_8 & = 0
\end{array}$$

Groebner basis (14 variables, 11 linear, 1 nonlinear)

$$\begin{array}{l}
x_1 + x_{14} - 1 = 0 \\
\frac{x_{12}}{2} - \frac{x_{14}}{2} + x_2 = 0
\end{array}$$

$$\begin{aligned}
& \frac{x_{12}}{2} - \frac{x_{14}}{2} + x_3 = 0 \\
& -\frac{5x_{12}}{2} - \frac{5x_{14}}{2} + x_4 - x_9 + 1 = 0 \\
& \frac{3x_{12}}{2} + \frac{5x_{14}}{2} + x_5 + x_9 - 1 = 0 \\
& 2x_{14} + x_6 - 1 = 0 \\
& -\frac{x_{12}}{2} - \frac{x_{14}}{2} + x_7 = 0 \\
& 3x_{12} + 2x_{14} + x_8 + x_9 - 1 = 0 \\
& x_{10} + \frac{x_{12}}{2} + \frac{5x_{14}}{2} - 1 = 0 \\
& x_{11} + \frac{3x_{12}}{2} + \frac{5x_{14}}{2} - 1 = 0 \\
& x_{12}x_{14} + x_{12} + \frac{5x_{14}^2}{3} - x_{14} = 0 \\
& x_{13} - x_{14} = 0
\end{aligned}$$

$\mathfrak{m}_{2A}(4, 12)$

m2A412 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_2, e_7] = e_{11}$	$[e_2, e_8] = 3e_{12}$
$[e_3, e_6] = -e_{11}$	$[e_3, e_7] = -2e_{12}$
$[e_4, e_5] = e_{11}$	$[e_4, e_6] = e_{12}$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(4, 12)$

m4A412 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_5] = e_9 & [e_2, e_6] = 2e_{10} \\
[e_2, e_7] = \alpha_{2,7}^{11} e_{11} & [e_2, e_8] = \alpha_{2,8}^{12} e_{12} \\
[e_3, e_4] = -e_9 & [e_3, e_5] = -e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11} e_{11} & [e_3, e_7] = \alpha_{3,7}^{12} e_{12} \\
[e_4, e_5] = \alpha_{4,5}^{11} e_{11} & [e_4, e_6] = \alpha_{4,6}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,8}^{12} \rightarrow x_1$$

$$\alpha_{4,5}^{11} \rightarrow x_2$$

$$\alpha_{3,7}^{12} \rightarrow x_3$$

$$\alpha_{2,7}^{11} \rightarrow x_4$$

$$\alpha_{4,6}^{12} \rightarrow x_5$$

$$\alpha_{3,6}^{11} \rightarrow x_6$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_4 - x_6 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_6 - 1 & = 0 \\
(e_1, e_2, e_7) : & -x_1 - x_3 + x_4 & = 0 \\
(e_1, e_3, e_6) : & -x_3 - x_5 + x_6 & = 0 \\
(e_1, e_4, e_5) : & x_2 - x_5 & = 0
\end{array}$$

Groebner basis (6 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + 3x_6 - 1 = 0 \\
x_2 + x_6 + 1 = 0 \\
x_3 - 2x_6 - 1 = 0 \\
x_4 + x_6 - 2 = 0 \\
x_5 + x_6 + 1 = 0
\end{array}$$

$\mathfrak{m}_{6A}(4, 12)$

m6A412 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_7 & [e_2, e_4] = e_8 \\
[e_2, e_5] = \alpha_{2,5}^9 e_9 & [e_2, e_6] = \alpha_{2,6}^{10} e_{10} \\
[e_2, e_7] = \alpha_{2,7}^{11} e_{11} & [e_2, e_8] = \alpha_{2,8}^{12} e_{12} \\
[e_3, e_4] = \alpha_{3,4}^9 e_9 & [e_3, e_5] = \alpha_{3,5}^{10} e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11} e_{11} & [e_3, e_7] = \alpha_{3,7}^{12} e_{12} \\
[e_4, e_5] = \alpha_{4,5}^{11} e_{11} & [e_4, e_6] = \alpha_{4,6}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \quad \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \quad \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \quad \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \\
(e_1, e_2, e_7) : & \quad \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \quad \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \quad \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{2,5}^9 & \rightarrow x_1 \\
\alpha_{2,8}^{12} & \rightarrow x_2 \\
\alpha_{4,5}^{11} & \rightarrow x_3 \\
\alpha_{3,7}^{12} & \rightarrow x_4 \\
\alpha_{2,7}^{11} & \rightarrow x_5 \\
\alpha_{3,4}^9 & \rightarrow x_6 \\
\alpha_{4,6}^{12} & \rightarrow x_7 \\
\alpha_{3,6}^{11} & \rightarrow x_8 \\
\alpha_{2,6}^{10} & \rightarrow x_9 \\
\alpha_{3,5}^{10} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -x_1 - x_6 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad x_1 - x_{10} - x_9 & = 0 \\
(e_1, e_3, e_4) : & \quad -x_{10} + x_6 & = 0 \\
(e_1, e_2, e_6) : & \quad -x_5 - x_8 + x_9 & = 0 \\
(e_1, e_3, e_5) : & \quad x_{10} - x_3 - x_8 & = 0 \\
(e_1, e_2, e_7) : & \quad -x_2 - x_4 + x_5 & = 0 \\
(e_1, e_3, e_6) : & \quad -x_4 - x_7 + x_8 & = 0 \\
(e_1, e_4, e_5) : & \quad x_3 - x_7 & = 0
\end{aligned}$$



Groebner basis (10 variables, 8 linear, 0 nonlinear)

$$\begin{aligned}
x_1 + x_{10} - 1 &= 0 \\
x_{10} + x_2 + 3x_8 - 1 &= 0 \\
-x_{10} + x_3 + x_8 &= 0 \\
x_{10} + x_4 - 2x_8 &= 0 \\
2x_{10} + x_5 + x_8 - 1 &= 0 \\
-x_{10} + x_6 &= 0 \\
-x_{10} + x_7 + x_8 &= 0 \\
2x_{10} + x_9 - 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{1A}(5, 12)$

m1A512 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_2, e_7] &= e_{12} & [e_3, e_6] &= -e_{12} \\
[e_4, e_5] &= e_{12}
\end{aligned}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(5, 12)$

m3A512 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_2, e_5] &= e_{10} & [e_2, e_6] &= 2e_{11} \\
[e_2, e_7] &= \alpha_{2,7}^{12} e_{12} & [e_3, e_4] &= -e_{10} \\
[e_3, e_5] &= -e_{11} & [e_3, e_6] &= \alpha_{3,6}^{12} e_{12} \\
[e_4, e_5] &= \alpha_{4,5}^{12} e_{12}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}(e_1, e_2, e_6) : \quad & -\alpha_{2,7}^{12} - \alpha_{3,6}^{12} + 2 & = 0 \\(e_1, e_3, e_5) : \quad & -\alpha_{3,6}^{12} - \alpha_{4,5}^{12} - 1 & = 0\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,5}^{12} \rightarrow x_1$$

$$\alpha_{3,6}^{12} \rightarrow x_2$$

$$\alpha_{2,7}^{12} \rightarrow x_3$$

Jacobi Tests

$$\begin{aligned}(e_1, e_2, e_6) : \quad & -x_2 - x_3 + 2 & = 0 \\(e_1, e_3, e_5) : \quad & -x_1 - x_2 - 1 & = 0\end{aligned}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$x_1 - x_3 + 3 = 0$$

$$x_2 + x_3 - 2 = 0$$

$\mathfrak{m}_{5A}(5, 12)$

m5A512 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\[e_2, e_3] &= e_8 & [e_2, e_4] &= e_9 \\[e_2, e_5] &= \alpha_{2,5}^{10} e_{10} & [e_2, e_6] &= \alpha_{2,6}^{11} e_{11} \\[e_2, e_7] &= \alpha_{2,7}^{12} e_{12} & [e_3, e_4] &= \alpha_{3,4}^{10} e_{10} \\[e_3, e_5] &= \alpha_{3,5}^{11} e_{11} & [e_3, e_6] &= \alpha_{3,6}^{12} e_{12} \\[e_4, e_5] &= \alpha_{4,5}^{12} e_{12}\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \quad \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_6) : & \quad \alpha_{2,6}^{11} - \alpha_{2,7}^{12} - \alpha_{3,6}^{12} & = 0 \\
(e_1, e_3, e_5) : & \quad \alpha_{3,5}^{11} - \alpha_{3,6}^{12} - \alpha_{4,5}^{12} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{2,5}^{10} & \rightarrow x_1 \\
\alpha_{3,5}^{11} & \rightarrow x_2 \\
\alpha_{4,5}^{12} & \rightarrow x_3 \\
\alpha_{3,4}^{10} & \rightarrow x_4 \\
\alpha_{2,6}^{11} & \rightarrow x_5 \\
\alpha_{3,6}^{12} & \rightarrow x_6 \\
\alpha_{2,7}^{12} & \rightarrow x_7
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -x_1 - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad x_1 - x_2 - x_5 & = 0 \\
(e_1, e_3, e_4) : & \quad -x_2 + x_4 & = 0 \\
(e_1, e_2, e_6) : & \quad x_5 - x_6 - x_7 & = 0 \\
(e_1, e_3, e_5) : & \quad x_2 - x_3 - x_6 & = 0
\end{aligned}$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$\begin{aligned}
x_1 - \frac{x_6}{2} - \frac{x_7}{2} - \frac{1}{2} & = 0 \\
x_2 + \frac{x_6}{2} + \frac{x_7}{2} - \frac{1}{2} & = 0 \\
x_3 + \frac{3x_6}{2} + \frac{x_7}{2} - \frac{1}{2} & = 0 \\
x_4 + \frac{x_6}{2} + \frac{x_7}{2} - \frac{1}{2} & = 0 \\
x_5 - x_6 - x_7 & = 0
\end{aligned}$$

$\mathfrak{m}_{2A}(6, 12)$

m2A612 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_5] = e_{11} & [e_2, e_6] = 2e_{12} \\
[e_3, e_4] = -e_{11} & [e_3, e_5] = -e_{12}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(6, 12)$

m4A612 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_9 & [e_2, e_4] = e_{10} \\
[e_2, e_5] = \alpha_{2,5}^{11} e_{11} & [e_2, e_6] = \alpha_{2,6}^{12} e_{12} \\
[e_3, e_4] = \alpha_{3,4}^{11} e_{11} & [e_3, e_5] = \alpha_{3,5}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{11} - \alpha_{2,6}^{12} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{11} - \alpha_{3,5}^{12} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,5}^{12} \rightarrow x_1$$

$$\alpha_{3,4}^{11} \rightarrow x_2$$

$$\alpha_{2,6}^{12} \rightarrow x_3$$

$$\alpha_{2,5}^{11} \rightarrow x_4$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_2 - x_4 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_1 - x_3 + x_4 \quad = 0$$

$$(e_1, e_3, e_4) : \quad -x_1 + x_2 \quad = 0$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 + x_4 - 1 = 0$$

$$x_2 + x_4 - 1 = 0$$

$$x_3 - 2x_4 + 1 = 0$$

$\mathfrak{m}_{1A}(7, 12)$

m1A712 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_2, e_5] = e_{12}$$

$$[e_3, e_4] = -e_{12}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(7, 12)$

m3A712 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_{10} & [e_2, e_4] = e_{11} \\
[e_2, e_5] = \alpha_{2,5}^{12} e_{12} & [e_3, e_4] = \alpha_{3,4}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{12} - \alpha_{3,4}^{12} + 1 = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,4}^{12} \rightarrow x_1$$

$$\alpha_{2,5}^{12} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(8, 12)$

m2A812 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_{11} & [e_2, e_4] = e_{12}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(9, 12)$

m1A912 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_2, e_3] = e_{12} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(2, 13)$

m1A213 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_2, e_{11}] = e_{13} \\ [e_3, e_{10}] = -e_{13} & [e_4, e_9] = e_{13} \\ [e_5, e_8] = -e_{13} & [e_6, e_7] = e_{13} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(2, 13)$

m3A213 (this line included for string searching purposes)

Solution 1

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_9] = e_{11}$
$[e_2, e_{10}] = 4e_{12}$	$[e_2, e_{11}] = 0$
$[e_3, e_8] = -e_{11}$	$[e_3, e_9] = -3e_{12}$
$[e_3, e_{10}] = 4e_{13}$	$[e_4, e_7] = e_{11}$
$[e_4, e_8] = 2e_{12}$	$[e_4, e_9] = -7e_{13}$
$[e_5, e_6] = -e_{11}$	$[e_5, e_7] = -e_{12}$
$[e_5, e_8] = 9e_{13}$	$[e_6, e_7] = -10e_{13}$

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_9] = e_{11}$
$[e_2, e_{10}] = 4e_{12}$	$[e_2, e_{11}] = \alpha_{2,11}^{13} e_{13}$
$[e_3, e_8] = -e_{11}$	$[e_3, e_9] = -3e_{12}$
$[e_3, e_{10}] = \alpha_{3,10}^{13} e_{13}$	$[e_4, e_7] = e_{11}$
$[e_4, e_8] = 2e_{12}$	$[e_4, e_9] = \alpha_{4,9}^{13} e_{13}$
$[e_5, e_6] = -e_{11}$	$[e_5, e_7] = -e_{12}$
$[e_5, e_8] = \alpha_{5,8}^{13} e_{13}$	$[e_6, e_7] = \alpha_{6,7}^{13} e_{13}$



Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & \quad -\alpha_{2,11}^{13} - \alpha_{3,10}^{13} + 4 & = 0 \\
(e_1, e_3, e_9) : & \quad -\alpha_{3,10}^{13} - \alpha_{4,9}^{13} - 3 & = 0 \\
(e_1, e_4, e_8) : & \quad -\alpha_{4,9}^{13} - \alpha_{5,8}^{13} + 2 & = 0 \\
(e_1, e_5, e_7) : & \quad -\alpha_{5,8}^{13} - \alpha_{6,7}^{13} - 1 & = 0 \\
(e_2, e_3, e_8) : & \quad -\alpha_{2,11}^{13} & = 0 \\
(e_2, e_4, e_7) : & \quad \alpha_{2,11}^{13} & = 0 \\
(e_2, e_5, e_6) : & \quad -\alpha_{2,11}^{13} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{2,11}^{13} &= 0 \\
\alpha_{6,7}^{13} &= -10 \\
\alpha_{3,10}^{13} &= 4 \\
\alpha_{5,8}^{13} &= 9 \\
\alpha_{4,9}^{13} &= -7
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{2,11}^{13} &\rightarrow x_1 \\
\alpha_{6,7}^{13} &\rightarrow x_2 \\
\alpha_{3,10}^{13} &\rightarrow x_3 \\
\alpha_{5,8}^{13} &\rightarrow x_4 \\
\alpha_{4,9}^{13} &\rightarrow x_5
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_{10}) : & \quad -x_1 - x_3 + 4 & = 0 \\
(e_1, e_3, e_9) : & \quad -x_3 - x_5 - 3 & = 0 \\
(e_1, e_4, e_8) : & \quad -x_4 - x_5 + 2 & = 0 \\
(e_1, e_5, e_7) : & \quad -x_2 - x_4 - 1 & = 0 \\
(e_2, e_3, e_8) : & \quad -x_1 & = 0 \\
(e_2, e_4, e_7) : & \quad x_1 & = 0 \\
(e_2, e_5, e_6) : & \quad -x_1 & = 0
\end{aligned}$$

Groebner basis (5 variables, 5 linear, 0 nonlinear)

$$x_1 = 0$$

$$x_2 + 10 = 0$$

$$x_3 - 4 = 0$$

$$x_4 - 9 = 0$$

$$x_5 + 7 = 0$$

Solution 1:

$$x_1 = 0$$

$$x_2 = -10$$

$$x_3 = 4$$

$$x_4 = 9$$

$$x_5 = -7$$

$\mathfrak{m}_{9A}(2, 13)$

m9A213 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_5 \\
\\ 
[e_2, e_4] = e_6 & [e_2, e_5] = \frac{9e_7}{10} \\
[e_2, e_6] = \frac{4e_8}{5} & [e_2, e_7] = \frac{5e_9}{7} \\
[e_2, e_8] = \frac{9e_{10}}{14} & [e_2, e_9] = \frac{7e_{11}}{12} \\
[e_2, e_{10}] = \frac{8e_{12}}{15} & [e_2, e_{11}] = \frac{27e_{13}}{55} \\
[e_3, e_4] = \frac{e_7}{10} & [e_3, e_5] = \frac{e_8}{10} \\
[e_3, e_6] = \frac{3e_9}{35} & [e_3, e_7] = \frac{e_{10}}{14} \\
[e_3, e_8] = \frac{5e_{11}}{84} & [e_3, e_9] = \frac{e_{12}}{20} \\
[e_3, e_{10}] = \frac{7e_{13}}{165} & [e_4, e_5] = \frac{e_9}{70} \\
[e_4, e_6] = \frac{e_{10}}{70} & [e_4, e_7] = \frac{e_{11}}{84} \\
[e_4, e_8] = \frac{e_{12}}{105} & [e_4, e_9] = \frac{e_{13}}{132} \\
[e_5, e_6] = \frac{e_{11}}{420} & [e_5, e_7] = \frac{e_{12}}{420} \\
[e_5, e_8] = \frac{3e_{13}}{1540} & [e_6, e_7] = \frac{e_{13}}{2310}
\end{array}$$

Solution 2

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_3] = e_5$
$[e_2, e_4] = e_6$	$[e_2, e_5] = e_7$
$[e_2, e_6] = e_8$	$[e_2, e_7] = e_9$
$[e_2, e_8] = e_{10}$	$[e_2, e_9] = e_{11}$
$[e_2, e_{10}] = e_{12}$	$[e_2, e_{11}] = e_{13}$
$[e_3, e_4] = 0$	$[e_3, e_5] = 0$
$[e_3, e_6] = 0$	$[e_3, e_7] = 0$
$[e_3, e_8] = 0$	$[e_3, e_9] = 0$
$[e_3, e_{10}] = 0$	$[e_4, e_5] = 0$
$[e_4, e_6] = 0$	$[e_4, e_7] = 0$
$[e_4, e_8] = 0$	$[e_4, e_9] = 0$
$[e_5, e_6] = 0$	$[e_5, e_7] = 0$
$[e_5, e_8] = 0$	$[e_6, e_7] = 0$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_6] = \alpha_{2,6}^8 e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} & [e_2, e_{11}] = \alpha_{2,11}^{13} e_{13} \\
[e_3, e_4] = \alpha_{3,4}^7 e_7 & [e_3, e_5] = \alpha_{3,5}^8 e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_3, e_9] = \alpha_{3,9}^{12} e_{12} \\
[e_3, e_{10}] = \alpha_{3,10}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_4, e_8] = \alpha_{4,8}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{13} e_{13} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & [e_5, e_7] = \alpha_{5,7}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{13} e_{13} & [e_6, e_7] = \alpha_{6,7}^{13} e_{13}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - \alpha_{2,6}^8 \alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,4}^7 \alpha_{5,7}^{12} - \alpha_{3,5}^8 \alpha_{4,8}^{12} + \alpha_{3,9}^{12} \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{12} - \alpha_{2,11}^{13} - \alpha_{3,10}^{13} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} + \alpha_{3,9}^{12} - \alpha_{4,9}^{13} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{12} - \alpha_{4,9}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{12} - \alpha_{5,8}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_3, e_8) : & \alpha_{2,11}^{13} \alpha_{3,8}^{11} - \alpha_{2,8}^{10} \alpha_{3,10}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} \alpha_{4,7}^{11} - \alpha_{2,7}^9 \alpha_{4,9}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,11}^{13} \alpha_{5,6}^{11} + \alpha_{2,5}^7 \alpha_{6,7}^{13} - \alpha_{2,6}^8 \alpha_{5,8}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{13} \alpha_{4,6}^{10} + \alpha_{3,4}^7 \alpha_{6,7}^{13} - \alpha_{3,6}^9 \alpha_{4,9}^{13} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{2,11}^{13} &= 27/55 \\
\alpha_{2,9}^{11} &= 7/12 \\
\alpha_{3,5}^8 &= 1/10 \\
\alpha_{3,6}^9 &= 3/35 \\
\alpha_{2,10}^{12} &= 8/15 \\
\alpha_{2,7}^9 &= 5/7 \\
\alpha_{3,10}^{13} &= 7/165 \\
\alpha_{6,7}^{13} &= 1/2310 \\
\alpha_{3,4}^7 &= 1/10 \\
\alpha_{2,8}^{10} &= 9/14 \\
\alpha_{4,8}^{12} &= 1/105 \\
\alpha_{4,9}^{13} &= 1/132 \\
\alpha_{2,5}^7 &= 9/10 \\
\alpha_{2,6}^8 &= 4/5 \\
\alpha_{3,8}^{11} &= 5/84 \\
\alpha_{4,5}^9 &= 1/70 \\
\alpha_{5,8}^{13} &= 3/1540 \\
\alpha_{5,7}^{12} &= 1/420 \\
\alpha_{5,6}^{11} &= 1/420 \\
\alpha_{3,9}^{12} &= 1/20 \\
\alpha_{3,7}^{10} &= 1/14 \\
\alpha_{4,7}^{11} &= 1/84 \\
\alpha_{4,6}^{10} &= 1/70
\end{aligned}$$

Solution 2:

$$\begin{aligned}
\alpha_{2,11}^{13} &= 1 \\
\alpha_{2,9}^{11} &= 1 \\
\alpha_{3,5}^8 &= 0 \\
\alpha_{3,6}^9 &= 0 \\
\alpha_{2,10}^{12} &= 1 \\
\alpha_{2,7}^9 &= 1 \\
\alpha_{3,10}^{13} &= 0 \\
\alpha_{6,7}^{13} &= 0 \\
\alpha_{3,4}^7 &= 0 \\
\alpha_{2,8}^{10} &= 1 \\
\alpha_{4,8}^{12} &= 0 \\
\alpha_{4,9}^{13} &= 0 \\
\alpha_{2,5}^7 &= 1 \\
\alpha_{2,6}^8 &= 1 \\
\alpha_{3,8}^{11} &= 0 \\
\alpha_{4,5}^9 &= 0 \\
\alpha_{5,8}^{13} &= 0 \\
\alpha_{5,7}^{12} &= 0 \\
\alpha_{5,6}^{11} &= 0 \\
\alpha_{3,9}^{12} &= 0 \\
\alpha_{3,7}^{10} &= 0 \\
\alpha_{4,7}^{11} &= 0 \\
\alpha_{4,6}^{10} &= 0
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{2,11}^{13} &\rightarrow x_1 \\
\alpha_{2,9}^{11} &\rightarrow x_2 \\
\alpha_{3,5}^8 &\rightarrow x_3 \\
\alpha_{3,6}^9 &\rightarrow x_4 \\
\alpha_{2,10}^{12} &\rightarrow x_5
\end{aligned}$$



$$\alpha_{2,7}^9 \rightarrow x_6$$

$$\alpha_{3,10}^{13} \rightarrow x_7$$

$$\alpha_{6,7}^{13} \rightarrow x_8$$

$$\alpha_{3,4}^7 \rightarrow x_9$$

$$\alpha_{2,8}^{10} \rightarrow x_{10}$$

$$\alpha_{4,8}^{12} \rightarrow x_{11}$$

$$\alpha_{4,9}^{13} \rightarrow x_{12}$$

$$\alpha_{2,5}^7 \rightarrow x_{13}$$

$$\alpha_{2,6}^8 \rightarrow x_{14}$$

$$\alpha_{3,8}^{11} \rightarrow x_{15}$$

$$\alpha_{4,5}^9 \rightarrow x_{16}$$

$$\alpha_{5,8}^{13} \rightarrow x_{17}$$

$$\alpha_{5,7}^{12} \rightarrow x_{18}$$

$$\alpha_{5,6}^{11} \rightarrow x_{19}$$

$$\alpha_{3,9}^{12} \rightarrow x_{20}$$

$$\alpha_{3,7}^{10} \rightarrow x_{21}$$

$$\alpha_{4,7}^{11} \rightarrow x_{22}$$

$$\alpha_{4,6}^{10} \rightarrow x_{23}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_{13} - x_9 + 1 & = 0 \\
(e_1, e_2, e_5) : & x_{13} - x_{14} - x_3 & = 0 \\
(e_1, e_3, e_4) : & -x_3 + x_9 & = 0 \\
(e_1, e_2, e_6) : & x_{14} - x_4 - x_6 & = 0 \\
(e_1, e_3, e_5) : & -x_{16} + x_3 - x_4 & = 0 \\
(e_2, e_3, e_4) : & x_{16} - x_4 + x_6 x_9 & = 0 \\
(e_1, e_2, e_7) : & -x_{10} - x_{21} + x_6 & = 0 \\
(e_1, e_3, e_6) : & -x_{21} - x_{23} + x_4 & = 0 \\
(e_1, e_4, e_5) : & x_{16} - x_{23} & = 0 \\
(e_2, e_3, e_5) : & x_{10} x_3 - x_{13} x_{21} & = 0 \\
(e_1, e_2, e_8) : & x_{10} - x_{15} - x_2 & = 0 \\
(e_1, e_3, e_7) : & -x_{15} + x_{21} - x_{22} & = 0 \\
(e_1, e_4, e_6) : & -x_{19} - x_{22} + x_{23} & = 0 \\
(e_2, e_3, e_6) : & -x_{14} x_{15} - x_{19} + x_2 x_4 & = 0 \\
(e_2, e_4, e_5) : & -x_{13} x_{22} + x_{16} x_2 + x_{19} & = 0 \\
(e_1, e_2, e_9) : & x_2 - x_{20} - x_5 & = 0 \\
(e_1, e_3, e_8) : & -x_{11} + x_{15} - x_{20} & = 0 \\
(e_1, e_4, e_7) : & -x_{11} - x_{18} + x_{22} & = 0 \\
(e_1, e_5, e_6) : & -x_{18} + x_{19} & = 0 \\
(e_2, e_3, e_7) : & -x_{18} - x_{20} x_6 + x_{21} x_5 & = 0 \\
(e_2, e_4, e_6) : & -x_{11} x_{14} + x_{23} x_5 & = 0 \\
(e_3, e_4, e_5) : & -x_{11} x_3 + x_{16} x_{20} + x_{18} x_9 & = 0 \\
(e_1, e_2, e_{10}) : & -x_1 + x_5 - x_7 & = 0 \\
(e_1, e_3, e_9) : & -x_{12} + x_{20} - x_7 & = 0 \\
(e_1, e_4, e_8) : & x_{11} - x_{12} - x_{17} & = 0 \\
(e_1, e_5, e_7) : & -x_{17} + x_{18} - x_8 & = 0 \\
(e_2, e_3, e_8) : & x_1 x_{15} - x_{10} x_7 - x_{17} & = 0 \\
(e_2, e_4, e_7) : & x_1 x_{22} - x_{12} x_6 - x_8 & = 0 \\
(e_2, e_5, e_6) : & x_1 x_{19} + x_{13} x_8 - x_{14} x_{17} & = 0 \\
(e_3, e_4, e_6) : & -x_{12} x_4 + x_{23} x_7 + x_8 x_9 & = 0
\end{aligned}$$

Groebner basis (23 variables, 15 linear, 11 nonlinear)

$$\begin{aligned}
x_1 + 7x_{21} - 10x_{22} + \frac{2800x_{23}^3}{33} - \frac{10x_{23}^2}{3} + 9x_{23} - 1 &= 0 \\
x_2 + 5x_{21} - x_{22} + 5x_{23} - 1 &= 0
\end{aligned}$$

$$\begin{aligned}
& -x_{21} - 2x_{23} + x_3 = 0 \\
& -x_{21} - x_{23} + x_4 = 0 \\
& 6x_{21} - 4x_{22} + 6x_{23} + x_5 - 1 = 0 \\
& 3x_{21} + 5x_{23} + x_6 - 1 = 0 \\
& -x_{21} + 6x_{22} - \frac{2800x_{23}^3}{33} + \frac{10x_{23}^2}{3} - 3x_{23} + x_7 = 0 \\
& \frac{2800x_{23}^3}{33} - \frac{10x_{23}^2}{3} + x_8 = 0 \\
& -x_{21} - 2x_{23} + x_9 = 0 \\
& x_{10} + 4x_{21} + 5x_{23} - 1 = 0 \\
& x_{11} - 2x_{22} + x_{23} = 0 \\
& x_{12} - 3x_{22} + \frac{2800x_{23}^3}{33} - \frac{10x_{23}^2}{3} + 2x_{23} = 0 \\
& x_{13} + x_{21} + 2x_{23} - 1 = 0 \\
& x_{14} + 2x_{21} + 4x_{23} - 1 = 0 \\
& x_{15} - x_{21} + x_{22} = 0 \\
& x_{16} - x_{23} = 0 \\
& x_{17} + x_{22} - \frac{2800x_{23}^3}{33} + \frac{10x_{23}^2}{3} - x_{23} = 0 \\
& x_{18} + x_{22} - x_{23} = 0 \\
& x_{19} + x_{22} - x_{23} = 0 \\
& x_{20} - x_{21} + 3x_{22} - x_{23} = 0 \\
& x_{21}^2 - \frac{11x_{22}}{6} + \frac{5x_{23}^2}{18} + \frac{7x_{23}}{6} = 0 \\
& x_{21}x_{22} + \frac{x_{22}}{2} - 35x_{23}^3 + \frac{13x_{23}^2}{6} - \frac{x_{23}}{2} = 0 \\
& x_{21}x_{23} + \frac{x_{22}}{2} + \frac{5x_{23}^2}{6} - \frac{x_{23}}{2} = 0 \\
& x_{22}^2 + \frac{385x_{23}^3}{18} - x_{23}^2 = 0 \\
& x_{22}x_{23} + \frac{35x_{23}^3}{3} - x_{23}^2 = 0 \\
& x_{23}^4 - \frac{x_{23}^3}{70} = 0
\end{aligned}$$

Solution 1:

$$x_1 = 27/55$$

$$\begin{aligned}
x_2 &= 7/12 \\
x_3 &= 1/10 \\
x_4 &= 3/35 \\
x_5 &= 8/15 \\
x_6 &= 5/7 \\
x_7 &= 7/165 \\
x_8 &= 1/2310 \\
x_9 &= 1/10 \\
x_{10} &= 9/14 \\
x_{11} &= 1/105 \\
x_{12} &= 1/132 \\
x_{13} &= 9/10 \\
x_{14} &= 4/5 \\
x_{15} &= 5/84 \\
x_{16} &= 1/70 \\
x_{17} &= 3/1540 \\
x_{18} &= 1/420 \\
x_{19} &= 1/420 \\
x_{20} &= 1/20 \\
x_{21} &= 1/14 \\
x_{22} &= 1/84 \\
x_{23} &= 1/70
\end{aligned}$$

Solution 2:

$$\begin{aligned}
x_1 &= 1 \\
x_2 &= 1 \\
x_3 &= 0 \\
x_4 &= 0 \\
x_5 &= 1 \\
x_6 &= 1 \\
x_7 &= 0 \\
x_8 &= 0 \\
x_9 &= 0
\end{aligned}$$

$$\begin{aligned}
x_1 0 &= 1 \\
x_1 1 &= 0 \\
x_1 2 &= 0 \\
x_1 3 &= 1 \\
x_1 4 &= 1 \\
x_1 5 &= 0 \\
x_1 6 &= 0 \\
x_1 7 &= 0 \\
x_1 8 &= 0 \\
x_1 9 &= 0 \\
x_2 0 &= 0 \\
x_2 1 &= 0 \\
x_2 2 &= 0 \\
x_2 3 &= 0
\end{aligned}$$

$$\mathfrak{m}_{2A}(3, 13)$$

m2A313 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_9] &= e_{12} \\
[e_2, e_{10}] &= 4e_{13} & [e_3, e_8] &= -e_{12} \\
[e_3, e_9] &= -3e_{13} & [e_4, e_7] &= e_{12} \\
[e_4, e_8] &= 2e_{13} & [e_5, e_6] &= -e_{12} \\
[e_5, e_7] &= -e_{13} & &
\end{aligned}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(3, 13)$

m4A313 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{10} \\
[e_2, e_8] = 3e_{11} & [e_2, e_9] = \frac{7e_{12}}{2} \\
[e_2, e_{10}] = 0 & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_3, e_8] = -\frac{e_{12}}{2} \\
[e_3, e_9] = \frac{7e_{13}}{2} & [e_4, e_5] = e_{10} \\
[e_4, e_6] = e_{11} & [e_4, e_7] = -\frac{3e_{12}}{2} \\
[e_4, e_8] = -4e_{13} & [e_5, e_6] = \frac{5e_{12}}{2} \\
[e_5, e_7] = \frac{5e_{13}}{2} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{10} \\
[e_2, e_8] = 3e_{11} & [e_2, e_9] = \alpha_{2,9}^{12}e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13}e_{13} & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_3, e_8] = \alpha_{3,8}^{12}e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13}e_{13} & [e_4, e_5] = e_{10} \\
[e_4, e_6] = e_{11} & [e_4, e_7] = \alpha_{4,7}^{12}e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13}e_{13} & [e_5, e_6] = \alpha_{5,6}^{12}e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13}e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{12} - \alpha_{4,7}^{12} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{12} - \alpha_{5,6}^{12} + 1 & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,10}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{4,7}^{12} &= -3/2 \\
\alpha_{5,7}^{13} &= 5/2 \\
\alpha_{3,8}^{12} &= -1/2 \\
\alpha_{4,8}^{13} &= -4 \\
\alpha_{5,6}^{12} &= 5/2 \\
\alpha_{3,9}^{13} &= 7/2 \\
\alpha_{2,10}^{13} &= 0 \\
\alpha_{2,9}^{12} &= 7/2
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{4,7}^{12} &\rightarrow x_1 \\
\alpha_{5,7}^{13} &\rightarrow x_2 \\
\alpha_{3,8}^{12} &\rightarrow x_3 \\
\alpha_{4,8}^{13} &\rightarrow x_4 \\
\alpha_{5,6}^{12} &\rightarrow x_5 \\
\alpha_{3,9}^{13} &\rightarrow x_6 \\
\alpha_{2,10}^{13} &\rightarrow x_7
\end{aligned}$$

$$\alpha_{2,9}^{12} \rightarrow x_8$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_3 - x_8 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_1 - x_3 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_1 - x_5 + 1 & = 0 \\
(e_1, e_2, e_9) : & -x_6 - x_7 + x_8 & = 0 \\
(e_1, e_3, e_8) : & x_3 - x_4 - x_6 & = 0 \\
(e_1, e_4, e_7) : & x_1 - x_2 - x_4 & = 0 \\
(e_1, e_5, e_6) : & -x_2 + x_5 & = 0 \\
(e_2, e_3, e_6) : & -x_7 & = 0 \\
(e_2, e_4, e_5) : & x_7 & = 0
\end{array}$$

Groebner basis (8 variables, 8 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + \frac{3}{2} = 0 \\
x_2 - \frac{5}{2} = 0 \\
x_3 + \frac{1}{2} = 0 \\
x_4 + 4 = 0 \\
x_5 - \frac{5}{2} = 0 \\
x_6 - \frac{7}{2} = 0 \\
x_7 = 0 \\
x_8 - \frac{7}{2} = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = -3/2 \\
x_2 = 5/2 \\
x_3 = -1/2 \\
x_4 = -4 \\
x_5 = 5/2 \\
x_6 = 7/2 \\
x_7 = 0 \\
x_8 = 7/2
\end{array}$$



$\mathfrak{m}_{6A}(3, 13)$

m6A313 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \frac{5e_{10}}{3} \\
[e_2, e_8] = 0 & [e_2, e_9] = -\frac{49e_{12}}{33} \\
[e_2, e_{10}] = -\frac{14e_{13}}{11} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \frac{e_{10}}{3} \\
[e_3, e_7] = \frac{5e_{11}}{3} & [e_3, e_8] = \frac{49e_{12}}{33} \\
[e_3, e_9] = -\frac{7e_{13}}{33} & [e_4, e_5] = -\frac{4e_{10}}{3} \\
[e_4, e_6] = -\frac{4e_{11}}{3} & [e_4, e_7] = \frac{2e_{12}}{11} \\
[e_4, e_8] = \frac{56e_{13}}{33} & [e_5, e_6] = -\frac{50e_{12}}{33} \\
[e_5, e_7] = -\frac{50e_{13}}{33} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_9] = \alpha_{2,9}^{12} e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_7] = \alpha_{4,7}^{12} e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13} e_{13} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13} e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - 2\alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{4,8}^{13} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{4,5}^{10} &= -4/3 \\
\alpha_{4,6}^{11} &= -4/3 \\
\alpha_{4,7}^{12} &= 2/11 \\
\alpha_{5,7}^{13} &= -50/33 \\
\alpha_{3,8}^{12} &= 49/33 \\
\alpha_{3,6}^{10} &= 1/3 \\
\alpha_{5,6}^{12} &= -50/33 \\
\alpha_{4,8}^{13} &= 56/33 \\
\alpha_{2,7}^{10} &= 5/3 \\
\alpha_{3,9}^{13} &= -7/33 \\
\alpha_{3,7}^{11} &= 5/3 \\
\alpha_{2,10}^{13} &= -14/11 \\
\alpha_{2,8}^{11} &= 0 \\
\alpha_{2,9}^{12} &= -49/33
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{4,5}^{10} &\rightarrow x_1 \\
\alpha_{4,6}^{11} &\rightarrow x_2 \\
\alpha_{4,7}^{12} &\rightarrow x_3 \\
\alpha_{5,7}^{13} &\rightarrow x_4 \\
\alpha_{3,8}^{12} &\rightarrow x_5 \\
\alpha_{3,6}^{10} &\rightarrow x_6 \\
\alpha_{5,6}^{12} &\rightarrow x_7 \\
\alpha_{4,8}^{13} &\rightarrow x_8 \\
\alpha_{2,7}^{10} &\rightarrow x_9 \\
\alpha_{3,9}^{13} &\rightarrow x_{10} \\
\alpha_{3,7}^{11} &\rightarrow x_{11} \\
\alpha_{2,10}^{13} &\rightarrow x_{12} \\
\alpha_{2,8}^{11} &\rightarrow x_{13}
\end{aligned}$$

$$\alpha_{2,9}^{12} \rightarrow x_{14}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_6 - x_9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_6 - 1 & = 0 \\
(e_1, e_2, e_7) : & -x_{11} - x_{13} + x_9 & = 0 \\
(e_1, e_3, e_6) : & -x_{11} - x_2 + x_6 & = 0 \\
(e_1, e_4, e_5) : & x_1 - x_2 & = 0 \\
(e_2, e_3, e_4) : & -x_{13} & = 0 \\
(e_1, e_2, e_8) : & x_{13} - x_{14} - x_5 & = 0 \\
(e_1, e_3, e_7) : & x_{11} - x_3 - x_5 & = 0 \\
(e_1, e_4, e_6) : & x_2 - x_3 - x_7 & = 0 \\
(e_2, e_3, e_5) : & -x_{14} - x_5 & = 0 \\
(e_1, e_2, e_9) : & -x_{10} - x_{12} + x_{14} & = 0 \\
(e_1, e_3, e_8) : & -x_{10} + x_5 - x_8 & = 0 \\
(e_1, e_4, e_7) : & x_3 - x_4 - x_8 & = 0 \\
(e_1, e_5, e_6) : & -x_4 + x_7 & = 0 \\
(e_2, e_3, e_6) : & -2x_{10} + x_{12}x_6 & = 0 \\
(e_2, e_4, e_5) : & x_1x_{12} - x_8 & = 0
\end{array}$$

Groebner basis (14 variables, 14 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + \frac{4}{3} = 0 \\
x_2 + \frac{4}{3} = 0 \\
x_3 - \frac{2}{11} = 0 \\
x_4 + \frac{50}{33} = 0 \\
x_5 - \frac{49}{33} = 0 \\
x_6 - \frac{1}{3} = 0 \\
x_7 + \frac{50}{33} = 0 \\
x_8 - \frac{56}{33} = 0
\end{array}$$

$$x_9 - \frac{5}{3} = 0$$

$$x_{10} + \frac{7}{33} = 0$$

$$x_{11} - \frac{5}{3} = 0$$

$$x_{12} + \frac{14}{11} = 0$$

$$x_{13} = 0$$

$$x_{14} + \frac{49}{33} = 0$$

Solution 1:

$$x_1 = -4/3$$

$$x_2 = -4/3$$

$$x_3 = 2/11$$

$$x_4 = -50/33$$

$$x_5 = 49/33$$

$$x_6 = 1/3$$

$$x_7 = -50/33$$

$$x_8 = 56/33$$

$$x_9 = 5/3$$

$$x_{10} = -7/33$$

$$x_{11} = 5/3$$

$$x_{12} = -14/11$$

$$x_{13} = 0$$

$$x_{14} = -49/33$$

$\mathfrak{m}_{8A}(3, 13)$

m8A313 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_3] = e_6$
$[e_2, e_4] = e_7$	$[e_2, e_5] = \alpha_{2,5}^8 e_8$
$[e_2, e_6] = \alpha_{2,6}^9 e_9$	$[e_2, e_7] = \alpha_{2,7}^{10} e_{10}$
$[e_2, e_8] = \alpha_{2,8}^{11} e_{11}$	$[e_2, e_9] = \alpha_{2,9}^{12} e_{12}$
$[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13}$	$[e_3, e_4] = \alpha_{3,4}^8 e_8$
$[e_3, e_5] = \alpha_{3,5}^9 e_9$	$[e_3, e_6] = \alpha_{3,6}^{10} e_{10}$
$[e_3, e_7] = \alpha_{3,7}^{11} e_{11}$	$[e_3, e_8] = \alpha_{3,8}^{12} e_{12}$
$[e_3, e_9] = \alpha_{3,9}^{13} e_{13}$	$[e_4, e_5] = \alpha_{4,5}^{10} e_{10}$
$[e_4, e_6] = \alpha_{4,6}^{11} e_{11}$	$[e_4, e_7] = \alpha_{4,7}^{12} e_{12}$
$[e_4, e_8] = \alpha_{4,8}^{13} e_{13}$	$[e_5, e_6] = \alpha_{5,6}^{12} e_{12}$
$[e_5, e_7] = \alpha_{5,7}^{13} e_{13}$	

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{12} + \alpha_{2,9}^{12} \alpha_{3,5}^9 + \alpha_{5,6}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - \alpha_{2,6}^9 \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{2,5}^8 \alpha_{4,8}^{13} + \alpha_{5,7}^{13} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,5}^8 \rightarrow x_1$$

$$\alpha_{4,5}^{10} \rightarrow x_2$$

$$\alpha_{4,6}^{11} \rightarrow x_3$$

$$\alpha_{4,7}^{12} \rightarrow x_4$$

$$\alpha_{5,7}^{13} \rightarrow x_5$$

$$\alpha_{3,8}^{12} \rightarrow x_6$$

$$\alpha_{2,6}^9 \rightarrow x_7$$

$$\alpha_{3,6}^{10} \rightarrow x_8$$



$$\alpha_{5,6}^{12} \rightarrow x_9$$

$$\alpha_{4,8}^{13} \rightarrow x_{10}$$

$$\alpha_{2,9}^{12} \rightarrow x_{11}$$

$$\alpha_{2,7}^{10} \rightarrow x_{12}$$

$$\alpha_{3,9}^{13} \rightarrow x_{13}$$

$$\alpha_{2,8}^{11} \rightarrow x_{14}$$

$$\alpha_{3,7}^{11} \rightarrow x_{15}$$

$$\alpha_{2,10}^{13} \rightarrow x_{16}$$

$$\alpha_{3,5}^9 \rightarrow x_{17}$$

$$\alpha_{3,4}^8 \rightarrow x_{18}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_{18} + 1 & = 0 \\
(e_1, e_2, e_5) : & x_1 - x_{17} - x_7 & = 0 \\
(e_1, e_3, e_4) : & -x_{17} + x_{18} & = 0 \\
(e_1, e_2, e_6) : & -x_{12} + x_7 - x_8 & = 0 \\
(e_1, e_3, e_5) : & x_{17} - x_2 - x_8 & = 0 \\
(e_1, e_2, e_7) : & x_{12} - x_{14} - x_{15} & = 0 \\
(e_1, e_3, e_6) : & -x_{15} - x_3 + x_8 & = 0 \\
(e_1, e_4, e_5) : & x_2 - x_3 & = 0 \\
(e_2, e_3, e_4) : & x_{14}x_{18} - x_{15} + x_3 & = 0 \\
(e_1, e_2, e_8) : & -x_{11} + x_{14} - x_6 & = 0 \\
(e_1, e_3, e_7) : & x_{15} - x_4 - x_6 & = 0 \\
(e_1, e_4, e_6) : & x_3 - x_4 - x_9 & = 0 \\
(e_2, e_3, e_5) : & -x_1x_6 + x_{11}x_{17} + x_9 & = 0 \\
(e_1, e_2, e_9) : & x_{11} - x_{13} - x_{16} & = 0 \\
(e_1, e_3, e_8) : & -x_{10} - x_{13} + x_6 & = 0 \\
(e_1, e_4, e_7) : & -x_{10} + x_4 - x_5 & = 0 \\
(e_1, e_5, e_6) : & -x_5 + x_9 & = 0 \\
(e_2, e_3, e_6) : & -x_{13}x_7 + x_{16}x_8 & = 0 \\
(e_2, e_4, e_5) : & -x_1x_{10} + x_{16}x_2 + x_5 & = 0
\end{array}$$

Groebner basis (18 variables, 15 linear, 3 nonlinear)

$$\begin{aligned}
& x_1 + x_{18} - 1 = 0 \\
& \frac{x_{15}}{2} - \frac{x_{18}}{2} + x_2 = 0 \\
& \frac{x_{15}}{2} - \frac{x_{18}}{2} + x_3 = 0 \\
& -\frac{3x_{15}}{4} - \frac{x_{16}}{4} - \frac{3x_{18}}{4} + x_4 + \frac{1}{4} = 0 \\
& \frac{5x_{15}}{4} + \frac{x_{16}}{4} + \frac{x_{18}}{4} + x_5 - \frac{1}{4} = 0 \\
& -\frac{x_{15}}{4} + \frac{x_{16}}{4} + \frac{3x_{18}}{4} + x_6 - \frac{1}{4} = 0 \\
& 2x_{18} + x_7 - 1 = 0 \\
& -\frac{x_{15}}{2} - \frac{x_{18}}{2} + x_8 = 0 \\
& \frac{5x_{15}}{4} + \frac{x_{16}}{4} + \frac{x_{18}}{4} + x_9 - \frac{1}{4} = 0 \\
& x_{10} - 2x_{15} - \frac{x_{16}}{2} - x_{18} + \frac{1}{2} = 0 \\
& x_{11} + \frac{7x_{15}}{4} - \frac{x_{16}}{4} + \frac{7x_{18}}{4} - \frac{3}{4} = 0 \\
& x_{12} + \frac{x_{15}}{2} + \frac{5x_{18}}{2} - 1 = 0 \\
& x_{13} + \frac{7x_{15}}{4} + \frac{3x_{16}}{4} + \frac{7x_{18}}{4} - \frac{3}{4} = 0 \\
& x_{14} + \frac{3x_{15}}{2} + \frac{5x_{18}}{2} - 1 = 0 \\
& x_{15}x_{16} + \frac{21x_{15}}{2} - 2x_{16}x_{18} + \frac{3x_{16}}{2} + \frac{14x_{18}^2}{3} - \frac{x_{18}}{2} - \frac{3}{2} = 0 \\
& x_{15}x_{18} + x_{15} + \frac{5x_{18}^2}{3} - x_{18} = 0 \\
& x_{16}x_{18}^2 - \frac{3x_{16}x_{18}}{22} - \frac{9x_{16}}{22} - \frac{14x_{18}^3}{11} + \frac{40x_{18}^2}{11} - \frac{51x_{18}}{22} + \frac{9}{22} = 0 \\
& x_{17} - x_{18} = 0
\end{aligned}$$

$\mathfrak{m}_{1A}(4, 13)$

m1A413 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_9] = e_{13} \\
[e_3, e_8] = -e_{13} & [e_4, e_7] = e_{13} \\
[e_5, e_6] = -e_{13} &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(4, 13)$

m3A413 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{11} \\
[e_2, e_8] = 3e_{12} & [e_2, e_9] = \alpha_{2,9}^{13}e_{13} \\
[e_3, e_6] = -e_{11} & [e_3, e_7] = -2e_{12} \\
[e_3, e_8] = \alpha_{3,8}^{13}e_{13} & [e_4, e_5] = e_{11} \\
[e_4, e_6] = e_{12} & [e_4, e_7] = \alpha_{4,7}^{13}e_{13} \\
[e_5, e_6] = \alpha_{5,6}^{13}e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{13} - \alpha_{3,8}^{13} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{13} - \alpha_{4,7}^{13} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{13} - \alpha_{5,6}^{13} + 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,7}^{13} \rightarrow x_1$$

$$\alpha_{2,9}^{13} \rightarrow x_2$$

$$\alpha_{3,8}^{13} \rightarrow x_3$$

$$\alpha_{5,6}^{13} \rightarrow x_4$$

Jacobi Tests

$$(e_1, e_2, e_8) : \quad -x_2 - x_3 + 3 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_1 - x_3 - 2 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_1 - x_4 + 1 \quad = 0$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 + x_4 - 1 = 0$$

$$x_2 + x_4 - 6 = 0$$

$$x_3 - x_4 + 3 = 0$$

$\mathfrak{m}_{5A}(4, 13)$

m5A413 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_2, e_5] = e_9 \\ [e_2, e_6] = 2e_{10} & [e_2, e_7] = \alpha_{2,7}^{11} e_{11} \\ [e_2, e_8] = \alpha_{2,8}^{12} e_{12} & [e_2, e_9] = \alpha_{2,9}^{13} e_{13} \\ [e_3, e_4] = -e_9 & [e_3, e_5] = -e_{10} \\ [e_3, e_6] = \alpha_{3,6}^{11} e_{11} & [e_3, e_7] = \alpha_{3,7}^{12} e_{12} \\ [e_3, e_8] = \alpha_{3,8}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{11} e_{11} \\ [e_4, e_6] = \alpha_{4,6}^{12} e_{12} & [e_4, e_7] = \alpha_{4,7}^{13} e_{13} \\ [e_5, e_6] = \alpha_{5,6}^{13} e_{13} & \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & \quad -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & \quad -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_7) : & \quad \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \quad \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \quad \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \quad \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \quad \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \quad \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & \quad -\alpha_{2,9}^{13} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{4,7}^{13} & \rightarrow x_1 \\
\alpha_{5,6}^{13} & \rightarrow x_2 \\
\alpha_{2,8}^{12} & \rightarrow x_3 \\
\alpha_{4,5}^{11} & \rightarrow x_4 \\
\alpha_{3,7}^{12} & \rightarrow x_5 \\
\alpha_{2,9}^{13} & \rightarrow x_6 \\
\alpha_{2,7}^{11} & \rightarrow x_7 \\
\alpha_{3,8}^{13} & \rightarrow x_8 \\
\alpha_{4,6}^{12} & \rightarrow x_9 \\
\alpha_{3,6}^{11} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_{10} - x_7 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_{10} - x_4 - 1 & = 0 \\
(e_1, e_2, e_7) : & -x_3 - x_5 + x_7 & = 0 \\
(e_1, e_3, e_6) : & x_{10} - x_5 - x_9 & = 0 \\
(e_1, e_4, e_5) : & x_4 - x_9 & = 0 \\
(e_1, e_2, e_8) : & x_3 - x_6 - x_8 & = 0 \\
(e_1, e_3, e_7) : & -x_1 + x_5 - x_8 & = 0 \\
(e_1, e_4, e_6) : & -x_1 - x_2 + x_9 & = 0 \\
(e_2, e_3, e_4) : & -x_6 & = 0
\end{array}$$

Groebner basis (10 variables, 9 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - 5x_{10} = 0 \\
6x_{10} + x_2 + 1 = 0 \\
3x_{10} + x_3 - 1 = 0 \\
x_{10} + x_4 + 1 = 0 \\
-2x_{10} + x_5 - 1 = 0 \\
x_6 = 0 \\
x_{10} + x_7 - 2 = 0 \\
3x_{10} + x_8 - 1 = 0 \\
x_{10} + x_9 + 1 = 0
\end{array}$$

$\mathfrak{m}_{7A}(4, 13)$

m7A413 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_7 \\
[e_2, e_4] = e_8 & [e_2, e_5] = \alpha_{2,5}^9 e_9 \\
[e_2, e_6] = \alpha_{2,6}^{10} e_{10} & [e_2, e_7] = \alpha_{2,7}^{11} e_{11} \\
[e_2, e_8] = \alpha_{2,8}^{12} e_{12} & [e_2, e_9] = \alpha_{2,9}^{13} e_{13} \\
[e_3, e_4] = \alpha_{3,4}^9 e_9 & [e_3, e_5] = \alpha_{3,5}^{10} e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11} e_{11} & [e_3, e_7] = \alpha_{3,7}^{12} e_{12} \\
[e_3, e_8] = \alpha_{3,8}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{11} e_{11} \\
[e_4, e_6] = \alpha_{4,6}^{12} e_{12} & [e_4, e_7] = \alpha_{4,7}^{13} e_{13} \\
[e_5, e_6] = \alpha_{5,6}^{13} e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{ll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,9}^{13} \alpha_{3,4}^9 - \alpha_{3,8}^{13} + \alpha_{4,7}^{13} = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,7}^{13} \rightarrow x_1$$

$$\alpha_{2,5}^9 \rightarrow x_2$$

$$\alpha_{5,6}^{13} \rightarrow x_3$$

$$\alpha_{2,8}^{12} \rightarrow x_4$$

$$\alpha_{4,5}^{11} \rightarrow x_5$$

$$\alpha_{3,7}^{12} \rightarrow x_6$$

$$\alpha_{2,9}^{13} \rightarrow x_7$$

$$\alpha_{2,7}^{11} \rightarrow x_8$$

$$\alpha_{3,4}^9 \rightarrow x_9$$

$$\alpha_{3,8}^{13} \rightarrow x_{10}$$

$$\alpha_{4,6}^{12} \rightarrow x_{11}$$

$$\alpha_{3,6}^{11} \rightarrow x_{12}$$

$$\alpha_{2,6}^{10} \rightarrow x_{13}$$

$$\alpha_{3,5}^{10} \rightarrow x_{14}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_2 - x_9 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_{13} - x_{14} + x_2 \quad = 0$$

$$(e_1, e_3, e_4) : \quad -x_{14} + x_9 \quad = 0$$

$$(e_1, e_2, e_6) : \quad -x_{12} + x_{13} - x_8 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_{12} + x_{14} - x_5 \quad = 0$$

$$(e_1, e_2, e_7) : \quad -x_4 - x_6 + x_8 \quad = 0$$

$$(e_1, e_3, e_6) : \quad -x_{11} + x_{12} - x_6 \quad = 0$$

$$(e_1, e_4, e_5) : \quad -x_{11} + x_5 \quad = 0$$

$$(e_1, e_2, e_8) : \quad -x_{10} + x_4 - x_7 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_1 - x_{10} + x_6 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_1 + x_{11} - x_3 \quad = 0$$

$$(e_2, e_3, e_4) : \quad x_1 - x_{10} + x_7 x_9 \quad = 0$$

Groebner basis (14 variables, 11 linear, 1 nonlinear)

$$x_1 + x_{10} - 2x_{12} + x_{14} = 0$$

$$x_{14} + x_2 - 1 = 0$$

$$-x_{10} + 3x_{12} - 2x_{14} + x_3 = 0$$



$$\begin{aligned}
3x_{12} + x_{14} + x_4 - 1 &= 0 \\
x_{12} - x_{14} + x_5 &= 0 \\
-2x_{12} + x_{14} + x_6 &= 0 \\
x_{10} + 3x_{12} + x_{14} + x_7 - 1 &= 0 \\
x_{12} + 2x_{14} + x_8 - 1 &= 0 \\
-x_{14} + x_9 &= 0 \\
x_{10}x_{14} + 2x_{10} + 3x_{12}x_{14} - 2x_{12} + x_{14}^2 &= 0 \\
x_{11} + x_{12} - x_{14} &= 0 \\
x_{13} + 2x_{14} - 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{2A}(5, 13)$

m2A513 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{12} \\
[e_2, e_8] = 3e_{13} & [e_3, e_6] = -e_{12} \\
[e_3, e_7] = -2e_{13} & [e_4, e_5] = e_{12} \\
[e_4, e_6] = e_{13} &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(5, 13)$

m4A513 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_7] = \alpha_{2,7}^{12} e_{12} \\
[e_2, e_8] = \alpha_{2,8}^{13} e_{13} & [e_3, e_4] = -e_{10} \\
[e_3, e_5] = -e_{11} & [e_3, e_6] = \alpha_{3,6}^{12} e_{12} \\
[e_3, e_7] = \alpha_{3,7}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{12} e_{12} \\
[e_4, e_6] = \alpha_{4,6}^{13} e_{13} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{12} - \alpha_{3,6}^{12} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{12} - \alpha_{4,5}^{12} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,8}^{13} \rightarrow x_1 \\
\alpha_{4,5}^{12} \rightarrow x_2 \\
\alpha_{4,6}^{13} \rightarrow x_3 \\
\alpha_{3,7}^{13} \rightarrow x_4 \\
\alpha_{3,6}^{12} \rightarrow x_5 \\
\alpha_{2,7}^{12} \rightarrow x_6
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_5 - x_6 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_5 - 1 & = 0 \\
(e_1, e_2, e_7) : & -x_1 - x_4 + x_6 & = 0 \\
(e_1, e_3, e_6) : & -x_3 - x_4 + x_5 & = 0 \\
(e_1, e_4, e_5) : & x_2 - x_3 & = 0
\end{array}$$

Groebner basis (6 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - 3x_6 + 5 = 0 \\
x_2 - x_6 + 3 = 0 \\
x_3 - x_6 + 3 = 0 \\
x_4 + 2x_6 - 5 = 0 \\
x_5 + x_6 - 2 = 0
\end{array}$$

$\mathfrak{m}_{6A}(5, 13)$

m6A513 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_5] = \alpha_{2,5}^{10} e_{10} \\
[e_2, e_6] = \alpha_{2,6}^{11} e_{11} & [e_2, e_7] = \alpha_{2,7}^{12} e_{12} \\
[e_2, e_8] = \alpha_{2,8}^{13} e_{13} & [e_3, e_4] = \alpha_{3,4}^{10} e_{10} \\
[e_3, e_5] = \alpha_{3,5}^{11} e_{11} & [e_3, e_6] = \alpha_{3,6}^{12} e_{12} \\
[e_3, e_7] = \alpha_{3,7}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{12} e_{12} \\
[e_4, e_6] = \alpha_{4,6}^{13} e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \quad \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_6) : & \quad \alpha_{2,6}^{11} - \alpha_{2,7}^{12} - \alpha_{3,6}^{12} & = 0 \\
(e_1, e_3, e_5) : & \quad \alpha_{3,5}^{11} - \alpha_{3,6}^{12} - \alpha_{4,5}^{12} & = 0 \\
(e_1, e_2, e_7) : & \quad \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \quad \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \quad \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{2,5}^{10} & \rightarrow x_1 \\
\alpha_{3,5}^{11} & \rightarrow x_2 \\
\alpha_{2,8}^{13} & \rightarrow x_3 \\
\alpha_{4,5}^{12} & \rightarrow x_4 \\
\alpha_{4,6}^{13} & \rightarrow x_5 \\
\alpha_{3,7}^{13} & \rightarrow x_6 \\
\alpha_{3,4}^{10} & \rightarrow x_7 \\
\alpha_{2,6}^{11} & \rightarrow x_8 \\
\alpha_{3,6}^{12} & \rightarrow x_9 \\
\alpha_{2,7}^{12} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -x_1 - x_7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad x_1 - x_2 - x_8 & = 0 \\
(e_1, e_3, e_4) : & \quad -x_2 + x_7 & = 0 \\
(e_1, e_2, e_6) : & \quad -x_{10} + x_8 - x_9 & = 0 \\
(e_1, e_3, e_5) : & \quad x_2 - x_4 - x_9 & = 0 \\
(e_1, e_2, e_7) : & \quad x_{10} - x_3 - x_6 & = 0 \\
(e_1, e_3, e_6) : & \quad -x_5 - x_6 + x_9 & = 0 \\
(e_1, e_4, e_5) : & \quad x_4 - x_5 & = 0
\end{aligned}$$

Groebner basis (10 variables, 8 linear, 0 nonlinear)

$$\begin{aligned}
x_1 - \frac{x_{10}}{2} - \frac{x_9}{2} - \frac{1}{2} &= 0 \\
\frac{x_{10}}{2} + x_2 + \frac{x_9}{2} - \frac{1}{2} &= 0 \\
-\frac{x_{10}}{2} + x_3 + \frac{5x_9}{2} - \frac{1}{2} &= 0 \\
\frac{x_{10}}{2} + x_4 + \frac{3x_9}{2} - \frac{1}{2} &= 0 \\
\frac{x_{10}}{2} + x_5 + \frac{3x_9}{2} - \frac{1}{2} &= 0 \\
-\frac{x_{10}}{2} + x_6 - \frac{5x_9}{2} + \frac{1}{2} &= 0 \\
\frac{x_{10}}{2} + x_7 + \frac{x_9}{2} - \frac{1}{2} &= 0 \\
-x_{10} + x_8 - x_9 &= 0
\end{aligned}$$

$\mathfrak{m}_{1A}(6, 13)$

m1A613 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_7] &= e_{13} \\
[e_3, e_6] &= -e_{13} & [e_4, e_5] &= e_{13}
\end{aligned}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(6, 13)$

m3A613 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{11} \\
[e_2, e_6] = 2e_{12} & [e_2, e_7] = \alpha_{2,7}^{13} e_{13} \\
[e_3, e_4] = -e_{11} & [e_3, e_5] = -e_{12} \\
[e_3, e_6] = \alpha_{3,6}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{13} e_{13}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{13} - \alpha_{3,6}^{13} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{13} - \alpha_{4,5}^{13} - 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,5}^{13} \rightarrow x_1$$

$$\alpha_{3,6}^{13} \rightarrow x_2$$

$$\alpha_{2,7}^{13} \rightarrow x_3$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_2 - x_3 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_2 - 1 & = 0
\end{array}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$x_1 - x_3 + 3 = 0$$

$$x_2 + x_3 - 2 = 0$$

$m_{5A}(6, 13)$

m5A613 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_9 \\
[e_2, e_4] = e_{10} & [e_2, e_5] = \alpha_{2,5}^{11} e_{11} \\
[e_2, e_6] = \alpha_{2,6}^{12} e_{12} & [e_2, e_7] = \alpha_{2,7}^{13} e_{13} \\
[e_3, e_4] = \alpha_{3,4}^{11} e_{11} & [e_3, e_5] = \alpha_{3,5}^{12} e_{12} \\
[e_3, e_6] = \alpha_{3,6}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{13} e_{13}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{11} - \alpha_{2,6}^{12} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{11} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{12} - \alpha_{2,7}^{13} - \alpha_{3,6}^{13} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{12} - \alpha_{3,6}^{13} - \alpha_{4,5}^{13} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{4,5}^{13} \rightarrow x_1 \\
\alpha_{2,7}^{13} \rightarrow x_2 \\
\alpha_{3,5}^{12} \rightarrow x_3 \\
\alpha_{3,4}^{11} \rightarrow x_4 \\
\alpha_{2,5}^{11} \rightarrow x_5 \\
\alpha_{2,6}^{12} \rightarrow x_6 \\
\alpha_{3,6}^{13} \rightarrow x_7
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_4 - x_5 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_3 + x_5 - x_6 & = 0 \\
(e_1, e_3, e_4) : & -x_3 + x_4 & = 0 \\
(e_1, e_2, e_6) : & -x_2 + x_6 - x_7 & = 0 \\
(e_1, e_3, e_5) : & -x_1 + x_3 - x_7 & = 0
\end{array}$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$\begin{aligned}
x_1 + \frac{x_6}{2} + x_7 - \frac{1}{2} &= 0 \\
x_2 - x_6 + x_7 &= 0 \\
x_3 + \frac{x_6}{2} - \frac{1}{2} &= 0 \\
x_4 + \frac{x_6}{2} - \frac{1}{2} &= 0 \\
x_5 - \frac{x_6}{2} - \frac{1}{2} &= 0
\end{aligned}$$

$\mathfrak{m}_{2A}(7, 13)$

m2A713 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{12} \\
[e_2, e_6] = 2e_{13} & [e_3, e_4] = -e_{12} \\
[e_3, e_5] = -e_{13} &
\end{array}$$

No non-trivial Jacobi tests



$\mathfrak{m}_{4A}(7, 13)$

m4A713 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{10} \\
[e_2, e_4] = e_{11} & [e_2, e_5] = \alpha_{2,5}^{12} e_{12} \\
[e_2, e_6] = \alpha_{2,6}^{13} e_{13} & [e_3, e_4] = \alpha_{3,4}^{12} e_{12} \\
[e_3, e_5] = \alpha_{3,5}^{13} e_{13} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{12} - \alpha_{3,4}^{12} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{12} - \alpha_{2,6}^{13} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{12} - \alpha_{3,5}^{13} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{3,4}^{12} \rightarrow x_1 \\
\alpha_{2,6}^{13} \rightarrow x_2 \\
\alpha_{2,5}^{12} \rightarrow x_3 \\
\alpha_{3,5}^{13} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_3 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_2 + x_3 - x_4 & = 0 \\
(e_1, e_3, e_4) : & x_1 - x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - x_4 = 0 \\
x_2 + 2x_4 - 1 = 0 \\
x_3 + x_4 - 1 = 0
\end{array}$$

$\mathfrak{m}_{1A}(8, 13)$

m1A813 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
 [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
 [e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{13} \\
 [e_3, e_4] = -e_{13} & 
 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(8, 13)$

m3A813 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
 [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
 [e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{11} \\
 [e_2, e_4] = e_{12} & [e_2, e_5] = \alpha_{2,5}^{13} e_{13} \\
 [e_3, e_4] = \alpha_{3,4}^{13} e_{13} & 
 \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{13} - \alpha_{3,4}^{13} + 1 \quad = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,5}^{13} \rightarrow x_1$$

$$\alpha_{3,4}^{13} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(9, 13)$

m2A913 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{12} \\ [e_2, e_4] = e_{13} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(10, 13)$

m1A1013 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{13} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{2A}(2, 14)$

m2A214 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
 [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
 [e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
 [e_2, e_{11}] = e_{13} & [e_2, e_{12}] = 5e_{14} \\
 [e_3, e_{10}] = -e_{13} & [e_3, e_{11}] = -4e_{14} \\
 [e_4, e_9] = e_{13} & [e_4, e_{10}] = 3e_{14} \\
 [e_5, e_8] = -e_{13} & [e_5, e_9] = -2e_{14} \\
 [e_6, e_7] = e_{13} & [e_6, e_8] = e_{14}
 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(2, 14)$

m4A214 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_9] = e_{11} & [e_2, e_{10}] = 4e_{12} \\
[e_2, e_{11}] = \alpha_{2,11}^{13} e_{13} & [e_2, e_{12}] = \alpha_{2,12}^{14} e_{14} \\
[e_3, e_8] = -e_{11} & [e_3, e_9] = -3e_{12} \\
[e_3, e_{10}] = \alpha_{3,10}^{13} e_{13} & [e_3, e_{11}] = \alpha_{3,11}^{14} e_{14} \\
[e_4, e_7] = e_{11} & [e_4, e_8] = 2e_{12} \\
[e_4, e_9] = \alpha_{4,9}^{13} e_{13} & [e_4, e_{10}] = \alpha_{4,10}^{14} e_{14} \\
[e_5, e_6] = -e_{11} & [e_5, e_7] = -e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{13} e_{13} & [e_5, e_9] = \alpha_{5,9}^{14} e_{14} \\
[e_6, e_7] = \alpha_{6,7}^{13} e_{13} & [e_6, e_8] = \alpha_{6,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & -\alpha_{2,11}^{13} - \alpha_{3,10}^{13} + 4 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} - \alpha_{4,9}^{13} - 3 & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{13} - \alpha_{5,8}^{13} + 2 & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{13} - \alpha_{6,7}^{13} - 1 & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,11}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} & = 0 \\
(e_2, e_5, e_6) : & -\alpha_{2,11}^{13} & = 0 \\
(e_1, e_2, e_{11}) : & \alpha_{2,11}^{13} - \alpha_{2,12}^{14} - \alpha_{3,11}^{14} & = 0 \\
(e_1, e_3, e_{10}) : & \alpha_{3,10}^{13} - \alpha_{3,11}^{14} - \alpha_{4,10}^{14} & = 0 \\
(e_1, e_4, e_9) : & -\alpha_{4,10}^{14} + \alpha_{4,9}^{13} - \alpha_{5,9}^{14} & = 0 \\
(e_1, e_5, e_8) : & \alpha_{5,8}^{13} - \alpha_{5,9}^{14} - \alpha_{6,8}^{14} & = 0 \\
(e_1, e_6, e_7) : & \alpha_{6,7}^{13} - \alpha_{6,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & -3\alpha_{2,12}^{14} - \alpha_{3,11}^{14} & = 0 \\
(e_2, e_4, e_8) : & 2\alpha_{2,12}^{14} & = 0 \\
(e_2, e_5, e_7) : & -\alpha_{2,12}^{14} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,11}^{14} & = 0 \\
(e_3, e_5, e_6) : & -\alpha_{3,11}^{14} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{2,11}^{13} & \rightarrow x_1 \\
\alpha_{6,7}^{13} & \rightarrow x_2 \\
\alpha_{5,9}^{14} & \rightarrow x_3 \\
\alpha_{6,8}^{14} & \rightarrow x_4 \\
\alpha_{3,11}^{14} & \rightarrow x_5 \\
\alpha_{3,10}^{13} & \rightarrow x_6 \\
\alpha_{5,8}^{13} & \rightarrow x_7 \\
\alpha_{4,10}^{14} & \rightarrow x_8 \\
\alpha_{2,12}^{14} & \rightarrow x_9 \\
\alpha_{4,9}^{13} & \rightarrow x_{10}
\end{aligned}$$

# Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -x_1 - x_6 + 4 & = 0 \\
(e_1, e_3, e_9) : & -x_{10} - x_6 - 3 & = 0 \\
(e_1, e_4, e_8) : & -x_{10} - x_7 + 2 & = 0 \\
(e_1, e_5, e_7) : & -x_2 - x_7 - 1 & = 0 \\
(e_2, e_3, e_8) : & -x_1 & = 0 \\
(e_2, e_4, e_7) : & x_1 & = 0 \\
(e_2, e_5, e_6) : & -x_1 & = 0 \\
(e_1, e_2, e_{11}) : & x_1 - x_5 - x_9 & = 0 \\
(e_1, e_3, e_{10}) : & -x_5 + x_6 - x_8 & = 0 \\
(e_1, e_4, e_9) : & x_{10} - x_3 - x_8 & = 0 \\
(e_1, e_5, e_8) : & -x_3 - x_4 + x_7 & = 0 \\
(e_1, e_6, e_7) : & x_2 - x_4 & = 0 \\
(e_2, e_3, e_9) : & -x_5 - 3x_9 & = 0 \\
(e_2, e_4, e_8) : & 2x_9 & = 0 \\
(e_2, e_5, e_7) : & -x_9 & = 0 \\
(e_3, e_4, e_7) : & x_5 & = 0 \\
(e_3, e_5, e_6) : & -x_5 & = 0
\end{array}$$

Groebner basis (10 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{10A}(2, 14)$

m10A214 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_5 & [e_2, e_4] = e_6 \\
[e_2, e_5] = \frac{9e_7}{10} & [e_2, e_6] = \frac{4e_8}{5} \\
[e_2, e_7] = \frac{5e_9}{7} & [e_2, e_8] = \frac{9e_{10}}{14} \\
[e_2, e_9] = \frac{7e_{11}}{12} & [e_2, e_{10}] = \frac{8e_{12}}{15} \\
[e_2, e_{11}] = \frac{27e_{13}}{55} & [e_2, e_{12}] = \frac{5e_{14}}{11} \\
[e_3, e_4] = \frac{e_7}{10} & [e_3, e_5] = \frac{e_8}{10} \\
[e_3, e_6] = \frac{3e_9}{35} & [e_3, e_7] = \frac{e_{10}}{14} \\
[e_3, e_8] = \frac{5e_{11}}{84} & [e_3, e_9] = \frac{e_{12}}{20} \\
[e_3, e_{10}] = \frac{7e_{13}}{165} & [e_3, e_{11}] = \frac{2e_{14}}{55} \\
[e_4, e_5] = \frac{e_9}{70} & [e_4, e_6] = \frac{e_{10}}{70} \\
[e_4, e_7] = \frac{e_{11}}{84} & [e_4, e_8] = \frac{e_{12}}{105} \\
[e_4, e_9] = \frac{e_{13}}{132} & [e_4, e_{10}] = \frac{e_{14}}{165} \\
[e_5, e_6] = \frac{e_{11}}{420} & [e_5, e_7] = \frac{e_{12}}{420} \\
[e_5, e_8] = \frac{3e_{13}}{1540} & [e_5, e_9] = \frac{e_{14}}{660} \\
[e_6, e_7] = \frac{e_{13}}{2310} & [e_6, e_8] = \frac{e_{14}}{2310}
\end{array}$$



Solution 2

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_1, e_{13}] = e_{14}$
$[e_2, e_3] = e_5$	$[e_2, e_4] = e_6$
$[e_2, e_5] = e_7$	$[e_2, e_6] = e_8$
$[e_2, e_7] = e_9$	$[e_2, e_8] = e_{10}$
$[e_2, e_9] = e_{11}$	$[e_2, e_{10}] = e_{12}$
$[e_2, e_{11}] = e_{13}$	$[e_2, e_{12}] = e_{14}$
$[e_3, e_4] = 0$	$[e_3, e_5] = 0$
$[e_3, e_6] = 0$	$[e_3, e_7] = 0$
$[e_3, e_8] = 0$	$[e_3, e_9] = 0$
$[e_3, e_{10}] = 0$	$[e_3, e_{11}] = 0$
$[e_4, e_5] = 0$	$[e_4, e_6] = 0$
$[e_4, e_7] = 0$	$[e_4, e_8] = 0$
$[e_4, e_9] = 0$	$[e_4, e_{10}] = 0$
$[e_5, e_6] = 0$	$[e_5, e_7] = 0$
$[e_5, e_8] = 0$	$[e_5, e_9] = 0$
$[e_6, e_7] = 0$	$[e_6, e_8] = 0$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_5 & [e_2, e_4] = e_6 \\
[e_2, e_5] = \alpha_{2,5}^7 e_7 & [e_2, e_6] = \alpha_{2,6}^8 e_8 \\
[e_2, e_7] = \alpha_{2,7}^9 e_9 & [e_2, e_8] = \alpha_{2,8}^{10} e_{10} \\
[e_2, e_9] = \alpha_{2,9}^{11} e_{11} & [e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} \\
[e_2, e_{11}] = \alpha_{2,11}^{13} e_{13} & [e_2, e_{12}] = \alpha_{2,12}^{14} e_{14} \\
[e_3, e_4] = \alpha_{3,4}^7 e_7 & [e_3, e_5] = \alpha_{3,5}^8 e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_3, e_9] = \alpha_{3,9}^{12} e_{12} \\
[e_3, e_{10}] = \alpha_{3,10}^{13} e_{13} & [e_3, e_{11}] = \alpha_{3,11}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^9 e_9 & [e_4, e_6] = \alpha_{4,6}^{10} e_{10} \\
[e_4, e_7] = \alpha_{4,7}^{11} e_{11} & [e_4, e_8] = \alpha_{4,8}^{12} e_{12} \\
[e_4, e_9] = \alpha_{4,9}^{13} e_{13} & [e_4, e_{10}] = \alpha_{4,10}^{14} e_{14} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & [e_5, e_7] = \alpha_{5,7}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{13} e_{13} & [e_5, e_9] = \alpha_{5,9}^{14} e_{14} \\
[e_6, e_7] = \alpha_{6,7}^{13} e_{13} & [e_6, e_8] = \alpha_{6,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - \alpha_{2,6}^8 \alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,4}^7 \alpha_{5,7}^{12} - \alpha_{3,5}^8 \alpha_{4,8}^{12} + \alpha_{3,9}^{12} \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{12} - \alpha_{2,11}^{13} - \alpha_{3,10}^{13} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} + \alpha_{3,9}^{12} - \alpha_{4,9}^{13} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{12} - \alpha_{4,9}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{12} - \alpha_{5,8}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_3, e_8) : & \alpha_{2,11}^{13} \alpha_{3,8}^{11} - \alpha_{2,8}^{10} \alpha_{3,10}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} \alpha_{4,7}^{11} - \alpha_{2,7}^9 \alpha_{4,9}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,11}^{13} \alpha_{5,6}^{11} + \alpha_{2,5}^7 \alpha_{6,7}^{13} - \alpha_{2,6}^8 \alpha_{5,8}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{13} \alpha_{4,6}^{10} + \alpha_{3,4}^7 \alpha_{6,7}^{13} - \alpha_{3,6}^9 \alpha_{4,9}^{13} & = 0 \\
(e_1, e_2, e_{11}) : & \alpha_{2,11}^{13} - \alpha_{2,12}^{14} - \alpha_{3,11}^{14} & = 0 \\
(e_1, e_3, e_{10}) : & \alpha_{3,10}^{13} - \alpha_{3,11}^{14} - \alpha_{4,10}^{14} & = 0 \\
(e_1, e_4, e_9) : & -\alpha_{4,10}^{14} + \alpha_{4,9}^{13} - \alpha_{5,9}^{14} & = 0 \\
(e_1, e_5, e_8) : & \alpha_{5,8}^{13} - \alpha_{5,9}^{14} - \alpha_{6,8}^{14} & = 0 \\
(e_1, e_6, e_7) : & \alpha_{6,7}^{13} - \alpha_{6,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & \alpha_{2,12}^{14} \alpha_{3,9}^{11} - \alpha_{2,9}^{11} \alpha_{3,11}^{14} - \alpha_{5,9}^{14} & = 0 \\
(e_2, e_4, e_8) : & \alpha_{2,12}^{14} \alpha_{4,8}^{12} - \alpha_{2,8}^{10} \alpha_{4,10}^{14} - \alpha_{6,8}^{14} & = 0 \\
(e_2, e_5, e_7) : & \alpha_{2,12}^{14} \alpha_{5,7}^{12} - \alpha_{2,7}^9 \alpha_{5,9}^{14} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,11}^{14} \alpha_{4,7}^{11} - \alpha_{3,7}^{10} \alpha_{4,10}^{14} & = 0 \\
(e_3, e_5, e_6) : & \alpha_{2,11}^{13} \alpha_{5,6}^{11} + \alpha_{2,5}^7 \alpha_{6,7}^{13} - \alpha_{2,6}^8 \alpha_{5,9}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\alpha_{2,11}^{13} = 27/55$$

$$\alpha_{6,8}^{14} = 1/2310$$

$$\alpha_{2,9}^{11} = 7/12$$

$$\alpha_{3,5}^8 = 1/10$$

$$\alpha_{3,6}^9 = 3/35$$

$$\alpha_{3,11}^{14} = 2/55$$

$$\alpha_{2,10}^{12} = 8/15$$

$$\alpha_{2,7}^9 = 5/7$$

$$\alpha_{3,10}^{13} = 7/165$$

$$\alpha_{6,7}^{13} = 1/2310$$

$$\alpha_{3,4}^7 = 1/10$$

$$\alpha_{2,8}^{10} = 9/14$$

$$\alpha_{4,8}^{12} = 1/105$$

$$\alpha_{4,9}^{13} = 1/132$$

$$\alpha_{5,9}^{14} = 1/660$$

$$\alpha_{2,5}^7 = 9/10$$

$$\alpha_{2,6}^8 = 4/5$$

$$\alpha_{3,8}^{11} = 5/84$$

$$\alpha_{4,5}^9 = 1/70$$

$$\alpha_{5,8}^{13} = 3/1540$$

$$\alpha_{5,7}^{12} = 1/420$$

$$\alpha_{5,6}^{11} = 1/420$$

$$\alpha_{3,9}^{12} = 1/20$$

$$\alpha_{3,7}^{10} = 1/14$$

$$\alpha_{4,7}^{11} = 1/84$$

$$\alpha_{4,6}^{10} = 1/70$$

$$\alpha_{4,10}^{14} = 1/165$$

$$\alpha_{2,12}^{14} = 5/11$$

Solution 2:

$$\begin{aligned}
\alpha_{2,11}^{13} &= 1 \\
\alpha_{6,8}^{14} &= 0 \\
\alpha_{2,9}^{11} &= 1 \\
\alpha_{3,5}^8 &= 0 \\
\alpha_{3,6}^9 &= 0 \\
\alpha_{3,11}^{14} &= 0 \\
\alpha_{2,10}^{12} &= 1 \\
\alpha_{2,7}^9 &= 1 \\
\alpha_{3,10}^{13} &= 0 \\
\alpha_{6,7}^{13} &= 0 \\
\alpha_{3,4}^7 &= 0 \\
\alpha_{2,8}^{10} &= 1 \\
\alpha_{4,8}^{12} &= 0 \\
\alpha_{4,9}^{13} &= 0 \\
\alpha_{5,9}^{14} &= 0 \\
\alpha_{2,5}^7 &= 1 \\
\alpha_{2,6}^8 &= 1 \\
\alpha_{3,8}^{11} &= 0 \\
\alpha_{4,5}^9 &= 0 \\
\alpha_{5,8}^{13} &= 0 \\
\alpha_{5,7}^{12} &= 0 \\
\alpha_{5,6}^{11} &= 0 \\
\alpha_{3,9}^{12} &= 0 \\
\alpha_{3,7}^{10} &= 0 \\
\alpha_{4,7}^{11} &= 0 \\
\alpha_{4,6}^{10} &= 0 \\
\alpha_{4,10}^{14} &= 0 \\
\alpha_{2,12}^{14} &= 1
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{2,11}^{13} \rightarrow x_1$$

$$\begin{aligned}
\alpha_{6,8}^{14} &\rightarrow x_2 \\
\alpha_{2,9}^{11} &\rightarrow x_3 \\
\alpha_{3,5}^8 &\rightarrow x_4 \\
\alpha_{3,6}^9 &\rightarrow x_5 \\
\alpha_{3,11}^{14} &\rightarrow x_6 \\
\alpha_{2,10}^{12} &\rightarrow x_7 \\
\alpha_{2,7}^9 &\rightarrow x_8 \\
\alpha_{3,10}^{13} &\rightarrow x_9 \\
\alpha_{6,7}^{13} &\rightarrow x_{10} \\
\alpha_{3,4}^7 &\rightarrow x_{11} \\
\alpha_{2,8}^{10} &\rightarrow x_{12} \\
\alpha_{4,8}^{12} &\rightarrow x_{13} \\
\alpha_{4,9}^{13} &\rightarrow x_{14} \\
\alpha_{5,9}^{14} &\rightarrow x_{15} \\
\alpha_{2,5}^7 &\rightarrow x_{16} \\
\alpha_{2,6}^8 &\rightarrow x_{17} \\
\alpha_{3,8}^{11} &\rightarrow x_{18} \\
\alpha_{4,5}^9 &\rightarrow x_{19} \\
\alpha_{5,8}^{13} &\rightarrow x_{20} \\
\alpha_{5,7}^{12} &\rightarrow x_{21} \\
\alpha_{5,6}^{11} &\rightarrow x_{22} \\
\alpha_{3,9}^{12} &\rightarrow x_{23} \\
\alpha_{3,7}^{10} &\rightarrow x_{24} \\
\alpha_{4,7}^{11} &\rightarrow x_{25} \\
\alpha_{4,6}^{10} &\rightarrow x_{26} \\
\alpha_{4,10}^{14} &\rightarrow x_{27} \\
\alpha_{2,12}^{14} &\rightarrow x_{28}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_{11} - x_{16} + 1 & = 0 \\
(e_1, e_2, e_5) : & x_{16} - x_{17} - x_4 & = 0 \\
(e_1, e_3, e_4) : & x_{11} - x_4 & = 0 \\
(e_1, e_2, e_6) : & x_{17} - x_5 - x_8 & = 0 \\
(e_1, e_3, e_5) : & -x_{19} + x_4 - x_5 & = 0 \\
(e_2, e_3, e_4) : & x_{11}x_8 + x_{19} - x_5 & = 0 \\
(e_1, e_2, e_7) : & -x_{12} - x_{24} + x_8 & = 0 \\
(e_1, e_3, e_6) : & -x_{24} - x_{26} + x_5 & = 0 \\
(e_1, e_4, e_5) : & x_{19} - x_{26} & = 0 \\
(e_2, e_3, e_5) : & x_{12}x_4 - x_{16}x_{24} & = 0 \\
(e_1, e_2, e_8) : & x_{12} - x_{18} - x_3 & = 0 \\
(e_1, e_3, e_7) : & -x_{18} + x_{24} - x_{25} & = 0 \\
(e_1, e_4, e_6) : & -x_{22} - x_{25} + x_{26} & = 0 \\
(e_2, e_3, e_6) : & -x_{17}x_{18} - x_{22} + x_3x_5 & = 0 \\
(e_2, e_4, e_5) : & -x_{16}x_{25} + x_{19}x_3 + x_{22} & = 0 \\
(e_1, e_2, e_9) : & -x_{23} + x_3 - x_7 & = 0 \\
(e_1, e_3, e_8) : & -x_{13} + x_{18} - x_{23} & = 0 \\
(e_1, e_4, e_7) : & -x_{13} - x_{21} + x_{25} & = 0 \\
(e_1, e_5, e_6) : & -x_{21} + x_{22} & = 0 \\
(e_2, e_3, e_7) : & -x_{21} - x_{23}x_8 + x_{24}x_7 & = 0 \\
(e_2, e_4, e_6) : & -x_{13}x_{17} + x_{26}x_7 & = 0 \\
(e_3, e_4, e_5) : & x_{11}x_{21} - x_{13}x_4 + x_{19}x_{23} & = 0 \\
(e_1, e_2, e_{10}) : & -x_1 + x_7 - x_9 & = 0 \\
(e_1, e_3, e_9) : & -x_{14} + x_{23} - x_9 & = 0 \\
(e_1, e_4, e_8) : & x_{13} - x_{14} - x_{20} & = 0 \\
(e_1, e_5, e_7) : & -x_{10} - x_{20} + x_{21} & = 0 \\
(e_2, e_3, e_8) : & x_1x_{18} - x_{12}x_9 - x_{20} & = 0 \\
(e_2, e_4, e_7) : & x_1x_{25} - x_{10} - x_{14}x_8 & = 0 \\
(e_2, e_5, e_6) : & x_1x_{22} + x_{10}x_{16} - x_{17}x_{20} & = 0 \\
(e_3, e_4, e_6) : & x_{10}x_{11} - x_{14}x_5 + x_{26}x_9 & = 0 \\
(e_1, e_2, e_{11}) : & x_1 - x_{28} - x_6 & = 0 \\
(e_1, e_3, e_{10}) : & -x_{27} - x_6 + x_9 & = 0 \\
(e_1, e_4, e_9) : & x_{14} - x_{15} - x_{27} & = 0 \\
(e_1, e_5, e_8) : & -x_{15} - x_2 + x_{20} & = 0 \\
(e_1, e_6, e_7) : & x_{10} - x_2 & = 0 \\
(e_2, e_3, e_9) : & -x_{15} + x_{23}x_{28} - x_3x_6 & = 0 \\
(e_2, e_4, e_8) : & -x_{12}x_{27} + x_{13}x_{28} - x_2 & = 0 \\
(e_2, e_5, e_7) : & -x_{15}x_8 + x_{21}x_{28} & = 0 \\
(e_3, e_4, e_7) : & -x_{24}x_{27} + x_{25}x_6 & = 0 \\
(e_3, e_5, e_6) : & -x_{15}x_5 + x_2x_4 + x_{22}x_6 & = 0
\end{aligned}$$



Groebner basis (28 variables, 0 linear, 28 nonlinear)

$$\begin{aligned}
& x_1 - \frac{1599031093x_{28}^5}{40768634880} + \frac{1754487427x_{28}^4}{8153726976} - \frac{2028076753x_{28}^3}{4076863488} + \frac{2742285343x_{28}^2}{4076863488} - \frac{11354110573x_{28}}{8153726976} + \frac{1686426043}{40768634880} = 0 \\
& x_2 + \frac{2344771x_{28}^5}{418037760} - \frac{2497861x_{28}^4}{83607552} + \frac{2650951x_{28}^3}{41803776} - \frac{2804041x_{28}^2}{41803776} + \frac{2957131x_{28}}{83607552} - \frac{3110221}{418037760} = 0 \\
& -\frac{3255104545x_{28}^5}{24461180928} + \frac{17823310739x_{28}^4}{24461180928} - \frac{20429816705x_{28}^3}{12230590464} + \frac{26137453679x_{28}^2}{12230590464} - \frac{52276872797x_{28}}{24461180928} + x_3 + \frac{1832211727}{24461180928} = 0 \\
& \frac{3066445723x_{28}^5}{40768634880} - \frac{3347852845x_{28}^4}{8153726976} + \frac{3800767423x_{28}^3}{4076863488} - \frac{4676012113x_{28}^2}{4076863488} + \frac{7243625443x_{28}}{8153726976} + x_4 - \frac{13792861813}{40768634880} = 0 \\
& \frac{112455013x_{28}^5}{3523215360} - \frac{123116755x_{28}^4}{704643072} + \frac{140987713x_{28}^3}{352321536} - \frac{179486383x_{28}^2}{352321536} + \frac{340111645x_{28}}{704643072} + x_5 - \frac{812442763}{3523215360} = 0 \\
& -\frac{1599031093x_{28}^5}{40768634880} + \frac{1754487427x_{28}^4}{8153726976} - \frac{2028076753x_{28}^3}{4076863488} + \frac{2742285343x_{28}^2}{4076863488} - \frac{3200383597x_{28}}{8153726976} + x_6 + \frac{1686426043}{40768634880} = 0 \\
& -\frac{5224477291x_{28}^5}{61152952320} + \frac{5729250013x_{28}^4}{12230590464} - \frac{6599619151x_{28}^3}{6115295232} + \frac{8659716289x_{28}^2}{6115295232} - \frac{21906615859x_{28}}{12230590464} + x_7 + \frac{4357382821}{61152952320} = 0 \\
& -\frac{10407819235x_{28}^5}{57076088832} + \frac{56842396985x_{28}^4}{57076088832} - \frac{64630748675x_{28}^3}{28538044416} + \frac{80002566605x_{28}^2}{28538044416} - \frac{128959799447x_{28}}{57076088832} + x_8 - \frac{5294502995}{57076088832} = 0 \\
& -\frac{5651861303x_{28}^5}{122305904640} + \frac{6195037745x_{28}^4}{24461180928} - \frac{7115008043x_{28}^3}{12230590464} + \frac{9092576549x_{28}^2}{12230590464} - \frac{9750899999x_{28}}{24461180928} + x_9 + \frac{3655487513}{122305904640} = 0 \\
& x_{10} + \frac{2344771x_{28}^5}{418037760} - \frac{2497861x_{28}^4}{83607552} + \frac{2650951x_{28}^3}{41803776} - \frac{2804041x_{28}^2}{41803776} + \frac{2957131x_{28}}{83607552} - \frac{3110221}{418037760} = 0 \\
& x_{11} + \frac{3066445723x_{28}^5}{40768634880} - \frac{3347852845x_{28}^4}{8153726976} + \frac{3800767423x_{28}^3}{4076863488} - \frac{4676012113x_{28}^2}{4076863488} + \frac{7243625443x_{28}}{8153726976} - \frac{13792861813}{40768634880} = 0 \\
& x_{12} - \frac{2439584411x_{28}^5}{14269022208} + \frac{13338085345x_{28}^4}{14269022208} - \frac{15216346555x_{28}^3}{7134511104} + \frac{19086818965x_{28}^2}{7134511104} - \frac{33338126959x_{28}}{14269022208} + \frac{429658997}{14269022208} = 0 \\
& x_{13} + \frac{1042446427x_{28}^5}{107017666560} - \frac{1157478253x_{28}^4}{21403533312} + \frac{1378325887x_{28}^3}{10701766656} - \frac{1955811985x_{28}^2}{10701766656} + \frac{3140759203x_{28}}{21403533312} - \frac{5183990197}{107017666560} = 0 \\
& x_{14} - \frac{4367671x_{28}^5}{3057647616} + \frac{21221621x_{28}^4}{3057647616} - \frac{14446295x_{28}^3}{1528823808} - \frac{34319431x_{28}^2}{1528823808} + \frac{160907365x_{28}}{3057647616} - \frac{80229863}{3057647616} = 0 \\
& x_{15} + \frac{2656489x_{28}^5}{477757440} - \frac{2975791x_{28}^4}{95551488} + \frac{3575029x_{28}^3}{47775744} - \frac{4454203x_{28}^2}{47775744} + \frac{5613313x_{28}}{95551488} - \frac{7052359}{477757440} = 0 \\
& x_{16} - \frac{3066445723x_{28}^5}{40768634880} + \frac{3347852845x_{28}^4}{8153726976} - \frac{3800767423x_{28}^3}{4076863488} + \frac{4676012113x_{28}^2}{4076863488} - \frac{7243625443x_{28}}{8153726976} - \frac{26975773067}{40768634880} = 0 \\
& x_{17} - \frac{3066445723x_{28}^5}{20384317440} + \frac{3347852845x_{28}^4}{4076863488} - \frac{3800767423x_{28}^3}{2038431744} + \frac{4676012113x_{28}^2}{2038431744} - \frac{7243625443x_{28}}{4076863488} - \frac{6591455627}{20384317440} = 0 \\
& x_{18} - \frac{6489281117x_{28}^5}{171228266496} + \frac{35293848967x_{28}^4}{171228266496} - \frac{39587441725x_{28}^3}{85614133248} + \frac{46079651827x_{28}^2}{85614133248} - \frac{34119413929x_{28}}{171228266496} - \frac{7669574125}{171228266496} = 0 \\
& x_{19} + \frac{1544533001x_{28}^5}{35672555520} - \frac{1682814095x_{28}^4}{7134511104} + \frac{1898170901x_{28}^3}{3567255552} - \frac{2274210971x_{28}^2}{3567255552} + \frac{2894541857x_{28}}{7134511104} - \frac{3842771111}{35672555520} = 0
\end{aligned}$$

$$\begin{aligned}
x_{20} + \frac{4150399x_{28}^5}{371589120} - \frac{4534825x_{28}^4}{74317824} + \frac{5136979x_{28}^3}{37158912} - \frac{5956861x_{28}^2}{37158912} + \frac{6994471x_{28}}{74317824} - \frac{8249809}{371589120} &= 0 \\
x_{21} + \frac{56111759x_{28}^5}{3344302080} - \frac{60796313x_{28}^4}{668860416} + \frac{67440419x_{28}^3}{334430208} - \frac{76044077x_{28}^2}{334430208} + \frac{86607287x_{28}}{668860416} - \frac{99130049}{3344302080} &= 0 \\
x_{22} + \frac{56111759x_{28}^5}{3344302080} - \frac{60796313x_{28}^4}{668860416} + \frac{67440419x_{28}^3}{334430208} - \frac{76044077x_{28}^2}{334430208} + \frac{86607287x_{28}}{668860416} - \frac{99130049}{3344302080} &= 0 \\
x_{23} - \frac{1942189381x_{28}^5}{40768634880} + \frac{2121603571x_{28}^4}{8153726976} - \frac{2410192801x_{28}^3}{4076863488} + \frac{2939340367x_{28}^2}{4076863488} - \frac{2821213693x_{28}}{8153726976} + \frac{148764331}{40768634880} &= 0 \\
x_{24} - \frac{649481591x_{28}^5}{57076088832} + \frac{3490055605x_{28}^4}{57076088832} - \frac{3765362455x_{28}^3}{28538044416} + \frac{3655290745x_{28}^2}{28538044416} + \frac{4392708389x_{28}}{57076088832} - \frac{7013138983}{57076088832} &= 0 \\
x_{25} + \frac{567604543x_{28}^5}{21403533312} - \frac{3102960269x_{28}^4}{21403533312} + \frac{3536419295x_{28}^3}{10701766656} - \frac{4389222449x_{28}^2}{10701766656} + \frac{5912192387x_{28}}{21403533312} - \frac{1671230353}{21403533312} &= 0 \\
x_{26} + \frac{1544533001x_{28}^5}{35672555520} - \frac{1682814095x_{28}^4}{7134511104} + \frac{1898170901x_{28}^3}{3567255552} - \frac{2274210971x_{28}^2}{3567255552} + \frac{2894541857x_{28}}{7134511104} - \frac{3842771111}{35672555520} &= 0 \\
x_{27} - \frac{106846003x_{28}^5}{15288238080} + \frac{116446933x_{28}^4}{3057647616} - \frac{128847223x_{28}^3}{1528823808} + \frac{108215065x_{28}^2}{1528823808} - \frac{18718651x_{28}}{3057647616} - \frac{175473827}{15288238080} &= 0 \\
x_{28}^6 - \frac{60x_{28}^5}{11} + \frac{135x_{28}^4}{11} - \frac{160x_{28}^3}{11} + \frac{105x_{28}^2}{11} - \frac{36x_{28}}{11} + \frac{5}{11} &= 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
x_1 &= 27/55 \\
x_2 &= 1/2310 \\
x_3 &= 7/12 \\
x_4 &= 1/10 \\
x_5 &= 3/35 \\
x_6 &= 2/55 \\
x_7 &= 8/15 \\
x_8 &= 5/7 \\
x_9 &= 7/165 \\
x_{10} &= 1/2310 \\
x_{11} &= 1/10 \\
x_{12} &= 9/14 \\
x_{13} &= 1/105 \\
x_{14} &= 1/132 \\
x_{15} &= 1/660 \\
x_{16} &= 9/10
\end{aligned}$$

$$\begin{aligned}
x_17 &= 4/5 \\
x_18 &= 5/84 \\
x_19 &= 1/70 \\
x_20 &= 3/1540 \\
x_21 &= 1/420 \\
x_22 &= 1/420 \\
x_23 &= 1/20 \\
x_24 &= 1/14 \\
x_25 &= 1/84 \\
x_26 &= 1/70 \\
x_27 &= 1/165 \\
x_28 &= 5/11
\end{aligned}$$

Solution 2:

$$\begin{aligned}
x_1 &= 1 \\
x_2 &= 0 \\
x_3 &= 1 \\
x_4 &= 0 \\
x_5 &= 0 \\
x_6 &= 0 \\
x_7 &= 1 \\
x_8 &= 1 \\
x_9 &= 0 \\
x_{10} &= 0 \\
x_{11} &= 0 \\
x_{12} &= 1 \\
x_{13} &= 0 \\
x_{14} &= 0 \\
x_{15} &= 0 \\
x_{16} &= 1 \\
x_{17} &= 1 \\
x_{18} &= 0 \\
x_{19} &= 0
\end{aligned}$$

$$x_2 0 = 0$$

$$x_2 1 = 0$$

$$x_2 2 = 0$$

$$x_2 3 = 0$$

$$x_2 4 = 0$$

$$x_2 5 = 0$$

$$x_2 6 = 0$$

$$x_2 7 = 0$$

$$x_2 8 = 1$$

$\mathfrak{m}_{1A}(3, 14)$

m1A314 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_2, e_{11}] = e_{14}$$

$$[e_4, e_9] = e_{14}$$

$$[e_6, e_7] = e_{14}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_1, e_{13}] = e_{14}$$

$$[e_3, e_{10}] = -e_{14}$$

$$[e_5, e_8] = -e_{14}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(3, 14)$

m3A314 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_9] = e_{12} & [e_2, e_{10}] = 4e_{13} \\
[e_2, e_{11}] = \alpha_{2,11}^{14} e_{14} & [e_3, e_8] = -e_{12} \\
[e_3, e_9] = -3e_{13} & [e_3, e_{10}] = \alpha_{3,10}^{14} e_{14} \\
[e_4, e_7] = e_{12} & [e_4, e_8] = 2e_{13} \\
[e_4, e_9] = \alpha_{4,9}^{14} e_{14} & [e_5, e_6] = -e_{12} \\
[e_5, e_7] = -e_{13} & [e_5, e_8] = \alpha_{5,8}^{14} e_{14} \\
[e_6, e_7] = \alpha_{6,7}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{2,11}^{14} - \alpha_{3,10}^{14} + 4 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{14} - \alpha_{4,9}^{14} - 3 & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{14} - \alpha_{5,8}^{14} + 2 & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{14} - \alpha_{6,7}^{14} - 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{6,7}^{14} \rightarrow x_1$$

$$\alpha_{3,10}^{14} \rightarrow x_2$$

$$\alpha_{5,8}^{14} \rightarrow x_3$$

$$\alpha_{4,9}^{14} \rightarrow x_4$$

$$\alpha_{2,11}^{14} \rightarrow x_5$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -x_2 - x_5 + 4 & = 0 \\
(e_1, e_3, e_9) : & -x_2 - x_4 - 3 & = 0 \\
(e_1, e_4, e_8) : & -x_3 - x_4 + 2 & = 0 \\
(e_1, e_5, e_7) : & -x_1 - x_3 - 1 & = 0
\end{array}$$

Groebner basis (5 variables, 4 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - x_5 + 10 = 0 \\
x_2 + x_5 - 4 = 0 \\
x_3 + x_5 - 9 = 0 \\
x_4 - x_5 + 7 = 0
\end{array}$$

$\mathfrak{m}_{5A}(3, 14)$

m5A314 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_7] = e_{10} & [e_2, e_8] = 3e_{11} \\
[e_2, e_9] = \frac{7e_{12}}{2} & [e_2, e_{10}] = 0 \\
[e_2, e_{11}] = 0 & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_3, e_8] = -\frac{e_{12}}{2} \\
[e_3, e_9] = \frac{7e_{13}}{2} & [e_3, e_{10}] = 0 \\
[e_4, e_5] = e_{10} & [e_4, e_6] = e_{11} \\
[e_4, e_7] = -\frac{3e_{12}}{2} & [e_4, e_8] = -4e_{13} \\
[e_4, e_9] = \frac{7e_{14}}{2} & [e_5, e_6] = \frac{5e_{12}}{2} \\
[e_5, e_7] = \frac{5e_{13}}{2} & [e_5, e_8] = -\frac{15e_{14}}{2} \\
[e_6, e_7] = 10e_{14} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_7] = e_{10} & [e_2, e_8] = 3e_{11} \\
[e_2, e_9] = \alpha_{2,9}^{12}e_{12} & [e_2, e_{10}] = \alpha_{2,10}^{13}e_{13} \\
[e_2, e_{11}] = \alpha_{2,11}^{14}e_{14} & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_3, e_8] = \alpha_{3,8}^{12}e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13}e_{13} & [e_3, e_{10}] = \alpha_{3,10}^{14}e_{14} \\
[e_4, e_5] = e_{10} & [e_4, e_6] = e_{11} \\
[e_4, e_7] = \alpha_{4,7}^{12}e_{12} & [e_4, e_8] = \alpha_{4,8}^{13}e_{13} \\
[e_4, e_9] = \alpha_{4,9}^{14}e_{14} & [e_5, e_6] = \alpha_{5,6}^{12}e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13}e_{13} & [e_5, e_8] = \alpha_{5,8}^{14}e_{14} \\
[e_6, e_7] = \alpha_{6,7}^{14}e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{12} - \alpha_{4,7}^{12} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{12} - \alpha_{5,6}^{12} + 1 & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,10}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{13} - \alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{14} + \alpha_{3,9}^{13} - \alpha_{4,9}^{14} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{13} - \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{13} - \alpha_{5,8}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_3, e_7) : & -2\alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,11}^{14} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{14} & = 0
\end{aligned}$$

Solution 1:



$$\begin{aligned}
\alpha_{6,7}^{14} &= 10 \\
\alpha_{3,10}^{14} &= 0 \\
\alpha_{4,7}^{12} &= -3/2 \\
\alpha_{5,7}^{13} &= 5/2 \\
\alpha_{5,8}^{14} &= -15/2 \\
\alpha_{3,8}^{12} &= -1/2 \\
\alpha_{4,8}^{13} &= -4 \\
\alpha_{5,6}^{12} &= 5/2 \\
\alpha_{2,11}^{14} &= 0 \\
\alpha_{4,9}^{14} &= 7/2 \\
\alpha_{3,9}^{13} &= 7/2 \\
\alpha_{2,10}^{13} &= 0 \\
\alpha_{2,9}^{12} &= 7/2
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{6,7}^{14} &\rightarrow x_1 \\
\alpha_{3,10}^{14} &\rightarrow x_2 \\
\alpha_{4,7}^{12} &\rightarrow x_3 \\
\alpha_{5,7}^{13} &\rightarrow x_4 \\
\alpha_{5,8}^{14} &\rightarrow x_5 \\
\alpha_{3,8}^{12} &\rightarrow x_6 \\
\alpha_{4,8}^{13} &\rightarrow x_7 \\
\alpha_{5,6}^{12} &\rightarrow x_8 \\
\alpha_{2,11}^{14} &\rightarrow x_9 \\
\alpha_{4,9}^{14} &\rightarrow x_{10} \\
\alpha_{3,9}^{13} &\rightarrow x_{11} \\
\alpha_{2,10}^{13} &\rightarrow x_{12} \\
\alpha_{2,9}^{12} &\rightarrow x_{13}
\end{aligned}$$

## Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_{13} - x_6 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_3 - x_6 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_3 - x_8 + 1 & = 0 \\
(e_1, e_2, e_9) : & -x_{11} - x_{12} + x_{13} & = 0 \\
(e_1, e_3, e_8) : & -x_{11} + x_6 - x_7 & = 0 \\
(e_1, e_4, e_7) : & x_3 - x_4 - x_7 & = 0 \\
(e_1, e_5, e_6) : & -x_4 + x_8 & = 0 \\
(e_2, e_3, e_6) : & -x_{12} & = 0 \\
(e_2, e_4, e_5) : & x_{12} & = 0 \\
(e_1, e_2, e_{10}) : & x_{12} - x_2 - x_9 & = 0 \\
(e_1, e_3, e_9) : & -x_{10} + x_{11} - x_2 & = 0 \\
(e_1, e_4, e_8) : & -x_{10} - x_5 + x_7 & = 0 \\
(e_1, e_5, e_7) : & -x_1 + x_4 - x_5 & = 0 \\
(e_2, e_3, e_7) : & -x_2 - 2x_9 & = 0 \\
(e_2, e_4, e_6) : & x_9 & = 0 \\
(e_3, e_4, e_5) : & x_2 & = 0
\end{array}$$

Groebner basis (13 variables, 13 linear, 0 nonlinear)

$$\begin{aligned}
x_1 - 10 &= 0 \\
x_2 &= 0 \\
x_3 + \frac{3}{2} &= 0 \\
x_4 - \frac{5}{2} &= 0 \\
x_5 + \frac{15}{2} &= 0 \\
x_6 + \frac{1}{2} &= 0 \\
x_7 + 4 &= 0 \\
x_8 - \frac{5}{2} &= 0 \\
x_9 &= 0 \\
x_{10} - \frac{7}{2} &= 0
\end{aligned}$$

$$x_{11} - \frac{7}{2} = 0$$

$$x_{12} = 0$$

$$x_{13} - \frac{7}{2} = 0$$

Solution 1:

$$x_1 = 10$$

$$x_2 = 0$$

$$x_3 = -3/2$$

$$x_4 = 5/2$$

$$x_5 = -15/2$$

$$x_6 = -1/2$$

$$x_7 = -4$$

$$x_8 = 5/2$$

$$x_9 = 0$$

$$x_{10} = 7/2$$

$$x_{11} = 7/2$$

$$x_{12} = 0$$

$$x_{13} = 7/2$$

$\mathfrak{m}_{7A}(3, 14)$

m7A314 (this line included for string searching purposes)

Solution 1

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_1, e_{13}] &= e_{14} \\
[e_2, e_5] &= e_8 & [e_2, e_6] &= 2e_9 \\
[e_2, e_7] &= \frac{5e_{10}}{3} & [e_2, e_8] &= 0 \\
[e_2, e_9] &= -\frac{49e_{12}}{33} & [e_2, e_{10}] &= -\frac{14e_{13}}{11} \\
[e_2, e_{11}] &= -\frac{7e_{14}}{11} & [e_3, e_4] &= -e_8 \\
[e_3, e_5] &= -e_9 & [e_3, e_6] &= \frac{e_{10}}{3} \\
[e_3, e_7] &= \frac{5e_{11}}{3} & [e_3, e_8] &= \frac{49e_{12}}{33} \\
[e_3, e_9] &= -\frac{7e_{13}}{33} & [e_3, e_{10}] &= -\frac{7e_{14}}{11} \\
[e_4, e_5] &= -\frac{4e_{10}}{3} & [e_4, e_6] &= -\frac{4e_{11}}{3} \\
[e_4, e_7] &= \frac{2e_{12}}{11} & [e_4, e_8] &= \frac{56e_{13}}{33} \\
[e_4, e_9] &= \frac{14e_{14}}{33} & [e_5, e_6] &= -\frac{50e_{12}}{33} \\
[e_5, e_7] &= -\frac{50e_{13}}{33} & [e_5, e_8] &= \frac{14e_{14}}{11} \\
[e_6, e_7] &= -\frac{92e_{14}}{33}
\end{aligned}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_5] = e_8 & [e_2, e_6] = 2e_9 \\
[e_2, e_7] = \alpha_{2,7}^{10} e_{10} & [e_2, e_8] = \alpha_{2,8}^{11} e_{11} \\
[e_2, e_9] = \alpha_{2,9}^{12} e_{12} & [e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} \\
[e_2, e_{11}] = \alpha_{2,11}^{14} e_{14} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13} e_{13} & [e_3, e_{10}] = \alpha_{3,10}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{10} e_{10} & [e_4, e_6] = \alpha_{4,6}^{11} e_{11} \\
[e_4, e_7] = \alpha_{4,7}^{12} e_{12} & [e_4, e_8] = \alpha_{4,8}^{13} e_{13} \\
[e_4, e_9] = \alpha_{4,9}^{14} e_{14} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13} e_{13} & [e_5, e_8] = \alpha_{5,8}^{14} e_{14} \\
[e_6, e_7] = \alpha_{6,7}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - 2\alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{13} - \alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{14} + \alpha_{3,9}^{13} - \alpha_{4,9}^{14} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{13} - \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{13} - \alpha_{5,8}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,11}^{14} \alpha_{3,7}^{11} - \alpha_{2,7}^{10} \alpha_{3,10}^{14} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,11}^{14} \alpha_{4,6}^{11} - 2\alpha_{4,9}^{14} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{14} \alpha_{4,5}^{10} + \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{6,7}^{14} &= -92/33 \\
\alpha_{3,10}^{14} &= -7/11 \\
\alpha_{4,5}^{10} &= -4/3 \\
\alpha_{4,6}^{11} &= -4/3 \\
\alpha_{4,7}^{12} &= 2/11 \\
\alpha_{5,7}^{13} &= -50/33 \\
\alpha_{5,8}^{14} &= 14/11 \\
\alpha_{3,8}^{12} &= 49/33 \\
\alpha_{3,6}^{10} &= 1/3 \\
\alpha_{5,6}^{12} &= -50/33 \\
\alpha_{4,8}^{13} &= 56/33 \\
\alpha_{2,11}^{14} &= -7/11 \\
\alpha_{4,9}^{14} &= 14/33 \\
\alpha_{2,7}^{10} &= 5/3 \\
\alpha_{3,9}^{13} &= -7/33 \\
\alpha_{3,7}^{11} &= 5/3 \\
\alpha_{2,10}^{13} &= -14/11 \\
\alpha_{2,8}^{11} &= 0 \\
\alpha_{2,9}^{12} &= -49/33
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{6,7}^{14} &\rightarrow x_1 \\
\alpha_{3,10}^{14} &\rightarrow x_2 \\
\alpha_{4,5}^{10} &\rightarrow x_3 \\
\alpha_{4,6}^{11} &\rightarrow x_4 \\
\alpha_{4,7}^{12} &\rightarrow x_5 \\
\alpha_{5,7}^{13} &\rightarrow x_6 \\
\alpha_{5,8}^{14} &\rightarrow x_7 \\
\alpha_{3,8}^{12} &\rightarrow x_8
\end{aligned}$$

$$\alpha_{3,6}^{10} \rightarrow x_9$$

$$\alpha_{5,6}^{12} \rightarrow x_{10}$$

$$\alpha_{4,8}^{13} \rightarrow x_{11}$$

$$\alpha_{2,11}^{14} \rightarrow x_{12}$$

$$\alpha_{4,9}^{14} \rightarrow x_{13}$$

$$\alpha_{2,7}^{10} \rightarrow x_{14}$$

$$\alpha_{3,9}^{13} \rightarrow x_{15}$$

$$\alpha_{3,7}^{11} \rightarrow x_{16}$$

$$\alpha_{2,10}^{13} \rightarrow x_{17}$$

$$\alpha_{2,8}^{11} \rightarrow x_{18}$$

$$\alpha_{2,9}^{12} \rightarrow x_{19}$$

Jacobi Tests



$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_{14} - x_9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_3 - x_9 - 1 & = 0 \\
(e_1, e_2, e_7) : & x_{14} - x_{16} - x_{18} & = 0 \\
(e_1, e_3, e_6) : & -x_{16} - x_4 + x_9 & = 0 \\
(e_1, e_4, e_5) : & x_3 - x_4 & = 0 \\
(e_2, e_3, e_4) : & -x_{18} & = 0 \\
(e_1, e_2, e_8) : & x_{18} - x_{19} - x_8 & = 0 \\
(e_1, e_3, e_7) : & x_{16} - x_5 - x_8 & = 0 \\
(e_1, e_4, e_6) : & -x_{10} + x_4 - x_5 & = 0 \\
(e_2, e_3, e_5) : & -x_{19} - x_8 & = 0 \\
(e_1, e_2, e_9) : & -x_{15} - x_{17} + x_{19} & = 0 \\
(e_1, e_3, e_8) : & -x_{11} - x_{15} + x_8 & = 0 \\
(e_1, e_4, e_7) : & -x_{11} + x_5 - x_6 & = 0 \\
(e_1, e_5, e_6) : & x_{10} - x_6 & = 0 \\
(e_2, e_3, e_6) : & -2x_{15} + x_{17}x_9 & = 0 \\
(e_2, e_4, e_5) : & -x_{11} + x_{17}x_3 & = 0 \\
(e_1, e_2, e_{10}) : & -x_{12} + x_{17} - x_2 & = 0 \\
(e_1, e_3, e_9) : & -x_{13} + x_{15} - x_2 & = 0 \\
(e_1, e_4, e_8) : & x_{11} - x_{13} - x_7 & = 0 \\
(e_1, e_5, e_7) : & -x_1 + x_6 - x_7 & = 0 \\
(e_2, e_3, e_7) : & x_{12}x_{16} - x_{14}x_2 & = 0 \\
(e_2, e_4, e_6) : & x_{12}x_4 - 2x_{13} & = 0 \\
(e_3, e_4, e_5) : & x_{13} + x_2x_3 - x_7 & = 0
\end{array}$$

Groebner basis (19 variables, 19 linear, 0 nonlinear)

$$x_1 + \frac{92}{33} = 0$$

$$x_2 + \frac{7}{11} = 0$$

$$x_3 + \frac{4}{3} = 0$$

$$x_4 + \frac{4}{3} = 0$$

$$x_5 - \frac{2}{11} = 0$$

$$x_6 + \frac{50}{33} = 0$$

$$x_7 - \frac{14}{11} = 0$$

$$x_8 - \frac{49}{33} = 0$$

$$x_9 - \frac{1}{3} = 0$$

$$x_{10} + \frac{50}{33} = 0$$

$$x_{11} - \frac{56}{33} = 0$$

$$x_{12} + \frac{7}{11} = 0$$

$$x_{13} - \frac{14}{33} = 0$$

$$x_{14} - \frac{5}{3} = 0$$

$$x_{15} + \frac{7}{33} = 0$$

$$x_{16} - \frac{5}{3} = 0$$

$$x_{17} + \frac{14}{11} = 0$$

$$x_{18} = 0$$

$$x_{19} + \frac{49}{33} = 0$$

Solution 1:

$$x_1 = -92/33$$

$$x_2 = -7/11$$

$$x_3 = -4/3$$

$$x_4 = -4/3$$

$$x_5 = 2/11$$

$$x_6 = -50/33$$

$$x_7 = 14/11$$

$$x_8 = 49/33$$

$$x_9 = 1/3$$

$$x_{10} = -50/33$$

$$\begin{aligned}
x_1 1 &= 56/33 \\
x_1 2 &= -7/11 \\
x_1 3 &= 14/33 \\
x_1 4 &= 5/3 \\
x_1 5 &= -7/33 \\
x_1 6 &= 5/3 \\
x_1 7 &= -14/11 \\
x_1 8 &= 0 \\
x_1 9 &= -49/33
\end{aligned}$$

$\mathfrak{m}_{9A}(3, 14)$

m9A314 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_1, e_{13}] &= e_{14} \\
[e_2, e_3] &= e_6 & [e_2, e_4] &= e_7 \\
[e_2, e_5] &= \alpha_{2,5}^8 e_8 & [e_2, e_6] &= \alpha_{2,6}^9 e_9 \\
[e_2, e_7] &= \alpha_{2,7}^{10} e_{10} & [e_2, e_8] &= \alpha_{2,8}^{11} e_{11} \\
[e_2, e_9] &= \alpha_{2,9}^{12} e_{12} & [e_2, e_{10}] &= \alpha_{2,10}^{13} e_{13} \\
[e_2, e_{11}] &= \alpha_{2,11}^{14} e_{14} & [e_3, e_4] &= \alpha_{3,4}^8 e_8 \\
[e_3, e_5] &= \alpha_{3,5}^9 e_9 & [e_3, e_6] &= \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] &= \alpha_{3,7}^{11} e_{11} & [e_3, e_8] &= \alpha_{3,8}^{12} e_{12} \\
[e_3, e_9] &= \alpha_{3,9}^{13} e_{13} & [e_3, e_{10}] &= \alpha_{3,10}^{14} e_{14} \\
[e_4, e_5] &= \alpha_{4,5}^{10} e_{10} & [e_4, e_6] &= \alpha_{4,6}^{11} e_{11} \\
[e_4, e_7] &= \alpha_{4,7}^{12} e_{12} & [e_4, e_8] &= \alpha_{4,8}^{13} e_{13} \\
[e_4, e_9] &= \alpha_{4,9}^{14} e_{14} & [e_5, e_6] &= \alpha_{5,6}^{12} e_{12} \\
[e_5, e_7] &= \alpha_{5,7}^{13} e_{13} & [e_5, e_8] &= \alpha_{5,8}^{14} e_{14} \\
[e_6, e_7] &= \alpha_{6,7}^{14} e_{14}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{12} + \alpha_{2,9}^{12} \alpha_{3,5}^9 + \alpha_{5,6}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - \alpha_{2,6}^9 \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{2,5}^8 \alpha_{4,8}^{13} + \alpha_{5,7}^{13} & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{13} - \alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{14} + \alpha_{3,9}^{13} - \alpha_{4,9}^{14} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{13} - \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{13} - \alpha_{5,8}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,11}^{14} \alpha_{3,7}^{11} - \alpha_{2,7}^{10} \alpha_{3,10}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,11}^{14} \alpha_{4,6}^{11} - \alpha_{2,6}^9 \alpha_{4,9}^{14} + \alpha_{6,7}^{14} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{14} \alpha_{4,5}^{10} + \alpha_{3,4}^8 \alpha_{5,8}^{14} - \alpha_{3,5}^9 \alpha_{4,9}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{6,7}^{14} \rightarrow x_1$$

$$\alpha_{4,8}^{13} \rightarrow x_2$$

$$\alpha_{2,7}^{10} \rightarrow x_3$$

$$\alpha_{2,10}^{13} \rightarrow x_4$$

$$\alpha_{3,10}^{14} \rightarrow x_5$$

$$\alpha_{2,5}^8 \rightarrow x_6$$

$$\alpha_{2,8}^{11} \rightarrow x_7$$

$$\alpha_{4,7}^{12} \rightarrow x_8$$

$$\alpha_{5,8}^{14} \rightarrow x_9$$

$$\alpha_{2,6}^9 \rightarrow x_{10}$$

$$\alpha_{4,6}^{11} \rightarrow x_{11}$$

$$\alpha_{4,5}^{10} \rightarrow x_{12}$$

$$\alpha_{5,7}^{13} \rightarrow x_{13}$$

$$\alpha_{3,8}^{12} \rightarrow x_{14}$$

$$\alpha_{3,6}^{10} \rightarrow x_{15}$$

$$\alpha_{5,6}^{12} \rightarrow x_{16}$$

$$\alpha_{2,11}^{14} \rightarrow x_{17}$$

$$\alpha_{4,9}^{14} \rightarrow x_{18}$$

$$\alpha_{3,9}^{13} \rightarrow x_{19}$$

$$\alpha_{3,4}^8 \rightarrow x_{20}$$

$$\alpha_{3,7}^{11} \rightarrow x_{21}$$

$$\alpha_{3,5}^9 \rightarrow x_{22}$$

$$\alpha_{2,9}^{12} \rightarrow x_{23}$$

## Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{20} - x_6 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{10} - x_{22} + x_6 & = 0 \\
(e_1, e_3, e_4) : & x_{20} - x_{22} & = 0 \\
(e_1, e_2, e_6) : & x_{10} - x_{15} - x_3 & = 0 \\
(e_1, e_3, e_5) : & -x_{12} - x_{15} + x_{22} & = 0 \\
(e_1, e_2, e_7) : & -x_{21} + x_3 - x_7 & = 0 \\
(e_1, e_3, e_6) : & -x_{11} + x_{15} - x_{21} & = 0 \\
(e_1, e_4, e_5) : & -x_{11} + x_{12} & = 0 \\
(e_2, e_3, e_4) : & x_{11} + x_{20}x_7 - x_{21} & = 0 \\
(e_1, e_2, e_8) : & -x_{14} - x_{23} + x_7 & = 0 \\
(e_1, e_3, e_7) : & -x_{14} + x_{21} - x_8 & = 0 \\
(e_1, e_4, e_6) : & x_{11} - x_{16} - x_8 & = 0 \\
(e_2, e_3, e_5) : & -x_{14}x_6 + x_{16} + x_{22}x_{23} & = 0 \\
(e_1, e_2, e_9) : & -x_{19} + x_{23} - x_4 & = 0 \\
(e_1, e_3, e_8) : & x_{14} - x_{19} - x_2 & = 0 \\
(e_1, e_4, e_7) : & -x_{13} - x_2 + x_8 & = 0 \\
(e_1, e_5, e_6) : & -x_{13} + x_{16} & = 0 \\
(e_2, e_3, e_6) : & -x_{10}x_{19} + x_{15}x_4 & = 0 \\
(e_2, e_4, e_5) : & x_{12}x_4 + x_{13} - x_2x_6 & = 0 \\
(e_1, e_2, e_{10}) : & -x_{17} + x_4 - x_5 & = 0 \\
(e_1, e_3, e_9) : & -x_{18} + x_{19} - x_5 & = 0 \\
(e_1, e_4, e_8) : & -x_{18} + x_2 - x_9 & = 0 \\
(e_1, e_5, e_7) : & -x_1 + x_{13} - x_9 & = 0 \\
(e_2, e_3, e_7) : & -x_1 + x_{17}x_{21} - x_3x_5 & = 0 \\
(e_2, e_4, e_6) : & x_1 - x_{10}x_{18} + x_{11}x_{17} & = 0 \\
(e_3, e_4, e_5) : & x_{12}x_5 - x_{18}x_{22} + x_{20}x_9 & = 0
\end{array}$$

Groebner basis (23 variables, 3 linear, 20 nonlinear)

$$\begin{aligned}
x_1 - x_{18} + \frac{119x_{22}^3}{12} - \frac{187x_{22}^2x_{23}}{28} - \frac{799x_{22}^2}{24} + \frac{51x_{22}x_{23}}{56} + \frac{111x_{22}}{4} + \frac{321x_{23}}{56} - \frac{321}{56} &= 0 \\
x_2 - \frac{77x_{22}^3}{12} + \frac{121x_{22}^2x_{23}}{28} + \frac{517x_{22}^2}{24} - \frac{33x_{22}x_{23}}{56} - \frac{73x_{22}}{4} - \frac{211x_{23}}{56} + \frac{211}{56} &= 0 \\
\frac{7x_{22}^3}{12} - \frac{11x_{22}^2x_{23}}{28} - \frac{47x_{22}^2}{24} + \frac{3x_{22}x_{23}}{56} + \frac{15x_{22}}{4} + \frac{9x_{23}}{56} + x_3 - \frac{65}{56} &= 0
\end{aligned}$$

$$-\frac{49x_{22}^3}{6} + \frac{11x_{22}^2x_{23}}{2} + \frac{329x_{22}^2}{12} - \frac{3x_{22}x_{23}}{4} - \frac{49x_{22}}{2} - \frac{25x_{23}}{4} + x_4 + \frac{21}{4} = 0$$

$$x_{18} + \frac{49x_{22}^3}{6} - \frac{11x_{22}^2x_{23}}{2} - \frac{329x_{22}^2}{12} + \frac{3x_{22}x_{23}}{4} + \frac{49x_{22}}{2} + \frac{21x_{23}}{4} + x_5 - \frac{21}{4} = 0$$

$$x_{22} + x_6 - 1 = 0$$

$$\frac{7x_{22}^3}{4} - \frac{33x_{22}^2x_{23}}{28} - \frac{47x_{22}^2}{8} + \frac{9x_{22}x_{23}}{56} + \frac{25x_{22}}{4} + \frac{27x_{23}}{56} + x_7 - \frac{83}{56} = 0$$

$$-\frac{35x_{22}^3}{12} + \frac{55x_{22}^2x_{23}}{28} + \frac{235x_{22}^2}{24} - \frac{15x_{22}x_{23}}{56} - \frac{35x_{22}}{4} - \frac{101x_{23}}{56} + x_8 + \frac{101}{56} = 0$$

$$x_{18} - \frac{77x_{22}^3}{12} + \frac{121x_{22}^2x_{23}}{28} + \frac{517x_{22}^2}{24} - \frac{33x_{22}x_{23}}{56} - \frac{73x_{22}}{4} - \frac{211x_{23}}{56} + x_9 + \frac{211}{56} = 0$$

$$x_{10} + 2x_{22} - 1 = 0$$

$$x_{11} + \frac{7x_{22}^3}{12} - \frac{11x_{22}^2x_{23}}{28} - \frac{47x_{22}^2}{24} + \frac{3x_{22}x_{23}}{56} + \frac{3x_{22}}{4} + \frac{9x_{23}}{56} - \frac{9}{56} = 0$$

$$x_{12} + \frac{7x_{22}^3}{12} - \frac{11x_{22}^2x_{23}}{28} - \frac{47x_{22}^2}{24} + \frac{3x_{22}x_{23}}{56} + \frac{3x_{22}}{4} + \frac{9x_{23}}{56} - \frac{9}{56} = 0$$

$$x_{13} + \frac{7x_{22}^3}{2} - \frac{33x_{22}^2x_{23}}{14} - \frac{47x_{22}^2}{4} + \frac{9x_{22}x_{23}}{28} + \frac{19x_{22}}{2} + \frac{55x_{23}}{28} - \frac{55}{28} = 0$$

$$x_{14} + \frac{7x_{22}^3}{4} - \frac{33x_{22}^2x_{23}}{28} - \frac{47x_{22}^2}{8} + \frac{9x_{22}x_{23}}{56} + \frac{25x_{22}}{4} + \frac{83x_{23}}{56} - \frac{83}{56} = 0$$

$$x_{15} - \frac{7x_{22}^3}{12} + \frac{11x_{22}^2x_{23}}{28} + \frac{47x_{22}^2}{24} - \frac{3x_{22}x_{23}}{56} - \frac{7x_{22}}{4} - \frac{9x_{23}}{56} + \frac{9}{56} = 0$$

$$x_{16} + \frac{7x_{22}^3}{2} - \frac{33x_{22}^2x_{23}}{14} - \frac{47x_{22}^2}{4} + \frac{9x_{22}x_{23}}{28} + \frac{19x_{22}}{2} + \frac{55x_{23}}{28} - \frac{55}{28} = 0$$

$$x_{17} - x_{18} - \frac{49x_{22}^3}{3} + 11x_{22}^2x_{23} + \frac{329x_{22}^2}{6} - \frac{3x_{22}x_{23}}{2} - 49x_{22} - \frac{23x_{23}}{2} + \frac{21}{2} = 0$$

$$x_{18}x_{22} - \frac{x_{18}x_{23}}{33} + \frac{x_{18}}{33} + \frac{1813x_{22}^3x_{23}}{594} - \frac{1078x_{22}^3}{27} - \frac{37x_{22}^2x_{23}^2}{18} + \frac{2371x_{22}^2x_{23}}{132} + \frac{11956x_{22}^2}{99} - \frac{241x_{22}x_{23}^2}{396} + \frac{2227x_{22}x_{23}}{198} - \frac{86}{198}$$

$$x_{18}x_{23}^2 + \frac{89x_{18}x_{23}}{5} - \frac{94x_{18}}{5} - \frac{1813x_{22}^3x_{23}^2}{18} + \frac{117943x_{22}^3x_{23}}{90} - \frac{54439x_{22}^3}{45} + \frac{407x_{22}^2x_{23}^3}{6} - \frac{35279x_{22}^2x_{23}^2}{60} - \frac{187121x_{22}^2x_{23}}{60} + \frac{187121x_{22}^2}{60} - \frac{187121x_{22}x_{23}^2}{60} + \frac{187121x_{22}x_{23}}{60} - \frac{187121}{60} = 0$$

$$x_{19} + \frac{49x_{22}^3}{6} - \frac{11x_{22}^2x_{23}}{2} - \frac{329x_{22}^2}{12} + \frac{3x_{22}x_{23}}{4} + \frac{49x_{22}}{2} + \frac{21x_{23}}{4} - \frac{21}{4} = 0$$

$$x_{20} - x_{22} = 0$$

$$x_{21} - \frac{7x_{22}^3}{6} + \frac{11x_{22}^2x_{23}}{14} + \frac{47x_{22}^2}{12} - \frac{3x_{22}x_{23}}{28} - \frac{5x_{22}}{2} - \frac{9x_{23}}{28} + \frac{9}{28} = 0$$

$$x_{22}^4 - \frac{33x_{22}^3x_{23}}{49} - \frac{33x_{22}^3}{14} - \frac{57x_{22}^2x_{23}}{98} + \frac{3x_{22}^2}{14} + \frac{18x_{22}x_{23}}{49} + \frac{99x_{22}}{98} + \frac{27x_{23}}{98} - \frac{27}{98} = 0$$

$\mathfrak{m}_{2A}(4, 14)$

m2A414 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_9] = e_{13} & [e_2, e_{10}] = 4e_{14} \\
[e_3, e_8] = -e_{13} & [e_3, e_9] = -3e_{14} \\
[e_4, e_7] = e_{13} & [e_4, e_8] = 2e_{14} \\
[e_5, e_6] = -e_{13} & [e_5, e_7] = -e_{14}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(4, 14)$

m4A414 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_7] = e_{11} & [e_2, e_8] = 3e_{12} \\
[e_2, e_9] = \alpha_{2,9}^{13}e_{13} & [e_2, e_{10}] = \alpha_{2,10}^{14}e_{14} \\
[e_3, e_6] = -e_{11} & [e_3, e_7] = -2e_{12} \\
[e_3, e_8] = \alpha_{3,8}^{13}e_{13} & [e_3, e_9] = \alpha_{3,9}^{14}e_{14} \\
[e_4, e_5] = e_{11} & [e_4, e_6] = e_{12} \\
[e_4, e_7] = \alpha_{4,7}^{13}e_{13} & [e_4, e_8] = \alpha_{4,8}^{14}e_{14} \\
[e_5, e_6] = \alpha_{5,6}^{13}e_{13} & [e_5, e_7] = \alpha_{5,7}^{14}e_{14}
\end{array}$$



Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{13} - \alpha_{3,8}^{13} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{13} - \alpha_{4,7}^{13} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{13} - \alpha_{5,6}^{13} + 1 & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{14} + \alpha_{2,9}^{13} - \alpha_{3,9}^{14} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{13} - \alpha_{3,9}^{14} - \alpha_{4,8}^{14} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{13} - \alpha_{4,8}^{14} - \alpha_{5,7}^{14} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{13} - \alpha_{5,7}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{4,8}^{14} & \rightarrow x_1 \\
\alpha_{4,7}^{13} & \rightarrow x_2 \\
\alpha_{5,6}^{13} & \rightarrow x_3 \\
\alpha_{2,10}^{14} & \rightarrow x_4 \\
\alpha_{3,9}^{14} & \rightarrow x_5 \\
\alpha_{2,9}^{13} & \rightarrow x_6 \\
\alpha_{5,7}^{14} & \rightarrow x_7 \\
\alpha_{3,8}^{13} & \rightarrow x_8
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_8) : & -x_6 - x_8 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_2 - x_8 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_2 - x_3 + 1 & = 0 \\
(e_1, e_2, e_9) : & -x_4 - x_5 + x_6 & = 0 \\
(e_1, e_3, e_8) : & -x_1 - x_5 + x_8 & = 0 \\
(e_1, e_4, e_7) : & -x_1 + x_2 - x_7 & = 0 \\
(e_1, e_5, e_6) : & x_3 - x_7 & = 0
\end{aligned}$$

Groebner basis (8 variables, 7 linear, 0 nonlinear)

$$x_1 + 2x_8 + 5 = 0$$

$$x_2 + x_8 + 2 = 0$$

$$x_3 - x_8 - 3 = 0$$

$$x_4 + 4x_8 + 2 = 0$$

$$x_5 - 3x_8 - 5 = 0$$

$$x_6 + x_8 - 3 = 0$$

$$x_7 - x_8 - 3 = 0$$

$\mathfrak{m}_{6A}(4, 14)$

m6A414 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_1, e_{13}] = e_{14}$
$[e_2, e_5] = e_9$	$[e_2, e_6] = 2e_{10}$
$[e_2, e_7] = \alpha_{2,7}^{11}e_{11}$	$[e_2, e_8] = \alpha_{2,8}^{12}e_{12}$
$[e_2, e_9] = \alpha_{2,9}^{13}e_{13}$	$[e_2, e_{10}] = \alpha_{2,10}^{14}e_{14}$
$[e_3, e_4] = -e_9$	$[e_3, e_5] = -e_{10}$
$[e_3, e_6] = \alpha_{3,6}^{11}e_{11}$	$[e_3, e_7] = \alpha_{3,7}^{12}e_{12}$
$[e_3, e_8] = \alpha_{3,8}^{13}e_{13}$	$[e_3, e_9] = \alpha_{3,9}^{14}e_{14}$
$[e_4, e_5] = \alpha_{4,5}^{11}e_{11}$	$[e_4, e_6] = \alpha_{4,6}^{12}e_{12}$
$[e_4, e_7] = \alpha_{4,7}^{13}e_{13}$	$[e_4, e_8] = \alpha_{4,8}^{14}e_{14}$
$[e_5, e_6] = \alpha_{5,6}^{13}e_{13}$	$[e_5, e_7] = \alpha_{5,7}^{14}e_{14}$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,9}^{13} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{14} + \alpha_{2,9}^{13} - \alpha_{3,9}^{14} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{13} - \alpha_{3,9}^{14} - \alpha_{4,8}^{14} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{13} - \alpha_{4,8}^{14} - \alpha_{5,7}^{14} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{13} - \alpha_{5,7}^{14} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,10}^{14} - \alpha_{3,9}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{4,8}^{14} & \rightarrow x_1 \\
\alpha_{4,7}^{13} & \rightarrow x_2 \\
\alpha_{5,6}^{13} & \rightarrow x_3 \\
\alpha_{2,8}^{12} & \rightarrow x_4 \\
\alpha_{2,10}^{14} & \rightarrow x_5 \\
\alpha_{4,5}^{11} & \rightarrow x_6 \\
\alpha_{3,7}^{12} & \rightarrow x_7 \\
\alpha_{2,9}^{13} & \rightarrow x_8 \\
\alpha_{2,7}^{11} & \rightarrow x_9 \\
\alpha_{3,9}^{14} & \rightarrow x_{10} \\
\alpha_{5,7}^{14} & \rightarrow x_{11} \\
\alpha_{3,8}^{13} & \rightarrow x_{12}
\end{aligned}$$

$$\alpha_{4,6}^{12} \rightarrow x_{13}$$

$$\alpha_{3,6}^{11} \rightarrow x_{14}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_{14} - x_9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_{14} - x_6 - 1 & = 0 \\
(e_1, e_2, e_7) : & -x_4 - x_7 + x_9 & = 0 \\
(e_1, e_3, e_6) : & -x_{13} + x_{14} - x_7 & = 0 \\
(e_1, e_4, e_5) : & -x_{13} + x_6 & = 0 \\
(e_1, e_2, e_8) : & -x_{12} + x_4 - x_8 & = 0 \\
(e_1, e_3, e_7) : & -x_{12} - x_2 + x_7 & = 0 \\
(e_1, e_4, e_6) : & x_{13} - x_2 - x_3 & = 0 \\
(e_2, e_3, e_4) : & -x_8 & = 0 \\
(e_1, e_2, e_9) : & -x_{10} - x_5 + x_8 & = 0 \\
(e_1, e_3, e_8) : & -x_1 - x_{10} + x_{12} & = 0 \\
(e_1, e_4, e_7) : & -x_1 - x_{11} + x_2 & = 0 \\
(e_1, e_5, e_6) : & -x_{11} + x_3 & = 0 \\
(e_2, e_3, e_5) : & -x_{10} - x_5 & = 0
\end{array}$$

Groebner basis (14 variables, 13 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - 11x_{14} - 1 = 0 \\
-5x_{14} + x_2 = 0 \\
6x_{14} + x_3 + 1 = 0 \\
3x_{14} + x_4 - 1 = 0 \\
-14x_{14} + x_5 = 0 \\
x_{14} + x_6 + 1 = 0 \\
-2x_{14} + x_7 - 1 = 0 \\
x_8 = 0 \\
x_{14} + x_9 - 2 = 0 \\
x_{10} + 14x_{14} = 0 \\
x_{11} + 6x_{14} + 1 = 0 \\
x_{12} + 3x_{14} - 1 = 0 \\
x_{13} + x_{14} + 1 = 0
\end{array}$$

$\mathfrak{m}_{8A}(4, 14)$

m8A414 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_1, e_{13}] = e_{14}$
$[e_2, e_3] = e_7$	$[e_2, e_4] = e_8$
$[e_2, e_5] = \alpha_{2,5}^9 e_9$	$[e_2, e_6] = \alpha_{2,6}^{10} e_{10}$
$[e_2, e_7] = \alpha_{2,7}^{11} e_{11}$	$[e_2, e_8] = \alpha_{2,8}^{12} e_{12}$
$[e_2, e_9] = \alpha_{2,9}^{13} e_{13}$	$[e_2, e_{10}] = \alpha_{2,10}^{14} e_{14}$
$[e_3, e_4] = \alpha_{3,4}^9 e_9$	$[e_3, e_5] = \alpha_{3,5}^{10} e_{10}$
$[e_3, e_6] = \alpha_{3,6}^{11} e_{11}$	$[e_3, e_7] = \alpha_{3,7}^{12} e_{12}$
$[e_3, e_8] = \alpha_{3,8}^{13} e_{13}$	$[e_3, e_9] = \alpha_{3,9}^{14} e_{14}$
$[e_4, e_5] = \alpha_{4,5}^{11} e_{11}$	$[e_4, e_6] = \alpha_{4,6}^{12} e_{12}$
$[e_4, e_7] = \alpha_{4,7}^{13} e_{13}$	$[e_4, e_8] = \alpha_{4,8}^{14} e_{14}$
$[e_5, e_6] = \alpha_{5,6}^{13} e_{13}$	$[e_5, e_7] = \alpha_{5,7}^{14} e_{14}$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,9}^{13} \alpha_{3,4}^9 - \alpha_{3,8}^{13} + \alpha_{4,7}^{13} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{14} + \alpha_{2,9}^{13} - \alpha_{3,9}^{14} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{13} - \alpha_{3,9}^{14} - \alpha_{4,8}^{14} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{13} - \alpha_{4,8}^{14} - \alpha_{5,7}^{14} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{13} - \alpha_{5,7}^{14} & = 0 \\
(e_2, e_3, e_5) : & \alpha_{2,10}^{14} \alpha_{3,5}^{10} - \alpha_{2,5}^9 \alpha_{3,9}^{14} + \alpha_{5,7}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{4,8}^{14} & \rightarrow x_1 \\
\alpha_{4,7}^{13} & \rightarrow x_2 \\
\alpha_{2,5}^9 & \rightarrow x_3 \\
\alpha_{5,6}^{13} & \rightarrow x_4 \\
\alpha_{2,8}^{12} & \rightarrow x_5 \\
\alpha_{2,10}^{14} & \rightarrow x_6 \\
\alpha_{4,5}^{11} & \rightarrow x_7 \\
\alpha_{3,7}^{12} & \rightarrow x_8 \\
\alpha_{2,9}^{13} & \rightarrow x_9 \\
\alpha_{2,7}^{11} & \rightarrow x_{10}
\end{aligned}$$

$$\alpha_{3,9}^{14} \rightarrow x_{11}$$

$$\alpha_{5,7}^{14} \rightarrow x_{12}$$

$$\alpha_{3,4}^9 \rightarrow x_{13}$$

$$\alpha_{3,8}^{13} \rightarrow x_{14}$$

$$\alpha_{4,6}^{12} \rightarrow x_{15}$$

$$\alpha_{3,6}^{11} \rightarrow x_{16}$$

$$\alpha_{2,6}^{10} \rightarrow x_{17}$$

$$\alpha_{3,5}^{10} \rightarrow x_{18}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{13} - x_3 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{17} - x_{18} + x_3 & = 0 \\
(e_1, e_3, e_4) : & x_{13} - x_{18} & = 0 \\
(e_1, e_2, e_6) : & -x_{10} - x_{16} + x_{17} & = 0 \\
(e_1, e_3, e_5) : & -x_{16} + x_{18} - x_7 & = 0 \\
(e_1, e_2, e_7) : & x_{10} - x_5 - x_8 & = 0 \\
(e_1, e_3, e_6) : & -x_{15} + x_{16} - x_8 & = 0 \\
(e_1, e_4, e_5) : & -x_{15} + x_7 & = 0 \\
(e_1, e_2, e_8) : & -x_{14} + x_5 - x_9 & = 0 \\
(e_1, e_3, e_7) : & -x_{14} - x_2 + x_8 & = 0 \\
(e_1, e_4, e_6) : & x_{15} - x_2 - x_4 & = 0 \\
(e_2, e_3, e_4) : & x_{13}x_9 - x_{14} + x_2 & = 0 \\
(e_1, e_2, e_9) : & -x_{11} - x_6 + x_9 & = 0 \\
(e_1, e_3, e_8) : & -x_1 - x_{11} + x_{14} & = 0 \\
(e_1, e_4, e_7) : & -x_1 - x_{12} + x_2 & = 0 \\
(e_1, e_5, e_6) : & -x_{12} + x_4 & = 0 \\
(e_2, e_3, e_5) : & -x_{11}x_3 + x_{12} + x_{18}x_6 & = 0
\end{array}$$

Groebner basis (18 variables, 15 linear, 1 nonlinear)

$$x_1 + 2x_{14} - 5x_{16} + 3x_{18} = 0$$

$$x_{14} - 2x_{16} + x_{18} + x_2 = 0$$

$$x_{18} + x_3 - 1 = 0$$

$$-x_{14} + 3x_{16} - 2x_{18} + x_4 = 0$$

$$\begin{aligned}
3x_{16} + x_{18} + x_5 - 1 &= 0 \\
4x_{14} - 2x_{16} + 4x_{18} + x_6 - 1 &= 0 \\
x_{16} - x_{18} + x_7 &= 0 \\
-2x_{16} + x_{18} + x_8 &= 0 \\
x_{14} + 3x_{16} + x_{18} + x_9 - 1 &= 0 \\
x_{10} + x_{16} + 2x_{18} - 1 &= 0 \\
x_{11} - 3x_{14} + 5x_{16} - 3x_{18} &= 0 \\
x_{12} - x_{14} + 3x_{16} - 2x_{18} &= 0 \\
x_{13} - x_{18} &= 0 \\
x_{14}x_{18} + 2x_{14} + 3x_{16}x_{18} - 2x_{16} + x_{18}^2 &= 0 \\
x_{15} + x_{16} - x_{18} &= 0 \\
x_{17} + 2x_{18} - 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{1A}(5, 14)$

m1A514 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_1, e_{13}] = e_{14}$
$[e_2, e_9] = e_{14}$	$[e_3, e_8] = -e_{14}$
$[e_4, e_7] = e_{14}$	$[e_5, e_6] = -e_{14}$

No non-trivial Jacobi tests



$m_{3A}(5, 14)$

m3A514 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_7] = e_{12} & [e_2, e_8] = 3e_{13} \\
[e_2, e_9] = \alpha_{2,9}^{14}e_{14} & [e_3, e_6] = -e_{12} \\
[e_3, e_7] = -2e_{13} & [e_3, e_8] = \alpha_{3,8}^{14}e_{14} \\
[e_4, e_5] = e_{12} & [e_4, e_6] = e_{13} \\
[e_4, e_7] = \alpha_{4,7}^{14}e_{14} & [e_5, e_6] = \alpha_{5,6}^{14}e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{14} - \alpha_{3,8}^{14} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{14} - \alpha_{4,7}^{14} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{14} - \alpha_{5,6}^{14} + 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,9}^{14} \rightarrow x_1 \\
\alpha_{3,8}^{14} \rightarrow x_2 \\
\alpha_{5,6}^{14} \rightarrow x_3 \\
\alpha_{4,7}^{14} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_1 - x_2 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_2 - x_4 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_3 - x_4 + 1 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 - x_4 - 5 = 0$$

$$x_2 + x_4 + 2 = 0$$

$$x_3 + x_4 - 1 = 0$$

$\mathbf{m}_{5A}(5, 14)$

m5A514 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\ [e_2, e_5] = e_{10} & [e_2, e_6] = 2e_{11} \\ [e_2, e_7] = \alpha_{2,7}^{12}e_{12} & [e_2, e_8] = \alpha_{2,8}^{13}e_{13} \\ [e_2, e_9] = \alpha_{2,9}^{14}e_{14} & [e_3, e_4] = -e_{10} \\ [e_3, e_5] = -e_{11} & [e_3, e_6] = \alpha_{3,6}^{12}e_{12} \\ [e_3, e_7] = \alpha_{3,7}^{13}e_{13} & [e_3, e_8] = \alpha_{3,8}^{14}e_{14} \\ [e_4, e_5] = \alpha_{4,5}^{12}e_{12} & [e_4, e_6] = \alpha_{4,6}^{13}e_{13} \\ [e_4, e_7] = \alpha_{4,7}^{14}e_{14} & [e_5, e_6] = \alpha_{5,6}^{14}e_{14} \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll} (e_1, e_2, e_6) : & -\alpha_{2,7}^{12} - \alpha_{3,6}^{12} + 2 & = 0 \\ (e_1, e_3, e_5) : & -\alpha_{3,6}^{12} - \alpha_{4,5}^{12} - 1 & = 0 \\ (e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\ (e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\ (e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0 \\ (e_1, e_2, e_8) : & \alpha_{2,8}^{13} - \alpha_{2,9}^{14} - \alpha_{3,8}^{14} & = 0 \\ (e_1, e_3, e_7) : & \alpha_{3,7}^{13} - \alpha_{3,8}^{14} - \alpha_{4,7}^{14} & = 0 \\ (e_1, e_4, e_6) : & \alpha_{4,6}^{13} - \alpha_{4,7}^{14} - \alpha_{5,6}^{14} & = 0 \end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,8}^{13} \rightarrow x_1$$

$$\alpha_{4,5}^{12} \rightarrow x_2$$

$$\alpha_{4,6}^{13} \rightarrow x_3$$

$$\alpha_{3,7}^{13} \rightarrow x_4$$

$$\alpha_{2,9}^{14} \rightarrow x_5$$

$$\alpha_{5,6}^{14} \rightarrow x_6$$

$$\alpha_{3,6}^{12} \rightarrow x_7$$

$$\alpha_{4,7}^{14} \rightarrow x_8$$

$$\alpha_{3,8}^{14} \rightarrow x_9$$

$$\alpha_{2,7}^{12} \rightarrow x_{10}$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_{10} - x_7 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_2 - x_7 - 1 \quad = 0$$

$$(e_1, e_2, e_7) : \quad -x_1 + x_{10} - x_4 \quad = 0$$

$$(e_1, e_3, e_6) : \quad -x_3 - x_4 + x_7 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_2 - x_3 \quad = 0$$

$$(e_1, e_2, e_8) : \quad x_1 - x_5 - x_9 \quad = 0$$

$$(e_1, e_3, e_7) : \quad x_4 - x_8 - x_9 \quad = 0$$

$$(e_1, e_4, e_6) : \quad x_3 - x_6 - x_8 \quad = 0$$

Groebner basis (10 variables, 8 linear, 0 nonlinear)

$$x_1 - 3x_{10} + 5 = 0$$

$$-x_{10} + x_2 + 3 = 0$$

$$-x_{10} + x_3 + 3 = 0$$

$$2x_{10} + x_4 - 5 = 0$$

$$-3x_{10} + x_5 + x_9 + 5 = 0$$

$$-3x_{10} + x_6 - x_9 + 8 = 0$$

$$x_{10} + x_7 - 2 = 0$$

$$2x_{10} + x_8 + x_9 - 5 = 0$$

$\mathfrak{m}_{7A}(5, 14)$

m7A514 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_8 & [e_2, e_4] = e_9 \\
[e_2, e_5] = \alpha_{2,5}^{10} e_{10} & [e_2, e_6] = \alpha_{2,6}^{11} e_{11} \\
[e_2, e_7] = \alpha_{2,7}^{12} e_{12} & [e_2, e_8] = \alpha_{2,8}^{13} e_{13} \\
[e_2, e_9] = \alpha_{2,9}^{14} e_{14} & [e_3, e_4] = \alpha_{3,4}^{10} e_{10} \\
[e_3, e_5] = \alpha_{3,5}^{11} e_{11} & [e_3, e_6] = \alpha_{3,6}^{12} e_{12} \\
[e_3, e_7] = \alpha_{3,7}^{13} e_{13} & [e_3, e_8] = \alpha_{3,8}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{12} e_{12} & [e_4, e_6] = \alpha_{4,6}^{13} e_{13} \\
[e_4, e_7] = \alpha_{4,7}^{14} e_{14} & [e_5, e_6] = \alpha_{5,6}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{11} - \alpha_{2,7}^{12} - \alpha_{3,6}^{12} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{11} - \alpha_{3,6}^{12} - \alpha_{4,5}^{12} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{13} - \alpha_{2,9}^{14} - \alpha_{3,8}^{14} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{13} - \alpha_{3,8}^{14} - \alpha_{4,7}^{14} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{13} - \alpha_{4,7}^{14} - \alpha_{5,6}^{14} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,5}^{10} \rightarrow x_1$$

$$\alpha_{3,5}^{11} \rightarrow x_2$$

$$\alpha_{2,8}^{13} \rightarrow x_3$$

$$\alpha_{4,5}^{12} \rightarrow x_4$$

$$\alpha_{4,6}^{13} \rightarrow x_5$$

$$\alpha_{3,7}^{13} \rightarrow x_6$$

$$\alpha_{3,4}^{10} \rightarrow x_7$$

$$\alpha_{2,6}^{11} \rightarrow x_8$$

$$\alpha_{2,9}^{14} \rightarrow x_9$$

$$\alpha_{3,6}^{12} \rightarrow x_{10}$$

$$\alpha_{5,6}^{14} \rightarrow x_{11}$$

$$\alpha_{4,7}^{14} \rightarrow x_{12}$$

$$\alpha_{3,8}^{14} \rightarrow x_{13}$$

$$\alpha_{2,7}^{12} \rightarrow x_{14}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_7 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad x_1 - x_2 - x_8 \quad = 0$$

$$(e_1, e_3, e_4) : \quad -x_2 + x_7 \quad = 0$$

$$(e_1, e_2, e_6) : \quad -x_{10} - x_{14} + x_8 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_{10} + x_2 - x_4 \quad = 0$$

$$(e_1, e_2, e_7) : \quad x_{14} - x_3 - x_6 \quad = 0$$

$$(e_1, e_3, e_6) : \quad x_{10} - x_5 - x_6 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_4 - x_5 \quad = 0$$

$$(e_1, e_2, e_8) : \quad -x_{13} + x_3 - x_9 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_{12} - x_{13} + x_6 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_{11} - x_{12} + x_5 \quad = 0$$

Groebner basis (14 variables, 11 linear, 0 nonlinear)

$$x_1 - \frac{x_{12}}{5} - \frac{x_{13}}{5} - \frac{2x_{14}}{5} - \frac{3}{5} = 0$$

$$\begin{aligned}
& \frac{x_{12}}{5} + \frac{x_{13}}{5} + \frac{2x_{14}}{5} + x_2 - \frac{2}{5} = 0 \\
& x_{12} + x_{13} - x_{14} + x_3 = 0 \\
& \frac{3x_{12}}{5} + \frac{3x_{13}}{5} + \frac{x_{14}}{5} + x_4 - \frac{1}{5} = 0 \\
& \frac{3x_{12}}{5} + \frac{3x_{13}}{5} + \frac{x_{14}}{5} + x_5 - \frac{1}{5} = 0 \\
& -x_{12} - x_{13} + x_6 = 0 \\
& \frac{x_{12}}{5} + \frac{x_{13}}{5} + \frac{2x_{14}}{5} + x_7 - \frac{2}{5} = 0 \\
& -\frac{2x_{12}}{5} - \frac{2x_{13}}{5} - \frac{4x_{14}}{5} + x_8 - \frac{1}{5} = 0 \\
& x_{12} + 2x_{13} - x_{14} + x_9 = 0 \\
& x_{10} - \frac{2x_{12}}{5} - \frac{2x_{13}}{5} + \frac{x_{14}}{5} - \frac{1}{5} = 0 \\
& x_{11} + \frac{8x_{12}}{5} + \frac{3x_{13}}{5} + \frac{x_{14}}{5} - \frac{1}{5} = 0
\end{aligned}$$

$\mathfrak{m}_{2A}(6, 14)$

m2A614 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_1, e_{13}] = e_{14}$
$[e_2, e_7] = e_{13}$	$[e_2, e_8] = 3e_{14}$
$[e_3, e_6] = -e_{13}$	$[e_3, e_7] = -2e_{14}$
$[e_4, e_5] = e_{13}$	$[e_4, e_6] = e_{14}$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(6, 14)$

m4A614 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_5] = e_{11} & [e_2, e_6] = 2e_{12} \\
[e_2, e_7] = \alpha_{2,7}^{13}e_{13} & [e_2, e_8] = \alpha_{2,8}^{14}e_{14} \\
[e_3, e_4] = -e_{11} & [e_3, e_5] = -e_{12} \\
[e_3, e_6] = \alpha_{3,6}^{13}e_{13} & [e_3, e_7] = \alpha_{3,7}^{14}e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{13}e_{13} & [e_4, e_6] = \alpha_{4,6}^{14}e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{13} - \alpha_{3,6}^{13} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{13} - \alpha_{4,5}^{13} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{13} - \alpha_{2,8}^{14} - \alpha_{3,7}^{14} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{13} - \alpha_{3,7}^{14} - \alpha_{4,6}^{14} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{13} - \alpha_{4,6}^{14} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{4,5}^{13} \rightarrow x_1 \\
\alpha_{2,7}^{13} \rightarrow x_2 \\
\alpha_{4,6}^{14} \rightarrow x_3 \\
\alpha_{2,8}^{14} \rightarrow x_4 \\
\alpha_{3,7}^{14} \rightarrow x_5 \\
\alpha_{3,6}^{13} \rightarrow x_6
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_2 - x_6 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_6 - 1 & = 0 \\
(e_1, e_2, e_7) : & x_2 - x_4 - x_5 & = 0 \\
(e_1, e_3, e_6) : & -x_3 - x_5 + x_6 & = 0 \\
(e_1, e_4, e_5) : & x_1 - x_3 & = 0
\end{array}$$

Groebner basis (6 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_6 + 1 = 0 \\
x_2 + x_6 - 2 = 0 \\
x_3 + x_6 + 1 = 0 \\
x_4 + 3x_6 - 1 = 0 \\
x_5 - 2x_6 - 1 = 0
\end{array}$$

$\mathfrak{m}_{6A}(6, 14)$

m6A614 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_9 & [e_2, e_4] = e_{10} \\
[e_2, e_5] = \alpha_{2,5}^{11} e_{11} & [e_2, e_6] = \alpha_{2,6}^{12} e_{12} \\
[e_2, e_7] = \alpha_{2,7}^{13} e_{13} & [e_2, e_8] = \alpha_{2,8}^{14} e_{14} \\
[e_3, e_4] = \alpha_{3,4}^{11} e_{11} & [e_3, e_5] = \alpha_{3,5}^{12} e_{12} \\
[e_3, e_6] = \alpha_{3,6}^{13} e_{13} & [e_3, e_7] = \alpha_{3,7}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{13} e_{13} & [e_4, e_6] = \alpha_{4,6}^{14} e_{14}
\end{array}$$



Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{11} - \alpha_{2,6}^{12} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{11} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{12} - \alpha_{2,7}^{13} - \alpha_{3,6}^{13} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{12} - \alpha_{3,6}^{13} - \alpha_{4,5}^{13} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{13} - \alpha_{2,8}^{14} - \alpha_{3,7}^{14} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{13} - \alpha_{3,7}^{14} - \alpha_{4,6}^{14} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{13} - \alpha_{4,6}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{4,5}^{13} & \rightarrow x_1 \\
\alpha_{2,7}^{13} & \rightarrow x_2 \\
\alpha_{3,5}^{12} & \rightarrow x_3 \\
\alpha_{3,4}^{11} & \rightarrow x_4 \\
\alpha_{2,8}^{14} & \rightarrow x_5 \\
\alpha_{3,7}^{14} & \rightarrow x_6 \\
\alpha_{4,6}^{14} & \rightarrow x_7 \\
\alpha_{2,5}^{11} & \rightarrow x_8 \\
\alpha_{2,6}^{12} & \rightarrow x_9 \\
\alpha_{3,6}^{13} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_4 - x_8 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_3 + x_8 - x_9 & = 0 \\
(e_1, e_3, e_4) : & -x_3 + x_4 & = 0 \\
(e_1, e_2, e_6) : & -x_{10} - x_2 + x_9 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_{10} + x_3 & = 0 \\
(e_1, e_2, e_7) : & x_2 - x_5 - x_6 & = 0 \\
(e_1, e_3, e_6) : & x_{10} - x_6 - x_7 & = 0 \\
(e_1, e_4, e_5) : & x_1 - x_7 & = 0
\end{aligned}$$

Groebner basis (10 variables, 8 linear, 0 nonlinear)

$$x_1 + x_{10} + \frac{x_9}{2} - \frac{1}{2} = 0$$

$$x_{10} + x_2 - x_9 = 0$$

$$x_3 + \frac{x_9}{2} - \frac{1}{2} = 0$$

$$x_4 + \frac{x_9}{2} - \frac{1}{2} = 0$$

$$3x_{10} + x_5 - \frac{x_9}{2} - \frac{1}{2} = 0$$

$$-2x_{10} + x_6 - \frac{x_9}{2} + \frac{1}{2} = 0$$

$$x_{10} + x_7 + \frac{x_9}{2} - \frac{1}{2} = 0$$

$$x_8 - \frac{x_9}{2} - \frac{1}{2} = 0$$

$\mathfrak{m}_{1A}(7, 14)$

m1A714 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_1, e_{13}] = e_{14}$$

$$[e_2, e_7] = e_{14}$$

$$[e_3, e_6] = -e_{14}$$

$$[e_4, e_5] = e_{14}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(7, 14)$

m3A714 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_5] = e_{12} & [e_2, e_6] = 2e_{13} \\
[e_2, e_7] = \alpha_{2,7}^{14} e_{14} & [e_3, e_4] = -e_{12} \\
[e_3, e_5] = -e_{13} & [e_3, e_6] = \alpha_{3,6}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{14} - \alpha_{3,6}^{14} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{14} - \alpha_{4,5}^{14} - 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,7}^{14} \rightarrow x_1$$

$$\alpha_{4,5}^{14} \rightarrow x_2$$

$$\alpha_{3,6}^{14} \rightarrow x_3$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_3 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_3 - 1 & = 0
\end{array}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$x_1 + x_3 - 2 = 0$$

$$x_2 + x_3 + 1 = 0$$

$\mathfrak{m}_{5A}(7, 14)$

m5A714 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_{10} & [e_2, e_4] = e_{11} \\
[e_2, e_5] = \alpha_{2,5}^{12} e_{12} & [e_2, e_6] = \alpha_{2,6}^{13} e_{13} \\
[e_2, e_7] = \alpha_{2,7}^{14} e_{14} & [e_3, e_4] = \alpha_{3,4}^{12} e_{12} \\
[e_3, e_5] = \alpha_{3,5}^{13} e_{13} & [e_3, e_6] = \alpha_{3,6}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{12} - \alpha_{3,4}^{12} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{12} - \alpha_{2,6}^{13} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{12} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{13} - \alpha_{2,7}^{14} - \alpha_{3,6}^{14} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{13} - \alpha_{3,6}^{14} - \alpha_{4,5}^{14} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,7}^{14} \rightarrow x_1 \\
\alpha_{2,6}^{13} \rightarrow x_2 \\
\alpha_{3,4}^{12} \rightarrow x_3 \\
\alpha_{4,5}^{14} \rightarrow x_4 \\
\alpha_{2,5}^{12} \rightarrow x_5 \\
\alpha_{3,5}^{13} \rightarrow x_6 \\
\alpha_{3,6}^{14} \rightarrow x_7
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_3 - x_5 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_2 + x_5 - x_6 & = 0 \\
(e_1, e_3, e_4) : & x_3 - x_6 & = 0 \\
(e_1, e_2, e_6) : & -x_1 + x_2 - x_7 & = 0 \\
(e_1, e_3, e_5) : & -x_4 + x_6 - x_7 & = 0
\end{array}$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + 2x_6 + x_7 - 1 = 0 \\
x_2 + 2x_6 - 1 = 0 \\
x_3 - x_6 = 0 \\
x_4 - x_6 + x_7 = 0 \\
x_5 + x_6 - 1 = 0
\end{array}$$

$\mathfrak{m}_{2A}(8, 14)$

m2A814 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_5] = e_{13} & [e_2, e_6] = 2e_{14} \\
[e_3, e_4] = -e_{13} & [e_3, e_5] = -e_{14}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(8, 14)$

m4A814 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_{11} & [e_2, e_4] = e_{12} \\
[e_2, e_5] = \alpha_{2,5}^{13} e_{13} & [e_2, e_6] = \alpha_{2,6}^{14} e_{14} \\
[e_3, e_4] = \alpha_{3,4}^{13} e_{13} & [e_3, e_5] = \alpha_{3,5}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{13} - \alpha_{3,4}^{13} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{13} - \alpha_{2,6}^{14} - \alpha_{3,5}^{14} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{13} - \alpha_{3,5}^{14} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,6}^{14} \rightarrow x_1 \\
\alpha_{3,5}^{14} \rightarrow x_2 \\
\alpha_{2,5}^{13} \rightarrow x_3 \\
\alpha_{3,4}^{13} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_3 - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 - x_2 + x_3 & = 0 \\
(e_1, e_3, e_4) : & -x_2 + x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + 2x_4 - 1 = 0 \\
x_2 - x_4 = 0 \\
x_3 + x_4 - 1 = 0
\end{array}$$

$\mathfrak{m}_{1A}(9, 14)$

m1A914 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
 [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
 [e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
 [e_2, e_5] = e_{14} & [e_3, e_4] = -e_{14}
 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(9, 14)$

m3A914 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
 [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
 [e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
 [e_2, e_3] = e_{12} & [e_2, e_4] = e_{13} \\
 [e_2, e_5] = \alpha_{2,5}^{14} e_{14} & [e_3, e_4] = \alpha_{3,4}^{14} e_{14}
 \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{14} - \alpha_{3,4}^{14} + 1 \quad = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,5}^{14} \rightarrow x_1$$

$$\alpha_{3,4}^{14} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(10, 14)$

m2A1014 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\ [e_2, e_3] = e_{13} & [e_2, e_4] = e_{14} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(11, 14)$

m1A1114 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\ [e_2, e_3] = e_{14} & \end{array}$$

No non-trivial Jacobi tests



$\mathfrak{m}_{2B}(2, 6)$

m2B26 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_2, e_3] = e_5 \\ [e_2, e_5] = e_6 & [e_3, e_4] = -e_6 \end{array}$$

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_2, e_3] = e_5 \\ [e_2, e_5] = e_6 & [e_3, e_4] = \alpha_{3,4}^6 e_6 \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{3,4}^6 - 1 \quad = 0$$

Solution 1:

$$\alpha_{3,4}^6 = -1$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{3,4}^6 \rightarrow x_1$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - 1 \quad = 0$$

Groebner basis (1 variables, 1 linear, 0 nonlinear)

$$x_1 + 1 = 0$$

Solution 1:

$$x_1 = -1$$

$\mathfrak{m}_{2B}(2, 8)$

m2B28 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_2, e_5] = e_7 \\
[e_2, e_7] = e_8 & [e_3, e_4] = -e_7 \\
[e_3, e_6] = \alpha_{3,6}^8 e_8 & [e_4, e_5] = \alpha_{4,5}^8 e_8
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{3,6}^8 - 1 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^8 - \alpha_{4,5}^8 & = 0 \\
(e_2, e_3, e_4) : & \text{no solutions} & 
\end{array}$$

There are no solutions.

$\mathfrak{m}_{4B}(2, 8)$

m4B28 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = 3e_7 \\
[e_2, e_7] = e_8 & [e_3, e_4] = -2e_7 \\
[e_3, e_6] = -e_8 & [e_4, e_5] = e_8
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_7] = e_8 & [e_3, e_4] = \alpha_{3,4}^7 e_7 \\
[e_3, e_6] = \alpha_{3,6}^8 e_8 & [e_4, e_5] = \alpha_{4,5}^8 e_8
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_6) : & -\alpha_{3,6}^8 - 1 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^8 - \alpha_{4,5}^8 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,6}^8 + \alpha_{4,5}^8 & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{4,5}^8 = 1 \\
\alpha_{2,5}^7 = 3 \\
\alpha_{3,6}^8 = -1 \\
\alpha_{3,4}^7 = -2
\end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{array}{l}
\alpha_{4,5}^8 \rightarrow x_1 \\
\alpha_{2,5}^7 \rightarrow x_2 \\
\alpha_{3,6}^8 \rightarrow x_3 \\
\alpha_{3,4}^7 \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_2 - x_4 + 1 & = 0 \\
(e_1, e_2, e_6) : & -x_3 - 1 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_3 & = 0 \\
(e_2, e_3, e_4) : & x_1 - x_3 + x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 4 linear, 0 nonlinear)

$$x_1 - 1 = 0$$

$$x_2 - 3 = 0$$

$$x_3 + 1 = 0$$

$$x_4 + 2 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = 3$$

$$x_3 = -1$$

$$x_4 = -2$$

$\mathfrak{m}_{3B}(3, 8)$

m3B38 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_2, e_3] = e_6$$

$$[e_2, e_4] = e_7$$

$$[e_2, e_7] = e_8$$

$$[e_3, e_6] = -e_8$$

$$[e_4, e_5] = e_8$$

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_2, e_3] = e_6$$

$$[e_2, e_4] = e_7$$

$$[e_2, e_7] = e_8$$

$$[e_3, e_6] = \alpha_{3,6}^8 e_8$$

$$[e_4, e_5] = \alpha_{4,5}^8 e_8$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_6) : \quad -\alpha_{3,6}^8 - 1 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -\alpha_{3,6}^8 - \alpha_{4,5}^8 \quad = 0$$

Solution 1:

$$\begin{aligned}\alpha_{4,5}^8 &= 1 \\ \alpha_{3,6}^8 &= -1\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}\alpha_{4,5}^8 &\rightarrow x_1 \\ \alpha_{3,6}^8 &\rightarrow x_2\end{aligned}$$

Jacobi Tests

$$\begin{aligned}(e_1, e_2, e_6) : \quad & -x_2 - 1 &= 0 \\ (e_1, e_3, e_5) : \quad & -x_1 - x_2 &= 0\end{aligned}$$

Groebner basis (2 variables, 2 linear, 0 nonlinear)

$$\begin{aligned}x_1 - 1 &= 0 \\ x_2 + 1 &= 0\end{aligned}$$

Solution 1:

$$\begin{aligned}x_1 &= 1 \\ x_2 &= -1\end{aligned}$$

$\mathfrak{m}_{2B}(4, 8)$

m2B48 (this line included for string searching purposes)

Solution 1

$$\begin{aligned}[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\ [e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\ [e_1, e_6] &= e_7 & [e_2, e_3] &= e_7 \\ [e_2, e_7] &= e_8 & [e_3, e_6] &= -e_8 \\ [e_4, e_5] &= e_8\end{aligned}$$

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_2, e_3] = e_7 \\
 [e_2, e_7] = e_8 & [e_3, e_6] = \alpha_{3,6}^8 e_8 \\
 [e_4, e_5] = \alpha_{4,5}^8 e_8 &
 \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
 (e_1, e_2, e_6) : & -\alpha_{3,6}^8 - 1 & = 0 \\
 (e_1, e_3, e_5) : & -\alpha_{3,6}^8 - \alpha_{4,5}^8 & = 0
 \end{array}$$

Solution 1:

$$\begin{array}{l}
 \alpha_{4,5}^8 = 1 \\
 \alpha_{3,6}^8 = -1
 \end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{array}{l}
 \alpha_{4,5}^8 \rightarrow x_1 \\
 \alpha_{3,6}^8 \rightarrow x_2
 \end{array}$$

Jacobi Tests

$$\begin{array}{lll}
 (e_1, e_2, e_6) : & -x_2 - 1 & = 0 \\
 (e_1, e_3, e_5) : & -x_1 - x_2 & = 0
 \end{array}$$

Groebner basis (2 variables, 2 linear, 0 nonlinear)

$$\begin{array}{l}
 x_1 - 1 = 0 \\
 x_2 + 1 = 0
 \end{array}$$

Solution 1:

$$\begin{array}{l}
 x_1 = 1 \\
 x_2 = -1
 \end{array}$$

## $\mathfrak{m}_{2B}(2, 10)$

m2B210 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_2, e_7] = e_9 \\
 [e_2, e_9] = e_{10} & [e_3, e_6] = -e_9 \\
 [e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_5] = e_9 \\
 [e_4, e_7] = \alpha_{4,7}^{10} e_{10} & [e_5, e_6] = \alpha_{5,6}^{10} e_{10}
 \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
 (e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
 (e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
 (e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
 (e_2, e_3, e_6) : & \text{no solutions} & \\
 (e_2, e_4, e_5) : & \text{no solutions} & 
 \end{array}$$

There are no solutions.

## $\mathfrak{m}_{4B}(2, 10)$

m4B210 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_2, e_5] = e_7 \\
 [e_2, e_6] = 2e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
 [e_2, e_9] = e_{10} & [e_3, e_4] = -e_7 \\
 [e_3, e_5] = -e_8 & [e_3, e_6] = \alpha_{3,6}^9 e_9 \\
 [e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
 [e_4, e_7] = \alpha_{4,7}^{10} e_{10} & [e_5, e_6] = \alpha_{5,6}^{10} e_{10}
 \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0 \\
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{3,6}^9 - 2\alpha_{3,8}^{10} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,7}^{10} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{3,6}^9 & \rightarrow x_1 \\
\alpha_{5,6}^{10} & \rightarrow x_2 \\
\alpha_{3,8}^{10} & \rightarrow x_3 \\
\alpha_{4,5}^9 & \rightarrow x_4 \\
\alpha_{2,7}^9 & \rightarrow x_5 \\
\alpha_{4,7}^{10} & \rightarrow x_6
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_6) : & -x_1 - x_5 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_4 - 1 & = 0 \\
(e_2, e_3, e_4) : & -x_5 & = 0 \\
(e_1, e_2, e_8) : & -x_3 - 1 & = 0 \\
(e_1, e_3, e_7) : & -x_3 - x_6 & = 0 \\
(e_1, e_4, e_6) : & -x_2 - x_6 & = 0 \\
(e_2, e_3, e_6) : & x_1 - 2x_3 & = 0 \\
(e_2, e_4, e_5) : & x_4 - x_6 & = 0
\end{aligned}$$

Groebner basis (6 variables, 1 linear, 0 nonlinear)

$$1 = 0$$



$\mathfrak{m}_{6B}(2, 10)$

m6B210 (this line included for string searching purposes)

Solution 1

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_2, e_3] = e_5$
$[e_2, e_4] = e_6$	$[e_2, e_5] = 2e_7$
$[e_2, e_6] = 3e_8$	$[e_2, e_7] = 7e_9$
$[e_2, e_9] = e_{10}$	$[e_3, e_4] = -e_7$
$[e_3, e_5] = -e_8$	$[e_3, e_6] = -4e_9$
$[e_3, e_8] = -e_{10}$	$[e_4, e_5] = 3e_9$
$[e_4, e_7] = e_{10}$	$[e_5, e_6] = -e_{10}$

Solution 2

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_2, e_3] = e_5$
$[e_2, e_4] = e_6$	$[e_2, e_5] = 0$
$[e_2, e_6] = -e_8$	$[e_2, e_7] = -e_9$
$[e_2, e_9] = e_{10}$	$[e_3, e_4] = e_7$
$[e_3, e_5] = e_8$	$[e_3, e_6] = 0$
$[e_3, e_8] = -e_{10}$	$[e_4, e_5] = e_9$
$[e_4, e_7] = e_{10}$	$[e_5, e_6] = -e_{10}$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_6] = \alpha_{2,6}^8 e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_9] = e_{10} & [e_3, e_4] = \alpha_{3,4}^7 e_7 \\
[e_3, e_5] = \alpha_{3,5}^8 e_8 & [e_3, e_6] = \alpha_{3,6}^9 e_9 \\
[e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_7] = \alpha_{4,7}^{10} e_{10} & [e_5, e_6] = \alpha_{5,6}^{10} e_{10}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{10} + \alpha_{3,6}^9 - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{10} + \alpha_{4,5}^9 + \alpha_{5,6}^{10} & = 0
\end{array}$$

Solution 1:

$$\alpha_{3,5}^8 = -1$$

$$\alpha_{3,6}^9 = -4$$

$$\alpha_{2,5}^7 = 2$$

$$\alpha_{3,4}^7 = -1$$

$$\alpha_{3,8}^{10} = -1$$

$$\alpha_{2,6}^8 = 3$$

$$\alpha_{5,6}^{10} = -1$$

$$\alpha_{2,7}^9 = 7$$

$$\alpha_{4,5}^9 = 3$$

$$\alpha_{4,7}^{10} = 1$$

Solution 2:

$$\alpha_{3,5}^8 = 1$$

$$\alpha_{3,6}^9 = 0$$

$$\alpha_{2,5}^7 = 0$$

$$\alpha_{3,4}^7 = 1$$

$$\alpha_{3,8}^{10} = -1$$

$$\alpha_{2,6}^8 = -1$$

$$\alpha_{5,6}^{10} = -1$$

$$\alpha_{2,7}^9 = -1$$

$$\alpha_{4,5}^9 = 1$$

$$\alpha_{4,7}^{10} = 1$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{3,5}^8 \rightarrow x_1$$

$$\alpha_{3,6}^9 \rightarrow x_2$$

$$\alpha_{2,5}^7 \rightarrow x_3$$

$$\alpha_{3,4}^7 \rightarrow x_4$$

$$\alpha_{3,8}^{10} \rightarrow x_5$$

$$\alpha_{2,6}^8 \rightarrow x_6$$

$$\alpha_{5,6}^{10} \rightarrow x_7$$

$$\alpha_{2,7}^9 \rightarrow x_8$$

$$\alpha_{4,5}^9 \rightarrow x_9$$

$$\alpha_{4,7}^{10} \rightarrow x_{10}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_3 - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 + x_3 - x_6 & = 0 \\
(e_1, e_3, e_4) : & -x_1 + x_4 & = 0 \\
(e_1, e_2, e_6) : & -x_2 + x_6 - x_8 & = 0 \\
(e_1, e_3, e_5) : & x_1 - x_2 - x_9 & = 0 \\
(e_2, e_3, e_4) : & -x_2 + x_4 x_8 + x_9 & = 0 \\
(e_1, e_2, e_8) : & -x_5 - 1 & = 0 \\
(e_1, e_3, e_7) : & -x_{10} - x_5 & = 0 \\
(e_1, e_4, e_6) : & -x_{10} - x_7 & = 0 \\
(e_2, e_3, e_6) : & x_2 - x_5 x_6 - x_7 & = 0 \\
(e_2, e_4, e_5) : & -x_{10} x_3 + x_7 + x_9 & = 0
\end{array}$$

Groebner basis (10 variables, 9 linear, 1 nonlinear)

$$\begin{array}{l}
x_1 + x_9 - 2 = 0 \\
x_2 + 2x_9 - 2 = 0 \\
x_3 - x_9 + 1 = 0 \\
x_4 + x_9 - 2 = 0 \\
x_5 + 1 = 0 \\
x_6 - 2x_9 + 3 = 0 \\
x_7 + 1 = 0 \\
x_8 - 4x_9 + 5 = 0 \\
x_9^2 - 4x_9 + 3 = 0 \\
x_{10} - 1 = 0
\end{array}$$

Solution 1:

$$x_1 = -1$$

$$x_2 = -4$$

$$x_3 = 2$$

$$x_4 = -1$$

$$x_5 = -1$$

$$x_6 = 3$$

$$x_7 = -1$$

$$x_8 = 7$$

$$x_9 = 3$$

$$x_{10} = 1$$

Solution 2:

$$x_1 = 1$$

$$x_2 = 0$$

$$x_3 = 0$$

$$x_4 = 1$$

$$x_5 = -1$$

$$x_6 = -1$$

$$x_7 = -1$$

$$x_8 = -1$$

$$x_9 = 1$$

$$x_{10} = 1$$

$\mathfrak{m}_{3B}(3, 10)$

m3B310 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_2, e_6] = 2e_9$$

$$[e_3, e_4] = -e_8$$

$$[e_3, e_8] = -e_{10}$$

$$[e_5, e_6] = -e_{10}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_2, e_5] = e_8$$

$$[e_2, e_9] = e_{10}$$

$$[e_3, e_5] = -e_9$$

$$[e_4, e_7] = e_{10}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_9] = e_{10} \\
[e_3, e_4] = -e_8 & [e_3, e_5] = -e_9 \\
[e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{10} e_{10} \\
[e_5, e_6] = \alpha_{5,6}^{10} e_{10} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{3,8}^{10} - 1 & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{4,7}^{10} = 1 \\
\alpha_{5,6}^{10} = -1 \\
\alpha_{3,8}^{10} = -1
\end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{array}{l}
\alpha_{4,7}^{10} \rightarrow x_1 \\
\alpha_{5,6}^{10} \rightarrow x_2 \\
\alpha_{3,8}^{10} \rightarrow x_3
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_3 - 1 & = 0 \\
(e_1, e_3, e_7) : & -x_1 - x_3 & = 0 \\
(e_1, e_4, e_6) : & -x_1 - x_2 & = 0 \\
(e_2, e_3, e_5) : & -x_3 - 1 & = 0
\end{array}$$

Groebner basis (3 variables, 3 linear, 0 nonlinear)

$$x_1 - 1 = 0$$

$$x_2 + 1 = 0$$

$$x_3 + 1 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = -1$$

$$x_3 = -1$$

$\mathbf{m}_{5B}(3, 10)$

m5B310 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_3] = e_6 \\ [e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\ [e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_2, e_9] = e_{10} \\ [e_3, e_4] = \alpha_{3,4}^8 e_8 & [e_3, e_5] = \alpha_{3,5}^9 e_9 \\ [e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{10} e_{10} \\ [e_5, e_6] = \alpha_{5,6}^{10} e_{10} & \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll} (e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\ (e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\ (e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\ (e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\ (e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\ (e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\ (e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{10} + \alpha_{3,5}^9 + \alpha_{5,6}^{10} & = 0 \end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,5}^8 \rightarrow x_1$$

$$\alpha_{2,6}^9 \rightarrow x_2$$

$$\alpha_{5,6}^{10} \rightarrow x_3$$

$$\alpha_{3,8}^{10} \rightarrow x_4$$

$$\alpha_{3,5}^9 \rightarrow x_5$$

$$\alpha_{3,4}^8 \rightarrow x_6$$

$$\alpha_{4,7}^{10} \rightarrow x_7$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_6 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad x_1 - x_2 - x_5 \quad = 0$$

$$(e_1, e_3, e_4) : \quad -x_5 + x_6 \quad = 0$$

$$(e_1, e_2, e_8) : \quad -x_4 - 1 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_4 - x_7 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_3 - x_7 \quad = 0$$

$$(e_2, e_3, e_5) : \quad -x_1x_4 + x_3 + x_5 \quad = 0$$

Groebner basis (7 variables, 6 linear, 0 nonlinear)

$$x_1 + x_6 - 1 = 0$$

$$x_2 + 2x_6 - 1 = 0$$

$$x_3 + 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 - x_6 = 0$$

$$x_7 - 1 = 0$$



## $\mathfrak{m}_{2B}(4, 10)$

m2B410 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_2, e_5] = e_9 \\
 [e_2, e_9] = e_{10} & [e_3, e_4] = -e_9 \\
 [e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{10} e_{10} \\
 [e_5, e_6] = \alpha_{5,6}^{10} e_{10} & 
 \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
 (e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
 (e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
 (e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
 (e_2, e_3, e_4) : & \text{no solutions} & 
 \end{array}$$

There are no solutions.

## $\mathfrak{m}_{4B}(4, 10)$

m4B410 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_2, e_3] = e_7 \\
 [e_2, e_4] = e_8 & [e_2, e_5] = 3e_9 \\
 [e_2, e_9] = e_{10} & [e_3, e_4] = -2e_9 \\
 [e_3, e_8] = -e_{10} & [e_4, e_7] = e_{10} \\
 [e_5, e_6] = -e_{10} & 
 \end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_3] = e_7 \\
[e_2, e_4] = e_8 & [e_2, e_5] = \alpha_{2,5}^9 e_9 \\
[e_2, e_9] = e_{10} & [e_3, e_4] = \alpha_{3,4}^9 e_9 \\
[e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{10} e_{10} \\
[e_5, e_6] = \alpha_{5,6}^{10} e_{10} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,8}^{10} + \alpha_{4,7}^{10} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{2,5}^9 = 3 \\
\alpha_{5,6}^{10} = -1 \\
\alpha_{3,8}^{10} = -1 \\
\alpha_{3,4}^9 = -2 \\
\alpha_{4,7}^{10} = 1
\end{array}$$

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,5}^9 \rightarrow x_1 \\
\alpha_{5,6}^{10} \rightarrow x_2 \\
\alpha_{3,8}^{10} \rightarrow x_3 \\
\alpha_{3,4}^9 \rightarrow x_4 \\
\alpha_{4,7}^{10} \rightarrow x_5
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_4 + 1 & = 0 \\
(e_1, e_2, e_8) : & -x_3 - 1 & = 0 \\
(e_1, e_3, e_7) : & -x_3 - x_5 & = 0 \\
(e_1, e_4, e_6) : & -x_2 - x_5 & = 0 \\
(e_2, e_3, e_4) : & -x_3 + x_4 + x_5 & = 0
\end{array}$$

Groebner basis (5 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - 3 = 0 \\
x_2 + 1 = 0 \\
x_3 + 1 = 0 \\
x_4 + 2 = 0 \\
x_5 - 1 = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = 3 \\
x_2 = -1 \\
x_3 = -1 \\
x_4 = -2 \\
x_5 = 1
\end{array}$$

$\mathfrak{m}_{3B}(5, 10)$

m3B510 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_9] = e_{10} \\
[e_3, e_8] = -e_{10} & [e_4, e_7] = e_{10} \\
[e_5, e_6] = -e_{10} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_9] = e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{10} e_{10} \\
[e_5, e_6] = \alpha_{5,6}^{10} e_{10} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{4,7}^{10} = 1 \\
\alpha_{5,6}^{10} = -1 \\
\alpha_{3,8}^{10} = -1
\end{array}$$

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{4,7}^{10} \rightarrow x_1 \\
\alpha_{5,6}^{10} \rightarrow x_2 \\
\alpha_{3,8}^{10} \rightarrow x_3
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_3 - 1 & = 0 \\
(e_1, e_3, e_7) : & -x_1 - x_3 & = 0 \\
(e_1, e_4, e_6) : & -x_1 - x_2 & = 0
\end{array}$$

Groebner basis (3 variables, 3 linear, 0 nonlinear)

$$x_1 - 1 = 0$$

$$x_2 + 1 = 0$$

$$x_3 + 1 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = -1$$

$$x_3 = -1$$

$\mathfrak{m}_{2B}(6, 10)$

m2B610 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_2, e_9] = e_{10}$$

$$[e_4, e_7] = e_{10}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_2, e_3] = e_9$$

$$[e_3, e_8] = -e_{10}$$

$$[e_5, e_6] = -e_{10}$$

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_2, e_9] = e_{10}$$

$$[e_4, e_7] = \alpha_{4,7}^{10} e_{10}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_2, e_3] = e_9$$

$$[e_3, e_8] = \alpha_{3,8}^{10} e_{10}$$

$$[e_5, e_6] = \alpha_{5,6}^{10} e_{10}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_8) : \quad -\alpha_{3,8}^{10} - 1 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} \quad = 0$$

$$(e_1, e_4, e_6) : \quad -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} \quad = 0$$

Solution 1:

$$\begin{aligned}\alpha_{4,7}^{10} &= 1 \\ \alpha_{5,6}^{10} &= -1 \\ \alpha_{3,8}^{10} &= -1\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}\alpha_{4,7}^{10} &\rightarrow x_1 \\ \alpha_{5,6}^{10} &\rightarrow x_2 \\ \alpha_{3,8}^{10} &\rightarrow x_3\end{aligned}$$

Jacobi Tests

$$\begin{aligned}(e_1, e_2, e_8) : & \quad -x_3 - 1 &= 0 \\ (e_1, e_3, e_7) : & \quad -x_1 - x_3 &= 0 \\ (e_1, e_4, e_6) : & \quad -x_1 - x_2 &= 0\end{aligned}$$

Groebner basis (3 variables, 3 linear, 0 nonlinear)

$$\begin{aligned}x_1 - 1 &= 0 \\ x_2 + 1 &= 0 \\ x_3 + 1 &= 0\end{aligned}$$

Solution 1:

$$\begin{aligned}x_1 &= 1 \\ x_2 &= -1 \\ x_3 &= -1\end{aligned}$$

$\mathfrak{m}_{2B}(2, 12)$

m2B212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_9] = e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_8] = -e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_7] = e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_6] = -e_{11} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_8) : & \text{no solutions} & \\
(e_2, e_4, e_7) : & \text{no solutions} & \\
(e_2, e_5, e_6) : & \text{no solutions} &
\end{array}$$

There are no solutions.

$\mathfrak{m}_{4B}(2, 12)$

m4B212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_7] = e_9 \\
[e_2, e_8] = 3e_{10} & [e_2, e_9] = \alpha_{2,9}^{11}e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_6] = -e_9 \\
[e_3, e_7] = -2e_{10} & [e_3, e_8] = \alpha_{3,8}^{11}e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12}e_{12} & [e_4, e_5] = e_9 \\
[e_4, e_6] = e_{10} & [e_4, e_7] = \alpha_{4,7}^{11}e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12}e_{12} & [e_5, e_6] = \alpha_{5,6}^{11}e_{11} \\
[e_5, e_8] = \alpha_{5,8}^{12}e_{12} & [e_6, e_7] = \alpha_{6,7}^{12}e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{11} - \alpha_{3,8}^{11} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{11} - \alpha_{4,7}^{11} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{11} - \alpha_{5,6}^{11} + 1 & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,9}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_8) : & -3\alpha_{3,10}^{12} + \alpha_{3,8}^{11} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,9}^{12} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{5,6}^{11} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{12} + \alpha_{4,9}^{12} & = 0
\end{array}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,9}^{11} \rightarrow x_1$$



$$\alpha_{6,7}^{12} \rightarrow x_2$$

$$\alpha_{4,7}^{11} \rightarrow x_3$$

$$\alpha_{3,10}^{12} \rightarrow x_4$$

$$\alpha_{4,9}^{12} \rightarrow x_5$$

$$\alpha_{3,8}^{11} \rightarrow x_6$$

$$\alpha_{5,6}^{11} \rightarrow x_7$$

$$\alpha_{5,8}^{12} \rightarrow x_8$$

Jacobi Tests

$$(e_1, e_2, e_8) : \quad -x_1 - x_6 + 3 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_3 - x_6 - 2 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_3 - x_7 + 1 \quad = 0$$

$$(e_2, e_3, e_6) : \quad -x_1 \quad = 0$$

$$(e_2, e_4, e_5) : \quad x_1 \quad = 0$$

$$(e_1, e_2, e_{10}) : \quad -x_4 - 1 \quad = 0$$

$$(e_1, e_3, e_9) : \quad -x_4 - x_5 \quad = 0$$

$$(e_1, e_4, e_8) : \quad -x_5 - x_8 \quad = 0$$

$$(e_1, e_5, e_7) : \quad -x_2 - x_8 \quad = 0$$

$$(e_2, e_3, e_8) : \quad -3x_4 + x_6 \quad = 0$$

$$(e_2, e_4, e_7) : \quad x_3 - x_5 \quad = 0$$

$$(e_2, e_5, e_6) : \quad x_7 \quad = 0$$

$$(e_3, e_4, e_6) : \quad x_4 + x_5 \quad = 0$$

Groebner basis (8 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{6B}(2, 12)$

m6B212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_7 \\
[e_2, e_6] = 2e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = -e_7 \\
[e_3, e_5] = -e_8 & [e_3, e_6] = \alpha_{3,6}^9 e_9 \\
[e_3, e_7] = \alpha_{3,7}^{10} e_{10} & [e_3, e_8] = \alpha_{3,8}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_6] = \alpha_{5,6}^{11} e_{11} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,9}^{11} \alpha_{3,6}^9 - 2\alpha_{3,8}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} \alpha_{4,5}^9 - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,8}^{10} \alpha_{3,10}^{12} + \alpha_{3,8}^{11} & = 0 \\
(e_2, e_4, e_7) : & -\alpha_{2,7}^9 \alpha_{4,9}^{12} + \alpha_{4,7}^{11} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{5,6}^{11} - 2\alpha_{5,8}^{12} + \alpha_{6,7}^{12} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{12} \alpha_{4,6}^{10} - \alpha_{3,6}^9 \alpha_{4,9}^{12} - \alpha_{6,7}^{12} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,9}^{11} \rightarrow x_1$$

$$\alpha_{6,7}^{12} \rightarrow x_2$$

$$\alpha_{3,6}^9 \rightarrow x_3$$

$$\alpha_{4,7}^{11} \rightarrow x_4$$

$$\alpha_{3,10}^{12} \rightarrow x_5$$

$$\alpha_{4,9}^{12} \rightarrow x_6$$

$$\alpha_{2,8}^{10} \rightarrow x_7$$

$$\alpha_{3,8}^{11} \rightarrow x_8$$

$$\alpha_{4,5}^9 \rightarrow x_9$$

$$\alpha_{2,7}^9 \rightarrow x_{10}$$

$$\alpha_{4,6}^{10} \rightarrow x_{11}$$

$$\alpha_{5,6}^{11} \rightarrow x_{12}$$

$$\alpha_{5,8}^{12} \rightarrow x_{13}$$

$$\alpha_{3,7}^{10} \rightarrow x_{14}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_{10} - x_3 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_3 - x_9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -x_{10} & = 0 \\
(e_1, e_2, e_7) : & x_{10} - x_{14} - x_7 & = 0 \\
(e_1, e_3, e_6) : & -x_{11} - x_{14} + x_3 & = 0 \\
(e_1, e_4, e_5) : & -x_{11} + x_9 & = 0 \\
(e_2, e_3, e_5) : & -x_{14} - x_7 & = 0 \\
(e_1, e_2, e_8) : & -x_1 + x_7 - x_8 & = 0 \\
(e_1, e_3, e_7) : & x_{14} - x_4 - x_8 & = 0 \\
(e_1, e_4, e_6) : & x_{11} - x_{12} - x_4 & = 0 \\
(e_2, e_3, e_6) : & x_1 x_3 - 2x_8 & = 0 \\
(e_2, e_4, e_5) : & x_1 x_9 - x_4 & = 0 \\
(e_1, e_2, e_{10}) : & -x_5 - 1 & = 0 \\
(e_1, e_3, e_9) : & -x_5 - x_6 & = 0 \\
(e_1, e_4, e_8) : & -x_{13} - x_6 & = 0 \\
(e_1, e_5, e_7) : & -x_{13} - x_2 & = 0 \\
(e_2, e_3, e_8) : & -x_5 x_7 + x_8 & = 0 \\
(e_2, e_4, e_7) : & -x_{10} x_6 + x_4 & = 0 \\
(e_2, e_5, e_6) : & x_{12} - 2x_{13} + x_2 & = 0 \\
(e_3, e_4, e_6) : & x_{11} x_5 - x_2 - x_3 x_6 & = 0
\end{array}$$

Groebner basis (14 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{8B}(2, 12)$

m8B212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_6] = \alpha_{2,6}^8 e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = \alpha_{3,4}^7 e_7 \\
[e_3, e_5] = \alpha_{3,5}^8 e_8 & [e_3, e_6] = \alpha_{3,6}^9 e_9 \\
[e_3, e_7] = \alpha_{3,7}^{10} e_{10} & [e_3, e_8] = \alpha_{3,8}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_6] = \alpha_{5,6}^{11} e_{11} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,8}^{10} \alpha_{3,10}^{12} + \alpha_{3,8}^{11} - \alpha_{5,8}^{12} & = 0 \\
(e_2, e_4, e_7) : & -\alpha_{2,7}^9 \alpha_{4,9}^{12} + \alpha_{4,7}^{11} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,5}^7 \alpha_{6,7}^{12} - \alpha_{2,6}^8 \alpha_{5,8}^{12} + \alpha_{5,6}^{11} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{12} \alpha_{4,6}^{10} + \alpha_{3,4}^7 \alpha_{6,7}^{12} - \alpha_{3,6}^9 \alpha_{4,9}^{12} & = 0
\end{aligned}$$

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,9}^{11} \rightarrow x_1$$

$$\alpha_{3,5}^8 \rightarrow x_2$$

$$\alpha_{3,6}^9 \rightarrow x_3$$

$$\alpha_{2,5}^7 \rightarrow x_4$$

$$\alpha_{3,4}^7 \rightarrow x_5$$

$$\alpha_{4,7}^{11} \rightarrow x_6$$

$$\alpha_{2,6}^8 \rightarrow x_7$$

$$\alpha_{2,8}^{10} \rightarrow x_8$$

$$\alpha_{3,10}^{12} \rightarrow x_9$$

$$\alpha_{4,9}^{12} \rightarrow x_{10}$$

$$\alpha_{3,8}^{11} \rightarrow x_{11}$$

$$\alpha_{2,7}^9 \rightarrow x_{12}$$

$$\alpha_{4,5}^9 \rightarrow x_{13}$$

$$\alpha_{4,6}^{10} \rightarrow x_{14}$$

$$\alpha_{6,7}^{12} \rightarrow x_{15}$$

$$\alpha_{5,6}^{11} \rightarrow x_{16}$$

$$\alpha_{5,8}^{12} \rightarrow x_{17}$$

$$\alpha_{3,7}^{10} \rightarrow x_{18}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_4 - x_5 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_2 + x_4 - x_7 & = 0 \\
(e_1, e_3, e_4) : & -x_2 + x_5 & = 0 \\
(e_1, e_2, e_6) : & -x_{12} - x_3 + x_7 & = 0 \\
(e_1, e_3, e_5) : & -x_{13} + x_2 - x_3 & = 0 \\
(e_2, e_3, e_4) : & x_{12}x_5 + x_{13} - x_3 & = 0 \\
(e_1, e_2, e_7) : & x_{12} - x_{18} - x_8 & = 0 \\
(e_1, e_3, e_6) : & -x_{14} - x_{18} + x_3 & = 0 \\
(e_1, e_4, e_5) : & x_{13} - x_{14} & = 0 \\
(e_2, e_3, e_5) : & -x_{18}x_4 + x_2x_8 & = 0 \\
(e_1, e_2, e_8) : & -x_1 - x_{11} + x_8 & = 0 \\
(e_1, e_3, e_7) : & -x_{11} + x_{18} - x_6 & = 0 \\
(e_1, e_4, e_6) : & x_{14} - x_{16} - x_6 & = 0 \\
(e_2, e_3, e_6) : & x_1x_3 - x_{11}x_7 - x_{16} & = 0 \\
(e_2, e_4, e_5) : & x_1x_{13} + x_{16} - x_4x_6 & = 0 \\
(e_1, e_2, e_{10}) : & -x_9 - 1 & = 0 \\
(e_1, e_3, e_9) : & -x_{10} - x_9 & = 0 \\
(e_1, e_4, e_8) : & -x_{10} - x_{17} & = 0 \\
(e_1, e_5, e_7) : & -x_{15} - x_{17} & = 0 \\
(e_2, e_3, e_8) : & x_{11} - x_{17} - x_8x_9 & = 0 \\
(e_2, e_4, e_7) : & -x_{10}x_{12} - x_{15} + x_6 & = 0 \\
(e_2, e_5, e_6) : & x_{15}x_4 + x_{16} - x_{17}x_7 & = 0 \\
(e_3, e_4, e_6) : & -x_{10}x_3 + x_{14}x_9 + x_{15}x_5 & = 0
\end{array}$$

Groebner basis (18 variables, 4 linear, 14 nonlinear)

$$\begin{aligned}
x_1 + \frac{x_{18}^3}{4} - \frac{5x_{18}^2}{6} + \frac{13x_{18}}{6} &= 0 \\
-\frac{x_{18}^3}{20} + \frac{x_{18}^2}{6} + \frac{x_{18}}{6} + x_2 - \frac{3}{5} &= 0 \\
-\frac{x_{18}^3}{40} + \frac{x_{18}^2}{12} - \frac{5x_{18}}{12} + x_3 - \frac{3}{10} &= 0 \\
\frac{x_{18}^3}{20} - \frac{x_{18}^2}{6} - \frac{x_{18}}{6} + x_4 - \frac{2}{5} &= 0 \\
-\frac{x_{18}^3}{20} + \frac{x_{18}^2}{6} + \frac{x_{18}}{6} + x_5 - \frac{3}{5} &= 0
\end{aligned}$$



$$\begin{aligned}
\frac{x_{18}^3}{8} - \frac{5x_{18}^2}{12} + \frac{x_{18}}{12} + x_6 - \frac{1}{2} &= 0 \\
\frac{x_{18}^3}{10} - \frac{x_{18}^2}{3} - \frac{x_{18}}{3} + x_7 + \frac{1}{5} &= 0 \\
\frac{x_{18}^3}{8} - \frac{5x_{18}^2}{12} + \frac{13x_{18}}{12} + x_8 + \frac{1}{2} &= 0 \\
x_9 + 1 &= 0 \\
x_{10} - 1 &= 0 \\
x_{11} - \frac{x_{18}^3}{8} + \frac{5x_{18}^2}{12} - \frac{13x_{18}}{12} + \frac{1}{2} &= 0 \\
x_{12} + \frac{x_{18}^3}{8} - \frac{5x_{18}^2}{12} + \frac{x_{18}}{12} + \frac{1}{2} &= 0 \\
x_{13} - \frac{x_{18}^3}{40} + \frac{x_{18}^2}{12} + \frac{7x_{18}}{12} - \frac{3}{10} &= 0 \\
x_{14} - \frac{x_{18}^3}{40} + \frac{x_{18}^2}{12} + \frac{7x_{18}}{12} - \frac{3}{10} &= 0 \\
x_{15} - 1 &= 0 \\
x_{16} - \frac{3x_{18}^3}{20} + \frac{x_{18}^2}{2} + \frac{x_{18}}{2} + \frac{1}{5} &= 0 \\
x_{17} + 1 &= 0 \\
x_{18}^4 + \frac{4x_{18}^3}{3} + \frac{10x_{18}^2}{9} + \frac{88x_{18}}{9} + \frac{8}{3} &= 0
\end{aligned}$$

$\mathfrak{m}_{3B}(3, 12)$

m3B312 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_2, e_7] &= e_{10} \\
[e_2, e_8] &= 3e_{11} & [e_2, e_{11}] &= e_{12} \\
[e_3, e_6] &= -e_{10} & [e_3, e_7] &= -2e_{11} \\
[e_3, e_{10}] &= \alpha_{3,10}^{12}e_{12} & [e_4, e_5] &= e_{10} \\
[e_4, e_6] &= e_{11} & [e_4, e_9] &= \alpha_{4,9}^{12}e_{12} \\
[e_5, e_8] &= \alpha_{5,8}^{12}e_{12} & [e_6, e_7] &= \alpha_{6,7}^{12}e_{12}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & \quad -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & \quad -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & \quad -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & \quad -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \quad -\alpha_{3,10}^{12} - 2 & = 0 \\
(e_2, e_4, e_6) : & \quad \text{no solutions} & \\
(e_3, e_4, e_5) : & \quad \alpha_{3,10}^{12} & = 0
\end{aligned}$$

There are no solutions.

$\mathfrak{m}_{5B}(3, 12)$

m5B312 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_2, e_5] &= e_8 \\
[e_2, e_6] &= 2e_9 & [e_2, e_7] &= \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] &= \alpha_{2,8}^{11} e_{11} & [e_2, e_{11}] &= e_{12} \\
[e_3, e_4] &= -e_8 & [e_3, e_5] &= -e_9 \\
[e_3, e_6] &= \alpha_{3,6}^{10} e_{10} & [e_3, e_7] &= \alpha_{3,7}^{11} e_{11} \\
[e_3, e_{10}] &= \alpha_{3,10}^{12} e_{12} & [e_4, e_5] &= \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] &= \alpha_{4,6}^{11} e_{11} & [e_4, e_9] &= \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] &= \alpha_{5,8}^{12} e_{12} & [e_6, e_7] &= \alpha_{6,7}^{12} e_{12}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & -\alpha_{2,7}^{10}\alpha_{3,10}^{12} + \alpha_{3,7}^{11} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{4,6}^{11} - 2\alpha_{4,9}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{12}\alpha_{4,5}^{10} + \alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{4,5}^{10} & \rightarrow x_1 \\
\alpha_{4,6}^{11} & \rightarrow x_2 \\
\alpha_{6,7}^{12} & \rightarrow x_3 \\
\alpha_{3,6}^{10} & \rightarrow x_4 \\
\alpha_{3,10}^{12} & \rightarrow x_5 \\
\alpha_{2,7}^{10} & \rightarrow x_6 \\
\alpha_{4,9}^{12} & \rightarrow x_7 \\
\alpha_{3,7}^{11} & \rightarrow x_8 \\
\alpha_{2,8}^{11} & \rightarrow x_9 \\
\alpha_{5,8}^{12} & \rightarrow x_{10}
\end{aligned}$$

# Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_4 - x_6 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_4 - 1 & = 0 \\
(e_1, e_2, e_7) : & x_6 - x_8 - x_9 & = 0 \\
(e_1, e_3, e_6) : & -x_2 + x_4 - x_8 & = 0 \\
(e_1, e_4, e_5) : & x_1 - x_2 & = 0 \\
(e_2, e_3, e_4) : & -x_9 & = 0 \\
(e_1, e_2, e_{10}) : & -x_5 - 1 & = 0 \\
(e_1, e_3, e_9) : & -x_5 - x_7 & = 0 \\
(e_1, e_4, e_8) : & -x_{10} - x_7 & = 0 \\
(e_1, e_5, e_7) : & -x_{10} - x_3 & = 0 \\
(e_2, e_3, e_7) : & -x_5 x_6 + x_8 & = 0 \\
(e_2, e_4, e_6) : & x_2 - 2x_7 & = 0 \\
(e_3, e_4, e_5) : & x_1 x_5 - x_{10} + x_7 & = 0
\end{array}$$

Groebner basis (10 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{7B}(3, 12)$

m7B312 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = e_8 \\
[e_2, e_6] = e_9 & [e_2, e_7] = e_{10} \\
[e_2, e_8] = e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = 0 & [e_3, e_5] = 0 \\
[e_3, e_6] = 0 & [e_3, e_7] = 0 \\
[e_3, e_{10}] = -e_{12} & [e_4, e_5] = 0 \\
[e_4, e_6] = 0 & [e_4, e_9] = e_{12} \\
[e_5, e_8] = -e_{12} & [e_6, e_7] = e_{12}
\end{array}$$

Solution 2

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \frac{8e_8}{5} \\
[e_2, e_6] = \frac{11e_9}{5} & [e_2, e_7] = 4e_{10} \\
[e_2, e_8] = 7e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = -\frac{3e_8}{5} & [e_3, e_5] = -\frac{3e_9}{5} \\
[e_3, e_6] = -\frac{9e_{10}}{5} & [e_3, e_7] = -3e_{11} \\
[e_3, e_{10}] = -e_{12} & [e_4, e_5] = \frac{6e_{10}}{5} \\
[e_4, e_6] = \frac{6e_{11}}{5} & [e_4, e_9] = e_{12} \\
[e_5, e_8] = -e_{12} & [e_6, e_7] = e_{12}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\
[e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = \alpha_{3,4}^8 e_8 & [e_3, e_5] = \alpha_{3,5}^9 e_9 \\
[e_3, e_6] = \alpha_{3,6}^{10} e_{10} & [e_3, e_7] = \alpha_{3,7}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{ll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} = 0 \\
(e_2, e_3, e_7) : & -\alpha_{2,7}^{10} \alpha_{3,10}^{12} + \alpha_{3,7}^{11} - \alpha_{6,7}^{12} = 0 \\
(e_2, e_4, e_6) : & -\alpha_{2,6}^9 \alpha_{4,9}^{12} + \alpha_{4,6}^{11} + \alpha_{6,7}^{12} = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{12} \alpha_{4,5}^{10} + \alpha_{3,4}^8 \alpha_{5,8}^{12} - \alpha_{3,5}^9 \alpha_{4,9}^{12} = 0
\end{array}$$

Solution 1:

$$\begin{aligned}\alpha_{2,5}^8 &= 1 \\ \alpha_{4,5}^{10} &= 0 \\ \alpha_{4,6}^{11} &= 0 \\ \alpha_{6,7}^{12} &= 1 \\ \alpha_{2,6}^9 &= 1 \\ \alpha_{3,6}^{10} &= 0 \\ \alpha_{3,10}^{12} &= -1 \\ \alpha_{2,7}^{10} &= 1 \\ \alpha_{4,9}^{12} &= 1 \\ \alpha_{2,8}^{11} &= 1 \\ \alpha_{3,7}^{11} &= 0 \\ \alpha_{3,5}^9 &= 0 \\ \alpha_{3,4}^8 &= 0 \\ \alpha_{5,8}^{12} &= -1\end{aligned}$$

Solution 2:

$$\begin{aligned}\alpha_{2,5}^8 &= 8/5 \\ \alpha_{4,5}^{10} &= 6/5 \\ \alpha_{4,6}^{11} &= 6/5 \\ \alpha_{6,7}^{12} &= 1 \\ \alpha_{2,6}^9 &= 11/5 \\ \alpha_{3,6}^{10} &= -9/5 \\ \alpha_{3,10}^{12} &= -1 \\ \alpha_{2,7}^{10} &= 4 \\ \alpha_{4,9}^{12} &= 1 \\ \alpha_{2,8}^{11} &= 7 \\ \alpha_{3,7}^{11} &= -3 \\ \alpha_{3,5}^9 &= -3/5 \\ \alpha_{3,4}^8 &= -3/5 \\ \alpha_{5,8}^{12} &= -1\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{2,5}^8 &\rightarrow x_1 \\
\alpha_{4,5}^{10} &\rightarrow x_2 \\
\alpha_{4,6}^{11} &\rightarrow x_3 \\
\alpha_{6,7}^{12} &\rightarrow x_4 \\
\alpha_{2,6}^9 &\rightarrow x_5 \\
\alpha_{3,6}^{10} &\rightarrow x_6 \\
\alpha_{3,10}^{12} &\rightarrow x_7 \\
\alpha_{2,7}^{10} &\rightarrow x_8 \\
\alpha_{4,9}^{12} &\rightarrow x_9 \\
\alpha_{2,8}^{11} &\rightarrow x_{10} \\
\alpha_{3,7}^{11} &\rightarrow x_{11} \\
\alpha_{3,5}^9 &\rightarrow x_{12} \\
\alpha_{3,4}^8 &\rightarrow x_{13} \\
\alpha_{5,8}^{12} &\rightarrow x_{14}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_1 - x_{13} + 1 & = 0 \\
(e_1, e_2, e_5) : & x_1 - x_{12} - x_5 & = 0 \\
(e_1, e_3, e_4) : & -x_{12} + x_{13} & = 0 \\
(e_1, e_2, e_6) : & x_5 - x_6 - x_8 & = 0 \\
(e_1, e_3, e_5) : & x_{12} - x_2 - x_6 & = 0 \\
(e_1, e_2, e_7) : & -x_{10} - x_{11} + x_8 & = 0 \\
(e_1, e_3, e_6) : & -x_{11} - x_3 + x_6 & = 0 \\
(e_1, e_4, e_5) : & x_2 - x_3 & = 0 \\
(e_2, e_3, e_4) : & x_{10}x_{13} - x_{11} + x_3 & = 0 \\
(e_1, e_2, e_{10}) : & -x_7 - 1 & = 0 \\
(e_1, e_3, e_9) : & -x_7 - x_9 & = 0 \\
(e_1, e_4, e_8) : & -x_{14} - x_9 & = 0 \\
(e_1, e_5, e_7) : & -x_{14} - x_4 & = 0 \\
(e_2, e_3, e_7) : & x_{11} - x_4 - x_7x_8 & = 0 \\
(e_2, e_4, e_6) : & x_3 + x_4 - x_5x_9 & = 0 \\
(e_3, e_4, e_5) : & -x_{12}x_9 + x_{13}x_{14} + x_2x_7 & = 0
\end{aligned}$$



Groebner basis (14 variables, 13 linear, 1 nonlinear)

$$x_1 + x_{13} - 1 = 0$$

$$2x_{13} + x_2 = 0$$

$$2x_{13} + x_3 = 0$$

$$x_4 - 1 = 0$$

$$2x_{13} + x_5 - 1 = 0$$

$$-3x_{13} + x_6 = 0$$

$$x_7 + 1 = 0$$

$$5x_{13} + x_8 - 1 = 0$$

$$x_9 - 1 = 0$$

$$x_{10} + 10x_{13} - 1 = 0$$

$$x_{11} - 5x_{13} = 0$$

$$x_{12} - x_{13} = 0$$

$$x_{13}^2 + \frac{3x_{13}}{5} = 0$$

$$x_{14} + 1 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = 0$$

$$x_3 = 0$$

$$x_4 = 1$$

$$x_5 = 1$$

$$x_6 = 0$$

$$x_7 = -1$$

$$x_8 = 1$$

$$x_9 = 1$$

$$x_{10} = 1$$

$$x_{11} = 0$$

$$x_{12} = 0$$

$$x_{13} = 0$$

$$x_{14} = -1$$

Solution 2:

$$\begin{aligned}
x_1 &= 8/5 \\
x_2 &= 6/5 \\
x_3 &= 6/5 \\
x_4 &= 1 \\
x_5 &= 11/5 \\
x_6 &= -9/5 \\
x_7 &= -1 \\
x_8 &= 4 \\
x_9 &= 1 \\
x_{10} &= 7 \\
x_{11} &= -3 \\
x_{12} &= -3/5 \\
x_{13} &= -3/5 \\
x_{14} &= -1
\end{aligned}$$

$\mathfrak{m}_{2B}(4, 12)$

m2B412 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_2, e_7] &= e_{11} \\
[e_2, e_{11}] &= e_{12} & [e_3, e_6] &= -e_{11} \\
[e_3, e_{10}] &= \alpha_{3,10}^{12} e_{12} & [e_4, e_5] &= e_{11} \\
[e_4, e_9] &= \alpha_{4,9}^{12} e_{12} & [e_5, e_8] &= \alpha_{5,8}^{12} e_{12} \\
[e_6, e_7] &= \alpha_{6,7}^{12} e_{12}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & \quad -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & \quad -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & \quad -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & \quad -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_6) : & \quad \text{no solutions} \\
(e_2, e_4, e_5) : & \quad \text{no solutions}
\end{aligned}$$

There are no solutions.

$\mathfrak{m}_{4B}(4, 12)$

m4B412 (this line included for string searching purposes)

Solution 1

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_2, e_5] &= e_9 \\
[e_2, e_6] &= 2e_{10} & [e_2, e_7] &= 4e_{11} \\
[e_2, e_{11}] &= e_{12} & [e_3, e_4] &= -e_9 \\
[e_3, e_5] &= -e_{10} & [e_3, e_6] &= -2e_{11} \\
[e_3, e_{10}] &= -e_{12} & [e_4, e_5] &= e_{11} \\
[e_4, e_9] &= e_{12} & [e_5, e_8] &= -e_{12} \\
[e_6, e_7] &= e_{12}
\end{aligned}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_9 \\
[e_2, e_6] = 2e_{10} & [e_2, e_7] = \alpha_{2,7}^{11} e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = -e_9 \\
[e_3, e_5] = -e_{10} & [e_3, e_6] = \alpha_{3,6}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^{11} e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_8] = \alpha_{5,8}^{12} e_{12} \\
[e_6, e_7] = \alpha_{6,7}^{12} e_{12} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_6) : & -2\alpha_{3,10}^{12} + \alpha_{3,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,9}^{12} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{4,5}^{11} = 1 \\
\alpha_{6,7}^{12} = 1 \\
\alpha_{2,7}^{11} = 4 \\
\alpha_{4,9}^{12} = 1 \\
\alpha_{3,10}^{12} = -1 \\
\alpha_{3,6}^{11} = -2 \\
\alpha_{5,8}^{12} = -1
\end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{4,5}^{11} \rightarrow x_1$$

$$\alpha_{6,7}^{12} \rightarrow x_2$$

$$\alpha_{2,7}^{11} \rightarrow x_3$$

$$\alpha_{4,9}^{12} \rightarrow x_4$$

$$\alpha_{3,10}^{12} \rightarrow x_5$$

$$\alpha_{3,6}^{11} \rightarrow x_6$$

$$\alpha_{5,8}^{12} \rightarrow x_7$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_3 - x_6 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 - x_6 - 1 \quad = 0$$

$$(e_1, e_2, e_{10}) : \quad -x_5 - 1 \quad = 0$$

$$(e_1, e_3, e_9) : \quad -x_4 - x_5 \quad = 0$$

$$(e_1, e_4, e_8) : \quad -x_4 - x_7 \quad = 0$$

$$(e_1, e_5, e_7) : \quad -x_2 - x_7 \quad = 0$$

$$(e_2, e_3, e_6) : \quad -2x_5 + x_6 \quad = 0$$

$$(e_2, e_4, e_5) : \quad x_1 - x_4 \quad = 0$$

Groebner basis (7 variables, 7 linear, 0 nonlinear)

$$x_1 - 1 = 0$$

$$x_2 - 1 = 0$$

$$x_3 - 4 = 0$$

$$x_4 - 1 = 0$$

$$x_5 + 1 = 0$$

$$x_6 + 2 = 0$$

$$x_7 + 1 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = 1$$

$$x_3 = 4$$

$$x_4 = 1$$

$$x_5 = -1$$

$$x_6 = -2$$

$$x_7 = -1$$

$\mathfrak{m}_{6B}(4, 12)$

m6B412 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_7 \\
[e_2, e_4] = e_8 & [e_2, e_5] = \alpha_{2,5}^9 e_9 \\
[e_2, e_6] = \alpha_{2,6}^{10} e_{10} & [e_2, e_7] = \alpha_{2,7}^{11} e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = \alpha_{3,4}^9 e_9 \\
[e_3, e_5] = \alpha_{3,5}^{10} e_{10} & [e_3, e_6] = \alpha_{3,6}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^{11} e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_8] = \alpha_{5,8}^{12} e_{12} \\
[e_6, e_7] = \alpha_{6,7}^{12} e_{12} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^{10} \alpha_{3,10}^{12} + \alpha_{3,6}^{11} + \alpha_{6,7}^{12} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^9 \alpha_{4,9}^{12} + \alpha_{4,5}^{11} + \alpha_{5,8}^{12} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,5}^9 \rightarrow x_1$$

$$\alpha_{4,5}^{11} \rightarrow x_2$$

$$\alpha_{6,7}^{12} \rightarrow x_3$$

$$\alpha_{2,7}^{11} \rightarrow x_4$$

$$\alpha_{3,4}^9 \rightarrow x_5$$

$$\alpha_{3,10}^{12} \rightarrow x_6$$

$$\alpha_{4,9}^{12} \rightarrow x_7$$

$$\alpha_{3,6}^{11} \rightarrow x_8$$

$$\alpha_{2,6}^{10} \rightarrow x_9$$

$$\alpha_{5,8}^{12} \rightarrow x_{10}$$

$$\alpha_{3,5}^{10} \rightarrow x_{11}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_5 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad x_1 - x_{11} - x_9 \quad = 0$$

$$(e_1, e_3, e_4) : \quad -x_{11} + x_5 \quad = 0$$

$$(e_1, e_2, e_6) : \quad -x_4 - x_8 + x_9 \quad = 0$$

$$(e_1, e_3, e_5) : \quad x_{11} - x_2 - x_8 \quad = 0$$

$$(e_1, e_2, e_{10}) : \quad -x_6 - 1 \quad = 0$$

$$(e_1, e_3, e_9) : \quad -x_6 - x_7 \quad = 0$$

$$(e_1, e_4, e_8) : \quad -x_{10} - x_7 \quad = 0$$

$$(e_1, e_5, e_7) : \quad -x_{10} - x_3 \quad = 0$$

$$(e_2, e_3, e_6) : \quad x_3 - x_6 x_9 + x_8 \quad = 0$$

$$(e_2, e_4, e_5) : \quad -x_1 x_7 + x_{10} + x_2 \quad = 0$$

Groebner basis (11 variables, 10 linear, 0 nonlinear)

$$x_1 + x_{11} - 1 = 0$$

$$x_{11} + x_2 - 2 = 0$$

$$x_3 - 1 = 0$$

$$4x_{11} + x_4 - 3 = 0$$

$$-x_{11} + x_5 = 0$$

$$x_6 + 1 = 0$$

$$x_7 - 1 = 0$$

$$-2x_{11} + x_8 + 2 = 0$$

$$2x_{11} + x_9 - 1 = 0$$

$$x_{10} + 1 = 0$$

$\mathfrak{m}_{3B}(5, 12)$

m3B512 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = -e_{10} & [e_3, e_5] = -e_{11} \\
[e_3, e_{10}] = -e_{12} & [e_4, e_9] = e_{12} \\
[e_5, e_8] = -e_{12} & [e_6, e_7] = e_{12}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = -e_{10} & [e_3, e_5] = -e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{3,10}^{12} - 1 & = 0
\end{array}$$

Solution 1:



$$\alpha_{3,10}^{12} = -1$$

$$\alpha_{5,8}^{12} = -1$$

$$\alpha_{6,7}^{12} = 1$$

$$\alpha_{4,9}^{12} = 1$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{3,10}^{12} \rightarrow x_1$$

$$\alpha_{5,8}^{12} \rightarrow x_2$$

$$\alpha_{6,7}^{12} \rightarrow x_3$$

$$\alpha_{4,9}^{12} \rightarrow x_4$$

Jacobi Tests

$$\begin{array}{llll} (e_1, e_2, e_{10}) : & -x_1 - 1 & & = 0 \\ (e_1, e_3, e_9) : & -x_1 - x_4 & & = 0 \\ (e_1, e_4, e_8) : & -x_2 - x_4 & & = 0 \\ (e_1, e_5, e_7) : & -x_2 - x_3 & & = 0 \\ (e_2, e_3, e_5) : & -x_1 - 1 & & = 0 \end{array}$$

Groebner basis (4 variables, 4 linear, 0 nonlinear)

$$x_1 + 1 = 0$$

$$x_2 + 1 = 0$$

$$x_3 - 1 = 0$$

$$x_4 - 1 = 0$$

Solution 1:

$$x_1 = -1$$

$$x_2 = -1$$

$$x_3 = 1$$

$$x_4 = 1$$

$m_{5B}(5, 12)$

m5B512 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_5] = \alpha_{2,5}^{10} e_{10} \\
[e_2, e_6] = \alpha_{2,6}^{11} e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = \alpha_{3,4}^{10} e_{10} & [e_3, e_5] = \alpha_{3,5}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^{10} \alpha_{3,10}^{12} + \alpha_{3,5}^{11} + \alpha_{5,8}^{12} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,5}^{10} \rightarrow x_1 \\
\alpha_{3,5}^{11} \rightarrow x_2 \\
\alpha_{6,7}^{12} \rightarrow x_3 \\
\alpha_{3,10}^{12} \rightarrow x_4 \\
\alpha_{3,4}^{10} \rightarrow x_5
\end{array}$$

$$\alpha_{2,6}^{11} \rightarrow x_6$$

$$\alpha_{4,9}^{12} \rightarrow x_7$$

$$\alpha_{5,8}^{12} \rightarrow x_8$$

Jacobi Tests

$$\begin{array}{llll} (e_1, e_2, e_4) : & -x_1 - x_5 + 1 & = 0 \\ (e_1, e_2, e_5) : & x_1 - x_2 - x_6 & = 0 \\ (e_1, e_3, e_4) : & -x_2 + x_5 & = 0 \\ (e_1, e_2, e_{10}) : & -x_4 - 1 & = 0 \\ (e_1, e_3, e_9) : & -x_4 - x_7 & = 0 \\ (e_1, e_4, e_8) : & -x_7 - x_8 & = 0 \\ (e_1, e_5, e_7) : & -x_3 - x_8 & = 0 \\ (e_2, e_3, e_5) : & -x_1 x_4 + x_2 + x_8 & = 0 \end{array}$$

Groebner basis (8 variables, 7 linear, 0 nonlinear)

$$x_1 - \frac{x_6}{2} - \frac{1}{2} = 0$$

$$x_2 + \frac{x_6}{2} - \frac{1}{2} = 0$$

$$x_3 - 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 + \frac{x_6}{2} - \frac{1}{2} = 0$$

$$x_7 - 1 = 0$$

$$x_8 + 1 = 0$$

$\mathfrak{m}_{2B}(6, 12)$

m2B612 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = -e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_4) : & \text{no solutions} & 
\end{array}$$

There are no solutions.

$\mathfrak{m}_{4B}(6, 12)$

m4B612 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_9 \\
[e_2, e_4] = e_{10} & [e_2, e_5] = 3e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = -2e_{11} \\
[e_3, e_{10}] = -e_{12} & [e_4, e_9] = e_{12} \\
[e_5, e_8] = -e_{12} & [e_6, e_7] = e_{12}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_9 \\
[e_2, e_4] = e_{10} & [e_2, e_5] = \alpha_{2,5}^{11} e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = \alpha_{3,4}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{3,10}^{12} + \alpha_{3,4}^{11} + \alpha_{4,9}^{12} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{6,7}^{12} = 1 \\
\alpha_{3,10}^{12} = -1 \\
\alpha_{4,9}^{12} = 1 \\
\alpha_{3,4}^{11} = -2 \\
\alpha_{2,5}^{11} = 3 \\
\alpha_{5,8}^{12} = -1
\end{array}$$

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{6,7}^{12} \rightarrow x_1 \\
\alpha_{3,10}^{12} \rightarrow x_2
\end{array}$$

$$\alpha_{4,9}^{12} \rightarrow x_3$$

$$\alpha_{3,4}^{11} \rightarrow x_4$$

$$\alpha_{2,5}^{11} \rightarrow x_5$$

$$\alpha_{5,8}^{12} \rightarrow x_6$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_4 - x_5 + 1 \quad = 0$$

$$(e_1, e_2, e_{10}) : \quad -x_2 - 1 \quad = 0$$

$$(e_1, e_3, e_9) : \quad -x_2 - x_3 \quad = 0$$

$$(e_1, e_4, e_8) : \quad -x_3 - x_6 \quad = 0$$

$$(e_1, e_5, e_7) : \quad -x_1 - x_6 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_2 + x_3 + x_4 \quad = 0$$

Groebner basis (6 variables, 6 linear, 0 nonlinear)

$$x_1 - 1 = 0$$

$$x_2 + 1 = 0$$

$$x_3 - 1 = 0$$

$$x_4 + 2 = 0$$

$$x_5 - 3 = 0$$

$$x_6 + 1 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = -1$$

$$x_3 = 1$$

$$x_4 = -2$$

$$x_5 = 3$$

$$x_6 = -1$$

$\mathfrak{m}_{3B}(7, 12)$

m3B712 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_{10} \\
[e_2, e_4] = e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_{10}] = -e_{12} & [e_4, e_9] = e_{12} \\
[e_5, e_8] = -e_{12} & [e_6, e_7] = e_{12}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_{10} \\
[e_2, e_4] = e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0
\end{array}$$

Solution 1:

$$\alpha_{3,10}^{12} = -1$$

$$\alpha_{5,8}^{12} = -1$$

$$\alpha_{6,7}^{12} = 1$$

$$\alpha_{4,9}^{12} = 1$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{3,10}^{12} \rightarrow x_1$$

$$\alpha_{5,8}^{12} \rightarrow x_2$$

$$\alpha_{6,7}^{12} \rightarrow x_3$$

$$\alpha_{4,9}^{12} \rightarrow x_4$$

Jacobi Tests

$$\begin{array}{llll} (e_1, e_2, e_{10}) : & -x_1 - 1 & = 0 \\ (e_1, e_3, e_9) : & -x_1 - x_4 & = 0 \\ (e_1, e_4, e_8) : & -x_2 - x_4 & = 0 \\ (e_1, e_5, e_7) : & -x_2 - x_3 & = 0 \end{array}$$

Groebner basis (4 variables, 4 linear, 0 nonlinear)

$$x_1 + 1 = 0$$

$$x_2 + 1 = 0$$

$$x_3 - 1 = 0$$

$$x_4 - 1 = 0$$

Solution 1:

$$x_1 = -1$$

$$x_2 = -1$$

$$x_3 = 1$$

$$x_4 = 1$$



$\mathfrak{m}_{2B}(8, 12)$

m2B812 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_{10}] = -e_{12} \\
[e_4, e_9] = e_{12} & [e_5, e_8] = -e_{12} \\
[e_6, e_7] = e_{12} & 
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_8] = \alpha_{5,8}^{12} e_{12} \\
[e_6, e_7] = \alpha_{6,7}^{12} e_{12} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{3,10}^{12} = -1 \\
\alpha_{5,8}^{12} = -1 \\
\alpha_{6,7}^{12} = 1 \\
\alpha_{4,9}^{12} = 1
\end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{3,10}^{12} \rightarrow x_1$$

$$\alpha_{5,8}^{12} \rightarrow x_2$$

$$\alpha_{6,7}^{12} \rightarrow x_3$$

$$\alpha_{4,9}^{12} \rightarrow x_4$$

Jacobi Tests

$$(e_1, e_2, e_{10}) : \quad -x_1 - 1 \quad = 0$$

$$(e_1, e_3, e_9) : \quad -x_1 - x_4 \quad = 0$$

$$(e_1, e_4, e_8) : \quad -x_2 - x_4 \quad = 0$$

$$(e_1, e_5, e_7) : \quad -x_2 - x_3 \quad = 0$$

Groebner basis (4 variables, 4 linear, 0 nonlinear)

$$x_1 + 1 = 0$$

$$x_2 + 1 = 0$$

$$x_3 - 1 = 0$$

$$x_4 - 1 = 0$$

Solution 1:

$$x_1 = -1$$

$$x_2 = -1$$

$$x_3 = 1$$

$$x_4 = 1$$

$\mathfrak{m}_{2B}(2, 14)$

m2B214 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_{11}] = e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_{10}] = -e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_9] = e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_8] = -e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_7] = e_{13} \\
[e_6, e_9] = \alpha_{6,9}^{14} e_{14} & [e_7, e_8] = \alpha_{7,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_{10}) : & \text{no solutions} & \\
(e_2, e_4, e_9) : & \text{no solutions} & \\
(e_2, e_5, e_8) : & \text{no solutions} & \\
(e_2, e_6, e_7) : & \text{no solutions} &
\end{array}$$

There are no solutions.

$\mathfrak{m}_{4B}(2, 14)$

m4B214 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_9] = e_{11} \\
[e_2, e_{10}] = 4e_{12} & [e_2, e_{11}] = \alpha_{2,11}^{13} e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_8] = -e_{11} \\
[e_3, e_9] = -3e_{12} & [e_3, e_{10}] = \alpha_{3,10}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_7] = e_{11} \\
[e_4, e_8] = 2e_{12} & [e_4, e_9] = \alpha_{4,9}^{13} e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_6] = -e_{11} \\
[e_5, e_7] = -e_{12} & [e_5, e_8] = \alpha_{5,8}^{13} e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_7] = \alpha_{6,7}^{13} e_{13} \\
[e_6, e_9] = \alpha_{6,9}^{14} e_{14} & [e_7, e_8] = \alpha_{7,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & -\alpha_{2,11}^{13} - \alpha_{3,10}^{13} + 4 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} - \alpha_{4,9}^{13} - 3 & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{13} - \alpha_{5,8}^{13} + 2 & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{13} - \alpha_{6,7}^{13} - 1 & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,11}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} & = 0 \\
(e_2, e_5, e_6) : & -\alpha_{2,11}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_{10}) : & \alpha_{3,10}^{13} - 4\alpha_{3,12}^{14} & = 0 \\
(e_2, e_4, e_9) : & -\alpha_{4,11}^{14} + \alpha_{4,9}^{13} & = 0 \\
(e_2, e_5, e_8) : & \alpha_{5,8}^{13} & = 0 \\
(e_2, e_6, e_7) : & \alpha_{6,7}^{13} & = 0 \\
(e_3, e_4, e_8) : & 2\alpha_{3,12}^{14} + \alpha_{4,11}^{14} & = 0 \\
(e_3, e_5, e_7) : & -\alpha_{3,12}^{14} & = 0 \\
(e_4, e_5, e_6) : & -\alpha_{4,11}^{14} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,11}^{13} \rightarrow x_1$$

$$\alpha_{6,7}^{13} \rightarrow x_2$$

$$\alpha_{4,11}^{14} \rightarrow x_3$$

$$\alpha_{5,10}^{14} \rightarrow x_4$$

$$\alpha_{6,9}^{14} \rightarrow x_5$$

$$\alpha_{7,8}^{14} \rightarrow x_6$$

$$\alpha_{3,10}^{13} \rightarrow x_7$$

$$\alpha_{5,8}^{13} \rightarrow x_8$$

$$\alpha_{3,12}^{14} \rightarrow x_9$$

$$\alpha_{4,9}^{13} \rightarrow x_{10}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -x_1 - x_7 + 4 & = 0 \\
(e_1, e_3, e_9) : & -x_{10} - x_7 - 3 & = 0 \\
(e_1, e_4, e_8) : & -x_{10} - x_8 + 2 & = 0 \\
(e_1, e_5, e_7) : & -x_2 - x_8 - 1 & = 0 \\
(e_2, e_3, e_8) : & -x_1 & = 0 \\
(e_2, e_4, e_7) : & x_1 & = 0 \\
(e_2, e_5, e_6) : & -x_1 & = 0 \\
(e_1, e_2, e_{12}) : & -x_9 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_3 - x_9 & = 0 \\
(e_1, e_4, e_{10}) : & -x_3 - x_4 & = 0 \\
(e_1, e_5, e_9) : & -x_4 - x_5 & = 0 \\
(e_1, e_6, e_8) : & -x_5 - x_6 & = 0 \\
(e_2, e_3, e_{10}) : & x_7 - 4x_9 & = 0 \\
(e_2, e_4, e_9) : & x_{10} - x_3 & = 0 \\
(e_2, e_5, e_8) : & x_8 & = 0 \\
(e_2, e_6, e_7) : & x_2 & = 0 \\
(e_3, e_4, e_8) : & x_3 + 2x_9 & = 0 \\
(e_3, e_5, e_7) : & -x_9 & = 0 \\
(e_4, e_5, e_6) : & -x_3 & = 0
\end{array}$$

Groebner basis (10 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{10B}(2, 14)$

m10B214 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_6] = \alpha_{2,6}^8 e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} & [e_2, e_{11}] = \alpha_{2,11}^{13} e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = \alpha_{3,4}^7 e_7 \\
[e_3, e_5] = \alpha_{3,5}^8 e_8 & [e_3, e_6] = \alpha_{3,6}^9 e_9 \\
[e_3, e_7] = \alpha_{3,7}^{10} e_{10} & [e_3, e_8] = \alpha_{3,8}^{11} e_{11} \\
[e_3, e_9] = \alpha_{3,9}^{12} e_{12} & [e_3, e_{10}] = \alpha_{3,10}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_4, e_8] = \alpha_{4,8}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{13} e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_6] = \alpha_{5,6}^{11} e_{11} \\
[e_5, e_7] = \alpha_{5,7}^{12} e_{12} & [e_5, e_8] = \alpha_{5,8}^{13} e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_7] = \alpha_{6,7}^{13} e_{13} \\
[e_6, e_9] = \alpha_{6,9}^{14} e_{14} & [e_7, e_8] = \alpha_{7,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - \alpha_{2,6}^8 \alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,4}^7 \alpha_{5,7}^{12} - \alpha_{3,5}^8 \alpha_{4,8}^{12} + \alpha_{3,9}^{12} \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{12} - \alpha_{2,11}^{13} - \alpha_{3,10}^{13} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} + \alpha_{3,9}^{12} - \alpha_{4,9}^{13} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{12} - \alpha_{4,9}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{12} - \alpha_{5,8}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_3, e_8) : & \alpha_{2,11}^{13} \alpha_{3,8}^{11} - \alpha_{2,8}^{10} \alpha_{3,10}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} \alpha_{4,7}^{11} - \alpha_{2,7}^9 \alpha_{4,9}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,11}^{13} \alpha_{5,6}^{11} + \alpha_{2,5}^7 \alpha_{6,7}^{13} - \alpha_{2,6}^8 \alpha_{5,8}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{13} \alpha_{4,6}^{10} + \alpha_{3,4}^7 \alpha_{6,7}^{13} - \alpha_{3,6}^9 \alpha_{4,9}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_{10}) : & -\alpha_{2,10}^{12} \alpha_{3,12}^{14} + \alpha_{3,10}^{13} - \alpha_{5,10}^{14} & = 0 \\
(e_2, e_4, e_9) : & -\alpha_{2,9}^{11} \alpha_{4,11}^{14} + \alpha_{4,9}^{13} - \alpha_{6,9}^{14} & = 0 \\
(e_2, e_5, e_8) : & -\alpha_{2,5}^7 \alpha_{7,8}^{14} - \alpha_{2,8}^{10} \alpha_{5,10}^{14} + \alpha_{5,8}^{13} & = 0 \\
(e_2, e_6, e_7) : & \alpha_{2,6}^8 \alpha_{7,8}^{14} - \alpha_{2,7}^9 \alpha_{6,9}^{14} + \alpha_{6,7}^{13} & = 0 \\
(e_3, e_4, e_8) : & \alpha_{2,11}^{13} \alpha_{4,8}^{12} - \alpha_{2,4}^7 \alpha_{7,8}^{14} - \alpha_{2,8}^{10} \alpha_{4,11}^{14} & = 0
\end{aligned}$$



No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,11}^{13} \rightarrow x_1$$

$$\alpha_{2,9}^{11} \rightarrow x_2$$

$$\alpha_{3,5}^8 \rightarrow x_3$$

$$\alpha_{3,6}^9 \rightarrow x_4$$

$$\alpha_{2,10}^{12} \rightarrow x_5$$

$$\alpha_{2,7}^9 \rightarrow x_6$$

$$\alpha_{3,10}^{13} \rightarrow x_7$$

$$\alpha_{6,7}^{13} \rightarrow x_8$$

$$\alpha_{4,11}^{14} \rightarrow x_9$$

$$\alpha_{3,4}^7 \rightarrow x_{10}$$

$$\alpha_{2,8}^{10} \rightarrow x_{11}$$

$$\alpha_{4,8}^{12} \rightarrow x_{12}$$

$$\alpha_{3,12}^{14} \rightarrow x_{13}$$

$$\alpha_{4,9}^{13} \rightarrow x_{14}$$

$$\alpha_{6,9}^{14} \rightarrow x_{15}$$

$$\alpha_{7,8}^{14} \rightarrow x_{16}$$

$$\alpha_{2,5}^7 \rightarrow x_{17}$$

$$\alpha_{2,6}^8 \rightarrow x_{18}$$

$$\alpha_{3,8}^{11} \rightarrow x_{19}$$

$$\alpha_{4,5}^9 \rightarrow x_{20}$$

$$\alpha_{5,8}^{13} \rightarrow x_{21}$$

$$\alpha_{5,7}^{12} \rightarrow x_{22}$$

$$\alpha_{5,6}^{11} \rightarrow x_{23}$$

$$\alpha_{3,9}^{12} \rightarrow x_{24}$$

$$\alpha_{3,7}^{10} \rightarrow x_{25}$$

$$\alpha_{4,7}^{11} \rightarrow x_{26}$$

$$\alpha_{4,6}^{10} \rightarrow x_{27}$$

$$\alpha_{5,10}^{14} \rightarrow x_{28}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_{10} - x_{17} + 1 & = 0 \\
(e_1, e_2, e_5) : & x_{17} - x_{18} - x_3 & = 0 \\
(e_1, e_3, e_4) : & x_{10} - x_3 & = 0 \\
(e_1, e_2, e_6) : & x_{18} - x_4 - x_6 & = 0 \\
(e_1, e_3, e_5) : & -x_{20} + x_3 - x_4 & = 0 \\
(e_2, e_3, e_4) : & x_{10}x_6 + x_{20} - x_4 & = 0 \\
(e_1, e_2, e_7) : & -x_{11} - x_{25} + x_6 & = 0 \\
(e_1, e_3, e_6) : & -x_{25} - x_{27} + x_4 & = 0 \\
(e_1, e_4, e_5) : & x_{20} - x_{27} & = 0 \\
(e_2, e_3, e_5) : & x_{11}x_3 - x_{17}x_{25} & = 0 \\
(e_1, e_2, e_8) : & x_{11} - x_{19} - x_2 & = 0 \\
(e_1, e_3, e_7) : & -x_{19} + x_{25} - x_{26} & = 0 \\
(e_1, e_4, e_6) : & -x_{23} - x_{26} + x_{27} & = 0 \\
(e_2, e_3, e_6) : & -x_{18}x_{19} + x_2x_4 - x_{23} & = 0 \\
(e_2, e_4, e_5) : & -x_{17}x_{26} + x_2x_{20} + x_{23} & = 0 \\
(e_1, e_2, e_9) : & x_2 - x_{24} - x_5 & = 0 \\
(e_1, e_3, e_8) : & -x_{12} + x_{19} - x_{24} & = 0 \\
(e_1, e_4, e_7) : & -x_{12} - x_{22} + x_{26} & = 0 \\
(e_1, e_5, e_6) : & -x_{22} + x_{23} & = 0 \\
(e_2, e_3, e_7) : & -x_{22} - x_{24}x_6 + x_{25}x_5 & = 0 \\
(e_2, e_4, e_6) : & -x_{12}x_{18} + x_{27}x_5 & = 0 \\
(e_3, e_4, e_5) : & x_{10}x_{22} - x_{12}x_3 + x_{20}x_{24} & = 0 \\
(e_1, e_2, e_{10}) : & -x_1 + x_5 - x_7 & = 0 \\
(e_1, e_3, e_9) : & -x_{14} + x_{24} - x_7 & = 0 \\
(e_1, e_4, e_8) : & x_{12} - x_{14} - x_{21} & = 0 \\
(e_1, e_5, e_7) : & -x_{21} + x_{22} - x_8 & = 0 \\
(e_2, e_3, e_8) : & x_1x_{19} - x_{11}x_7 - x_{21} & = 0 \\
(e_2, e_4, e_7) : & x_1x_{26} - x_{14}x_6 - x_8 & = 0 \\
(e_2, e_5, e_6) : & x_1x_{23} + x_{17}x_8 - x_{18}x_{21} & = 0 \\
(e_3, e_4, e_6) : & x_{10}x_8 - x_{14}x_4 + x_{27}x_7 & = 0 \\
(e_1, e_2, e_{12}) : & -x_{13} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{13} - x_9 & = 0 \\
(e_1, e_4, e_{10}) : & -x_{28} - x_9 & = 0 \\
(e_1, e_5, e_9) : & -x_{15} - x_{28} & = 0 \\
(e_1, e_6, e_8) : & -x_{15} - x_{16} & = 0 \\
(e_2, e_3, e_{10}) : & -x_{13}x_5 - x_{28} + x_7 & = 0 \\
(e_2, e_4, e_9) : & x_{14} - x_{15} - x_2x_9 & = 0 \\
(e_2, e_5, e_8) : & -x_{11}x_{28} - \frac{251}{16}x_{17} + x_{21} & = 0 \\
(e_2, e_6, e_7) : & -x_{15}x_6 + x_{16}x_{18} + x_8 & = 0 \\
(e_3, e_4, e_8) : & -x_{10}x_{16} + x_{12}x_{13} - x_{19}x_9 & = 0 \\
(e_3, e_5, e_7) : & x_{13}x_{22} + x_{16}x_3 - x_{25}x_{28} & = 0 \\
(e_4, e_5, e_6) : & x_{15}x_{20} + x_{23}x_9 - x_{27}x_{28} & = 0
\end{aligned}$$

Groebner basis (28 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{3B}(3, 14)$

m3B314 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_9] = e_{12} \\
[e_2, e_{10}] = 4e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_8] = -e_{12} & [e_3, e_9] = -3e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_7] = e_{12} \\
[e_4, e_8] = 2e_{13} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_6] = -e_{12} & [e_5, e_7] = -e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & -\alpha_{3,12}^{14} - 3 & = 0 \\
(e_2, e_4, e_8) : & \text{no solutions} & \\
(e_2, e_5, e_7) : & \text{no solutions} & \\
(e_3, e_4, e_7) : & \alpha_{3,12}^{14} & = 0 \\
(e_3, e_5, e_6) : & -\alpha_{3,12}^{14} & = 0
\end{array}$$

There are no solutions.

$\mathfrak{m}_{5B}(3, 14)$

m5B314 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_7] = e_{10}$
$[e_2, e_8] = 3e_{11}$	$[e_2, e_9] = \alpha_{2,9}^{12}e_{12}$
$[e_2, e_{10}] = \alpha_{2,10}^{13}e_{13}$	$[e_2, e_{13}] = e_{14}$
$[e_3, e_6] = -e_{10}$	$[e_3, e_7] = -2e_{11}$
$[e_3, e_8] = \alpha_{3,8}^{12}e_{12}$	$[e_3, e_9] = \alpha_{3,9}^{13}e_{13}$
$[e_3, e_{12}] = \alpha_{3,12}^{14}e_{14}$	$[e_4, e_5] = e_{10}$
$[e_4, e_6] = e_{11}$	$[e_4, e_7] = \alpha_{4,7}^{12}e_{12}$
$[e_4, e_8] = \alpha_{4,8}^{13}e_{13}$	$[e_4, e_{11}] = \alpha_{4,11}^{14}e_{14}$
$[e_5, e_6] = \alpha_{5,6}^{12}e_{12}$	$[e_5, e_7] = \alpha_{5,7}^{13}e_{13}$
$[e_5, e_{10}] = \alpha_{5,10}^{14}e_{14}$	$[e_6, e_9] = \alpha_{6,9}^{14}e_{14}$
$[e_7, e_8] = \alpha_{7,8}^{14}e_{14}$	

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{12} - \alpha_{4,7}^{12} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{12} - \alpha_{5,6}^{12} + 1 & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,10}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & -\alpha_{2,9}^{12}\alpha_{3,12}^{14} + \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_8) : & -3\alpha_{4,11}^{14} + \alpha_{4,8}^{13} & = 0 \\
(e_2, e_5, e_7) : & -\alpha_{5,10}^{14} + \alpha_{5,7}^{13} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,12}^{14}\alpha_{4,7}^{12} + 2\alpha_{4,11}^{14} & = 0 \\
(e_3, e_5, e_6) : & \alpha_{3,12}^{14}\alpha_{5,6}^{12} + \alpha_{5,10}^{14} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,7}^{12} \rightarrow x_1$$

$$\alpha_{4,11}^{14} \rightarrow x_2$$

$$\alpha_{6,9}^{14} \rightarrow x_3$$

$$\alpha_{5,7}^{13} \rightarrow x_4$$

$$\alpha_{7,8}^{14} \rightarrow x_5$$

$$\alpha_{3,8}^{12} \rightarrow x_6$$

$$\alpha_{4,8}^{13} \rightarrow x_7$$

$$\alpha_{5,6}^{12} \rightarrow x_8$$

$$\alpha_{3,9}^{13} \rightarrow x_9$$

$$\alpha_{5,10}^{14} \rightarrow x_{10}$$

$$\alpha_{2,10}^{13} \rightarrow x_{11}$$

$$\alpha_{3,12}^{14} \rightarrow x_{12}$$

$$\alpha_{2,9}^{12} \rightarrow x_{13}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_{13} - x_6 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_1 - x_6 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_1 - x_8 + 1 & = 0 \\
(e_1, e_2, e_9) : & -x_{11} + x_{13} - x_9 & = 0 \\
(e_1, e_3, e_8) : & x_6 - x_7 - x_9 & = 0 \\
(e_1, e_4, e_7) : & x_1 - x_4 - x_7 & = 0 \\
(e_1, e_5, e_6) : & -x_4 + x_8 & = 0 \\
(e_2, e_3, e_6) : & -x_{11} & = 0 \\
(e_2, e_4, e_5) : & x_{11} & = 0 \\
(e_1, e_2, e_{12}) : & -x_{12} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{12} - x_2 & = 0 \\
(e_1, e_4, e_{10}) : & -x_{10} - x_2 & = 0 \\
(e_1, e_5, e_9) : & -x_{10} - x_3 & = 0 \\
(e_1, e_6, e_8) : & -x_3 - x_5 & = 0 \\
(e_2, e_3, e_9) : & -x_{12}x_{13} + x_9 & = 0 \\
(e_2, e_4, e_8) : & -3x_2 + x_7 & = 0 \\
(e_2, e_5, e_7) : & -x_{10} + x_4 & = 0 \\
(e_3, e_4, e_7) : & x_1x_{12} + 2x_2 & = 0 \\
(e_3, e_5, e_6) : & x_{10} + x_{12}x_8 & = 0
\end{array}$$

Groebner basis (13 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{7B}(3, 14)$

m7B314 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_9] = \alpha_{2,9}^{12} e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = -e_8 & [e_3, e_5] = -e_9 \\
[e_3, e_6] = \alpha_{3,6}^{10} e_{10} & [e_3, e_7] = \alpha_{3,7}^{11} e_{11} \\
[e_3, e_8] = \alpha_{3,8}^{12} e_{12} & [e_3, e_9] = \alpha_{3,9}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_7] = \alpha_{4,7}^{12} e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13} e_{13} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_6] = \alpha_{5,6}^{12} e_{12} & [e_5, e_7] = \alpha_{5,7}^{13} e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$



Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - 2\alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & -\alpha_{2,9}^{12} \alpha_{3,12}^{14} + \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_8) : & -\alpha_{2,8}^{11} \alpha_{4,11}^{14} + \alpha_{4,8}^{13} & = 0 \\
(e_2, e_5, e_7) : & -\alpha_{2,7}^{10} \alpha_{5,10}^{14} + \alpha_{5,7}^{13} + \alpha_{7,8}^{14} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,12}^{14} \alpha_{4,7}^{12} - \alpha_{3,7}^{11} \alpha_{4,11}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_3, e_5, e_6) : & \alpha_{3,12}^{14} \alpha_{5,6}^{12} - \alpha_{3,6}^{10} \alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,5}^{10} \rightarrow x_1$$

$$\alpha_{4,6}^{11} \rightarrow x_2$$

$$\begin{aligned}
\alpha_{4,7}^{12} &\rightarrow x_3 \\
\alpha_{4,11}^{14} &\rightarrow x_4 \\
\alpha_{5,7}^{13} &\rightarrow x_5 \\
\alpha_{6,9}^{14} &\rightarrow x_6 \\
\alpha_{3,8}^{12} &\rightarrow x_7 \\
\alpha_{3,6}^{10} &\rightarrow x_8 \\
\alpha_{5,6}^{12} &\rightarrow x_9 \\
\alpha_{4,8}^{13} &\rightarrow x_{10} \\
\alpha_{7,8}^{14} &\rightarrow x_{11} \\
\alpha_{2,7}^{10} &\rightarrow x_{12} \\
\alpha_{3,9}^{13} &\rightarrow x_{13} \\
\alpha_{5,10}^{14} &\rightarrow x_{14} \\
\alpha_{3,7}^{11} &\rightarrow x_{15} \\
\alpha_{2,10}^{13} &\rightarrow x_{16} \\
\alpha_{2,8}^{11} &\rightarrow x_{17} \\
\alpha_{2,9}^{12} &\rightarrow x_{18} \\
\alpha_{3,12}^{14} &\rightarrow x_{19}
\end{aligned}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_{12} - x_8 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_8 - 1 & = 0 \\
(e_1, e_2, e_7) : & x_{12} - x_{15} - x_{17} & = 0 \\
(e_1, e_3, e_6) : & -x_{15} - x_2 + x_8 & = 0 \\
(e_1, e_4, e_5) : & x_1 - x_2 & = 0 \\
(e_2, e_3, e_4) : & -x_{17} & = 0 \\
(e_1, e_2, e_8) : & x_{17} - x_{18} - x_7 & = 0 \\
(e_1, e_3, e_7) : & x_{15} - x_3 - x_7 & = 0 \\
(e_1, e_4, e_6) : & x_2 - x_3 - x_9 & = 0 \\
(e_2, e_3, e_5) : & -x_{18} - x_7 & = 0 \\
(e_1, e_2, e_9) : & -x_{13} - x_{16} + x_{18} & = 0 \\
(e_1, e_3, e_8) : & -x_{10} - x_{13} + x_7 & = 0 \\
(e_1, e_4, e_7) : & -x_{10} + x_3 - x_5 & = 0 \\
(e_1, e_5, e_6) : & -x_5 + x_9 & = 0 \\
(e_2, e_3, e_6) : & -2x_{13} + x_{16}x_8 & = 0 \\
(e_2, e_4, e_5) : & x_1x_{16} - x_{10} & = 0 \\
(e_1, e_2, e_{12}) : & -x_{19} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{19} - x_4 & = 0 \\
(e_1, e_4, e_{10}) : & -x_{14} - x_4 & = 0 \\
(e_1, e_5, e_9) : & -x_{14} - x_6 & = 0 \\
(e_1, e_6, e_8) : & -x_{11} - x_6 & = 0 \\
(e_2, e_3, e_9) : & x_{13} - x_{18}x_{19} & = 0 \\
(e_2, e_4, e_8) : & x_{10} - x_{17}x_4 & = 0 \\
(e_2, e_5, e_7) : & x_{11} - x_{12}x_{14} + x_5 & = 0 \\
(e_3, e_4, e_7) : & -x_{11} - x_{15}x_4 + x_{19}x_3 & = 0 \\
(e_3, e_5, e_6) : & -x_{14}x_8 + x_{19}x_9 - x_6 & = 0
\end{array}$$

Groebner basis (19 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{9B}(3, 14)$

m9B314 (this line included for string searching purposes)

Solution 1

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_3] = e_6$
$[e_2, e_4] = e_7$	$[e_2, e_5] = -2e_8$
$[e_2, e_6] = -5e_9$	$[e_2, e_7] = -5e_{10}$
$[e_2, e_8] = -2e_{11}$	$[e_2, e_9] = e_{12}$
$[e_2, e_{10}] = e_{13}$	$[e_2, e_{13}] = e_{14}$
$[e_3, e_4] = 3e_8$	$[e_3, e_5] = 3e_9$
$[e_3, e_6] = 0$	$[e_3, e_7] = -3e_{11}$
$[e_3, e_8] = -3e_{12}$	$[e_3, e_9] = 0$
$[e_3, e_{12}] = -e_{14}$	$[e_4, e_5] = 3e_{10}$
$[e_4, e_6] = 3e_{11}$	$[e_4, e_7] = 0$
$[e_4, e_8] = -3e_{13}$	$[e_4, e_{11}] = e_{14}$
$[e_5, e_6] = 3e_{12}$	$[e_5, e_7] = 3e_{13}$
$[e_5, e_{10}] = -e_{14}$	$[e_6, e_9] = e_{14}$
$[e_7, e_8] = -e_{14}$	

Solution 2

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_3] &= e_6 \\
[e_2, e_4] &= e_7 & [e_2, e_5] &= \frac{e_8}{4} \\
[e_2, e_6] &= -\frac{e_9}{2} & [e_2, e_7] &= -\frac{23e_{10}}{28} \\
[e_2, e_8] &= -\frac{5e_{11}}{7} & [e_2, e_9] &= -\frac{5e_{12}}{4} \\
[e_2, e_{10}] &= -\frac{7e_{13}}{2} & [e_2, e_{13}] &= e_{14} \\
[e_3, e_4] &= \frac{3e_8}{4} & [e_3, e_5] &= \frac{3e_9}{4} \\
[e_3, e_6] &= \frac{9e_{10}}{28} & [e_3, e_7] &= -\frac{3e_{11}}{28} \\
[e_3, e_8] &= \frac{15e_{12}}{28} & [e_3, e_9] &= \frac{9e_{13}}{4} \\
[e_3, e_{12}] &= -e_{14} & [e_4, e_5] &= \frac{3e_{10}}{7} \\
[e_4, e_6] &= \frac{3e_{11}}{7} & [e_4, e_7] &= -\frac{9e_{12}}{14} \\
[e_4, e_8] &= -\frac{12e_{13}}{7} & [e_4, e_{11}] &= e_{14} \\
[e_5, e_6] &= \frac{15e_{12}}{14} & [e_5, e_7] &= \frac{15e_{13}}{14} \\
[e_5, e_{10}] &= -e_{14} & [e_6, e_9] &= e_{14} \\
[e_7, e_8] &= -e_{14} & &
\end{aligned}$$

Solution 3

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_3] = e_6$
$[e_2, e_4] = e_7$	$[e_2, e_5] = e_8$
$[e_2, e_6] = e_9$	$[e_2, e_7] = e_{10}$
$[e_2, e_8] = e_{11}$	$[e_2, e_9] = e_{12}$
$[e_2, e_{10}] = e_{13}$	$[e_2, e_{13}] = e_{14}$
$[e_3, e_4] = 0$	$[e_3, e_5] = 0$
$[e_3, e_6] = 0$	$[e_3, e_7] = 0$
$[e_3, e_8] = 0$	$[e_3, e_9] = 0$
$[e_3, e_{12}] = -e_{14}$	$[e_4, e_5] = 0$
$[e_4, e_6] = 0$	$[e_4, e_7] = 0$
$[e_4, e_8] = 0$	$[e_4, e_{11}] = e_{14}$
$[e_5, e_6] = 0$	$[e_5, e_7] = 0$
$[e_5, e_{10}] = -e_{14}$	$[e_6, e_9] = e_{14}$
$[e_7, e_8] = -e_{14}$	

Solution 4

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \frac{10e_8}{7} \\
[e_2, e_6] = \frac{13e_9}{7} & [e_2, e_7] = \frac{19e_{10}}{7} \\
[e_2, e_8] = 4e_{11} & [e_2, e_9] = 7e_{12} \\
[e_2, e_{10}] = 13e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = -\frac{3e_8}{7} & [e_3, e_5] = -\frac{3e_9}{7} \\
[e_3, e_6] = -\frac{6e_{10}}{7} & [e_3, e_7] = -\frac{9e_{11}}{7} \\
[e_3, e_8] = -3e_{12} & [e_3, e_9] = -6e_{13} \\
[e_3, e_{12}] = -e_{14} & [e_4, e_5] = \frac{3e_{10}}{7} \\
[e_4, e_6] = \frac{3e_{11}}{7} & [e_4, e_7] = \frac{12e_{12}}{7} \\
[e_4, e_8] = 3e_{13} & [e_4, e_{11}] = e_{14} \\
[e_5, e_6] = -\frac{9e_{12}}{7} & [e_5, e_7] = -\frac{9e_{13}}{7} \\
[e_5, e_{10}] = -e_{14} & [e_6, e_9] = e_{14} \\
[e_7, e_8] = -e_{14} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\
[e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_9] = \alpha_{2,9}^{12} e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = \alpha_{3,4}^8 e_8 & [e_3, e_5] = \alpha_{3,5}^9 e_9 \\
[e_3, e_6] = \alpha_{3,6}^{10} e_{10} & [e_3, e_7] = \alpha_{3,7}^{11} e_{11} \\
[e_3, e_8] = \alpha_{3,8}^{12} e_{12} & [e_3, e_9] = \alpha_{3,9}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_7] = \alpha_{4,7}^{12} e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13} e_{13} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_6] = \alpha_{5,6}^{12} e_{12} & [e_5, e_7] = \alpha_{5,7}^{13} e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$



Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{12} + \alpha_{2,9}^{12} \alpha_{3,5}^9 + \alpha_{5,6}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - \alpha_{2,6}^9 \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{2,5}^8 \alpha_{4,8}^{13} + \alpha_{5,7}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & -\alpha_{2,9}^{12} \alpha_{3,12}^{14} + \alpha_{3,9}^{13} - \alpha_{6,9}^{14} & = 0 \\
(e_2, e_4, e_8) : & -\alpha_{2,8}^{11} \alpha_{4,11}^{14} + \alpha_{4,8}^{13} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_5, e_7) : & \alpha_{2,5}^8 \alpha_{7,8}^{14} - \alpha_{2,7}^{10} \alpha_{5,10}^{14} + \alpha_{5,7}^{13} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,12}^{14} \alpha_{4,7}^{12} + \alpha_{3,4}^8 \alpha_{7,8}^{14} - \alpha_{3,7}^{11} \alpha_{4,11}^{14} & = 0 \\
(e_3, e_5, e_6) : & \alpha_{3,12}^{14} \alpha_{5,6}^{12} + \alpha_{3,5}^9 \alpha_{6,9}^{14} - \alpha_{3,6}^{10} \alpha_{5,10}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{4,8}^{13} &= -3 \\
\alpha_{2,7}^{10} &= -5 \\
\alpha_{2,10}^{13} &= 1 \\
\alpha_{2,5}^8 &= -2 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{2,8}^{11} &= -2 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{4,7}^{12} &= 0 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{2,6}^9 &= -5 \\
\alpha_{4,6}^{11} &= 3 \\
\alpha_{4,5}^{10} &= 3 \\
\alpha_{5,7}^{13} &= 3 \\
\alpha_{3,8}^{12} &= -3 \\
\alpha_{3,6}^{10} &= 0 \\
\alpha_{5,6}^{12} &= 3 \\
\alpha_{3,9}^{13} &= 0 \\
\alpha_{3,4}^8 &= 3 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{3,7}^{11} &= -3 \\
\alpha_{3,5}^9 &= 3 \\
\alpha_{2,9}^{12} &= 1
\end{aligned}$$

Solution 2:

$$\begin{aligned}
\alpha_{4,8}^{13} &= -12/7 \\
\alpha_{2,7}^{10} &= -23/28 \\
\alpha_{2,10}^{13} &= -7/2 \\
\alpha_{2,5}^8 &= 1/4 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{2,8}^{11} &= -5/7 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{4,7}^{12} &= -9/14 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{2,6}^9 &= -1/2 \\
\alpha_{4,6}^{11} &= 3/7 \\
\alpha_{4,5}^{10} &= 3/7 \\
\alpha_{5,7}^{13} &= 15/14 \\
\alpha_{3,8}^{12} &= 15/28 \\
\alpha_{3,6}^{10} &= 9/28 \\
\alpha_{5,6}^{12} &= 15/14 \\
\alpha_{3,9}^{13} &= 9/4 \\
\alpha_{3,4}^8 &= 3/4 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{3,7}^{11} &= -3/28 \\
\alpha_{3,5}^9 &= 3/4 \\
\alpha_{2,9}^{12} &= -5/4
\end{aligned}$$

Solution 3:

$$\begin{aligned}
\alpha_{4,8}^{13} &= 0 \\
\alpha_{2,7}^{10} &= 1 \\
\alpha_{2,10}^{13} &= 1 \\
\alpha_{2,5}^8 &= 1 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{2,8}^{11} &= 1 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{4,7}^{12} &= 0 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{2,6}^9 &= 1 \\
\alpha_{4,6}^{11} &= 0 \\
\alpha_{4,5}^{10} &= 0 \\
\alpha_{5,7}^{13} &= 0 \\
\alpha_{3,8}^{12} &= 0 \\
\alpha_{3,6}^{10} &= 0 \\
\alpha_{5,6}^{12} &= 0 \\
\alpha_{3,9}^{13} &= 0 \\
\alpha_{3,4}^8 &= 0 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{3,7}^{11} &= 0 \\
\alpha_{3,5}^9 &= 0 \\
\alpha_{2,9}^{12} &= 1
\end{aligned}$$

Solution 4:

$$\begin{aligned}
\alpha_{4,8}^{13} &= 3 \\
\alpha_{2,7}^{10} &= 19/7 \\
\alpha_{2,10}^{13} &= 13 \\
\alpha_{2,5}^8 &= 10/7 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{2,8}^{11} &= 4 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{4,7}^{12} &= 12/7 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{2,6}^9 &= 13/7 \\
\alpha_{4,6}^{11} &= 3/7 \\
\alpha_{4,5}^{10} &= 3/7 \\
\alpha_{5,7}^{13} &= -9/7 \\
\alpha_{3,8}^{12} &= -3 \\
\alpha_{3,6}^{10} &= -6/7 \\
\alpha_{5,6}^{12} &= -9/7 \\
\alpha_{3,9}^{13} &= -6 \\
\alpha_{3,4}^8 &= -3/7 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{3,7}^{11} &= -9/7 \\
\alpha_{3,5}^9 &= -3/7 \\
\alpha_{2,9}^{12} &= 7
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{4,8}^{13} &\rightarrow x_1 \\
\alpha_{2,7}^{10} &\rightarrow x_2 \\
\alpha_{2,10}^{13} &\rightarrow x_3 \\
\alpha_{2,5}^8 &\rightarrow x_4 \\
\alpha_{4,11}^{14} &\rightarrow x_5
\end{aligned}$$

$$\alpha_{2,8}^{11} \rightarrow x_6$$

$$\alpha_{3,12}^{14} \rightarrow x_7$$

$$\alpha_{4,7}^{12} \rightarrow x_8$$

$$\alpha_{6,9}^{14} \rightarrow x_9$$

$$\alpha_{7,8}^{14} \rightarrow x_{10}$$

$$\alpha_{2,6}^9 \rightarrow x_{11}$$

$$\alpha_{4,6}^{11} \rightarrow x_{12}$$

$$\alpha_{4,5}^{10} \rightarrow x_{13}$$

$$\alpha_{5,7}^{13} \rightarrow x_{14}$$

$$\alpha_{3,8}^{12} \rightarrow x_{15}$$

$$\alpha_{3,6}^{10} \rightarrow x_{16}$$

$$\alpha_{5,6}^{12} \rightarrow x_{17}$$

$$\alpha_{3,9}^{13} \rightarrow x_{18}$$

$$\alpha_{3,4}^8 \rightarrow x_{19}$$

$$\alpha_{5,10}^{14} \rightarrow x_{20}$$

$$\alpha_{3,7}^{11} \rightarrow x_{21}$$

$$\alpha_{3,5}^9 \rightarrow x_{22}$$

$$\alpha_{2,9}^{12} \rightarrow x_{23}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{19} - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{11} - x_{22} + x_4 & = 0 \\
(e_1, e_3, e_4) : & x_{19} - x_{22} & = 0 \\
(e_1, e_2, e_6) : & x_{11} - x_{16} - x_2 & = 0 \\
(e_1, e_3, e_5) : & -x_{13} - x_{16} + x_{22} & = 0 \\
(e_1, e_2, e_7) : & x_2 - x_{21} - x_6 & = 0 \\
(e_1, e_3, e_6) : & -x_{12} + x_{16} - x_{21} & = 0 \\
(e_1, e_4, e_5) : & -x_{12} + x_{13} & = 0 \\
(e_2, e_3, e_4) : & x_{12} + x_{19}x_6 - x_{21} & = 0 \\
(e_1, e_2, e_8) : & -x_{15} - x_{23} + x_6 & = 0 \\
(e_1, e_3, e_7) : & -x_{15} + x_{21} - x_8 & = 0 \\
(e_1, e_4, e_6) : & x_{12} - x_{17} - x_8 & = 0 \\
(e_2, e_3, e_5) : & -x_{15}x_4 + x_{17} + x_{22}x_{23} & = 0 \\
(e_1, e_2, e_9) : & -x_{18} + x_{23} - x_3 & = 0 \\
(e_1, e_3, e_8) : & -x_1 + x_{15} - x_{18} & = 0 \\
(e_1, e_4, e_7) : & -x_1 - x_{14} + x_8 & = 0 \\
(e_1, e_5, e_6) : & -x_{14} + x_{17} & = 0 \\
(e_2, e_3, e_6) : & -x_{11}x_{18} + x_{16}x_3 & = 0 \\
(e_2, e_4, e_5) : & -x_1x_4 + x_{13}x_3 + x_{14} & = 0 \\
(e_1, e_2, e_{12}) : & -x_7 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_5 - x_7 & = 0 \\
(e_1, e_4, e_{10}) : & -x_{20} - x_5 & = 0 \\
(e_1, e_5, e_9) : & -x_{20} - x_9 & = 0 \\
(e_1, e_6, e_8) : & -x_{10} - x_9 & = 0 \\
(e_2, e_3, e_9) : & x_{18} - x_{23}x_7 - x_9 & = 0 \\
(e_2, e_4, e_8) : & x_1 - x_{10} - x_5x_6 & = 0 \\
(e_2, e_5, e_7) : & x_{10}x_4 + x_{14} - x_2x_{20} & = 0 \\
(e_3, e_4, e_7) : & x_{10}x_{19} - x_{21}x_5 + x_7x_8 & = 0 \\
(e_3, e_5, e_6) : & -x_{16}x_{20} + x_{17}x_7 + x_{22}x_9 & = 0
\end{array}$$

Groebner basis (23 variables, 21 linear, 3 nonlinear)

$$\begin{aligned}
x_1 + x_{22} - \frac{3x_{23}}{7} + \frac{3}{7} &= 0 \\
x_2 + 2x_{22} - \frac{x_{23}}{7} - \frac{6}{7} &= 0
\end{aligned}$$

$$\begin{aligned}
-2x_{23} + x_3 + 1 &= 0 \\
x_{22} + x_4 - 1 &= 0 \\
x_5 - 1 &= 0 \\
x_{22} - \frac{3x_{23}}{7} + x_6 - \frac{4}{7} &= 0 \\
x_7 + 1 &= 0 \\
-\frac{2x_{23}}{7} + x_8 + \frac{2}{7} &= 0 \\
x_9 - 1 &= 0 \\
x_{10} + 1 &= 0 \\
x_{11} + 2x_{22} - 1 &= 0 \\
x_{12} - x_{22} - \frac{x_{23}}{7} + \frac{1}{7} &= 0 \\
x_{13} - x_{22} - \frac{x_{23}}{7} + \frac{1}{7} &= 0 \\
x_{14} - x_{22} + \frac{x_{23}}{7} - \frac{1}{7} &= 0 \\
x_{15} + x_{22} + \frac{4x_{23}}{7} - \frac{4}{7} &= 0 \\
x_{16} + \frac{x_{23}}{7} - \frac{1}{7} &= 0 \\
x_{17} - x_{22} + \frac{x_{23}}{7} - \frac{1}{7} &= 0 \\
x_{18} + x_{23} - 1 &= 0 \\
x_{19} - x_{22} &= 0 \\
x_{20} + 1 &= 0 \\
x_{21} + x_{22} + \frac{2x_{23}}{7} - \frac{2}{7} &= 0 \\
x_{22}^2 - 3x_{22} + \frac{3x_{23}^2}{49} - \frac{36x_{23}}{49} + \frac{33}{49} &= 0 \\
x_{22}x_{23} - x_{22} + \frac{x_{23}^2}{7} - \frac{5x_{23}}{7} + \frac{4}{7} &= 0 \\
x_{23}^3 - \frac{27x_{23}^2}{4} - 3x_{23} + \frac{35}{4} &= 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
x_1 &= -3 \\
x_2 &= -5 \\
x_3 &= 1
\end{aligned}$$



$$x_4 = -2$$

$$x_5 = 1$$

$$x_6 = -2$$

$$x_7 = -1$$

$$x_8 = 0$$

$$x_9 = 1$$

$$x_{10} = -1$$

$$x_{11} = -5$$

$$x_{12} = 3$$

$$x_{13} = 3$$

$$x_{14} = 3$$

$$x_{15} = -3$$

$$x_{16} = 0$$

$$x_{17} = 3$$

$$x_{18} = 0$$

$$x_{19} = 3$$

$$x_{20} = -1$$

$$x_{21} = -3$$

$$x_{22} = 3$$

$$x_{23} = 1$$

Solution 2:

$$x_1 = -12/7$$

$$x_2 = -23/28$$

$$x_3 = -7/2$$

$$x_4 = 1/4$$

$$x_5 = 1$$

$$x_6 = -5/7$$

$$x_7 = -1$$

$$x_8 = -9/14$$

$$x_9 = 1$$

$$x_{10} = -1$$

$$x_{11} = -1/2$$

$$x_12 = 3/7$$

$$x_13 = 3/7$$

$$x_14 = 15/14$$

$$x_15 = 15/28$$

$$x_16 = 9/28$$

$$x_17 = 15/14$$

$$x_18 = 9/4$$

$$x_19 = 3/4$$

$$x_20 = -1$$

$$x_21 = -3/28$$

$$x_22 = 3/4$$

$$x_23 = -5/4$$

Solution 3:

$$x_1 = 0$$

$$x_2 = 1$$

$$x_3 = 1$$

$$x_4 = 1$$

$$x_5 = 1$$

$$x_6 = 1$$

$$x_7 = -1$$

$$x_8 = 0$$

$$x_9 = 1$$

$$x_{10} = -1$$

$$x_{11} = 1$$

$$x_{12} = 0$$

$$x_{13} = 0$$

$$x_{14} = 0$$

$$x_{15} = 0$$

$$x_{16} = 0$$

$$x_{17} = 0$$

$$x_{18} = 0$$

$$x_{19} = 0$$

Solution 4:

$$x_20 = -1$$

$$x_21 = 0$$

$$x_22 = 0$$

$$x_23 = 1$$

$$x_1 = 3$$

$$x_2 = 19/7$$

$$x_3 = 13$$

$$x_4 = 10/7$$

$$x_5 = 1$$

$$x_6 = 4$$

$$x_7 = -1$$

$$x_8 = 12/7$$

$$x_9 = 1$$

$$x_10 = -1$$

$$x_11 = 13/7$$

$$x_12 = 3/7$$

$$x_13 = 3/7$$

$$x_14 = -9/7$$

$$x_15 = -3$$

$$x_16 = -6/7$$

$$x_17 = -9/7$$

$$x_18 = -6$$

$$x_19 = -3/7$$

$$x_20 = -1$$

$$x_21 = -9/7$$

$$x_22 = -3/7$$

$$x_23 = 7$$

$\mathfrak{m}_{2B}(4, 14)$

m2B414 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_9] = e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_8] = -e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_7] = e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_6] = -e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_8) : & \text{no solutions} & \\
(e_2, e_4, e_7) : & \text{no solutions} & \\
(e_2, e_5, e_6) : & \text{no solutions} & 
\end{array}$$

There are no solutions.

$\mathfrak{m}_{4B}(4, 14)$

m4B414 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{11} \\
[e_2, e_8] = 3e_{12} & [e_2, e_9] = 6e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_6] = -e_{11} \\
[e_3, e_7] = -2e_{12} & [e_3, e_8] = -3e_{13} \\
[e_3, e_{12}] = -e_{14} & [e_4, e_5] = e_{11} \\
[e_4, e_6] = e_{12} & [e_4, e_7] = e_{13} \\
[e_4, e_{11}] = e_{14} & [e_5, e_6] = 0 \\
[e_5, e_{10}] = -e_{14} & [e_6, e_9] = e_{14} \\
[e_7, e_8] = -e_{14} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{11} \\
[e_2, e_8] = 3e_{12} & [e_2, e_9] = \alpha_{2,9}^{13}e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_6] = -e_{11} \\
[e_3, e_7] = -2e_{12} & [e_3, e_8] = \alpha_{3,8}^{13}e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14}e_{14} & [e_4, e_5] = e_{11} \\
[e_4, e_6] = e_{12} & [e_4, e_7] = \alpha_{4,7}^{13}e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14}e_{14} & [e_5, e_6] = \alpha_{5,6}^{13}e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14}e_{14} & [e_6, e_9] = \alpha_{6,9}^{14}e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14}e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{13} - \alpha_{3,8}^{13} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{13} - \alpha_{4,7}^{13} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{13} - \alpha_{5,6}^{13} + 1 & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_8) : & -3\alpha_{3,12}^{14} + \alpha_{3,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & -\alpha_{4,11}^{14} + \alpha_{4,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{5,6}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,12}^{14} + \alpha_{4,11}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{4,7}^{13} &= 1 \\
\alpha_{5,6}^{13} &= 0 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{2,9}^{13} &= 6 \\
\alpha_{3,8}^{13} &= -3 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{3,12}^{14} &= -1
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{4,7}^{13} &\rightarrow x_1 \\
\alpha_{5,6}^{13} &\rightarrow x_2 \\
\alpha_{4,11}^{14} &\rightarrow x_3 \\
\alpha_{6,9}^{14} &\rightarrow x_4
\end{aligned}$$

$$\alpha_{7,8}^{14} \rightarrow x_5$$

$$\alpha_{2,9}^{13} \rightarrow x_6$$

$$\alpha_{3,8}^{13} \rightarrow x_7$$

$$\alpha_{5,10}^{14} \rightarrow x_8$$

$$\alpha_{3,12}^{14} \rightarrow x_9$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_6 - x_7 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_1 - x_7 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_1 - x_2 + 1 & = 0 \\
(e_1, e_2, e_{12}) : & -x_9 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_3 - x_9 & = 0 \\
(e_1, e_4, e_{10}) : & -x_3 - x_8 & = 0 \\
(e_1, e_5, e_9) : & -x_4 - x_8 & = 0 \\
(e_1, e_6, e_8) : & -x_4 - x_5 & = 0 \\
(e_2, e_3, e_8) : & x_7 - 3x_9 & = 0 \\
(e_2, e_4, e_7) : & x_1 - x_3 & = 0 \\
(e_2, e_5, e_6) : & x_2 & = 0 \\
(e_3, e_4, e_6) : & x_3 + x_9 & = 0
\end{array}$$

Groebner basis (9 variables, 9 linear, 0 nonlinear)

$$x_1 - 1 = 0$$

$$x_2 = 0$$

$$x_3 - 1 = 0$$

$$x_4 - 1 = 0$$

$$x_5 + 1 = 0$$

$$x_6 - 6 = 0$$

$$x_7 + 3 = 0$$

$$x_8 + 1 = 0$$

$$x_9 + 1 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = 0$$

$$x_3 = 1$$

$$x_4 = 1$$

$$x_5 = -1$$

$$x_6 = 6$$

$$x_7 = -3$$

$$x_8 = -1$$

$$x_9 = -1$$

$\mathfrak{m}_{6B}(4, 14)$

m6B414 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_2, e_6] = 2e_{10}$$

$$[e_2, e_8] = 0$$

$$[e_2, e_{13}] = e_{14}$$

$$[e_3, e_5] = -e_{10}$$

$$[e_3, e_7] = \frac{5e_{12}}{3}$$

$$[e_3, e_{12}] = -e_{14}$$

$$[e_4, e_6] = -\frac{4e_{12}}{3}$$

$$[e_4, e_{11}] = e_{14}$$

$$[e_5, e_{10}] = -e_{14}$$

$$[e_7, e_8] = -e_{14}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_2, e_5] = e_9$$

$$[e_2, e_7] = \frac{5e_{11}}{3}$$

$$[e_2, e_9] = 0$$

$$[e_3, e_4] = -e_9$$

$$[e_3, e_6] = \frac{e_{11}}{3}$$

$$[e_3, e_8] = 0$$

$$[e_4, e_5] = -\frac{4e_{11}}{3}$$

$$[e_4, e_7] = \frac{5e_{13}}{3}$$

$$[e_5, e_6] = -3e_{13}$$

$$[e_6, e_9] = e_{14}$$



Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_9 \\
[e_2, e_6] = 2e_{10} & [e_2, e_7] = \alpha_{2,7}^{11}e_{11} \\
[e_2, e_8] = \alpha_{2,8}^{12}e_{12} & [e_2, e_9] = \alpha_{2,9}^{13}e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = -e_9 \\
[e_3, e_5] = -e_{10} & [e_3, e_6] = \alpha_{3,6}^{11}e_{11} \\
[e_3, e_7] = \alpha_{3,7}^{12}e_{12} & [e_3, e_8] = \alpha_{3,8}^{13}e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14}e_{14} & [e_4, e_5] = \alpha_{4,5}^{11}e_{11} \\
[e_4, e_6] = \alpha_{4,6}^{12}e_{12} & [e_4, e_7] = \alpha_{4,7}^{13}e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14}e_{14} & [e_5, e_6] = \alpha_{5,6}^{13}e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14}e_{14} & [e_6, e_9] = \alpha_{6,9}^{14}e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14}e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,9}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,8}^{12}\alpha_{3,12}^{14} + \alpha_{3,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & -\alpha_{2,7}^{11}\alpha_{4,11}^{14} + \alpha_{4,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & -2\alpha_{5,10}^{14} + \alpha_{5,6}^{13} + \alpha_{6,9}^{14} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,12}^{14}\alpha_{4,6}^{12} - \alpha_{3,6}^{11}\alpha_{4,11}^{14} - \alpha_{6,9}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{4,7}^{13} &= 5/3 \\
\alpha_{5,6}^{13} &= -3 \\
\alpha_{2,8}^{12} &= 0 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{4,5}^{11} &= -4/3 \\
\alpha_{3,7}^{12} &= 5/3 \\
\alpha_{2,9}^{13} &= 0 \\
\alpha_{2,7}^{11} &= 5/3 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{3,8}^{13} &= 0 \\
\alpha_{4,6}^{12} &= -4/3 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{3,6}^{11} &= 1/3 \\
\alpha_{3,12}^{14} &= -1
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{4,7}^{13} &\rightarrow x_1 \\
\alpha_{5,6}^{13} &\rightarrow x_2 \\
\alpha_{2,8}^{12} &\rightarrow x_3 \\
\alpha_{4,11}^{14} &\rightarrow x_4 \\
\alpha_{6,9}^{14} &\rightarrow x_5 \\
\alpha_{4,5}^{11} &\rightarrow x_6 \\
\alpha_{3,7}^{12} &\rightarrow x_7 \\
\alpha_{2,9}^{13} &\rightarrow x_8 \\
\alpha_{2,7}^{11} &\rightarrow x_9 \\
\alpha_{7,8}^{14} &\rightarrow x_{10} \\
\alpha_{3,8}^{13} &\rightarrow x_{11} \\
\alpha_{4,6}^{12} &\rightarrow x_{12}
\end{aligned}$$

$$\alpha_{5,10}^{14} \rightarrow x_{13}$$

$$\alpha_{3,6}^{11} \rightarrow x_{14}$$

$$\alpha_{3,12}^{14} \rightarrow x_{15}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_{14} - x_9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_{14} - x_6 - 1 & = 0 \\
(e_1, e_2, e_7) : & -x_3 - x_7 + x_9 & = 0 \\
(e_1, e_3, e_6) : & -x_{12} + x_{14} - x_7 & = 0 \\
(e_1, e_4, e_5) : & -x_{12} + x_6 & = 0 \\
(e_1, e_2, e_8) : & -x_{11} + x_3 - x_8 & = 0 \\
(e_1, e_3, e_7) : & -x_1 - x_{11} + x_7 & = 0 \\
(e_1, e_4, e_6) : & -x_1 + x_{12} - x_2 & = 0 \\
(e_2, e_3, e_4) : & -x_8 & = 0 \\
(e_1, e_2, e_{12}) : & -x_{15} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{15} - x_4 & = 0 \\
(e_1, e_4, e_{10}) : & -x_{13} - x_4 & = 0 \\
(e_1, e_5, e_9) : & -x_{13} - x_5 & = 0 \\
(e_1, e_6, e_8) : & -x_{10} - x_5 & = 0 \\
(e_2, e_3, e_8) : & x_{11} - x_{15}x_3 & = 0 \\
(e_2, e_4, e_7) : & x_1 - x_4x_9 & = 0 \\
(e_2, e_5, e_6) : & -2x_{13} + x_2 + x_5 & = 0 \\
(e_3, e_4, e_6) : & x_{12}x_{15} - x_{14}x_4 - x_5 & = 0
\end{array}$$

Groebner basis (15 variables, 15 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - \frac{5}{3} = 0 \\
x_2 + 3 = 0 \\
x_3 = 0 \\
x_4 - 1 = 0 \\
x_5 - 1 = 0 \\
x_6 + \frac{4}{3} = 0 \\
x_7 - \frac{5}{3} = 0
\end{array}$$

$$\begin{aligned}
x_8 &= 0 \\
x_9 - \frac{5}{3} &= 0 \\
x_{10} + 1 &= 0 \\
x_{11} &= 0 \\
x_{12} + \frac{4}{3} &= 0 \\
x_{13} + 1 &= 0 \\
x_{14} - \frac{1}{3} &= 0 \\
x_{15} + 1 &= 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
x_1 &= 5/3 \\
x_2 &= -3 \\
x_3 &= 0 \\
x_4 &= 1 \\
x_5 &= 1 \\
x_6 &= -4/3 \\
x_7 &= 5/3 \\
x_8 &= 0 \\
x_9 &= 5/3 \\
x_{10} &= -1 \\
x_{11} &= 0 \\
x_{12} &= -4/3 \\
x_{13} &= -1 \\
x_{14} &= 1/3 \\
x_{15} &= -1
\end{aligned}$$

$\mathfrak{m}_{8B}(4, 14)$

m8B414 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_3] = e_7$
$[e_2, e_4] = e_8$	$[e_2, e_5] = \alpha_{2,5}^9 e_9$
$[e_2, e_6] = \alpha_{2,6}^{10} e_{10}$	$[e_2, e_7] = \alpha_{2,7}^{11} e_{11}$
$[e_2, e_8] = \alpha_{2,8}^{12} e_{12}$	$[e_2, e_9] = \alpha_{2,9}^{13} e_{13}$
$[e_2, e_{13}] = e_{14}$	$[e_3, e_4] = \alpha_{3,4}^9 e_9$
$[e_3, e_5] = \alpha_{3,5}^{10} e_{10}$	$[e_3, e_6] = \alpha_{3,6}^{11} e_{11}$
$[e_3, e_7] = \alpha_{3,7}^{12} e_{12}$	$[e_3, e_8] = \alpha_{3,8}^{13} e_{13}$
$[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14}$	$[e_4, e_5] = \alpha_{4,5}^{11} e_{11}$
$[e_4, e_6] = \alpha_{4,6}^{12} e_{12}$	$[e_4, e_7] = \alpha_{4,7}^{13} e_{13}$
$[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14}$	$[e_5, e_6] = \alpha_{5,6}^{13} e_{13}$
$[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14}$	$[e_6, e_9] = \alpha_{6,9}^{14} e_{14}$
$[e_7, e_8] = \alpha_{7,8}^{14} e_{14}$	

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,9}^{13} \alpha_{3,4}^9 - \alpha_{3,8}^{13} + \alpha_{4,7}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,8}^{12} \alpha_{3,12}^{14} + \alpha_{3,8}^{13} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_4, e_7) : & -\alpha_{2,7}^{11} \alpha_{4,11}^{14} + \alpha_{4,7}^{13} + \alpha_{7,8}^{14} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,5}^9 \alpha_{6,9}^{14} - \alpha_{2,6}^{10} \alpha_{5,10}^{14} + \alpha_{5,6}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,12}^{14} \alpha_{4,6}^{12} + \alpha_{3,4}^9 \alpha_{6,9}^{14} - \alpha_{3,6}^{11} \alpha_{4,11}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,7}^{13} \rightarrow x_1$$

$$\alpha_{2,5}^9 \rightarrow x_2$$

$$\alpha_{5,6}^{13} \rightarrow x_3$$

$$\alpha_{2,8}^{12} \rightarrow x_4$$

$$\alpha_{4,11}^{14} \rightarrow x_5$$

$$\alpha_{6,9}^{14} \rightarrow x_6$$

$$\alpha_{4,5}^{11} \rightarrow x_7$$

$$\alpha_{3,7}^{12} \rightarrow x_8$$

$$\alpha_{2,9}^{13} \rightarrow x_9$$

$$\alpha_{2,7}^{11} \rightarrow x_{10}$$

$$\alpha_{7,8}^{14} \rightarrow x_{11}$$

$$\alpha_{3,4}^9 \rightarrow x_{12}$$

$$\alpha_{3,8}^{13} \rightarrow x_{13}$$

$$\alpha_{4,6}^{12} \rightarrow x_{14}$$

$$\alpha_{5,10}^{14} \rightarrow x_{15}$$

$$\alpha_{3,6}^{11} \rightarrow x_{16}$$

$$\alpha_{2,6}^{10} \rightarrow x_{17}$$

$$\alpha_{3,12}^{14} \rightarrow x_{18}$$

$$\alpha_{3,5}^{10} \rightarrow x_{19}$$

Jacobi Tests



$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{12} - x_2 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{17} - x_{19} + x_2 & = 0 \\
(e_1, e_3, e_4) : & x_{12} - x_{19} & = 0 \\
(e_1, e_2, e_6) : & -x_{10} - x_{16} + x_{17} & = 0 \\
(e_1, e_3, e_5) : & -x_{16} + x_{19} - x_7 & = 0 \\
(e_1, e_2, e_7) : & x_{10} - x_4 - x_8 & = 0 \\
(e_1, e_3, e_6) : & -x_{14} + x_{16} - x_8 & = 0 \\
(e_1, e_4, e_5) : & -x_{14} + x_7 & = 0 \\
(e_1, e_2, e_8) : & -x_{13} + x_4 - x_9 & = 0 \\
(e_1, e_3, e_7) : & -x_1 - x_{13} + x_8 & = 0 \\
(e_1, e_4, e_6) : & -x_1 + x_{14} - x_3 & = 0 \\
(e_2, e_3, e_4) : & x_1 + x_{12}x_9 - x_{13} & = 0 \\
(e_1, e_2, e_{12}) : & -x_{18} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{18} - x_5 & = 0 \\
(e_1, e_4, e_{10}) : & -x_{15} - x_5 & = 0 \\
(e_1, e_5, e_9) : & -x_{15} - x_6 & = 0 \\
(e_1, e_6, e_8) : & -x_{11} - x_6 & = 0 \\
(e_2, e_3, e_8) : & -x_{11} + x_{13} - x_{18}x_4 & = 0 \\
(e_2, e_4, e_7) : & x_1 - x_{10}x_5 + x_{11} & = 0 \\
(e_2, e_5, e_6) : & -x_{15}x_{17} + x_2x_6 + x_3 & = 0 \\
(e_3, e_4, e_6) : & x_{12}x_6 + x_{14}x_{18} - x_{16}x_5 & = 0
\end{array}$$

Groebner basis (19 variables, 17 linear, 1 nonlinear)

$$\begin{array}{l}
x_1 + x_{16} + 2x_{19} - 2 = 0 \\
x_{19} + x_2 - 1 = 0 \\
-3x_{19} + x_3 + 2 = 0 \\
3x_{16} + x_{19} + x_4 - 1 = 0 \\
x_5 - 1 = 0 \\
x_6 - 1 = 0 \\
x_{16} - x_{19} + x_7 = 0 \\
-2x_{16} + x_{19} + x_8 = 0 \\
6x_{16} + 2x_{19} + x_9 - 3 = 0 \\
x_{10} + x_{16} + 2x_{19} - 1 = 0
\end{array}$$

$$\begin{aligned}
x_{11} + 1 &= 0 \\
x_{12} - x_{19} &= 0 \\
x_{13} - 3x_{16} - x_{19} + 2 &= 0 \\
x_{14} + x_{16} - x_{19} &= 0 \\
x_{15} + 1 &= 0 \\
x_{16}x_{19} + \frac{2x_{16}}{3} + \frac{x_{19}^2}{3} - \frac{2}{3} &= 0 \\
x_{17} + 2x_{19} - 1 &= 0 \\
x_{18} + 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{3B}(5, 14)$

m3B514 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_7] &= e_{12} \\
[e_2, e_8] &= 3e_{13} & [e_2, e_{13}] &= e_{14} \\
[e_3, e_6] &= -e_{12} & [e_3, e_7] &= -2e_{13} \\
[e_3, e_{12}] &= \alpha_{3,12}^{14}e_{14} & [e_4, e_5] &= e_{12} \\
[e_4, e_6] &= e_{13} & [e_4, e_{11}] &= \alpha_{4,11}^{14}e_{14} \\
[e_5, e_{10}] &= \alpha_{5,10}^{14}e_{14} & [e_6, e_9] &= \alpha_{6,9}^{14}e_{14} \\
[e_7, e_8] &= \alpha_{7,8}^{14}e_{14}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{12}) : & \quad -\alpha_{3,12}^{14} - 1 & &= 0 \\
(e_1, e_3, e_{11}) : & \quad -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & &= 0 \\
(e_1, e_4, e_{10}) : & \quad -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & &= 0 \\
(e_1, e_5, e_9) : & \quad -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & &= 0 \\
(e_1, e_6, e_8) : & \quad -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & &= 0 \\
(e_2, e_3, e_7) : & \quad -\alpha_{3,12}^{14} - 2 & &= 0 \\
(e_2, e_4, e_6) : & \quad \text{no solutions} & & \\
(e_3, e_4, e_5) : & \quad \alpha_{3,12}^{14} & &= 0
\end{aligned}$$

There are no solutions.

$\mathfrak{m}_{5B}(5, 14)$

m5B514 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_7] = 5e_{12} \\
[e_2, e_8] = 10e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = -e_{10} & [e_3, e_5] = -e_{11} \\
[e_3, e_6] = -3e_{12} & [e_3, e_7] = -5e_{13} \\
[e_3, e_{12}] = -e_{14} & [e_4, e_5] = 2e_{12} \\
[e_4, e_6] = 2e_{13} & [e_4, e_{11}] = e_{14} \\
[e_5, e_{10}] = -e_{14} & [e_6, e_9] = e_{14} \\
[e_7, e_8] = -e_{14} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_7] = \alpha_{2,7}^{12} e_{12} \\
[e_2, e_8] = \alpha_{2,8}^{13} e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = -e_{10} & [e_3, e_5] = -e_{11} \\
[e_3, e_6] = \alpha_{3,6}^{12} e_{12} & [e_3, e_7] = \alpha_{3,7}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^{12} e_{12} \\
[e_4, e_6] = \alpha_{4,6}^{13} e_{13} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{12} - \alpha_{3,6}^{12} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{12} - \alpha_{4,5}^{12} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_7) : & -\alpha_{2,7}^{12} \alpha_{3,12}^{14} + \alpha_{3,7}^{13} & = 0 \\
(e_2, e_4, e_6) : & -2\alpha_{4,11}^{14} + \alpha_{4,6}^{13} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,12}^{14} \alpha_{4,5}^{12} + \alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{4,11}^{14} &= 1 \\
\alpha_{2,8}^{13} &= 10 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{4,5}^{12} &= 2 \\
\alpha_{4,6}^{13} &= 2 \\
\alpha_{3,7}^{13} &= -5 \\
\alpha_{3,6}^{12} &= -3 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{2,7}^{12} &= 5
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{4,11}^{14} &\rightarrow x_1 \\
\alpha_{2,8}^{13} &\rightarrow x_2
\end{aligned}$$

$$\alpha_{6,9}^{14} \rightarrow x_3$$

$$\alpha_{7,8}^{14} \rightarrow x_4$$

$$\alpha_{4,5}^{12} \rightarrow x_5$$

$$\alpha_{4,6}^{13} \rightarrow x_6$$

$$\alpha_{3,7}^{13} \rightarrow x_7$$

$$\alpha_{3,6}^{12} \rightarrow x_8$$

$$\alpha_{5,10}^{14} \rightarrow x_9$$

$$\alpha_{3,12}^{14} \rightarrow x_{10}$$

$$\alpha_{2,7}^{12} \rightarrow x_{11}$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_{11} - x_8 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_5 - x_8 - 1 \quad = 0$$

$$(e_1, e_2, e_7) : \quad x_{11} - x_2 - x_7 \quad = 0$$

$$(e_1, e_3, e_6) : \quad -x_6 - x_7 + x_8 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_5 - x_6 \quad = 0$$

$$(e_1, e_2, e_{12}) : \quad -x_{10} - 1 \quad = 0$$

$$(e_1, e_3, e_{11}) : \quad -x_1 - x_{10} \quad = 0$$

$$(e_1, e_4, e_{10}) : \quad -x_1 - x_9 \quad = 0$$

$$(e_1, e_5, e_9) : \quad -x_3 - x_9 \quad = 0$$

$$(e_1, e_6, e_8) : \quad -x_3 - x_4 \quad = 0$$

$$(e_2, e_3, e_7) : \quad -x_{10}x_{11} + x_7 \quad = 0$$

$$(e_2, e_4, e_6) : \quad -2x_1 + x_6 \quad = 0$$

$$(e_3, e_4, e_5) : \quad x_1 + x_{10}x_5 - x_9 \quad = 0$$

Groebner basis (11 variables, 11 linear, 0 nonlinear)

$$x_1 - 1 = 0$$

$$x_2 - 10 = 0$$

$$x_3 - 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 - 2 = 0$$

$$x_6 - 2 = 0$$

$$x_7 + 5 = 0$$

$$x_8 + 3 = 0$$

$$x_9 + 1 = 0$$

$$x_{10} + 1 = 0$$

$$x_{11} - 5 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = 10$$

$$x_3 = 1$$

$$x_4 = -1$$

$$x_5 = 2$$

$$x_6 = 2$$

$$x_7 = -5$$

$$x_8 = -3$$

$$x_9 = -1$$

$$x_{10} = -1$$

$$x_{11} = 5$$

$\mathfrak{m}_{7B}(5, 14)$

m7B514 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_5] = \alpha_{2,5}^{10} e_{10} \\
[e_2, e_6] = \alpha_{2,6}^{11} e_{11} & [e_2, e_7] = \alpha_{2,7}^{12} e_{12} \\
[e_2, e_8] = \alpha_{2,8}^{13} e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = \alpha_{3,4}^{10} e_{10} & [e_3, e_5] = \alpha_{3,5}^{11} e_{11} \\
[e_3, e_6] = \alpha_{3,6}^{12} e_{12} & [e_3, e_7] = \alpha_{3,7}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^{12} e_{12} \\
[e_4, e_6] = \alpha_{4,6}^{13} e_{13} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{11} - \alpha_{2,7}^{12} - \alpha_{3,6}^{12} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{11} - \alpha_{3,6}^{12} - \alpha_{4,5}^{12} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_7) : & -\alpha_{2,7}^{12}\alpha_{3,12}^{14} + \alpha_{3,7}^{13} + \alpha_{7,8}^{14} & = 0 \\
(e_2, e_4, e_6) : & -\alpha_{2,6}^{11}\alpha_{4,11}^{14} + \alpha_{4,6}^{13} + \alpha_{6,9}^{14} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,12}^{14}\alpha_{4,5}^{12} + \alpha_{3,4}^{10}\alpha_{5,10}^{14} - \alpha_{3,5}^{11}\alpha_{4,11}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{2,5}^{10} & \rightarrow x_1 \\
\alpha_{3,5}^{11} & \rightarrow x_2 \\
\alpha_{2,8}^{13} & \rightarrow x_3 \\
\alpha_{4,11}^{14} & \rightarrow x_4 \\
\alpha_{6,9}^{14} & \rightarrow x_5 \\
\alpha_{4,5}^{12} & \rightarrow x_6 \\
\alpha_{7,8}^{14} & \rightarrow x_7 \\
\alpha_{4,6}^{13} & \rightarrow x_8 \\
\alpha_{3,7}^{13} & \rightarrow x_9 \\
\alpha_{3,4}^{10} & \rightarrow x_{10}
\end{aligned}$$



$$\alpha_{2,6}^{11} \rightarrow x_{11}$$

$$\alpha_{3,6}^{12} \rightarrow x_{12}$$

$$\alpha_{5,10}^{14} \rightarrow x_{13}$$

$$\alpha_{3,12}^{14} \rightarrow x_{14}$$

$$\alpha_{2,7}^{12} \rightarrow x_{15}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & x_1 - x_{11} - x_2 & = 0 \\
(e_1, e_3, e_4) : & x_{10} - x_2 & = 0 \\
(e_1, e_2, e_6) : & x_{11} - x_{12} - x_{15} & = 0 \\
(e_1, e_3, e_5) : & -x_{12} + x_2 - x_6 & = 0 \\
(e_1, e_2, e_7) : & x_{15} - x_3 - x_9 & = 0 \\
(e_1, e_3, e_6) : & x_{12} - x_8 - x_9 & = 0 \\
(e_1, e_4, e_5) : & x_6 - x_8 & = 0 \\
(e_1, e_2, e_{12}) : & -x_{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{14} - x_4 & = 0 \\
(e_1, e_4, e_{10}) : & -x_{13} - x_4 & = 0 \\
(e_1, e_5, e_9) : & -x_{13} - x_5 & = 0 \\
(e_1, e_6, e_8) : & -x_5 - x_7 & = 0 \\
(e_2, e_3, e_7) : & -x_{14}x_{15} + x_7 + x_9 & = 0 \\
(e_2, e_4, e_6) : & -x_{11}x_4 + x_5 + x_8 & = 0 \\
(e_3, e_4, e_5) : & x_{10}x_{13} + x_{14}x_6 - x_2x_4 & = 0
\end{array}$$

Groebner basis (15 variables, 14 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - \frac{x_{15}}{5} - \frac{4}{5} = 0 \\
\frac{x_{15}}{5} + x_2 - \frac{1}{5} = 0 \\
-2x_{15} + x_3 + 1 = 0 \\
x_4 - 1 = 0 \\
x_5 - 1 = 0 \\
-\frac{2x_{15}}{5} + x_6 + \frac{2}{5} = 0 \\
x_7 + 1 = 0
\end{array}$$

$$\begin{aligned}
-\frac{2x_{15}}{5} + x_8 + \frac{2}{5} &= 0 \\
x_{15} + x_9 - 1 &= 0 \\
x_{10} + \frac{x_{15}}{5} - \frac{1}{5} &= 0 \\
x_{11} - \frac{2x_{15}}{5} - \frac{3}{5} &= 0 \\
x_{12} + \frac{3x_{15}}{5} - \frac{3}{5} &= 0 \\
x_{13} + 1 &= 0 \\
x_{14} + 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{2B}(6, 14)$

m2B614 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_7] &= e_{13} \\
[e_2, e_{13}] &= e_{14} & [e_3, e_6] &= -e_{13} \\
[e_3, e_{12}] &= \alpha_{3,12}^{14} e_{14} & [e_4, e_5] &= e_{13} \\
[e_4, e_{11}] &= \alpha_{4,11}^{14} e_{14} & [e_5, e_{10}] &= \alpha_{5,10}^{14} e_{14} \\
[e_6, e_9] &= \alpha_{6,9}^{14} e_{14} & [e_7, e_8] &= \alpha_{7,8}^{14} e_{14}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{12}) : & \quad -\alpha_{3,12}^{14} - 1 & & = 0 \\
(e_1, e_3, e_{11}) : & \quad -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & & = 0 \\
(e_1, e_4, e_{10}) : & \quad -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & & = 0 \\
(e_1, e_5, e_9) : & \quad -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & & = 0 \\
(e_1, e_6, e_8) : & \quad -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & & = 0 \\
(e_2, e_3, e_6) : & \quad \text{no solutions} \\
(e_2, e_4, e_5) : & \quad \text{no solutions}
\end{aligned}$$

There are no solutions.

$\mathfrak{m}_{4B}(6, 14)$

m4B614 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{11} \\
[e_2, e_6] = 2e_{12} & [e_2, e_7] = 4e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = -e_{11} \\
[e_3, e_5] = -e_{12} & [e_3, e_6] = -2e_{13} \\
[e_3, e_{12}] = -e_{14} & [e_4, e_5] = e_{13} \\
[e_4, e_{11}] = e_{14} & [e_5, e_{10}] = -e_{14} \\
[e_6, e_9] = e_{14} & [e_7, e_8] = -e_{14}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{11} \\
[e_2, e_6] = 2e_{12} & [e_2, e_7] = \alpha_{2,7}^{13}e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = -e_{11} \\
[e_3, e_5] = -e_{12} & [e_3, e_6] = \alpha_{3,6}^{13}e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14}e_{14} & [e_4, e_5] = \alpha_{4,5}^{13}e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14}e_{14} & [e_5, e_{10}] = \alpha_{5,10}^{14}e_{14} \\
[e_6, e_9] = \alpha_{6,9}^{14}e_{14} & [e_7, e_8] = \alpha_{7,8}^{14}e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{13} - \alpha_{3,6}^{13} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{13} - \alpha_{4,5}^{13} - 1 & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_6) : & -2\alpha_{3,12}^{14} + \alpha_{3,6}^{13} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{4,11}^{14} + \alpha_{4,5}^{13} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{4,5}^{13} &= 1 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{2,7}^{13} &= 4 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{3,6}^{13} &= -2
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{4,5}^{13} &\rightarrow x_1 \\
\alpha_{4,11}^{14} &\rightarrow x_2 \\
\alpha_{2,7}^{13} &\rightarrow x_3 \\
\alpha_{6,9}^{14} &\rightarrow x_4 \\
\alpha_{7,8}^{14} &\rightarrow x_5 \\
\alpha_{5,10}^{14} &\rightarrow x_6 \\
\alpha_{3,12}^{14} &\rightarrow x_7
\end{aligned}$$

$$\alpha_{3,6}^{13} \rightarrow x_8$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_3 - x_8 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_8 - 1 & = 0 \\
(e_1, e_2, e_{12}) : & -x_7 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_2 - x_7 & = 0 \\
(e_1, e_4, e_{10}) : & -x_2 - x_6 & = 0 \\
(e_1, e_5, e_9) : & -x_4 - x_6 & = 0 \\
(e_1, e_6, e_8) : & -x_4 - x_5 & = 0 \\
(e_2, e_3, e_6) : & -2x_7 + x_8 & = 0 \\
(e_2, e_4, e_5) : & x_1 - x_2 & = 0
\end{array}$$

Groebner basis (8 variables, 8 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - 1 = 0 \\
x_2 - 1 = 0 \\
x_3 - 4 = 0 \\
x_4 - 1 = 0 \\
x_5 + 1 = 0 \\
x_6 + 1 = 0 \\
x_7 + 1 = 0 \\
x_8 + 2 = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = 1 \\
x_2 = 1 \\
x_3 = 4 \\
x_4 = 1 \\
x_5 = -1 \\
x_6 = -1 \\
x_7 = -1 \\
x_8 = -2
\end{array}$$

$\mathfrak{m}_{6B}(6, 14)$

m6B614 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_9 \\
[e_2, e_4] = e_{10} & [e_2, e_5] = \alpha_{2,5}^{11} e_{11} \\
[e_2, e_6] = \alpha_{2,6}^{12} e_{12} & [e_2, e_7] = \alpha_{2,7}^{13} e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = \alpha_{3,4}^{11} e_{11} \\
[e_3, e_5] = \alpha_{3,5}^{12} e_{12} & [e_3, e_6] = \alpha_{3,6}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^{13} e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} \\
[e_6, e_9] = \alpha_{6,9}^{14} e_{14} & [e_7, e_8] = \alpha_{7,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{11} - \alpha_{2,6}^{12} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{11} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{12} - \alpha_{2,7}^{13} - \alpha_{3,6}^{13} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{12} - \alpha_{3,6}^{13} - \alpha_{4,5}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^{12} \alpha_{3,12}^{14} + \alpha_{3,6}^{13} + \alpha_{6,9}^{14} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^{11} \alpha_{4,11}^{14} + \alpha_{4,5}^{13} + \alpha_{5,10}^{14} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,5}^{13} \rightarrow x_1$$

$$\alpha_{4,11}^{14} \rightarrow x_2$$

$$\alpha_{2,7}^{13} \rightarrow x_3$$

$$\alpha_{5,10}^{14} \rightarrow x_4$$

$$\alpha_{6,9}^{14} \rightarrow x_5$$

$$\alpha_{3,5}^{12} \rightarrow x_6$$

$$\alpha_{7,8}^{14} \rightarrow x_7$$

$$\alpha_{3,4}^{11} \rightarrow x_8$$

$$\alpha_{2,5}^{11} \rightarrow x_9$$

$$\alpha_{3,12}^{14} \rightarrow x_{10}$$

$$\alpha_{2,6}^{12} \rightarrow x_{11}$$

$$\alpha_{3,6}^{13} \rightarrow x_{12}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_8 - x_9 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_{11} - x_6 + x_9 \quad = 0$$

$$(e_1, e_3, e_4) : \quad -x_6 + x_8 \quad = 0$$

$$(e_1, e_2, e_6) : \quad x_{11} - x_{12} - x_3 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 - x_{12} + x_6 \quad = 0$$

$$(e_1, e_2, e_{12}) : \quad -x_{10} - 1 \quad = 0$$

$$(e_1, e_3, e_{11}) : \quad -x_{10} - x_2 \quad = 0$$

$$(e_1, e_4, e_{10}) : \quad -x_2 - x_4 \quad = 0$$

$$(e_1, e_5, e_9) : \quad -x_4 - x_5 \quad = 0$$

$$(e_1, e_6, e_8) : \quad -x_5 - x_7 \quad = 0$$

$$(e_2, e_3, e_6) : \quad -x_{10}x_{11} + x_{12} + x_5 \quad = 0$$

$$(e_2, e_4, e_5) : \quad x_1 - x_2x_9 + x_4 \quad = 0$$

Groebner basis (12 variables, 11 linear, 0 nonlinear)

$$x_1 + \frac{x_{12}}{2} - 1 = 0$$

$$x_2 - 1 = 0$$

$$2x_{12} + x_3 + 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 - 1 = 0$$

$$-\frac{x_{12}}{2} + x_6 - 1 = 0$$

$$x_7 + 1 = 0$$

$$-\frac{x_{12}}{2} + x_8 - 1 = 0$$

$$\frac{x_{12}}{2} + x_9 = 0$$

$$x_{10} + 1 = 0$$

$$x_{11} + x_{12} + 1 = 0$$

$\mathfrak{m}_{3B}(7, 14)$

m3B714 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_2, e_6] = 2e_{13}$$

$$[e_3, e_4] = -e_{12}$$

$$[e_3, e_{12}] = -e_{14}$$

$$[e_5, e_{10}] = -e_{14}$$

$$[e_7, e_8] = -e_{14}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_2, e_5] = e_{12}$$

$$[e_2, e_{13}] = e_{14}$$

$$[e_3, e_5] = -e_{13}$$

$$[e_4, e_{11}] = e_{14}$$

$$[e_6, e_9] = e_{14}$$



Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{12} \\
[e_2, e_6] = 2e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = -e_{12} & [e_3, e_5] = -e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{3,12}^{14} - 1 & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{6,9}^{14} = 1 \\
\alpha_{4,11}^{14} = 1 \\
\alpha_{7,8}^{14} = -1 \\
\alpha_{5,10}^{14} = -1 \\
\alpha_{3,12}^{14} = -1
\end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{array}{l}
\alpha_{6,9}^{14} \rightarrow x_1 \\
\alpha_{4,11}^{14} \rightarrow x_2
\end{array}$$

$$\alpha_{7,8}^{14} \rightarrow x_3$$

$$\alpha_{5,10}^{14} \rightarrow x_4$$

$$\alpha_{3,12}^{14} \rightarrow x_5$$

Jacobi Tests

$$(e_1, e_2, e_{12}) : \quad -x_5 - 1 \quad = 0$$

$$(e_1, e_3, e_{11}) : \quad -x_2 - x_5 \quad = 0$$

$$(e_1, e_4, e_{10}) : \quad -x_2 - x_4 \quad = 0$$

$$(e_1, e_5, e_9) : \quad -x_1 - x_4 \quad = 0$$

$$(e_1, e_6, e_8) : \quad -x_1 - x_3 \quad = 0$$

$$(e_2, e_3, e_5) : \quad -x_5 - 1 \quad = 0$$

Groebner basis (5 variables, 5 linear, 0 nonlinear)

$$x_1 - 1 = 0$$

$$x_2 - 1 = 0$$

$$x_3 + 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 + 1 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = 1$$

$$x_3 = -1$$

$$x_4 = -1$$

$$x_5 = -1$$

$\mathfrak{m}_{5B}(7, 14)$

m5B714 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{10} \\
[e_2, e_4] = e_{11} & [e_2, e_5] = \alpha_{2,5}^{12} e_{12} \\
[e_2, e_6] = \alpha_{2,6}^{13} e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = \alpha_{3,4}^{12} e_{12} & [e_3, e_5] = \alpha_{3,5}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{12} - \alpha_{3,4}^{12} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{12} - \alpha_{2,6}^{13} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{12} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^{12} \alpha_{3,12}^{14} + \alpha_{3,5}^{13} + \alpha_{5,10}^{14} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,6}^{13} \rightarrow x_1 \\
\alpha_{4,11}^{14} \rightarrow x_2 \\
\alpha_{6,9}^{14} \rightarrow x_3 \\
\alpha_{7,8}^{14} \rightarrow x_4 \\
\alpha_{3,4}^{12} \rightarrow x_5
\end{array}$$

$$\alpha_{2,5}^{12} \rightarrow x_6$$

$$\alpha_{3,5}^{13} \rightarrow x_7$$

$$\alpha_{5,10}^{14} \rightarrow x_8$$

$$\alpha_{3,12}^{14} \rightarrow x_9$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_5 - x_6 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_1 + x_6 - x_7 \quad = 0$$

$$(e_1, e_3, e_4) : \quad x_5 - x_7 \quad = 0$$

$$(e_1, e_2, e_{12}) : \quad -x_9 - 1 \quad = 0$$

$$(e_1, e_3, e_{11}) : \quad -x_2 - x_9 \quad = 0$$

$$(e_1, e_4, e_{10}) : \quad -x_2 - x_8 \quad = 0$$

$$(e_1, e_5, e_9) : \quad -x_3 - x_8 \quad = 0$$

$$(e_1, e_6, e_8) : \quad -x_3 - x_4 \quad = 0$$

$$(e_2, e_3, e_5) : \quad -x_6 x_9 + x_7 + x_8 \quad = 0$$

Groebner basis (9 variables, 8 linear, 0 nonlinear)

$$x_1 + 2x_7 - 1 = 0$$

$$x_2 - 1 = 0$$

$$x_3 - 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 - x_7 = 0$$

$$x_6 + x_7 - 1 = 0$$

$$x_8 + 1 = 0$$

$$x_9 + 1 = 0$$

$\mathfrak{m}_{2B}(8, 14)$

m2B814 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = -e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_4) : & \text{no solutions} & 
\end{array}$$

There are no solutions.

$\mathfrak{m}_{4B}(8, 14)$

m4B814 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{11} \\
[e_2, e_4] = e_{12} & [e_2, e_5] = 3e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = -2e_{13} \\
[e_3, e_{12}] = -e_{14} & [e_4, e_{11}] = e_{14} \\
[e_5, e_{10}] = -e_{14} & [e_6, e_9] = e_{14} \\
[e_7, e_8] = -e_{14} & 
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{11} \\
[e_2, e_4] = e_{12} & [e_2, e_5] = \alpha_{2,5}^{13} e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = \alpha_{3,4}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{13} - \alpha_{3,4}^{13} + 1 & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{3,12}^{14} + \alpha_{3,4}^{13} + \alpha_{4,11}^{14} & = 0
\end{array}$$

Solution 1:

$$\begin{aligned}
 \alpha_{4,11}^{14} &= 1 \\
 \alpha_{6,9}^{14} &= 1 \\
 \alpha_{7,8}^{14} &= -1 \\
 \alpha_{3,4}^{13} &= -2 \\
 \alpha_{2,5}^{13} &= 3 \\
 \alpha_{5,10}^{14} &= -1 \\
 \alpha_{3,12}^{14} &= -1
 \end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
 \alpha_{4,11}^{14} &\rightarrow x_1 \\
 \alpha_{6,9}^{14} &\rightarrow x_2 \\
 \alpha_{7,8}^{14} &\rightarrow x_3 \\
 \alpha_{3,4}^{13} &\rightarrow x_4 \\
 \alpha_{2,5}^{13} &\rightarrow x_5 \\
 \alpha_{5,10}^{14} &\rightarrow x_6 \\
 \alpha_{3,12}^{14} &\rightarrow x_7
 \end{aligned}$$

Jacobi Tests

$$\begin{aligned}
 (e_1, e_2, e_4) : & \quad -x_4 - x_5 + 1 &= 0 \\
 (e_1, e_2, e_{12}) : & \quad -x_7 - 1 &= 0 \\
 (e_1, e_3, e_{11}) : & \quad -x_1 - x_7 &= 0 \\
 (e_1, e_4, e_{10}) : & \quad -x_1 - x_6 &= 0 \\
 (e_1, e_5, e_9) : & \quad -x_2 - x_6 &= 0 \\
 (e_1, e_6, e_8) : & \quad -x_2 - x_3 &= 0 \\
 (e_2, e_3, e_4) : & \quad x_1 + x_4 - x_7 &= 0
 \end{aligned}$$

Groebner basis (7 variables, 7 linear, 0 nonlinear)

$$\begin{aligned}
 x_1 - 1 &= 0 \\
 x_2 - 1 &= 0
 \end{aligned}$$

$$x_3 + 1 = 0$$

$$x_4 + 2 = 0$$

$$x_5 - 3 = 0$$

$$x_6 + 1 = 0$$

$$x_7 + 1 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = 1$$

$$x_3 = -1$$

$$x_4 = -2$$

$$x_5 = 3$$

$$x_6 = -1$$

$$x_7 = -1$$

$\mathfrak{m}_{3B}(9, 14)$

m3B914 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_2, e_4] = e_{13}$$

$$[e_3, e_{12}] = -e_{14}$$

$$[e_5, e_{10}] = -e_{14}$$

$$[e_7, e_8] = -e_{14}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_2, e_3] = e_{12}$$

$$[e_2, e_{13}] = e_{14}$$

$$[e_4, e_{11}] = e_{14}$$

$$[e_6, e_9] = e_{14}$$



Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{12} \\
[e_2, e_4] = e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{6,9}^{14} = 1 \\
\alpha_{4,11}^{14} = 1 \\
\alpha_{7,8}^{14} = -1 \\
\alpha_{5,10}^{14} = -1 \\
\alpha_{3,12}^{14} = -1
\end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{array}{l}
\alpha_{6,9}^{14} \rightarrow x_1 \\
\alpha_{4,11}^{14} \rightarrow x_2 \\
\alpha_{7,8}^{14} \rightarrow x_3 \\
\alpha_{5,10}^{14} \rightarrow x_4
\end{array}$$

$$\alpha_{3,12}^{14} \rightarrow x_5$$

Jacobi Tests

$$\begin{array}{lll} (e_1, e_2, e_{12}) : & -x_5 - 1 & = 0 \\ (e_1, e_3, e_{11}) : & -x_2 - x_5 & = 0 \\ (e_1, e_4, e_{10}) : & -x_2 - x_4 & = 0 \\ (e_1, e_5, e_9) : & -x_1 - x_4 & = 0 \\ (e_1, e_6, e_8) : & -x_1 - x_3 & = 0 \end{array}$$

Groebner basis (5 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l} x_1 - 1 = 0 \\ x_2 - 1 = 0 \\ x_3 + 1 = 0 \\ x_4 + 1 = 0 \\ x_5 + 1 = 0 \end{array}$$

Solution 1:

$$\begin{array}{l} x_1 = 1 \\ x_2 = 1 \\ x_3 = -1 \\ x_4 = -1 \\ x_5 = -1 \end{array}$$

$\mathfrak{m}_{2B}(10, 14)$

m2B1014 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{13} \\ [e_2, e_{13}] = e_{14} & [e_3, e_{12}] = -e_{14} \\ [e_4, e_{11}] = e_{14} & [e_5, e_{10}] = -e_{14} \\ [e_6, e_9] = e_{14} & [e_7, e_8] = -e_{14} \end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} \\
[e_6, e_9] = \alpha_{6,9}^{14} e_{14} & [e_7, e_8] = \alpha_{7,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{6,9}^{14} = 1 \\
\alpha_{4,11}^{14} = 1 \\
\alpha_{7,8}^{14} = -1 \\
\alpha_{5,10}^{14} = -1 \\
\alpha_{3,12}^{14} = -1
\end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{array}{l}
\alpha_{6,9}^{14} \rightarrow x_1 \\
\alpha_{4,11}^{14} \rightarrow x_2 \\
\alpha_{7,8}^{14} \rightarrow x_3 \\
\alpha_{5,10}^{14} \rightarrow x_4
\end{array}$$

$$\alpha_{3,12}^{14} \rightarrow x_5$$

Jacobi Tests

$$\begin{array}{lll} (e_1, e_2, e_{12}) : & -x_5 - 1 & = 0 \\ (e_1, e_3, e_{11}) : & -x_2 - x_5 & = 0 \\ (e_1, e_4, e_{10}) : & -x_2 - x_4 & = 0 \\ (e_1, e_5, e_9) : & -x_1 - x_4 & = 0 \\ (e_1, e_6, e_8) : & -x_1 - x_3 & = 0 \end{array}$$

Groebner basis (5 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l} x_1 - 1 = 0 \\ x_2 - 1 = 0 \\ x_3 + 1 = 0 \\ x_4 + 1 = 0 \\ x_5 + 1 = 0 \end{array}$$

Solution 1:

$$\begin{array}{l} x_1 = 1 \\ x_2 = 1 \\ x_3 = -1 \\ x_4 = -1 \\ x_5 = -1 \end{array}$$