

# Computation of positively graded filiform Lie algebras over $\mathbb{R}$

John Edwards                      Cameron Krome  
Utah State University          Idaho State University  
Tracy Payne  
Idaho State University

April 8, 2021

## Summary table (starting on the next page)

### Explanation of table

- Column 1 (search) - A character string for text searching purposes
- Column 2 (algebra) - The subclass of positively graded filiform Lie algebra(s)
- Column 3 (Jac) - A check indicates that the class is nonempty
- Column 4 (sol) - Number of Lie algebras in the class

| search | algebra                  | Jac          | sol      |
|--------|--------------------------|--------------|----------|
| m1A25  | $\mathbf{m}_{1A}(2, 5)$  | $\checkmark$ | 1        |
| m2A26  | $\mathbf{m}_{2A}(2, 6)$  | $\checkmark$ | 1        |
| m1A36  | $\mathbf{m}_{1A}(3, 6)$  | $\checkmark$ | 1        |
| m1A27  | $\mathbf{m}_{1A}(2, 7)$  | $\checkmark$ | 1        |
| m3A27  | $\mathbf{m}_{3A}(2, 7)$  | $\checkmark$ | $\infty$ |
| m2A37  | $\mathbf{m}_{2A}(3, 7)$  | $\checkmark$ | 1        |
| m1A47  | $\mathbf{m}_{1A}(4, 7)$  | $\checkmark$ | 1        |
| m2A28  | $\mathbf{m}_{2A}(2, 8)$  | $\checkmark$ | 1        |
| m4A28  | $\mathbf{m}_{4A}(2, 8)$  | $\checkmark$ | $\infty$ |
| m1A38  | $\mathbf{m}_{1A}(3, 8)$  | $\checkmark$ | 1        |
| m3A38  | $\mathbf{m}_{3A}(3, 8)$  | $\checkmark$ | $\infty$ |
| m2A48  | $\mathbf{m}_{2A}(4, 8)$  | $\checkmark$ | 1        |
| m1A58  | $\mathbf{m}_{1A}(5, 8)$  | $\checkmark$ | 1        |
| m1A29  | $\mathbf{m}_{1A}(2, 9)$  | $\checkmark$ | 1        |
| m3A29  | $\mathbf{m}_{3A}(2, 9)$  | $\checkmark$ | 1        |
| m5A29  | $\mathbf{m}_{5A}(2, 9)$  | $\checkmark$ | $\infty$ |
| m2A39  | $\mathbf{m}_{2A}(3, 9)$  | $\checkmark$ | 1        |
| m4A39  | $\mathbf{m}_{4A}(3, 9)$  | $\checkmark$ | $\infty$ |
| m1A49  | $\mathbf{m}_{1A}(4, 9)$  | $\checkmark$ | 1        |
| m3A49  | $\mathbf{m}_{3A}(4, 9)$  | $\checkmark$ | $\infty$ |
| m2A59  | $\mathbf{m}_{2A}(5, 9)$  | $\checkmark$ | 1        |
| m1A69  | $\mathbf{m}_{1A}(6, 9)$  | $\checkmark$ | 1        |
| m2A210 | $\mathbf{m}_{2A}(2, 10)$ | $\checkmark$ | 1        |
| m4A210 | $\mathbf{m}_{4A}(2, 10)$ | $\checkmark$ | 1        |
| m6A210 | $\mathbf{m}_{6A}(2, 10)$ | $\checkmark$ | $\infty$ |
| m1A310 | $\mathbf{m}_{1A}(3, 10)$ | $\checkmark$ | 1        |
| m3A310 | $\mathbf{m}_{3A}(3, 10)$ | $\checkmark$ | $\infty$ |
| m5A310 | $\mathbf{m}_{5A}(3, 10)$ | $\checkmark$ | $\infty$ |
| m2A410 | $\mathbf{m}_{2A}(4, 10)$ | $\checkmark$ | 1        |
| m4A410 | $\mathbf{m}_{4A}(4, 10)$ | $\checkmark$ | $\infty$ |
| m1A510 | $\mathbf{m}_{1A}(5, 10)$ | $\checkmark$ | 1        |
| m3A510 | $\mathbf{m}_{3A}(5, 10)$ | $\checkmark$ | $\infty$ |
| m2A610 | $\mathbf{m}_{2A}(6, 10)$ | $\checkmark$ | 1        |
| m1A710 | $\mathbf{m}_{1A}(7, 10)$ | $\checkmark$ | 1        |
| m1A211 | $\mathbf{m}_{1A}(2, 11)$ | $\checkmark$ | 1        |
| m3A211 | $\mathbf{m}_{3A}(2, 11)$ | $\checkmark$ | 1        |
| m5A211 | $\mathbf{m}_{5A}(2, 11)$ | $\checkmark$ | 1        |
| m7A211 | $\mathbf{m}_{7A}(2, 11)$ | $\checkmark$ | $\infty$ |
| m2A311 | $\mathbf{m}_{2A}(3, 11)$ | $\checkmark$ | 1        |
| m4A311 | $\mathbf{m}_{4A}(3, 11)$ | $\checkmark$ | 1        |
| m6A311 | $\mathbf{m}_{6A}(3, 11)$ | $\checkmark$ | $\infty$ |
| m1A411 | $\mathbf{m}_{1A}(4, 11)$ | $\checkmark$ | 1        |

| search | algebra                  | Jac          | sol      |
|--------|--------------------------|--------------|----------|
| m3A411 | $\mathbf{m}_{3A}(4, 11)$ | $\checkmark$ | $\infty$ |
| m5A411 | $\mathbf{m}_{5A}(4, 11)$ | $\checkmark$ | $\infty$ |
| m2A511 | $\mathbf{m}_{2A}(5, 11)$ | $\checkmark$ | 1        |
| m4A511 | $\mathbf{m}_{4A}(5, 11)$ | $\checkmark$ | $\infty$ |
| m1A611 | $\mathbf{m}_{1A}(6, 11)$ | $\checkmark$ | 1        |
| m3A611 | $\mathbf{m}_{3A}(6, 11)$ | $\checkmark$ | $\infty$ |
| m2A711 | $\mathbf{m}_{2A}(7, 11)$ | $\checkmark$ | 1        |
| m1A811 | $\mathbf{m}_{1A}(8, 11)$ | $\checkmark$ | 1        |
| m2A212 | $\mathbf{m}_{2A}(2, 12)$ | $\checkmark$ | 1        |
| m4A212 | $\mathbf{m}_{4A}(2, 12)$ |              | 0        |
| m6A212 | $\mathbf{m}_{6A}(2, 12)$ |              | 0        |
| m8A212 | $\mathbf{m}_{8A}(2, 12)$ | $\checkmark$ | 2        |
| m1A312 | $\mathbf{m}_{1A}(3, 12)$ | $\checkmark$ | 1        |
| m3A312 | $\mathbf{m}_{3A}(3, 12)$ | $\checkmark$ | $\infty$ |
| m5A312 | $\mathbf{m}_{5A}(3, 12)$ | $\checkmark$ | $\infty$ |
| m7A312 | $\mathbf{m}_{7A}(3, 12)$ | $\checkmark$ | $\infty$ |
| m2A412 | $\mathbf{m}_{2A}(4, 12)$ | $\checkmark$ | 1        |
| m4A412 | $\mathbf{m}_{4A}(4, 12)$ | $\checkmark$ | $\infty$ |
| m6A412 | $\mathbf{m}_{6A}(4, 12)$ | $\checkmark$ | $\infty$ |
| m1A512 | $\mathbf{m}_{1A}(5, 12)$ | $\checkmark$ | 1        |
| m3A512 | $\mathbf{m}_{3A}(5, 12)$ | $\checkmark$ | $\infty$ |
| m5A512 | $\mathbf{m}_{5A}(5, 12)$ | $\checkmark$ | $\infty$ |
| m2A612 | $\mathbf{m}_{2A}(6, 12)$ | $\checkmark$ | 1        |
| m4A612 | $\mathbf{m}_{4A}(6, 12)$ | $\checkmark$ | $\infty$ |
| m1A712 | $\mathbf{m}_{1A}(7, 12)$ | $\checkmark$ | 1        |
| m3A712 | $\mathbf{m}_{3A}(7, 12)$ | $\checkmark$ | $\infty$ |
| m2A812 | $\mathbf{m}_{2A}(8, 12)$ | $\checkmark$ | 1        |
| m1A912 | $\mathbf{m}_{1A}(9, 12)$ | $\checkmark$ | 1        |
| m1A213 | $\mathbf{m}_{1A}(2, 13)$ | $\checkmark$ | 1        |
| m3A213 | $\mathbf{m}_{3A}(2, 13)$ | $\checkmark$ | 1        |
| m9A213 | $\mathbf{m}_{9A}(2, 13)$ | $\checkmark$ | 2        |
| m2A313 | $\mathbf{m}_{2A}(3, 13)$ | $\checkmark$ | 1        |
| m4A313 | $\mathbf{m}_{4A}(3, 13)$ | $\checkmark$ | 1        |
| m6A313 | $\mathbf{m}_{6A}(3, 13)$ | $\checkmark$ | 1        |
| m8A313 | $\mathbf{m}_{8A}(3, 13)$ | $\checkmark$ | $\infty$ |
| m1A413 | $\mathbf{m}_{1A}(4, 13)$ | $\checkmark$ | 1        |
| m3A413 | $\mathbf{m}_{3A}(4, 13)$ | $\checkmark$ | $\infty$ |
| m5A413 | $\mathbf{m}_{5A}(4, 13)$ | $\checkmark$ | $\infty$ |
| m7A413 | $\mathbf{m}_{7A}(4, 13)$ | $\checkmark$ | $\infty$ |
| m2A513 | $\mathbf{m}_{2A}(5, 13)$ | $\checkmark$ | 1        |
| m4A513 | $\mathbf{m}_{4A}(5, 13)$ | $\checkmark$ | $\infty$ |
| m6A513 | $\mathbf{m}_{6A}(5, 13)$ | $\checkmark$ | $\infty$ |

| search  | algebra                   | Jac | sol      |
|---------|---------------------------|-----|----------|
| m1A613  | $\mathbf{m}_{1A}(6, 13)$  | ✓   | 1        |
| m3A613  | $\mathbf{m}_{3A}(6, 13)$  | ✓   | $\infty$ |
| m5A613  | $\mathbf{m}_{5A}(6, 13)$  | ✓   | $\infty$ |
| m2A713  | $\mathbf{m}_{2A}(7, 13)$  | ✓   | 1        |
| m4A713  | $\mathbf{m}_{4A}(7, 13)$  | ✓   | $\infty$ |
| m1A813  | $\mathbf{m}_{1A}(8, 13)$  | ✓   | 1        |
| m3A813  | $\mathbf{m}_{3A}(8, 13)$  | ✓   | $\infty$ |
| m2A913  | $\mathbf{m}_{2A}(9, 13)$  | ✓   | 1        |
| m1A1013 | $\mathbf{m}_{1A}(10, 13)$ | ✓   | 1        |
| m2A214  | $\mathbf{m}_{2A}(2, 14)$  | ✓   | 1        |
| m4A214  | $\mathbf{m}_{4A}(2, 14)$  |     | 0        |
| m10A214 | $\mathbf{m}_{10A}(2, 14)$ | ✓   | 2        |
| m1A314  | $\mathbf{m}_{1A}(3, 14)$  | ✓   | 1        |
| m3A314  | $\mathbf{m}_{3A}(3, 14)$  | ✓   | $\infty$ |
| m5A314  | $\mathbf{m}_{5A}(3, 14)$  | ✓   | 1        |
| m7A314  | $\mathbf{m}_{7A}(3, 14)$  | ✓   | 1        |
| m9A314  | $\mathbf{m}_{9A}(3, 14)$  | ✓   | $\infty$ |
| m2A414  | $\mathbf{m}_{2A}(4, 14)$  | ✓   | 1        |
| m4A414  | $\mathbf{m}_{4A}(4, 14)$  | ✓   | $\infty$ |
| m6A414  | $\mathbf{m}_{6A}(4, 14)$  | ✓   | $\infty$ |
| m8A414  | $\mathbf{m}_{8A}(4, 14)$  | ✓   | $\infty$ |
| m1A514  | $\mathbf{m}_{1A}(5, 14)$  | ✓   | 1        |
| m3A514  | $\mathbf{m}_{3A}(5, 14)$  | ✓   | $\infty$ |
| m5A514  | $\mathbf{m}_{5A}(5, 14)$  | ✓   | $\infty$ |
| m7A514  | $\mathbf{m}_{7A}(5, 14)$  | ✓   | $\infty$ |
| m2A614  | $\mathbf{m}_{2A}(6, 14)$  | ✓   | 1        |
| m4A614  | $\mathbf{m}_{4A}(6, 14)$  | ✓   | $\infty$ |
| m6A614  | $\mathbf{m}_{6A}(6, 14)$  | ✓   | $\infty$ |
| m1A714  | $\mathbf{m}_{1A}(7, 14)$  | ✓   | 1        |
| m3A714  | $\mathbf{m}_{3A}(7, 14)$  | ✓   | $\infty$ |
| m5A714  | $\mathbf{m}_{5A}(7, 14)$  | ✓   | $\infty$ |
| m2A814  | $\mathbf{m}_{2A}(8, 14)$  | ✓   | 1        |
| m4A814  | $\mathbf{m}_{4A}(8, 14)$  | ✓   | $\infty$ |
| m1A914  | $\mathbf{m}_{1A}(9, 14)$  | ✓   | 1        |
| m3A914  | $\mathbf{m}_{3A}(9, 14)$  | ✓   | $\infty$ |
| m2A1014 | $\mathbf{m}_{2A}(10, 14)$ | ✓   | 1        |
| m1A1114 | $\mathbf{m}_{1A}(11, 14)$ | ✓   | 1        |
| m1A215  | $\mathbf{m}_{1A}(2, 15)$  | ✓   | 1        |
| m3A215  | $\mathbf{m}_{3A}(2, 15)$  | ✓   | 1        |
| m11A215 | $\mathbf{m}_{11A}(2, 15)$ | ✓   | 2        |
| m2A315  | $\mathbf{m}_{2A}(3, 15)$  | ✓   | 1        |
| m4A315  | $\mathbf{m}_{4A}(3, 15)$  | ✓   | 1        |

| search  | algebra                   | Jac | sol      |
|---------|---------------------------|-----|----------|
| m6A315  | $\mathbf{m}_{6A}(3, 15)$  |     | 0        |
| m8A315  | $\mathbf{m}_{8A}(3, 15)$  |     | 0        |
| m10A315 | $\mathbf{m}_{10A}(3, 15)$ | ✓   | 5        |
| m1A415  | $\mathbf{m}_{1A}(4, 15)$  | ✓   | 1        |
| m3A415  | $\mathbf{m}_{3A}(4, 15)$  | ✓   | $\infty$ |
| m5A415  | $\mathbf{m}_{5A}(4, 15)$  | ✓   | $\infty$ |
| m7A415  | $\mathbf{m}_{7A}(4, 15)$  | ✓   | $\infty$ |
| m9A415  | $\mathbf{m}_{9A}(4, 15)$  | ✓   | $\infty$ |
| m2A515  | $\mathbf{m}_{2A}(5, 15)$  | ✓   | 1        |
| m4A515  | $\mathbf{m}_{4A}(5, 15)$  | ✓   | $\infty$ |
| m6A515  | $\mathbf{m}_{6A}(5, 15)$  | ✓   | $\infty$ |
| m8A515  | $\mathbf{m}_{8A}(5, 15)$  | ✓   | $\infty$ |
| m1A615  | $\mathbf{m}_{1A}(6, 15)$  | ✓   | 1        |
| m3A615  | $\mathbf{m}_{3A}(6, 15)$  | ✓   | $\infty$ |
| m5A615  | $\mathbf{m}_{5A}(6, 15)$  | ✓   | $\infty$ |
| m7A615  | $\mathbf{m}_{7A}(6, 15)$  | ✓   | $\infty$ |
| m2A715  | $\mathbf{m}_{2A}(7, 15)$  | ✓   | 1        |
| m4A715  | $\mathbf{m}_{4A}(7, 15)$  | ✓   | $\infty$ |
| m6A715  | $\mathbf{m}_{6A}(7, 15)$  | ✓   | $\infty$ |
| m1A815  | $\mathbf{m}_{1A}(8, 15)$  | ✓   | 1        |
| m3A815  | $\mathbf{m}_{3A}(8, 15)$  | ✓   | $\infty$ |
| m5A815  | $\mathbf{m}_{5A}(8, 15)$  | ✓   | $\infty$ |
| m2A915  | $\mathbf{m}_{2A}(9, 15)$  | ✓   | 1        |
| m4A915  | $\mathbf{m}_{4A}(9, 15)$  | ✓   | $\infty$ |
| m1A1015 | $\mathbf{m}_{1A}(10, 15)$ | ✓   | 1        |
| m3A1015 | $\mathbf{m}_{3A}(10, 15)$ | ✓   | $\infty$ |
| m2A1115 | $\mathbf{m}_{2A}(11, 15)$ | ✓   | 1        |
| m1A1215 | $\mathbf{m}_{1A}(12, 15)$ | ✓   | 1        |
| m2B26   | $\mathbf{m}_{2B}(2, 6)$   | ✓   | 1        |
| m2B28   | $\mathbf{m}_{2B}(2, 8)$   |     | 0        |
| m4B28   | $\mathbf{m}_{4B}(2, 8)$   | ✓   | 1        |
| m3B38   | $\mathbf{m}_{3B}(3, 8)$   | ✓   | 1        |
| m2B48   | $\mathbf{m}_{2B}(4, 8)$   | ✓   | 1        |
| m2B210  | $\mathbf{m}_{2B}(2, 10)$  |     | 0        |
| m4B210  | $\mathbf{m}_{4B}(2, 10)$  |     | 0        |
| m6B210  | $\mathbf{m}_{6B}(2, 10)$  | ✓   | 2        |
| m3B310  | $\mathbf{m}_{3B}(3, 10)$  | ✓   | 1        |
| m5B310  | $\mathbf{m}_{5B}(3, 10)$  | ✓   | $\infty$ |
| m2B410  | $\mathbf{m}_{2B}(4, 10)$  |     | 0        |
| m4B410  | $\mathbf{m}_{4B}(4, 10)$  | ✓   | 1        |
| m3B510  | $\mathbf{m}_{3B}(5, 10)$  | ✓   | 1        |
| m2B610  | $\mathbf{m}_{2B}(6, 10)$  | ✓   | 1        |

| search  | algebra                     | Jac          | sol      |
|---------|-----------------------------|--------------|----------|
| m2B212  | $\mathfrak{m}_{2B}(2, 12)$  |              | 0        |
| m4B212  | $\mathfrak{m}_{4B}(2, 12)$  |              | 0        |
| m6B212  | $\mathfrak{m}_{6B}(2, 12)$  |              | 0        |
| m8B212  | $\mathfrak{m}_{8B}(2, 12)$  | $\checkmark$ | 2        |
| m3B312  | $\mathfrak{m}_{3B}(3, 12)$  |              | 0        |
| m5B312  | $\mathfrak{m}_{5B}(3, 12)$  |              | 0        |
| m7B312  | $\mathfrak{m}_{7B}(3, 12)$  | $\checkmark$ | 2        |
| m2B412  | $\mathfrak{m}_{2B}(4, 12)$  |              | 0        |
| m4B412  | $\mathfrak{m}_{4B}(4, 12)$  | $\checkmark$ | 1        |
| m6B412  | $\mathfrak{m}_{6B}(4, 12)$  | $\checkmark$ | $\infty$ |
| m3B512  | $\mathfrak{m}_{3B}(5, 12)$  | $\checkmark$ | 1        |
| m5B512  | $\mathfrak{m}_{5B}(5, 12)$  | $\checkmark$ | $\infty$ |
| m2B612  | $\mathfrak{m}_{2B}(6, 12)$  |              | 0        |
| m4B612  | $\mathfrak{m}_{4B}(6, 12)$  | $\checkmark$ | 1        |
| m3B712  | $\mathfrak{m}_{3B}(7, 12)$  | $\checkmark$ | 1        |
| m2B812  | $\mathfrak{m}_{2B}(8, 12)$  | $\checkmark$ | 1        |
| m2B214  | $\mathfrak{m}_{2B}(2, 14)$  |              | 0        |
| m4B214  | $\mathfrak{m}_{4B}(2, 14)$  |              | 0        |
| m10B214 | $\mathfrak{m}_{10B}(2, 14)$ |              | 0        |
| m3B314  | $\mathfrak{m}_{3B}(3, 14)$  |              | 0        |
| m5B314  | $\mathfrak{m}_{5B}(3, 14)$  |              | 0        |
| m7B314  | $\mathfrak{m}_{7B}(3, 14)$  |              | 0        |
| m9B314  | $\mathfrak{m}_{9B}(3, 14)$  | $\checkmark$ | 4        |
| m2B414  | $\mathfrak{m}_{2B}(4, 14)$  |              | 0        |
| m4B414  | $\mathfrak{m}_{4B}(4, 14)$  | $\checkmark$ | 1        |
| m6B414  | $\mathfrak{m}_{6B}(4, 14)$  | $\checkmark$ | 1        |
| m8B414  | $\mathfrak{m}_{8B}(4, 14)$  | $\checkmark$ | $\infty$ |
| m3B514  | $\mathfrak{m}_{3B}(5, 14)$  |              | 0        |
| m5B514  | $\mathfrak{m}_{5B}(5, 14)$  | $\checkmark$ | 1        |
| m7B514  | $\mathfrak{m}_{7B}(5, 14)$  | $\checkmark$ | $\infty$ |
| m2B614  | $\mathfrak{m}_{2B}(6, 14)$  |              | 0        |
| m4B614  | $\mathfrak{m}_{4B}(6, 14)$  | $\checkmark$ | 1        |
| m6B614  | $\mathfrak{m}_{6B}(6, 14)$  | $\checkmark$ | $\infty$ |
| m3B714  | $\mathfrak{m}_{3B}(7, 14)$  | $\checkmark$ | 1        |
| m5B714  | $\mathfrak{m}_{5B}(7, 14)$  | $\checkmark$ | $\infty$ |
| m2B814  | $\mathfrak{m}_{2B}(8, 14)$  |              | 0        |
| m4B814  | $\mathfrak{m}_{4B}(8, 14)$  | $\checkmark$ | 1        |
| m3B914  | $\mathfrak{m}_{3B}(9, 14)$  | $\checkmark$ | 1        |
| m2B1014 | $\mathfrak{m}_{2B}(10, 14)$ | $\checkmark$ | 1        |

## Algebra details

### $\mathfrak{m}_{1A}(2, 5)$

m1A25 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_2, e_3] = e_5 \end{array}$$

No non-trivial Jacobi tests

### $\mathfrak{m}_{2A}(2, 6)$

m2A26 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_2, e_3] = e_5 & [e_2, e_4] = e_6 \end{array}$$

No non-trivial Jacobi tests

### $\mathfrak{m}_{1A}(3, 6)$

m1A36 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_2, e_3] = e_6 & \end{array}$$

No non-trivial Jacobi tests

### $\mathfrak{m}_{1A}(2, 7)$

m1A27 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_2, e_5] = e_7 \\ [e_3, e_4] = -e_7 & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(2, 7)$

m3A27 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_2, e_3] = e_5 \\ [e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\ [e_3, e_4] = \alpha_{3,4}^7 e_7 & \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l} \alpha_{3,4}^7 \rightarrow x_1 \\ \alpha_{2,5}^7 \rightarrow x_2 \end{array}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(3, 7)$

m2A37 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_2, e_3] = e_6 \\ [e_2, e_4] = e_7 & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(4, 7)$

m1A47 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_2, e_3] = e_7 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{2A}(2, 8)$

m2A28 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_2, e_5] = e_7 & [e_2, e_6] = 2e_8 \\ [e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(2, 8)$

m4A28 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_2, e_3] = e_5 & [e_2, e_4] = e_6 \\ [e_2, e_5] = \alpha_{2,5}^7 e_7 & [e_2, e_6] = \alpha_{2,6}^8 e_8 \\ [e_3, e_4] = \alpha_{3,4}^7 e_7 & [e_3, e_5] = \alpha_{3,5}^8 e_8 \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \quad \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,4}^7 \rightarrow x_1$$

$$\alpha_{2,6}^8 \rightarrow x_2$$

$$\alpha_{3,5}^8 \rightarrow x_3$$

$$\alpha_{2,5}^7 \rightarrow x_4$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -x_1 - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad -x_2 - x_3 + x_4 & = 0 \\
(e_1, e_3, e_4) : & \quad x_1 - x_3 & = 0
\end{aligned}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 + x_4 - 1 = 0$$

$$x_2 - 2x_4 + 1 = 0$$

$$x_3 + x_4 - 1 = 0$$

$\mathfrak{m}_{1A}(3, 8)$

m1A38 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_2, e_5] &= e_8 & [e_3, e_4] &= -e_8
\end{aligned}$$

No non-trivial Jacobi tests



$\mathfrak{m}_{3A}(3, 8)$

m3A38 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_2, e_3] = e_6 & [e_2, e_4] = e_7 \\ [e_2, e_5] = \alpha_{2,5}^8 e_8 & [e_3, e_4] = \alpha_{3,4}^8 e_8 \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 \quad = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l} \alpha_{2,5}^8 \rightarrow x_1 \\ \alpha_{3,4}^8 \rightarrow x_2 \end{array}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(4, 8)$

m2A48 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_2, e_3] = e_7 & [e_2, e_4] = e_8 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(5, 8)$

m1A58 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_2, e_3] = e_8 & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(2, 9)$

m1A29 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_7] = e_9 \\ [e_3, e_6] = -e_9 & [e_4, e_5] = e_9 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(2, 9)$

m3A29 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_5] = e_7 \\ [e_2, e_6] = 2e_8 & [e_2, e_7] = 0 \\ [e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\ [e_3, e_6] = 2e_9 & [e_4, e_5] = -3e_9 \end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_5] = e_7 \\
[e_2, e_6] = 2e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_4, e_5] = \alpha_{4,5}^9 e_9
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{3,6}^9 = 2 \\
\alpha_{2,7}^9 = 0 \\
\alpha_{4,5}^9 = -3
\end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{array}{l}
\alpha_{3,6}^9 \rightarrow x_1 \\
\alpha_{2,7}^9 \rightarrow x_2 \\
\alpha_{4,5}^9 \rightarrow x_3
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_2 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_3 - 1 & = 0 \\
(e_2, e_3, e_4) : & -x_2 & = 0
\end{array}$$

Groebner basis (3 variables, 3 linear, 0 nonlinear)

$$x_1 - 2 = 0$$

$$x_2 = 0$$

$$x_3 + 3 = 0$$

Solution 1:

$$x_1 = 2$$

$$x_2 = 0$$

$$x_3 = -3$$

$\mathbf{m}_{5A}(2, 9)$

m5A29 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_3] = e_5 \\ [e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\ [e_2, e_6] = \alpha_{2,6}^8 e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\ [e_3, e_4] = \alpha_{3,4}^7 e_7 & [e_3, e_5] = \alpha_{3,5}^8 e_8 \\ [e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_4, e_5] = \alpha_{4,5}^9 e_9 \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll} (e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\ (e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\ (e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\ (e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\ (e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\ (e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,4}^7 \rightarrow x_1$$

$$\alpha_{2,6}^8 \rightarrow x_2$$

$$\alpha_{3,5}^8 \rightarrow x_3$$

$$\alpha_{3,6}^9 \rightarrow x_4$$

$$\alpha_{4,5}^9 \rightarrow x_5$$

$$\alpha_{2,5}^7 \rightarrow x_6$$

$$\alpha_{2,7}^9 \rightarrow x_7$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_6 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_2 - x_3 + x_6 \quad = 0$$

$$(e_1, e_3, e_4) : \quad x_1 - x_3 \quad = 0$$

$$(e_1, e_2, e_6) : \quad x_2 - x_4 - x_7 \quad = 0$$

$$(e_1, e_3, e_5) : \quad x_3 - x_4 - x_5 \quad = 0$$

$$(e_2, e_3, e_4) : \quad x_1 x_7 - x_4 + x_5 \quad = 0$$

Groebner basis (7 variables, 5 linear, 1 nonlinear)

$$x_1 + x_6 - 1 = 0$$

$$x_2 - 2x_6 + 1 = 0$$

$$x_3 + x_6 - 1 = 0$$

$$x_4 - 2x_6 + x_7 + 1 = 0$$

$$x_5 + 3x_6 - x_7 - 2 = 0$$

$$x_6 x_7 + 5x_6 - 3x_7 - 3 = 0$$

$\mathfrak{m}_{2A}(3, 9)$

m2A39 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_2, e_5] = e_8$$

$$[e_2, e_6] = 2e_9$$

$$[e_3, e_4] = -e_8$$

$$[e_3, e_5] = -e_9$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(3, 9)$

m4A39 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\
[e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_3, e_4] = \alpha_{3,4}^8 e_8 \\
[e_3, e_5] = \alpha_{3,5}^9 e_9 & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,5}^8 \rightarrow x_1 \\
\alpha_{2,6}^9 \rightarrow x_2 \\
\alpha_{3,5}^9 \rightarrow x_3 \\
\alpha_{3,4}^8 \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & x_1 - x_2 - x_3 & = 0 \\
(e_1, e_3, e_4) : & -x_3 + x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_4 - 1 = 0 \\
x_2 + 2x_4 - 1 = 0 \\
x_3 - x_4 = 0
\end{array}$$

$\mathfrak{m}_{1A}(4, 9)$

m1A49 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_5] = e_9 \\ [e_3, e_4] = -e_9 & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(4, 9)$

m3A49 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_3] = e_7 \\ [e_2, e_4] = e_8 & [e_2, e_5] = \alpha_{2,5}^9 e_9 \\ [e_3, e_4] = \alpha_{3,4}^9 e_9 & \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 \quad = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l} \alpha_{2,5}^9 \rightarrow x_1 \\ \alpha_{3,4}^9 \rightarrow x_2 \end{array}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(5, 9)$

m2A59 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_3] = e_8 \\ [e_2, e_4] = e_9 & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(6, 9)$

m1A69 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_3] = e_9 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{2A}(2, 10)$

m2A210 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_2, e_7] = e_9 & [e_2, e_8] = 3e_{10} \\ [e_3, e_6] = -e_9 & [e_3, e_7] = -2e_{10} \\ [e_4, e_5] = e_9 & [e_4, e_6] = e_{10} \end{array}$$

No non-trivial Jacobi tests



$\mathfrak{m}_{4A}(2, 10)$

m4A210 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_5] = e_7 & [e_2, e_6] = 2e_8 \\
[e_2, e_7] = 0 & [e_2, e_8] = -5e_{10} \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = 2e_9 & [e_3, e_7] = 5e_{10} \\
[e_4, e_5] = -3e_9 & [e_4, e_6] = -3e_{10}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_5] = e_7 & [e_2, e_6] = 2e_8 \\
[e_2, e_7] = \alpha_{2,7}^9 e_9 & [e_2, e_8] = \alpha_{2,8}^{10} e_{10} \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_4, e_5] = \alpha_{4,5}^9 e_9 & [e_4, e_6] = \alpha_{4,6}^{10} e_{10}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0
\end{array}$$

Solution 1:

$$\begin{aligned}\alpha_{3,6}^9 &= 2 \\ \alpha_{4,5}^9 &= -3 \\ \alpha_{2,8}^{10} &= -5 \\ \alpha_{4,6}^{10} &= -3 \\ \alpha_{2,7}^9 &= 0 \\ \alpha_{3,7}^{10} &= 5\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}\alpha_{3,6}^9 &\rightarrow x_1 \\ \alpha_{4,5}^9 &\rightarrow x_2 \\ \alpha_{2,8}^{10} &\rightarrow x_3 \\ \alpha_{4,6}^{10} &\rightarrow x_4 \\ \alpha_{2,7}^9 &\rightarrow x_5 \\ \alpha_{3,7}^{10} &\rightarrow x_6\end{aligned}$$

Jacobi Tests

$$\begin{aligned}(e_1, e_2, e_6) : & \quad -x_1 - x_5 + 2 & = 0 \\ (e_1, e_3, e_5) : & \quad -x_1 - x_2 - 1 & = 0 \\ (e_2, e_3, e_4) : & \quad -x_5 & = 0 \\ (e_1, e_2, e_7) : & \quad -x_3 + x_5 - x_6 & = 0 \\ (e_1, e_3, e_6) : & \quad x_1 - x_4 - x_6 & = 0 \\ (e_1, e_4, e_5) : & \quad x_2 - x_4 & = 0 \\ (e_2, e_3, e_5) : & \quad -x_3 - x_6 & = 0\end{aligned}$$

Groebner basis (6 variables, 6 linear, 0 nonlinear)

$$\begin{aligned}x_1 - 2 &= 0 \\ x_2 + 3 &= 0 \\ x_3 + 5 &= 0 \\ x_4 + 3 &= 0\end{aligned}$$

$$x_5 = 0$$

$$x_6 - 5 = 0$$

Solution 1:

$$x_1 = 2$$

$$x_2 = -3$$

$$x_3 = -5$$

$$x_4 = -3$$

$$x_5 = 0$$

$$x_6 = 5$$

$\mathbf{m}_{6A}(2, 10)$

m6A210 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_2, e_3] = e_5$$

$$[e_2, e_5] = \alpha_{2,5}^7 e_7$$

$$[e_2, e_7] = \alpha_{2,7}^9 e_9$$

$$[e_3, e_4] = \alpha_{3,4}^7 e_7$$

$$[e_3, e_6] = \alpha_{3,6}^9 e_9$$

$$[e_4, e_5] = \alpha_{4,5}^9 e_9$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_2, e_4] = e_6$$

$$[e_2, e_6] = \alpha_{2,6}^8 e_8$$

$$[e_2, e_8] = \alpha_{2,8}^{10} e_{10}$$

$$[e_3, e_5] = \alpha_{3,5}^8 e_8$$

$$[e_3, e_7] = \alpha_{3,7}^{10} e_{10}$$

$$[e_4, e_6] = \alpha_{4,6}^{10} e_{10}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \quad \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \quad \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \quad \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \quad \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \quad \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \quad \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \quad \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & \quad -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{3,4}^7 & \rightarrow x_1 \\
\alpha_{2,6}^8 & \rightarrow x_2 \\
\alpha_{3,5}^8 & \rightarrow x_3 \\
\alpha_{3,6}^9 & \rightarrow x_4 \\
\alpha_{4,5}^9 & \rightarrow x_5 \\
\alpha_{2,8}^{10} & \rightarrow x_6 \\
\alpha_{2,5}^7 & \rightarrow x_7 \\
\alpha_{4,6}^{10} & \rightarrow x_8 \\
\alpha_{2,7}^9 & \rightarrow x_9 \\
\alpha_{3,7}^{10} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_7 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_2 - x_3 + x_7 & = 0 \\
(e_1, e_3, e_4) : & x_1 - x_3 & = 0 \\
(e_1, e_2, e_6) : & x_2 - x_4 - x_9 & = 0 \\
(e_1, e_3, e_5) : & x_3 - x_4 - x_5 & = 0 \\
(e_2, e_3, e_4) : & x_1 x_9 - x_4 + x_5 & = 0 \\
(e_1, e_2, e_7) : & -x_{10} - x_6 + x_9 & = 0 \\
(e_1, e_3, e_6) : & -x_{10} + x_4 - x_8 & = 0 \\
(e_1, e_4, e_5) : & x_5 - x_8 & = 0 \\
(e_2, e_3, e_5) : & -x_{10} x_7 + x_3 x_6 & = 0
\end{array}$$

Groebner basis (10 variables, 8 linear, 1 nonlinear)

$$\begin{aligned}
& 5x_1 + x_{10} + 2x_9 - 2 = 0 \\
& -2x_{10} + 5x_2 - 4x_9 - 1 = 0 \\
& x_{10} + 5x_3 + 2x_9 - 2 = 0 \\
& -2x_{10} + 5x_4 + x_9 - 1 = 0 \\
& 3x_{10} + 5x_5 + x_9 - 1 = 0 \\
& x_{10} + x_6 - x_9 = 0 \\
& -x_{10} + 5x_7 - 2x_9 - 3 = 0 \\
& 3x_{10} + 5x_8 + x_9 - 1 = 0 \\
& x_{10} x_9 + 5x_{10} + 2x_9^2 - 2x_9 = 0
\end{aligned}$$

$\mathfrak{m}_{1A}(3, 10)$

m1A310 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_7] = e_{10} & [e_3, e_6] = -e_{10} \\
[e_4, e_5] = e_{10} &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(3, 10)$

m3A310 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_5] = e_8 & [e_2, e_6] = 2e_9 \\
[e_2, e_7] = \alpha_{2,7}^{10} e_{10} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_4, e_5] = \alpha_{4,5}^{10} e_{10} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,7}^{10} \rightarrow x_1$$

$$\alpha_{4,5}^{10} \rightarrow x_2$$

$$\alpha_{3,6}^{10} \rightarrow x_3$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_3 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_3 - 1 & = 0
\end{array}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$x_1 + x_3 - 2 = 0$$

$$x_2 + x_3 + 1 = 0$$

$m_{5A}(3, 10)$

m5A310 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_3] = e_6 & [e_2, e_4] = e_7 \\
[e_2, e_5] = \alpha_{2,5}^8 e_8 & [e_2, e_6] = \alpha_{2,6}^9 e_9 \\
[e_2, e_7] = \alpha_{2,7}^{10} e_{10} & [e_3, e_4] = \alpha_{3,4}^8 e_8 \\
[e_3, e_5] = \alpha_{3,5}^9 e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_4, e_5] = \alpha_{4,5}^{10} e_{10} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,7}^{10} \rightarrow x_1$$

$$\alpha_{2,6}^9 \rightarrow x_2$$

$$\alpha_{4,5}^{10} \rightarrow x_3$$

$$\alpha_{3,6}^{10} \rightarrow x_4$$

$$\alpha_{3,4}^8 \rightarrow x_5$$

$$\alpha_{2,5}^8 \rightarrow x_6$$

$$\alpha_{3,5}^9 \rightarrow x_7$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_5 - x_6 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_2 + x_6 - x_7 & = 0 \\
(e_1, e_3, e_4) : & x_5 - x_7 & = 0 \\
(e_1, e_2, e_6) : & -x_1 + x_2 - x_4 & = 0 \\
(e_1, e_3, e_5) : & -x_3 - x_4 + x_7 & = 0
\end{array}$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_4 + 2x_7 - 1 = 0 \\
x_2 + 2x_7 - 1 = 0 \\
x_3 + x_4 - x_7 = 0 \\
x_5 - x_7 = 0 \\
x_6 + x_7 - 1 = 0
\end{array}$$

$\mathfrak{m}_{2A}(4, 10)$

m2A410 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_5] = e_9 & [e_2, e_6] = 2e_{10} \\
[e_3, e_4] = -e_9 & [e_3, e_5] = -e_{10}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(4, 10)$

m4A410 (this line included for string searching purposes)



Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_3] = e_7 & [e_2, e_4] = e_8 \\
[e_2, e_5] = \alpha_{2,5}^9 e_9 & [e_2, e_6] = \alpha_{2,6}^{10} e_{10} \\
[e_3, e_4] = \alpha_{3,4}^9 e_9 & [e_3, e_5] = \alpha_{3,5}^{10} e_{10}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,6}^{10} \rightarrow x_1 \\
\alpha_{2,5}^9 \rightarrow x_2 \\
\alpha_{3,5}^{10} \rightarrow x_3 \\
\alpha_{3,4}^9 \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_2 - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 + x_2 - x_3 & = 0 \\
(e_1, e_3, e_4) : & -x_3 + x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + 2x_4 - 1 = 0 \\
x_2 + x_4 - 1 = 0 \\
x_3 - x_4 = 0
\end{array}$$

$\mathfrak{m}_{1A}(5, 10)$

m1A510 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_2, e_5] = e_{10} & [e_3, e_4] = -e_{10} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(5, 10)$

m3A510 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_2, e_3] = e_8 & [e_2, e_4] = e_9 \\ [e_2, e_5] = \alpha_{2,5}^{10} e_{10} & [e_3, e_4] = \alpha_{3,4}^{10} e_{10} \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 \quad = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,5}^{10} \rightarrow x_1$$

$$\alpha_{3,4}^{10} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(6, 10)$

m2A610 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_2, e_3] = e_9 & [e_2, e_4] = e_{10} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(7, 10)$

m1A710 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_2, e_3] = e_{10} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(2, 11)$

m1A211 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_2, e_9] = e_{11} \\ [e_3, e_8] = -e_{11} & [e_4, e_7] = e_{11} \\ [e_5, e_6] = -e_{11} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(2, 11)$

m3A211 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_7] = e_9 \\
[e_2, e_8] = 3e_{10} & [e_2, e_9] = 0 \\
[e_3, e_6] = -e_9 & [e_3, e_7] = -2e_{10} \\
[e_3, e_8] = 3e_{11} & [e_4, e_5] = e_9 \\
[e_4, e_6] = e_{10} & [e_4, e_7] = -5e_{11} \\
[e_5, e_6] = 6e_{11} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_7] = e_9 \\
[e_2, e_8] = 3e_{10} & [e_2, e_9] = \alpha_{2,9}^{11}e_{11} \\
[e_3, e_6] = -e_9 & [e_3, e_7] = -2e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11}e_{11} & [e_4, e_5] = e_9 \\
[e_4, e_6] = e_{10} & [e_4, e_7] = \alpha_{4,7}^{11}e_{11} \\
[e_5, e_6] = \alpha_{5,6}^{11}e_{11} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{11} - \alpha_{3,8}^{11} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{11} - \alpha_{4,7}^{11} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{11} - \alpha_{5,6}^{11} + 1 & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,9}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} & = 0
\end{array}$$

Solution 1:

$$\begin{aligned}\alpha_{5,6}^{11} &= 6 \\ \alpha_{2,9}^{11} &= 0 \\ \alpha_{3,8}^{11} &= 3 \\ \alpha_{4,7}^{11} &= -5\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}\alpha_{5,6}^{11} &\rightarrow x_1 \\ \alpha_{2,9}^{11} &\rightarrow x_2 \\ \alpha_{3,8}^{11} &\rightarrow x_3 \\ \alpha_{4,7}^{11} &\rightarrow x_4\end{aligned}$$

Jacobi Tests

$$\begin{aligned}(e_1, e_2, e_8) : & \quad -x_2 - x_3 + 3 &= 0 \\ (e_1, e_3, e_7) : & \quad -x_3 - x_4 - 2 &= 0 \\ (e_1, e_4, e_6) : & \quad -x_1 - x_4 + 1 &= 0 \\ (e_2, e_3, e_6) : & \quad -x_2 &= 0 \\ (e_2, e_4, e_5) : & \quad x_2 &= 0\end{aligned}$$

Groebner basis (4 variables, 4 linear, 0 nonlinear)

$$\begin{aligned}x_1 - 6 &= 0 \\ x_2 &= 0 \\ x_3 - 3 &= 0 \\ x_4 + 5 &= 0\end{aligned}$$

Solution 1:

$$\begin{aligned}x_1 &= 6 \\ x_2 &= 0 \\ x_3 &= 3 \\ x_4 &= -5\end{aligned}$$

$\mathfrak{m}_{5A}(2, 11)$

m5A211 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_7 \\
[e_2, e_6] = 2e_8 & [e_2, e_7] = 0 \\
[e_2, e_8] = -5e_{10} & [e_2, e_9] = -\frac{5e_{11}}{2} \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = 2e_9 & [e_3, e_7] = 5e_{10} \\
[e_3, e_8] = -\frac{5e_{11}}{2} & [e_4, e_5] = -3e_9 \\
[e_4, e_6] = -3e_{10} & [e_4, e_7] = \frac{15e_{11}}{2} \\
[e_5, e_6] = -\frac{21e_{11}}{2} & 
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_7 \\
[e_2, e_6] = 2e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,9}^{11} \alpha_{3,6}^9 - 2\alpha_{3,8}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} \alpha_{4,5}^9 - \alpha_{4,7}^{11} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{4,7}^{11} &= 15/2 \\
\alpha_{3,6}^9 &= 2 \\
\alpha_{5,6}^{11} &= -21/2 \\
\alpha_{4,5}^9 &= -3 \\
\alpha_{2,8}^{10} &= -5 \\
\alpha_{4,6}^{10} &= -3 \\
\alpha_{2,7}^9 &= 0 \\
\alpha_{3,8}^{11} &= -5/2 \\
\alpha_{2,9}^{11} &= -5/2 \\
\alpha_{3,7}^{10} &= 5
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{4,7}^{11} &\rightarrow x_1 \\
\alpha_{3,6}^9 &\rightarrow x_2 \\
\alpha_{5,6}^{11} &\rightarrow x_3
\end{aligned}$$

$$\alpha_{4,5}^9 \rightarrow x_4$$

$$\alpha_{2,8}^{10} \rightarrow x_5$$

$$\alpha_{4,6}^{10} \rightarrow x_6$$

$$\alpha_{2,7}^9 \rightarrow x_7$$

$$\alpha_{3,8}^{11} \rightarrow x_8$$

$$\alpha_{2,9}^{11} \rightarrow x_9$$

$$\alpha_{3,7}^{10} \rightarrow x_{10}$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_2 - x_7 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_2 - x_4 - 1 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_7 \quad = 0$$

$$(e_1, e_2, e_7) : \quad -x_{10} - x_5 + x_7 \quad = 0$$

$$(e_1, e_3, e_6) : \quad -x_{10} + x_2 - x_6 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_4 - x_6 \quad = 0$$

$$(e_2, e_3, e_5) : \quad -x_{10} - x_5 \quad = 0$$

$$(e_1, e_2, e_8) : \quad x_5 - x_8 - x_9 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_1 + x_{10} - x_8 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_1 - x_3 + x_6 \quad = 0$$

$$(e_2, e_3, e_6) : \quad x_2 x_9 - 2x_8 \quad = 0$$

$$(e_2, e_4, e_5) : \quad -x_1 + x_4 x_9 \quad = 0$$

Groebner basis (10 variables, 10 linear, 0 nonlinear)

$$2x_1 - 15 = 0$$

$$x_2 - 2 = 0$$

$$2x_3 + 21 = 0$$

$$x_4 + 3 = 0$$

$$x_5 + 5 = 0$$

$$x_6 + 3 = 0$$

$$x_7 = 0$$

$$2x_8 + 5 = 0$$

$$2x_9 + 5 = 0$$



$$x_{10} - 5 = 0$$

Solution 1:

$$x_1 = 15/2$$

$$x_2 = 2$$

$$x_3 = -21/2$$

$$x_4 = -3$$

$$x_5 = -5$$

$$x_6 = -3$$

$$x_7 = 0$$

$$x_8 = -5/2$$

$$x_9 = -5/2$$

$$x_{10} = 5$$

$\mathfrak{m}_{7A}(2, 11)$

m7A211 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_2, e_4] = e_6$$

$$[e_2, e_6] = \alpha_{2,6}^8 e_8$$

$$[e_2, e_8] = \alpha_{2,8}^{10} e_{10}$$

$$[e_3, e_4] = \alpha_{3,4}^7 e_7$$

$$[e_3, e_6] = \alpha_{3,6}^9 e_9$$

$$[e_3, e_8] = \alpha_{3,8}^{11} e_{11}$$

$$[e_4, e_6] = \alpha_{4,6}^{10} e_{10}$$

$$[e_5, e_6] = \alpha_{5,6}^{11} e_{11}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_2, e_3] = e_5$$

$$[e_2, e_5] = \alpha_{2,5}^7 e_7$$

$$[e_2, e_7] = \alpha_{2,7}^9 e_9$$

$$[e_2, e_9] = \alpha_{2,9}^{11} e_{11}$$

$$[e_3, e_5] = \alpha_{3,5}^8 e_8$$

$$[e_3, e_7] = \alpha_{3,7}^{10} e_{10}$$

$$[e_4, e_5] = \alpha_{4,5}^9 e_9$$

$$[e_4, e_7] = \alpha_{4,7}^{11} e_{11}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,4}^7 \rightarrow x_1$$

$$\alpha_{2,6}^8 \rightarrow x_2$$

$$\alpha_{4,7}^{11} \rightarrow x_3$$

$$\alpha_{3,5}^8 \rightarrow x_4$$

$$\alpha_{3,6}^9 \rightarrow x_5$$

$$\alpha_{5,6}^{11} \rightarrow x_6$$

$$\alpha_{4,5}^9 \rightarrow x_7$$

$$\alpha_{2,8}^{10} \rightarrow x_8$$

$$\alpha_{2,5}^7 \rightarrow x_9$$

$$\alpha_{4,6}^{10} \rightarrow x_{10}$$

$$\alpha_{2,7}^9 \rightarrow x_{11}$$

$$\alpha_{3,8}^{11} \rightarrow x_{12}$$

$$\alpha_{2,9}^{11} \rightarrow x_{13}$$

$$\alpha_{3,7}^{10} \rightarrow x_{14}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_9 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_2 - x_4 + x_9 & = 0 \\
(e_1, e_3, e_4) : & x_1 - x_4 & = 0 \\
(e_1, e_2, e_6) : & -x_{11} + x_2 - x_5 & = 0 \\
(e_1, e_3, e_5) : & x_4 - x_5 - x_7 & = 0 \\
(e_2, e_3, e_4) : & x_1 x_{11} - x_5 + x_7 & = 0 \\
(e_1, e_2, e_7) : & x_{11} - x_{14} - x_8 & = 0 \\
(e_1, e_3, e_6) : & -x_{10} - x_{14} + x_5 & = 0 \\
(e_1, e_4, e_5) : & -x_{10} + x_7 & = 0 \\
(e_2, e_3, e_5) : & -x_{14} x_9 + x_4 x_8 & = 0 \\
(e_1, e_2, e_8) : & -x_{12} - x_{13} + x_8 & = 0 \\
(e_1, e_3, e_7) : & -x_{12} + x_{14} - x_3 & = 0 \\
(e_1, e_4, e_6) : & x_{10} - x_3 - x_6 & = 0 \\
(e_2, e_3, e_6) : & -x_{12} x_2 + x_{13} x_5 - x_6 & = 0 \\
(e_2, e_4, e_5) : & x_{13} x_7 - x_3 x_9 + x_6 & = 0
\end{array}$$

Groebner basis (14 variables, 11 linear, 4 nonlinear)

$$\begin{array}{l}
5x_1 + 2x_{12} + 2x_{13} + 3x_{14} - 2 = 0 \\
-4x_{12} - 4x_{13} - 6x_{14} + 5x_2 - 1 = 0 \\
x_{12} - x_{14} + x_3 = 0 \\
2x_{12} + 2x_{13} + 3x_{14} + 5x_4 - 2 = 0 \\
x_{12} + x_{13} - x_{14} + 5x_5 - 1 = 0 \\
-4x_{12} + x_{13} + 9x_{14} + 5x_6 - 1 = 0 \\
x_{12} + x_{13} + 4x_{14} + 5x_7 - 1 = 0 \\
-x_{12} - x_{13} + x_8 = 0 \\
-2x_{12} - 2x_{13} - 3x_{14} + 5x_9 - 3 = 0 \\
5x_{10} + x_{12} + x_{13} + 4x_{14} - 1 = 0 \\
x_{11} - x_{12} - x_{13} - x_{14} = 0
\end{array}$$

$$\begin{aligned}
&6x_{12}^2 - x_{12}x_{14} + 30x_{12} - 6x_{13}^2 - 29x_{13}x_{14} + 2x_{13} - 15x_{14}^2 - 51x_{14} + 4 = 0 \\
&3x_{12}x_{13} + 4x_{12}x_{14} - 9x_{12} + 3x_{13}^2 + 11x_{13}x_{14} - 2x_{13} + 6x_{14}^2 + 15x_{14} - 1 = 0 \\
&2x_{12}x_{14}^2 - 16x_{12}x_{14} - 12x_{12} + 4x_{13}x_{14}^2 + 2x_{13} + 3x_{14}^3 + 6x_{14}^2 + 22x_{14} - 2 = 0 \\
&2x_{13}^2x_{14}^2 + 16x_{13}^2x_{14} + 14x_{13}^2 + x_{13}x_{14}^3 + 54x_{13}x_{14}^2 + 58x_{13}x_{14} - 16x_{13} + 21x_{14}^3 + 116x_{14}^2 - 14x_{14} + 2 = 0
\end{aligned}$$

$\mathfrak{m}_{2A}(3, 11)$

m2A311 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_7] = e_{10} \\
[e_2, e_8] = 3e_{11} & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_4, e_5] = e_{10} \\
[e_4, e_6] = e_{11} &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(3, 11)$

m4A311 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \frac{5e_{10}}{3} \\
[e_2, e_8] = 0 & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \frac{e_{10}}{3} \\
[e_3, e_7] = \frac{5e_{11}}{3} & [e_4, e_5] = -\frac{4e_{10}}{3} \\
[e_4, e_6] = -\frac{4e_{11}}{3} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{3,7}^{11} = 5/3 \\
\alpha_{2,7}^{10} = 5/3 \\
\alpha_{4,6}^{11} = -4/3 \\
\alpha_{4,5}^{10} = -4/3 \\
\alpha_{3,6}^{10} = 1/3 \\
\alpha_{2,8}^{11} = 0
\end{array}$$

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{3,7}^{11} \rightarrow x_1 \\
\alpha_{2,7}^{10} \rightarrow x_2
\end{array}$$

$$\alpha_{4,6}^{11} \rightarrow x_3$$

$$\alpha_{4,5}^{10} \rightarrow x_4$$

$$\alpha_{3,6}^{10} \rightarrow x_5$$

$$\alpha_{2,8}^{11} \rightarrow x_6$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_2 - x_5 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_4 - x_5 - 1 \quad = 0$$

$$(e_1, e_2, e_7) : \quad -x_1 + x_2 - x_6 \quad = 0$$

$$(e_1, e_3, e_6) : \quad -x_1 - x_3 + x_5 \quad = 0$$

$$(e_1, e_4, e_5) : \quad -x_3 + x_4 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_6 \quad = 0$$

Groebner basis (6 variables, 6 linear, 0 nonlinear)

$$3x_1 - 5 = 0$$

$$3x_2 - 5 = 0$$

$$3x_3 + 4 = 0$$

$$3x_4 + 4 = 0$$

$$3x_5 - 1 = 0$$

$$x_6 = 0$$

Solution 1:

$$x_1 = 5/3$$

$$x_2 = 5/3$$

$$x_3 = -4/3$$

$$x_4 = -4/3$$

$$x_5 = 1/3$$

$$x_6 = 0$$

$\mathfrak{m}_{6A}(3, 11)$

m6A311 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\
[e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_3, e_4] = \alpha_{3,4}^8 e_8 \\
[e_3, e_5] = \alpha_{3,5}^9 e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,7}^{11} \rightarrow x_1$$

$$\alpha_{2,7}^{10} \rightarrow x_2$$

$$\alpha_{2,6}^9 \rightarrow x_3$$

$$\alpha_{4,6}^{11} \rightarrow x_4$$

$$\alpha_{4,5}^{10} \rightarrow x_5$$

$$\alpha_{3,6}^{10} \rightarrow x_6$$

$$\alpha_{3,4}^8 \rightarrow x_7$$

$$\alpha_{2,5}^8 \rightarrow x_8$$

$$\alpha_{2,8}^{11} \rightarrow x_9$$

$$\alpha_{3,5}^9 \rightarrow x_{10}$$

Jacobi Tests

$$\begin{array}{lll} (e_1, e_2, e_4) : & -x_7 - x_8 + 1 & = 0 \\ (e_1, e_2, e_5) : & -x_{10} - x_3 + x_8 & = 0 \\ (e_1, e_3, e_4) : & -x_{10} + x_7 & = 0 \\ (e_1, e_2, e_6) : & -x_2 + x_3 - x_6 & = 0 \\ (e_1, e_3, e_5) : & x_{10} - x_5 - x_6 & = 0 \\ (e_1, e_2, e_7) : & -x_1 + x_2 - x_9 & = 0 \\ (e_1, e_3, e_6) : & -x_1 - x_4 + x_6 & = 0 \\ (e_1, e_4, e_5) : & -x_4 + x_5 & = 0 \\ (e_2, e_3, e_4) : & -x_1 + x_4 + x_7 x_9 & = 0 \end{array}$$

Groebner basis (10 variables, 8 linear, 1 nonlinear)

$$3x_1 + 5x_{10} + 2x_9 - 2 = 0$$

$$5x_{10} + 3x_2 - x_9 - 2 = 0$$

$$2x_{10} + x_3 - 1 = 0$$

$$-4x_{10} + 3x_4 - x_9 + 1 = 0$$

$$-4x_{10} + 3x_5 - x_9 + 1 = 0$$

$$x_{10} + 3x_6 + x_9 - 1 = 0$$

$$-x_{10} + x_7 = 0$$

$$x_{10} + x_8 - 1 = 0$$

$$x_{10}x_9 + 3x_{10} + x_9 - 1 = 0$$



$\mathfrak{m}_{1A}(4, 11)$

m1A411 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_7] = e_{11} \\
[e_3, e_6] = -e_{11} & [e_4, e_5] = e_{11}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(4, 11)$

m3A411 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_9 \\
[e_2, e_6] = 2e_{10} & [e_2, e_7] = \alpha_{2,7}^{11} e_{11} \\
[e_3, e_4] = -e_9 & [e_3, e_5] = -e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11} e_{11} & [e_4, e_5] = \alpha_{4,5}^{11} e_{11}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,7}^{11} \rightarrow x_1 \\
\alpha_{4,5}^{11} \rightarrow x_2
\end{array}$$

$$\alpha_{3,6}^{11} \rightarrow x_3$$

Jacobi Tests

$$\begin{aligned} (e_1, e_2, e_6) : & -x_1 - x_3 + 2 & = 0 \\ (e_1, e_3, e_5) : & -x_2 - x_3 - 1 & = 0 \end{aligned}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$\begin{aligned} x_1 + x_3 - 2 &= 0 \\ x_2 + x_3 + 1 &= 0 \end{aligned}$$

$\mathfrak{m}_{5A}(4, 11)$

m5A411 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned} [e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\ [e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\ [e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\ [e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\ [e_1, e_{10}] &= e_{11} & [e_2, e_3] &= e_7 \\ [e_2, e_4] &= e_8 & [e_2, e_5] &= \alpha_{2,5}^9 e_9 \\ [e_2, e_6] &= \alpha_{2,6}^{10} e_{10} & [e_2, e_7] &= \alpha_{2,7}^{11} e_{11} \\ [e_3, e_4] &= \alpha_{3,4}^9 e_9 & [e_3, e_5] &= \alpha_{3,5}^{10} e_{10} \\ [e_3, e_6] &= \alpha_{3,6}^{11} e_{11} & [e_4, e_5] &= \alpha_{4,5}^{11} e_{11} \end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned} (e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\ (e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\ (e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\ (e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\ (e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,5}^{11} \rightarrow x_1$$

$$\alpha_{3,6}^{11} \rightarrow x_2$$

$$\alpha_{2,5}^9 \rightarrow x_3$$

$$\alpha_{3,5}^{10} \rightarrow x_4$$

$$\alpha_{2,7}^{11} \rightarrow x_5$$

$$\alpha_{3,4}^9 \rightarrow x_6$$

$$\alpha_{2,6}^{10} \rightarrow x_7$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_3 - x_6 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad x_3 - x_4 - x_7 \quad = 0$$

$$(e_1, e_3, e_4) : \quad -x_4 + x_6 \quad = 0$$

$$(e_1, e_2, e_6) : \quad -x_2 - x_5 + x_7 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 - x_2 + x_4 \quad = 0$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$2x_1 - 2x_5 + 3x_7 - 1 = 0$$

$$x_2 + x_5 - x_7 = 0$$

$$2x_3 - x_7 - 1 = 0$$

$$2x_4 + x_7 - 1 = 0$$

$$2x_6 + x_7 - 1 = 0$$

$\mathfrak{m}_{2A}(5, 11)$

m2A511 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_2, e_5] = e_{10}$$

$$[e_2, e_6] = 2e_{11}$$

$$[e_3, e_4] = -e_{10}$$

$$[e_3, e_5] = -e_{11}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(5, 11)$

m4A511 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_5] = \alpha_{2,5}^{10} e_{10} \\
[e_2, e_6] = \alpha_{2,6}^{11} e_{11} & [e_3, e_4] = \alpha_{3,4}^{10} e_{10} \\
[e_3, e_5] = \alpha_{3,5}^{11} e_{11} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{3,5}^{11} \rightarrow x_1 \\
\alpha_{2,5}^{10} \rightarrow x_2 \\
\alpha_{3,4}^{10} \rightarrow x_3 \\
\alpha_{2,6}^{11} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_2 - x_3 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 + x_2 - x_4 & = 0 \\
(e_1, e_3, e_4) : & -x_1 + x_3 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
2x_1 + x_4 - 1 = 0 \\
2x_2 - x_4 - 1 = 0 \\
2x_3 + x_4 - 1 = 0
\end{array}$$

$\mathfrak{m}_{1A}(6, 11)$

m1A611 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_2, e_5] = e_{11} \\ [e_3, e_4] = -e_{11} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(6, 11)$

m3A611 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_2, e_3] = e_9 \\ [e_2, e_4] = e_{10} & [e_2, e_5] = \alpha_{2,5}^{11} e_{11} \\ [e_3, e_4] = \alpha_{3,4}^{11} e_{11} & \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 \quad = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,5}^{11} \rightarrow x_1$$

$$\alpha_{3,4}^{11} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(7, 11)$

m2A711 (this line included for string searching purposes)

Original brackets:

|                          |                       |
|--------------------------|-----------------------|
| $[e_1, e_2] = e_3$       | $[e_1, e_3] = e_4$    |
| $[e_1, e_4] = e_5$       | $[e_1, e_5] = e_6$    |
| $[e_1, e_6] = e_7$       | $[e_1, e_7] = e_8$    |
| $[e_1, e_8] = e_9$       | $[e_1, e_9] = e_{10}$ |
| $[e_1, e_{10}] = e_{11}$ | $[e_2, e_3] = e_{10}$ |
| $[e_2, e_4] = e_{11}$    |                       |

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(8, 11)$

m1A811 (this line included for string searching purposes)

Original brackets:

|                          |                       |
|--------------------------|-----------------------|
| $[e_1, e_2] = e_3$       | $[e_1, e_3] = e_4$    |
| $[e_1, e_4] = e_5$       | $[e_1, e_5] = e_6$    |
| $[e_1, e_6] = e_7$       | $[e_1, e_7] = e_8$    |
| $[e_1, e_8] = e_9$       | $[e_1, e_9] = e_{10}$ |
| $[e_1, e_{10}] = e_{11}$ | $[e_2, e_3] = e_{11}$ |

No non-trivial Jacobi tests

$\mathfrak{m}_{2A}(2, 12)$

m2A212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_9] = e_{11} & [e_2, e_{10}] = 4e_{12} \\
[e_3, e_8] = -e_{11} & [e_3, e_9] = -3e_{12} \\
[e_4, e_7] = e_{11} & [e_4, e_8] = 2e_{12} \\
[e_5, e_6] = -e_{11} & [e_5, e_7] = -e_{12}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(2, 12)$

m4A212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_7] = e_9 & [e_2, e_8] = 3e_{10} \\
[e_2, e_9] = \alpha_{2,9}^{11} e_{11} & [e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} \\
[e_3, e_6] = -e_9 & [e_3, e_7] = -2e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_3, e_9] = \alpha_{3,9}^{12} e_{12} \\
[e_4, e_5] = e_9 & [e_4, e_6] = e_{10} \\
[e_4, e_7] = \alpha_{4,7}^{11} e_{11} & [e_4, e_8] = \alpha_{4,8}^{12} e_{12} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & [e_5, e_7] = \alpha_{5,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{11} - \alpha_{3,8}^{11} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{11} - \alpha_{4,7}^{11} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{11} - \alpha_{5,6}^{11} + 1 & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,9}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & -2\alpha_{2,10}^{12} - \alpha_{3,9}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,9}^{12} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{5,7}^{12} & \rightarrow x_1 \\
\alpha_{4,7}^{11} & \rightarrow x_2 \\
\alpha_{3,9}^{12} & \rightarrow x_3 \\
\alpha_{5,6}^{11} & \rightarrow x_4 \\
\alpha_{2,9}^{11} & \rightarrow x_5 \\
\alpha_{2,10}^{12} & \rightarrow x_6 \\
\alpha_{4,8}^{12} & \rightarrow x_7 \\
\alpha_{3,8}^{11} & \rightarrow x_8
\end{aligned}$$

Jacobi Tests



$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_5 - x_8 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_2 - x_8 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_2 - x_4 + 1 & = 0 \\
(e_2, e_3, e_6) : & -x_5 & = 0 \\
(e_2, e_4, e_5) : & x_5 & = 0 \\
(e_1, e_2, e_9) : & -x_3 + x_5 - x_6 & = 0 \\
(e_1, e_3, e_8) : & -x_3 - x_7 + x_8 & = 0 \\
(e_1, e_4, e_7) : & -x_1 + x_2 - x_7 & = 0 \\
(e_1, e_5, e_6) : & -x_1 + x_4 & = 0 \\
(e_2, e_3, e_7) : & -x_3 - 2x_6 & = 0 \\
(e_2, e_4, e_6) : & x_6 & = 0 \\
(e_3, e_4, e_5) : & x_3 & = 0
\end{array}$$

Groebner basis (8 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{6A}(2, 12)$

m6A212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_5] = e_7 & [e_2, e_6] = 2e_8 \\
[e_2, e_7] = \alpha_{2,7}^9 e_9 & [e_2, e_8] = \alpha_{2,8}^{10} e_{10} \\
[e_2, e_9] = \alpha_{2,9}^{11} e_{11} & [e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_3, e_9] = \alpha_{3,9}^{12} e_{12} \\
[e_4, e_5] = \alpha_{4,5}^9 e_9 & [e_4, e_6] = \alpha_{4,6}^{10} e_{10} \\
[e_4, e_7] = \alpha_{4,7}^{11} e_{11} & [e_4, e_8] = \alpha_{4,8}^{12} e_{12} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & [e_5, e_7] = \alpha_{5,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,9}^{11} \alpha_{3,6}^9 - 2\alpha_{3,8}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} \alpha_{4,5}^9 - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - 2\alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,9}^{12} \alpha_{4,5}^9 + \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{5,7}^{12} \rightarrow x_1$$

$$\alpha_{4,7}^{11} \rightarrow x_2$$

$$\alpha_{3,9}^{12} \rightarrow x_3$$

$$\alpha_{3,6}^9 \rightarrow x_4$$

$$\alpha_{5,6}^{11} \rightarrow x_5$$

$$\alpha_{4,5}^9 \rightarrow x_6$$

$$\alpha_{2,8}^{10} \rightarrow x_7$$

$$\alpha_{4,6}^{10} \rightarrow x_8$$

$$\alpha_{2,7}^9 \rightarrow x_9$$

$$\alpha_{3,8}^{11} \rightarrow x_{10}$$

$$\alpha_{2,9}^{11} \rightarrow x_{11}$$

$$\alpha_{2,10}^{12} \rightarrow x_{12}$$

$$\alpha_{4,8}^{12} \rightarrow x_{13}$$

$$\alpha_{3,7}^{10} \rightarrow x_{14}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_4 - x_9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_4 - x_6 - 1 & = 0 \\
(e_2, e_3, e_4) : & -x_9 & = 0 \\
(e_1, e_2, e_7) : & -x_{14} - x_7 + x_9 & = 0 \\
(e_1, e_3, e_6) : & -x_{14} + x_4 - x_8 & = 0 \\
(e_1, e_4, e_5) : & x_6 - x_8 & = 0 \\
(e_2, e_3, e_5) : & -x_{14} - x_7 & = 0 \\
(e_1, e_2, e_8) : & -x_{10} - x_{11} + x_7 & = 0 \\
(e_1, e_3, e_7) : & -x_{10} + x_{14} - x_2 & = 0 \\
(e_1, e_4, e_6) : & -x_2 - x_5 + x_8 & = 0 \\
(e_2, e_3, e_6) : & -2x_{10} + x_{11}x_4 & = 0 \\
(e_2, e_4, e_5) : & x_{11}x_6 - x_2 & = 0 \\
(e_1, e_2, e_9) : & x_{11} - x_{12} - x_3 & = 0 \\
(e_1, e_3, e_8) : & x_{10} - x_{13} - x_3 & = 0 \\
(e_1, e_4, e_7) : & -x_1 - x_{13} + x_2 & = 0 \\
(e_1, e_5, e_6) : & -x_1 + x_5 & = 0 \\
(e_2, e_3, e_7) : & x_{12}x_{14} - x_3x_9 & = 0 \\
(e_2, e_4, e_6) : & x_{12}x_8 - 2x_{13} & = 0 \\
(e_3, e_4, e_5) : & -x_1 + x_{13} + x_3x_6 & = 0
\end{array}$$

Groebner basis (14 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{8A}(2, 12)$

m8A212 (this line included for string searching purposes)

Solution 1

|                          |                          |
|--------------------------|--------------------------|
| $[e_1, e_2] = e_3$       | $[e_1, e_3] = e_4$       |
| $[e_1, e_4] = e_5$       | $[e_1, e_5] = e_6$       |
| $[e_1, e_6] = e_7$       | $[e_1, e_7] = e_8$       |
| $[e_1, e_8] = e_9$       | $[e_1, e_9] = e_{10}$    |
| $[e_1, e_{10}] = e_{11}$ | $[e_1, e_{11}] = e_{12}$ |
| $[e_2, e_3] = e_5$       | $[e_2, e_4] = e_6$       |
| $[e_2, e_5] = e_7$       | $[e_2, e_6] = e_8$       |
| $[e_2, e_7] = e_9$       | $[e_2, e_8] = e_{10}$    |
| $[e_2, e_9] = e_{11}$    | $[e_2, e_{10}] = e_{12}$ |
| $[e_3, e_4] = 0$         | $[e_3, e_5] = 0$         |
| $[e_3, e_6] = 0$         | $[e_3, e_7] = 0$         |
| $[e_3, e_8] = 0$         | $[e_3, e_9] = 0$         |
| $[e_4, e_5] = 0$         | $[e_4, e_6] = 0$         |
| $[e_4, e_7] = 0$         | $[e_4, e_8] = 0$         |
| $[e_5, e_6] = 0$         | $[e_5, e_7] = 0$         |

Solution 2

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_5 & [e_2, e_4] = e_6 \\
[e_2, e_5] = \frac{9e_7}{10} & [e_2, e_6] = \frac{4e_8}{5} \\
[e_2, e_7] = \frac{5e_9}{7} & [e_2, e_8] = \frac{9e_{10}}{14} \\
[e_2, e_9] = \frac{7e_{11}}{12} & [e_2, e_{10}] = \frac{8e_{12}}{15} \\
[e_3, e_4] = \frac{e_7}{10} & [e_3, e_5] = \frac{e_8}{10} \\
[e_3, e_6] = \frac{3e_9}{35} & [e_3, e_7] = \frac{e_{10}}{14} \\
[e_3, e_8] = \frac{5e_{11}}{84} & [e_3, e_9] = \frac{e_{12}}{20} \\
[e_4, e_5] = \frac{e_9}{70} & [e_4, e_6] = \frac{e_{10}}{70} \\
[e_4, e_7] = \frac{e_{11}}{84} & [e_4, e_8] = \frac{e_{12}}{105} \\
[e_5, e_6] = \frac{e_{11}}{420} & [e_5, e_7] = \frac{e_{12}}{420}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_5 & [e_2, e_4] = e_6 \\
[e_2, e_5] = \alpha_{2,5}^7 e_7 & [e_2, e_6] = \alpha_{2,6}^8 e_8 \\
[e_2, e_7] = \alpha_{2,7}^9 e_9 & [e_2, e_8] = \alpha_{2,8}^{10} e_{10} \\
[e_2, e_9] = \alpha_{2,9}^{11} e_{11} & [e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} \\
[e_3, e_4] = \alpha_{3,4}^7 e_7 & [e_3, e_5] = \alpha_{3,5}^8 e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_3, e_9] = \alpha_{3,9}^{12} e_{12} \\
[e_4, e_5] = \alpha_{4,5}^9 e_9 & [e_4, e_6] = \alpha_{4,6}^{10} e_{10} \\
[e_4, e_7] = \alpha_{4,7}^{11} e_{11} & [e_4, e_8] = \alpha_{4,8}^{12} e_{12} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & [e_5, e_7] = \alpha_{5,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - \alpha_{2,6}^8 \alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,4}^7 \alpha_{5,7}^{12} - \alpha_{3,5}^8 \alpha_{4,8}^{12} + \alpha_{3,9}^{12} \alpha_{4,5}^9 & = 0
\end{aligned}$$

Solution 1:



$$\begin{aligned}
\alpha_{3,4}^7 &= 0 \\
\alpha_{2,6}^8 &= 1 \\
\alpha_{4,7}^{11} &= 0 \\
\alpha_{3,5}^8 &= 0 \\
\alpha_{5,7}^{12} &= 0 \\
\alpha_{3,9}^{12} &= 0 \\
\alpha_{3,6}^9 &= 0 \\
\alpha_{5,6}^{11} &= 0 \\
\alpha_{4,5}^9 &= 0 \\
\alpha_{2,8}^{10} &= 1 \\
\alpha_{2,5}^7 &= 1 \\
\alpha_{4,6}^{10} &= 0 \\
\alpha_{2,7}^9 &= 1 \\
\alpha_{3,8}^{11} &= 0 \\
\alpha_{2,9}^{11} &= 1 \\
\alpha_{2,10}^{12} &= 1 \\
\alpha_{4,8}^{12} &= 0 \\
\alpha_{3,7}^{10} &= 0
\end{aligned}$$

Solution 2:

$$\begin{aligned}
\alpha_{3,4}^7 &= 1/10 \\
\alpha_{2,6}^8 &= 4/5 \\
\alpha_{4,7}^{11} &= 1/84 \\
\alpha_{3,5}^8 &= 1/10 \\
\alpha_{5,7}^{12} &= 1/420 \\
\alpha_{3,9}^{12} &= 1/20 \\
\alpha_{3,6}^9 &= 3/35 \\
\alpha_{5,6}^{11} &= 1/420 \\
\alpha_{4,5}^9 &= 1/70 \\
\alpha_{2,8}^{10} &= 9/14 \\
\alpha_{2,5}^7 &= 9/10 \\
\alpha_{4,6}^{10} &= 1/70 \\
\alpha_{2,7}^9 &= 5/7 \\
\alpha_{3,8}^{11} &= 5/84 \\
\alpha_{2,9}^{11} &= 7/12 \\
\alpha_{2,10}^{12} &= 8/15 \\
\alpha_{4,8}^{12} &= 1/105 \\
\alpha_{3,7}^{10} &= 1/14
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{3,4}^7 &\rightarrow x_1 \\
\alpha_{2,6}^8 &\rightarrow x_2 \\
\alpha_{4,7}^{11} &\rightarrow x_3 \\
\alpha_{3,5}^8 &\rightarrow x_4 \\
\alpha_{5,7}^{12} &\rightarrow x_5 \\
\alpha_{3,9}^{12} &\rightarrow x_6 \\
\alpha_{3,6}^9 &\rightarrow x_7 \\
\alpha_{5,6}^{11} &\rightarrow x_8 \\
\alpha_{4,5}^9 &\rightarrow x_9
\end{aligned}$$

$$\alpha_{2,8}^{10} \rightarrow x_{10}$$

$$\alpha_{2,5}^7 \rightarrow x_{11}$$

$$\alpha_{4,6}^{10} \rightarrow x_{12}$$

$$\alpha_{2,7}^9 \rightarrow x_{13}$$

$$\alpha_{3,8}^{11} \rightarrow x_{14}$$

$$\alpha_{2,9}^{11} \rightarrow x_{15}$$

$$\alpha_{2,10}^{12} \rightarrow x_{16}$$

$$\alpha_{4,8}^{12} \rightarrow x_{17}$$

$$\alpha_{3,7}^{10} \rightarrow x_{18}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_{11} + 1 & = 0 \\
(e_1, e_2, e_5) : & x_{11} - x_2 - x_4 & = 0 \\
(e_1, e_3, e_4) : & x_1 - x_4 & = 0 \\
(e_1, e_2, e_6) : & -x_{13} + x_2 - x_7 & = 0 \\
(e_1, e_3, e_5) : & x_4 - x_7 - x_9 & = 0 \\
(e_2, e_3, e_4) : & x_1 x_{13} - x_7 + x_9 & = 0 \\
(e_1, e_2, e_7) : & -x_{10} + x_{13} - x_{18} & = 0 \\
(e_1, e_3, e_6) : & -x_{12} - x_{18} + x_7 & = 0 \\
(e_1, e_4, e_5) : & -x_{12} + x_9 & = 0 \\
(e_2, e_3, e_5) : & x_{10} x_4 - x_{11} x_{18} & = 0 \\
(e_1, e_2, e_8) : & x_{10} - x_{14} - x_{15} & = 0 \\
(e_1, e_3, e_7) : & -x_{14} + x_{18} - x_3 & = 0 \\
(e_1, e_4, e_6) : & x_{12} - x_3 - x_8 & = 0 \\
(e_2, e_3, e_6) : & -x_{14} x_2 + x_{15} x_7 - x_8 & = 0 \\
(e_2, e_4, e_5) : & -x_{11} x_3 + x_{15} x_9 + x_8 & = 0 \\
(e_1, e_2, e_9) : & x_{15} - x_{16} - x_6 & = 0 \\
(e_1, e_3, e_8) : & x_{14} - x_{17} - x_6 & = 0 \\
(e_1, e_4, e_7) : & -x_{17} + x_3 - x_5 & = 0 \\
(e_1, e_5, e_6) : & -x_5 + x_8 & = 0 \\
(e_2, e_3, e_7) : & -x_{13} x_6 + x_{16} x_{18} - x_5 & = 0 \\
(e_2, e_4, e_6) : & x_{12} x_{16} - x_{17} x_2 & = 0 \\
(e_3, e_4, e_5) : & x_1 x_5 - x_{17} x_4 + x_6 x_9 & = 0
\end{array}$$

Groebner basis (18 variables, 0 linear, 18 nonlinear)

$$\begin{aligned}
&20x_1 - 46298x_{18}^5 - 2265x_{18}^4 - 330x_{18}^3 - 60x_{18}^2 - 20x_{18} = 0 \\
&46298x_{18}^5 + 2265x_{18}^4 + 330x_{18}^3 + 60x_{18}^2 + 20x_{18} + 10x_2 - 10 = 0 \\
&-17962x_{18}^5 - 873x_{18}^4 - 126x_{18}^3 - 36x_{18}^2 + 24x_3 = 0 \\
&-46298x_{18}^5 - 2265x_{18}^4 - 330x_{18}^3 - 60x_{18}^2 - 20x_{18} + 20x_4 = 0 \\
&-24542x_{18}^5 - 1215x_{18}^4 - 180x_{18}^3 + 60x_5 = 0 \\
&10878x_{18}^5 + 525x_{18}^4 + 75x_{18}^3 + 30x_{18}^2 - 10x_{18} + 10x_6 = 0 \\
&-46298x_{18}^5 - 2265x_{18}^4 - 330x_{18}^3 - 60x_{18}^2 - 40x_{18} + 40x_7 = 0 \\
&-24542x_{18}^5 - 1215x_{18}^4 - 180x_{18}^3 + 60x_8 = 0 \\
&-46298x_{18}^5 - 2265x_{18}^4 - 330x_{18}^3 - 60x_{18}^2 + 40x_9 = 0 \\
&8x_{10} + 46298x_{18}^5 + 2265x_{18}^4 + 330x_{18}^3 + 60x_{18}^2 + 32x_{18} - 8 = 0 \\
&20x_{11} + 46298x_{18}^5 + 2265x_{18}^4 + 330x_{18}^3 + 60x_{18}^2 + 20x_{18} - 20 = 0 \\
&40x_{12} - 46298x_{18}^5 - 2265x_{18}^4 - 330x_{18}^3 - 60x_{18}^2 = 0 \\
&8x_{13} + 46298x_{18}^5 + 2265x_{18}^4 + 330x_{18}^3 + 60x_{18}^2 + 24x_{18} - 8 = 0 \\
&24x_{14} + 17962x_{18}^5 + 873x_{18}^4 + 126x_{18}^3 + 36x_{18}^2 - 24x_{18} = 0 \\
&12x_{15} + 60466x_{18}^5 + 2961x_{18}^4 + 432x_{18}^3 + 72x_{18}^2 + 60x_{18} - 12 = 0 \\
&60x_{16} + 237062x_{18}^5 + 11655x_{18}^4 + 1710x_{18}^3 + 180x_{18}^2 + 360x_{18} - 60 = 0 \\
&120x_{17} - 40726x_{18}^5 - 1935x_{18}^4 - 270x_{18}^3 - 180x_{18}^2 = 0 \\
&14x_{18}^6 - x_{18}^5 = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
x_1 &= 0 \\
x_2 &= 1 \\
x_3 &= 0 \\
x_4 &= 0 \\
x_5 &= 0 \\
x_6 &= 0 \\
x_7 &= 0 \\
x_8 &= 0 \\
x_9 &= 0 \\
x_{10} &= 1 \\
x_{11} &= 1
\end{aligned}$$

$$x_1 2 = 0$$

$$x_1 3 = 1$$

$$x_1 4 = 0$$

$$x_1 5 = 1$$

$$x_1 6 = 1$$

$$x_1 7 = 0$$

$$x_1 8 = 0$$

Solution 2:

$$x_1 = 1/10$$

$$x_2 = 4/5$$

$$x_3 = 1/84$$

$$x_4 = 1/10$$

$$x_5 = 1/420$$

$$x_6 = 1/20$$

$$x_7 = 3/35$$

$$x_8 = 1/420$$

$$x_9 = 1/70$$

$$x_{10} = 9/14$$

$$x_{11} = 9/10$$

$$x_{12} = 1/70$$

$$x_{13} = 5/7$$

$$x_{14} = 5/84$$

$$x_{15} = 7/12$$

$$x_{16} = 8/15$$

$$x_{17} = 1/105$$

$$x_{18} = 1/14$$

$\mathfrak{m}_{1A}(3, 12)$

m1A312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_9] = e_{12} & [e_3, e_8] = -e_{12} \\
[e_4, e_7] = e_{12} & [e_5, e_6] = -e_{12}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(3, 12)$

m3A312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_7] = e_{10} & [e_2, e_8] = 3e_{11} \\
[e_2, e_9] = \alpha_{2,9}^{12} e_{12} & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_4, e_5] = e_{10} & [e_4, e_6] = e_{11} \\
[e_4, e_7] = \alpha_{4,7}^{12} e_{12} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{12} - \alpha_{4,7}^{12} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{12} - \alpha_{5,6}^{12} + 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{5,6}^{12} \rightarrow x_1$$

$$\alpha_{3,8}^{12} \rightarrow x_2$$

$$\alpha_{4,7}^{12} \rightarrow x_3$$

$$\alpha_{2,9}^{12} \rightarrow x_4$$

Jacobi Tests

$$(e_1, e_2, e_8) : \quad -x_2 - x_4 + 3 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_2 - x_3 - 2 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_1 - x_3 + 1 \quad = 0$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 + x_4 - 6 = 0$$

$$x_2 + x_4 - 3 = 0$$

$$x_3 - x_4 + 5 = 0$$

$\mathfrak{m}_{5A}(3, 12)$

m5A312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_2, e_5] = e_8 & [e_2, e_6] = 2e_9 \\ [e_2, e_7] = \alpha_{2,7}^{10} e_{10} & [e_2, e_8] = \alpha_{2,8}^{11} e_{11} \\ [e_2, e_9] = \alpha_{2,9}^{12} e_{12} & [e_3, e_4] = -e_8 \\ [e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\ [e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\ [e_4, e_5] = \alpha_{4,5}^{10} e_{10} & [e_4, e_6] = \alpha_{4,6}^{11} e_{11} \\ [e_4, e_7] = \alpha_{4,7}^{12} e_{12} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12} \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{3,7}^{11} & \rightarrow x_1 \\
\alpha_{2,7}^{10} & \rightarrow x_2 \\
\alpha_{4,6}^{11} & \rightarrow x_3 \\
\alpha_{3,8}^{12} & \rightarrow x_4 \\
\alpha_{4,5}^{10} & \rightarrow x_5 \\
\alpha_{4,7}^{12} & \rightarrow x_6 \\
\alpha_{5,6}^{12} & \rightarrow x_7 \\
\alpha_{3,6}^{10} & \rightarrow x_8 \\
\alpha_{2,9}^{12} & \rightarrow x_9 \\
\alpha_{2,8}^{11} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests



$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_2 - x_8 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_5 - x_8 - 1 & = 0 \\
(e_1, e_2, e_7) : & -x_1 - x_{10} + x_2 & = 0 \\
(e_1, e_3, e_6) : & -x_1 - x_3 + x_8 & = 0 \\
(e_1, e_4, e_5) : & -x_3 + x_5 & = 0 \\
(e_2, e_3, e_4) : & -x_{10} & = 0 \\
(e_1, e_2, e_8) : & x_{10} - x_4 - x_9 & = 0 \\
(e_1, e_3, e_7) : & x_1 - x_4 - x_6 & = 0 \\
(e_1, e_4, e_6) : & x_3 - x_6 - x_7 & = 0 \\
(e_2, e_3, e_5) : & -x_4 - x_9 & = 0
\end{array}$$

Groebner basis (10 variables, 9 linear, 0 nonlinear)

$$\begin{array}{l}
3x_1 - 5 = 0 \\
3x_2 - 5 = 0 \\
3x_3 + 4 = 0 \\
x_4 + x_9 = 0 \\
3x_5 + 4 = 0 \\
3x_6 - 3x_9 - 5 = 0 \\
x_7 + x_9 + 3 = 0 \\
3x_8 - 1 = 0 \\
x_{10} = 0
\end{array}$$

$\mathfrak{m}_{7A}(3, 12)$

m7A312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_6 & [e_2, e_4] = e_7 \\
[e_2, e_5] = \alpha_{2,5}^8 e_8 & [e_2, e_6] = \alpha_{2,6}^9 e_9 \\
[e_2, e_7] = \alpha_{2,7}^{10} e_{10} & [e_2, e_8] = \alpha_{2,8}^{11} e_{11} \\
[e_2, e_9] = \alpha_{2,9}^{12} e_{12} & [e_3, e_4] = \alpha_{3,4}^8 e_8 \\
[e_3, e_5] = \alpha_{3,5}^9 e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_4, e_5] = \alpha_{4,5}^{10} e_{10} & [e_4, e_6] = \alpha_{4,6}^{11} e_{11} \\
[e_4, e_7] = \alpha_{4,7}^{12} e_{12} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{ll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{12} + \alpha_{2,9}^{12} \alpha_{3,5}^9 + \alpha_{5,6}^{12} = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,7}^{11} \rightarrow x_1$$

$$\begin{aligned}
\alpha_{2,7}^{10} &\rightarrow x_2 \\
\alpha_{2,6}^9 &\rightarrow x_3 \\
\alpha_{2,9}^{12} &\rightarrow x_4 \\
\alpha_{4,6}^{11} &\rightarrow x_5 \\
\alpha_{3,8}^{12} &\rightarrow x_6 \\
\alpha_{4,5}^{10} &\rightarrow x_7 \\
\alpha_{4,7}^{12} &\rightarrow x_8 \\
\alpha_{5,6}^{12} &\rightarrow x_9 \\
\alpha_{3,6}^{10} &\rightarrow x_{10} \\
\alpha_{3,4}^8 &\rightarrow x_{11} \\
\alpha_{2,5}^8 &\rightarrow x_{12} \\
\alpha_{2,8}^{11} &\rightarrow x_{13} \\
\alpha_{3,5}^9 &\rightarrow x_{14}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -x_{11} - x_{12} + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad x_{12} - x_{14} - x_3 & = 0 \\
(e_1, e_3, e_4) : & \quad x_{11} - x_{14} & = 0 \\
(e_1, e_2, e_6) : & \quad -x_{10} - x_2 + x_3 & = 0 \\
(e_1, e_3, e_5) : & \quad -x_{10} + x_{14} - x_7 & = 0 \\
(e_1, e_2, e_7) : & \quad -x_1 - x_{13} + x_2 & = 0 \\
(e_1, e_3, e_6) : & \quad -x_1 + x_{10} - x_5 & = 0 \\
(e_1, e_4, e_5) : & \quad -x_5 + x_7 & = 0 \\
(e_2, e_3, e_4) : & \quad -x_1 + x_{11}x_{13} + x_5 & = 0 \\
(e_1, e_2, e_8) : & \quad x_{13} - x_4 - x_6 & = 0 \\
(e_1, e_3, e_7) : & \quad x_1 - x_6 - x_8 & = 0 \\
(e_1, e_4, e_6) : & \quad x_5 - x_8 - x_9 & = 0 \\
(e_2, e_3, e_5) : & \quad -x_{12}x_6 + x_{14}x_4 + x_9 & = 0
\end{aligned}$$

Groebner basis (14 variables, 11 linear, 1 nonlinear)

$$\begin{aligned}
3x_1 + 2x_{13} + 5x_{14} - 2 &= 0 \\
-x_{13} + 5x_{14} + 3x_2 - 2 &= 0
\end{aligned}$$

$$\begin{aligned}
2x_{14} + x_3 - 1 &= 0 \\
-2x_{13} - 3x_{14} + x_4 + x_9 + 1 &= 0 \\
-x_{13} - 4x_{14} + 3x_5 + 1 &= 0 \\
x_{13} + 3x_{14} + x_6 - x_9 - 1 &= 0 \\
-x_{13} - 4x_{14} + 3x_7 + 1 &= 0 \\
-x_{13} - 4x_{14} + 3x_8 + 3x_9 + 1 &= 0 \\
3x_{10} + x_{13} + x_{14} - 1 &= 0 \\
x_{11} - x_{14} &= 0 \\
x_{12} + x_{14} - 1 &= 0 \\
x_{13}x_{14} + x_{13} + 3x_{14} - 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{2A}(4, 12)$

m2A412 (this line included for string searching purposes)

Original brackets:

|                          |                          |
|--------------------------|--------------------------|
| $[e_1, e_2] = e_3$       | $[e_1, e_3] = e_4$       |
| $[e_1, e_4] = e_5$       | $[e_1, e_5] = e_6$       |
| $[e_1, e_6] = e_7$       | $[e_1, e_7] = e_8$       |
| $[e_1, e_8] = e_9$       | $[e_1, e_9] = e_{10}$    |
| $[e_1, e_{10}] = e_{11}$ | $[e_1, e_{11}] = e_{12}$ |
| $[e_2, e_7] = e_{11}$    | $[e_2, e_8] = 3e_{12}$   |
| $[e_3, e_6] = -e_{11}$   | $[e_3, e_7] = -2e_{12}$  |
| $[e_4, e_5] = e_{11}$    | $[e_4, e_6] = e_{12}$    |

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(4, 12)$

m4A412 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_5] = e_9 & [e_2, e_6] = 2e_{10} \\
[e_2, e_7] = \alpha_{2,7}^{11} e_{11} & [e_2, e_8] = \alpha_{2,8}^{12} e_{12} \\
[e_3, e_4] = -e_9 & [e_3, e_5] = -e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11} e_{11} & [e_3, e_7] = \alpha_{3,7}^{12} e_{12} \\
[e_4, e_5] = \alpha_{4,5}^{11} e_{11} & [e_4, e_6] = \alpha_{4,6}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,5}^{11} \rightarrow x_1$$

$$\alpha_{2,8}^{12} \rightarrow x_2$$

$$\alpha_{3,6}^{11} \rightarrow x_3$$

$$\alpha_{2,7}^{11} \rightarrow x_4$$

$$\alpha_{3,7}^{12} \rightarrow x_5$$

$$\alpha_{4,6}^{12} \rightarrow x_6$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_3 - x_4 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_3 - 1 & = 0 \\
(e_1, e_2, e_7) : & -x_2 + x_4 - x_5 & = 0 \\
(e_1, e_3, e_6) : & x_3 - x_5 - x_6 & = 0 \\
(e_1, e_4, e_5) : & x_1 - x_6 & = 0
\end{array}$$

Groebner basis (6 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - x_6 = 0 \\
x_2 - 3x_6 - 4 = 0 \\
x_3 + x_6 + 1 = 0 \\
x_4 - x_6 - 3 = 0 \\
x_5 + 2x_6 + 1 = 0
\end{array}$$

$\mathfrak{m}_{6A}(4, 12)$

m6A412 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_7 & [e_2, e_4] = e_8 \\
[e_2, e_5] = \alpha_{2,5}^9 e_9 & [e_2, e_6] = \alpha_{2,6}^{10} e_{10} \\
[e_2, e_7] = \alpha_{2,7}^{11} e_{11} & [e_2, e_8] = \alpha_{2,8}^{12} e_{12} \\
[e_3, e_4] = \alpha_{3,4}^9 e_9 & [e_3, e_5] = \alpha_{3,5}^{10} e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11} e_{11} & [e_3, e_7] = \alpha_{3,7}^{12} e_{12} \\
[e_4, e_5] = \alpha_{4,5}^{11} e_{11} & [e_4, e_6] = \alpha_{4,6}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{4,5}^{11} & \rightarrow x_1 \\
\alpha_{3,6}^{11} & \rightarrow x_2 \\
\alpha_{2,8}^{12} & \rightarrow x_3 \\
\alpha_{2,5}^9 & \rightarrow x_4 \\
\alpha_{3,5}^{10} & \rightarrow x_5 \\
\alpha_{2,7}^{11} & \rightarrow x_6 \\
\alpha_{3,7}^{12} & \rightarrow x_7 \\
\alpha_{3,4}^9 & \rightarrow x_8 \\
\alpha_{2,6}^{10} & \rightarrow x_9 \\
\alpha_{4,6}^{12} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_4 - x_8 + 1 & = 0 \\
(e_1, e_2, e_5) : & x_4 - x_5 - x_9 & = 0 \\
(e_1, e_3, e_4) : & -x_5 + x_8 & = 0 \\
(e_1, e_2, e_6) : & -x_2 - x_6 + x_9 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_2 + x_5 & = 0 \\
(e_1, e_2, e_7) : & -x_3 + x_6 - x_7 & = 0 \\
(e_1, e_3, e_6) : & -x_{10} + x_2 - x_7 & = 0 \\
(e_1, e_4, e_5) : & x_1 - x_{10} & = 0
\end{aligned}$$

Groebner basis (10 variables, 8 linear, 0 nonlinear)

$$\begin{aligned}
x_1 - x_{10} &= 0 \\
2x_{10} + 2x_2 + x_9 - 1 &= 0 \\
-3x_{10} + x_3 - 2x_9 + 1 &= 0 \\
2x_4 - x_9 - 1 &= 0 \\
2x_5 + x_9 - 1 &= 0 \\
-2x_{10} + 2x_6 - 3x_9 + 1 &= 0 \\
4x_{10} + 2x_7 + x_9 - 1 &= 0 \\
2x_8 + x_9 - 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{1A}(5, 12)$

m1A512 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_2, e_7] &= e_{12} & [e_3, e_6] &= -e_{12} \\
[e_4, e_5] &= e_{12} & &
\end{aligned}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(5, 12)$

m3A512 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_2, e_5] &= e_{10} & [e_2, e_6] &= 2e_{11} \\
[e_2, e_7] &= \alpha_{2,7}^{12} e_{12} & [e_3, e_4] &= -e_{10} \\
[e_3, e_5] &= -e_{11} & [e_3, e_6] &= \alpha_{3,6}^{12} e_{12} \\
[e_4, e_5] &= \alpha_{4,5}^{12} e_{12} & &
\end{aligned}$$



Non-trivial Jacobi Tests:

$$\begin{aligned}(e_1, e_2, e_6) : & -\alpha_{2,7}^{12} - \alpha_{3,6}^{12} + 2 & = 0 \\(e_1, e_3, e_5) : & -\alpha_{3,6}^{12} - \alpha_{4,5}^{12} - 1 & = 0\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,5}^{12} \rightarrow x_1$$

$$\alpha_{2,7}^{12} \rightarrow x_2$$

$$\alpha_{3,6}^{12} \rightarrow x_3$$

Jacobi Tests

$$\begin{aligned}(e_1, e_2, e_6) : & -x_2 - x_3 + 2 & = 0 \\(e_1, e_3, e_5) : & -x_1 - x_3 - 1 & = 0\end{aligned}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$x_1 + x_3 + 1 = 0$$

$$x_2 + x_3 - 2 = 0$$

$\mathfrak{m}_{5A}(5, 12)$

m5A512 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\[e_2, e_3] &= e_8 & [e_2, e_4] &= e_9 \\[e_2, e_5] &= \alpha_{2,5}^{10} e_{10} & [e_2, e_6] &= \alpha_{2,6}^{11} e_{11} \\[e_2, e_7] &= \alpha_{2,7}^{12} e_{12} & [e_3, e_4] &= \alpha_{3,4}^{10} e_{10} \\[e_3, e_5] &= \alpha_{3,5}^{11} e_{11} & [e_3, e_6] &= \alpha_{3,6}^{12} e_{12} \\[e_4, e_5] &= \alpha_{4,5}^{12} e_{12}\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \quad \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_6) : & \quad \alpha_{2,6}^{11} - \alpha_{2,7}^{12} - \alpha_{3,6}^{12} & = 0 \\
(e_1, e_3, e_5) : & \quad \alpha_{3,5}^{11} - \alpha_{3,6}^{12} - \alpha_{4,5}^{12} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,7}^{12} \rightarrow x_1$$

$$\alpha_{4,5}^{12} \rightarrow x_2$$

$$\alpha_{3,4}^{10} \rightarrow x_3$$

$$\alpha_{2,6}^{11} \rightarrow x_4$$

$$\alpha_{3,5}^{11} \rightarrow x_5$$

$$\alpha_{2,5}^{10} \rightarrow x_6$$

$$\alpha_{3,6}^{12} \rightarrow x_7$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -x_3 - x_6 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad -x_4 - x_5 + x_6 & = 0 \\
(e_1, e_3, e_4) : & \quad x_3 - x_5 & = 0 \\
(e_1, e_2, e_6) : & \quad -x_1 + x_4 - x_7 & = 0 \\
(e_1, e_3, e_5) : & \quad -x_2 + x_5 - x_7 & = 0
\end{aligned}$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$x_1 - 2x_6 + x_7 + 1 = 0$$

$$x_2 + x_6 + x_7 - 1 = 0$$

$$x_3 + x_6 - 1 = 0$$

$$x_4 - 2x_6 + 1 = 0$$

$$x_5 + x_6 - 1 = 0$$

$\mathfrak{m}_{2A}(6, 12)$

m2A612 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_5] = e_{11} & [e_2, e_6] = 2e_{12} \\
[e_3, e_4] = -e_{11} & [e_3, e_5] = -e_{12}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(6, 12)$

m4A612 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_9 & [e_2, e_4] = e_{10} \\
[e_2, e_5] = \alpha_{2,5}^{11} e_{11} & [e_2, e_6] = \alpha_{2,6}^{12} e_{12} \\
[e_3, e_4] = \alpha_{3,4}^{11} e_{11} & [e_3, e_5] = \alpha_{3,5}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{11} - \alpha_{2,6}^{12} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{11} - \alpha_{3,5}^{12} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,5}^{11} \rightarrow x_1$$

$$\alpha_{3,4}^{11} \rightarrow x_2$$

$$\alpha_{2,6}^{12} \rightarrow x_3$$

$$\alpha_{3,5}^{12} \rightarrow x_4$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad x_1 - x_3 - x_4 \quad = 0$$

$$(e_1, e_3, e_4) : \quad x_2 - x_4 \quad = 0$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 + x_4 - 1 = 0$$

$$x_2 - x_4 = 0$$

$$x_3 + 2x_4 - 1 = 0$$

$\mathfrak{m}_{1A}(7, 12)$

m1A712 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_2, e_5] = e_{12}$$

$$[e_3, e_4] = -e_{12}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(7, 12)$

m3A712 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_{10} & [e_2, e_4] = e_{11} \\
[e_2, e_5] = \alpha_{2,5}^{12} e_{12} & [e_3, e_4] = \alpha_{3,4}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{12} - \alpha_{3,4}^{12} + 1 = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,5}^{12} \rightarrow x_1$$

$$\alpha_{3,4}^{12} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(8, 12)$

m2A812 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_{11} & [e_2, e_4] = e_{12}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(9, 12)$

m1A912 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_2, e_3] = e_{12} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(2, 13)$

m1A213 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_2, e_{11}] = e_{13} \\ [e_3, e_{10}] = -e_{13} & [e_4, e_9] = e_{13} \\ [e_5, e_8] = -e_{13} & [e_6, e_7] = e_{13} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(2, 13)$

m3A213 (this line included for string searching purposes)

Solution 1

|                           |                          |
|---------------------------|--------------------------|
| $[e_1, e_2] = e_3$        | $[e_1, e_3] = e_4$       |
| $[e_1, e_4] = e_5$        | $[e_1, e_5] = e_6$       |
| $[e_1, e_6] = e_7$        | $[e_1, e_7] = e_8$       |
| $[e_1, e_8] = e_9$        | $[e_1, e_9] = e_{10}$    |
| $[e_1, e_{10}] = e_{11}$  | $[e_1, e_{11}] = e_{12}$ |
| $[e_1, e_{12}] = e_{13}$  | $[e_2, e_9] = e_{11}$    |
| $[e_2, e_{10}] = 4e_{12}$ | $[e_2, e_{11}] = 0$      |
| $[e_3, e_8] = -e_{11}$    | $[e_3, e_9] = -3e_{12}$  |
| $[e_3, e_{10}] = 4e_{13}$ | $[e_4, e_7] = e_{11}$    |
| $[e_4, e_8] = 2e_{12}$    | $[e_4, e_9] = -7e_{13}$  |
| $[e_5, e_6] = -e_{11}$    | $[e_5, e_7] = -e_{12}$   |
| $[e_5, e_8] = 9e_{13}$    | $[e_6, e_7] = -10e_{13}$ |

Original brackets:

|   |   |
|---|---|
| $[e_1, e_2] = e_3$                          | $[e_1, e_3] = e_4$                          |
| $[e_1, e_4] = e_5$                          | $[e_1, e_5] = e_6$                          |
| $[e_1, e_6] = e_7$                          | $[e_1, e_7] = e_8$                          |
| $[e_1, e_8] = e_9$                          | $[e_1, e_9] = e_{10}$                       |
| $[e_1, e_{10}] = e_{11}$                    | $[e_1, e_{11}] = e_{12}$                    |
| $[e_1, e_{12}] = e_{13}$                    | $[e_2, e_9] = e_{11}$                       |
| $[e_2, e_{10}] = 4e_{12}$                   | $[e_2, e_{11}] = \alpha_{2,11}^{13} e_{13}$ |
| $[e_3, e_8] = -e_{11}$                      | $[e_3, e_9] = -3e_{12}$                     |
| $[e_3, e_{10}] = \alpha_{3,10}^{13} e_{13}$ | $[e_4, e_7] = e_{11}$                       |
| $[e_4, e_8] = 2e_{12}$                      | $[e_4, e_9] = \alpha_{4,9}^{13} e_{13}$     |
| $[e_5, e_6] = -e_{11}$                      | $[e_5, e_7] = -e_{12}$                      |
| $[e_5, e_8] = \alpha_{5,8}^{13} e_{13}$     | $[e_6, e_7] = \alpha_{6,7}^{13} e_{13}$     |

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & -\alpha_{2,11}^{13} - \alpha_{3,10}^{13} + 4 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} - \alpha_{4,9}^{13} - 3 & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{13} - \alpha_{5,8}^{13} + 2 & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{13} - \alpha_{6,7}^{13} - 1 & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,11}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} & = 0 \\
(e_2, e_5, e_6) : & -\alpha_{2,11}^{13} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{4,9}^{13} &= -7 \\
\alpha_{3,10}^{13} &= 4 \\
\alpha_{6,7}^{13} &= -10 \\
\alpha_{5,8}^{13} &= 9 \\
\alpha_{2,11}^{13} &= 0
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{4,9}^{13} &\rightarrow x_1 \\
\alpha_{3,10}^{13} &\rightarrow x_2 \\
\alpha_{6,7}^{13} &\rightarrow x_3 \\
\alpha_{5,8}^{13} &\rightarrow x_4 \\
\alpha_{2,11}^{13} &\rightarrow x_5
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_{10}) : & -x_2 - x_5 + 4 & = 0 \\
(e_1, e_3, e_9) : & -x_1 - x_2 - 3 & = 0 \\
(e_1, e_4, e_8) : & -x_1 - x_4 + 2 & = 0 \\
(e_1, e_5, e_7) : & -x_3 - x_4 - 1 & = 0 \\
(e_2, e_3, e_8) : & -x_5 & = 0 \\
(e_2, e_4, e_7) : & x_5 & = 0 \\
(e_2, e_5, e_6) : & -x_5 & = 0
\end{aligned}$$



Groebner basis (5 variables, 5 linear, 0 nonlinear)

$$\begin{aligned}x_1 + 7 &= 0 \\x_2 - 4 &= 0 \\x_3 + 10 &= 0 \\x_4 - 9 &= 0 \\x_5 &= 0\end{aligned}$$

Solution 1:

$$\begin{aligned}x_1 &= -7 \\x_2 &= 4 \\x_3 &= -10 \\x_4 &= 9 \\x_5 &= 0\end{aligned}$$

$\mathfrak{m}_{9A}(2, 13)$

m9A213 (this line included for string searching purposes)

Solution 1

$$\begin{aligned}[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\[e_1, e_{12}] &= e_{13} & [e_2, e_3] &= e_5 \\[e_2, e_4] &= e_6 & [e_2, e_5] &= e_7 \\[e_2, e_6] &= e_8 & [e_2, e_7] &= e_9 \\[e_2, e_8] &= e_{10} & [e_2, e_9] &= e_{11} \\[e_2, e_{10}] &= e_{12} & [e_2, e_{11}] &= e_{13} \\[e_3, e_4] &= 0 & [e_3, e_5] &= 0 \\[e_3, e_6] &= 0 & [e_3, e_7] &= 0 \\[e_3, e_8] &= 0 & [e_3, e_9] &= 0 \\[e_3, e_{10}] &= 0 & [e_4, e_5] &= 0 \\[e_4, e_6] &= 0 & [e_4, e_7] &= 0 \\[e_4, e_8] &= 0 & [e_4, e_9] &= 0 \\[e_5, e_6] &= 0 & [e_5, e_7] &= 0 \\[e_5, e_8] &= 0 & [e_6, e_7] &= 0\end{aligned}$$

Solution 2

|                                       |                                       |
|---------------------------------------|---------------------------------------|
| $[e_1, e_2] = e_3$                    | $[e_1, e_3] = e_4$                    |
| $[e_1, e_4] = e_5$                    | $[e_1, e_5] = e_6$                    |
| $[e_1, e_6] = e_7$                    | $[e_1, e_7] = e_8$                    |
| $[e_1, e_8] = e_9$                    | $[e_1, e_9] = e_{10}$                 |
| $[e_1, e_{10}] = e_{11}$              | $[e_1, e_{11}] = e_{12}$              |
| $[e_1, e_{12}] = e_{13}$              | $[e_2, e_3] = e_5$                    |
| $[e_2, e_4] = e_6$                    | $[e_2, e_5] = \frac{9e_7}{10}$        |
| $[e_2, e_6] = \frac{4e_8}{5}$         | $[e_2, e_7] = \frac{5e_9}{7}$         |
| $[e_2, e_8] = \frac{9e_{10}}{14}$     | $[e_2, e_9] = \frac{7e_{11}}{12}$     |
| $[e_2, e_{10}] = \frac{8e_{12}}{15}$  | $[e_2, e_{11}] = \frac{27e_{13}}{55}$ |
| $[e_3, e_4] = \frac{e_7}{10}$         | $[e_3, e_5] = \frac{e_8}{10}$         |
| $[e_3, e_6] = \frac{3e_9}{35}$        | $[e_3, e_7] = \frac{e_{10}}{14}$      |
| $[e_3, e_8] = \frac{5e_{11}}{84}$     | $[e_3, e_9] = \frac{e_{12}}{20}$      |
| $[e_3, e_{10}] = \frac{7e_{13}}{165}$ | $[e_4, e_5] = \frac{e_9}{70}$         |
| $[e_4, e_6] = \frac{e_{10}}{70}$      | $[e_4, e_7] = \frac{e_{11}}{84}$      |
| $[e_4, e_8] = \frac{e_{12}}{105}$     | $[e_4, e_9] = \frac{e_{13}}{132}$     |
| $[e_5, e_6] = \frac{e_{11}}{420}$     | $[e_5, e_7] = \frac{e_{12}}{420}$     |
| $[e_5, e_8] = \frac{3e_{13}}{1540}$   | $[e_6, e_7] = \frac{e_{13}}{2310}$    |

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_6] = \alpha_{2,6}^8 e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} & [e_2, e_{11}] = \alpha_{2,11}^{13} e_{13} \\
[e_3, e_4] = \alpha_{3,4}^7 e_7 & [e_3, e_5] = \alpha_{3,5}^8 e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_3, e_9] = \alpha_{3,9}^{12} e_{12} \\
[e_3, e_{10}] = \alpha_{3,10}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_4, e_8] = \alpha_{4,8}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{13} e_{13} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & [e_5, e_7] = \alpha_{5,7}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{13} e_{13} & [e_6, e_7] = \alpha_{6,7}^{13} e_{13}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - \alpha_{2,6}^8 \alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,4}^7 \alpha_{5,7}^{12} - \alpha_{3,5}^8 \alpha_{4,8}^{12} + \alpha_{3,9}^{12} \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{12} - \alpha_{2,11}^{13} - \alpha_{3,10}^{13} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} + \alpha_{3,9}^{12} - \alpha_{4,9}^{13} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{12} - \alpha_{4,9}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{12} - \alpha_{5,8}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_3, e_8) : & \alpha_{2,11}^{13} \alpha_{3,8}^{11} - \alpha_{2,8}^{10} \alpha_{3,10}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} \alpha_{4,7}^{11} - \alpha_{2,7}^9 \alpha_{4,9}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,11}^{13} \alpha_{5,6}^{11} + \alpha_{2,5}^7 \alpha_{6,7}^{13} - \alpha_{2,6}^8 \alpha_{5,8}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{13} \alpha_{4,6}^{10} + \alpha_{3,4}^7 \alpha_{6,7}^{13} - \alpha_{3,6}^9 \alpha_{4,9}^{13} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,4}^7 &= 0 \\
\alpha_{2,6}^8 &= 1 \\
\alpha_{5,7}^{12} &= 0 \\
\alpha_{3,6}^9 &= 0 \\
\alpha_{4,5}^9 &= 0 \\
\alpha_{2,5}^7 &= 1 \\
\alpha_{3,8}^{11} &= 0 \\
\alpha_{3,7}^{10} &= 0 \\
\alpha_{2,11}^{13} &= 1 \\
\alpha_{4,7}^{11} &= 0 \\
\alpha_{3,9}^{12} &= 0 \\
\alpha_{3,10}^{13} &= 0 \\
\alpha_{2,8}^{10} &= 1 \\
\alpha_{4,6}^{10} &= 0 \\
\alpha_{2,10}^{12} &= 1 \\
\alpha_{3,5}^8 &= 0 \\
\alpha_{4,9}^{13} &= 0 \\
\alpha_{5,8}^{13} &= 0 \\
\alpha_{6,7}^{13} &= 0 \\
\alpha_{5,6}^{11} &= 0 \\
\alpha_{2,7}^9 &= 1 \\
\alpha_{2,9}^{11} &= 1 \\
\alpha_{4,8}^{12} &= 0
\end{aligned}$$

Solution 2:

$$\begin{aligned}
\alpha_{3,4}^7 &= 1/10 \\
\alpha_{2,6}^8 &= 4/5 \\
\alpha_{5,7}^{12} &= 1/420 \\
\alpha_{3,6}^9 &= 3/35 \\
\alpha_{4,5}^9 &= 1/70 \\
\alpha_{2,5}^7 &= 9/10 \\
\alpha_{3,8}^{11} &= 5/84 \\
\alpha_{3,7}^{10} &= 1/14 \\
\alpha_{2,11}^{13} &= 27/55 \\
\alpha_{4,7}^{11} &= 1/84 \\
\alpha_{3,9}^{12} &= 1/20 \\
\alpha_{3,10}^{13} &= 7/165 \\
\alpha_{2,8}^{10} &= 9/14 \\
\alpha_{4,6}^{10} &= 1/70 \\
\alpha_{2,10}^{12} &= 8/15 \\
\alpha_{3,5}^8 &= 1/10 \\
\alpha_{4,9}^{13} &= 1/132 \\
\alpha_{5,8}^{13} &= 3/1540 \\
\alpha_{6,7}^{13} &= 1/2310 \\
\alpha_{5,6}^{11} &= 1/420 \\
\alpha_{2,7}^9 &= 5/7 \\
\alpha_{2,9}^{11} &= 7/12 \\
\alpha_{4,8}^{12} &= 1/105
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{3,4}^7 &\rightarrow x_1 \\
\alpha_{2,6}^8 &\rightarrow x_2 \\
\alpha_{5,7}^{12} &\rightarrow x_3 \\
\alpha_{3,6}^9 &\rightarrow x_4 \\
\alpha_{4,5}^9 &\rightarrow x_5
\end{aligned}$$

$$\alpha_{2,5}^7 \rightarrow x_6$$

$$\alpha_{3,8}^{11} \rightarrow x_7$$

$$\alpha_{3,7}^{10} \rightarrow x_8$$

$$\alpha_{2,11}^{13} \rightarrow x_9$$

$$\alpha_{4,7}^{11} \rightarrow x_{10}$$

$$\alpha_{3,9}^{12} \rightarrow x_{11}$$

$$\alpha_{3,10}^{13} \rightarrow x_{12}$$

$$\alpha_{2,8}^{10} \rightarrow x_{13}$$

$$\alpha_{4,6}^{10} \rightarrow x_{14}$$

$$\alpha_{2,10}^{12} \rightarrow x_{15}$$

$$\alpha_{3,5}^8 \rightarrow x_{16}$$

$$\alpha_{4,9}^{13} \rightarrow x_{17}$$

$$\alpha_{5,8}^{13} \rightarrow x_{18}$$

$$\alpha_{6,7}^{13} \rightarrow x_{19}$$

$$\alpha_{5,6}^{11} \rightarrow x_{20}$$

$$\alpha_{2,7}^9 \rightarrow x_{21}$$

$$\alpha_{2,9}^{11} \rightarrow x_{22}$$

$$\alpha_{4,8}^{12} \rightarrow x_{23}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_1 - x_6 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{16} - x_2 + x_6 & = 0 \\
(e_1, e_3, e_4) : & x_1 - x_{16} & = 0 \\
(e_1, e_2, e_6) : & x_2 - x_{21} - x_4 & = 0 \\
(e_1, e_3, e_5) : & x_{16} - x_4 - x_5 & = 0 \\
(e_2, e_3, e_4) : & x_1 x_{21} - x_4 + x_5 & = 0 \\
(e_1, e_2, e_7) : & -x_{13} + x_{21} - x_8 & = 0 \\
(e_1, e_3, e_6) : & -x_{14} + x_4 - x_8 & = 0 \\
(e_1, e_4, e_5) : & -x_{14} + x_5 & = 0 \\
(e_2, e_3, e_5) : & x_{13} x_{16} - x_6 x_8 & = 0 \\
(e_1, e_2, e_8) : & x_{13} - x_{22} - x_7 & = 0 \\
(e_1, e_3, e_7) : & -x_{10} - x_7 + x_8 & = 0 \\
(e_1, e_4, e_6) : & -x_{10} + x_{14} - x_{20} & = 0 \\
(e_2, e_3, e_6) : & -x_2 x_7 - x_{20} + x_{22} x_4 & = 0 \\
(e_2, e_4, e_5) : & -x_{10} x_6 + x_{20} + x_{22} x_5 & = 0 \\
(e_1, e_2, e_9) : & -x_{11} - x_{15} + x_{22} & = 0 \\
(e_1, e_3, e_8) : & -x_{11} - x_{23} + x_7 & = 0 \\
(e_1, e_4, e_7) : & x_{10} - x_{23} - x_3 & = 0 \\
(e_1, e_5, e_6) : & x_{20} - x_3 & = 0 \\
(e_2, e_3, e_7) : & -x_{11} x_{21} + x_{15} x_8 - x_3 & = 0 \\
(e_2, e_4, e_6) : & x_{14} x_{15} - x_2 x_{23} & = 0 \\
(e_3, e_4, e_5) : & x_1 x_3 + x_{11} x_5 - x_{16} x_{23} & = 0 \\
(e_1, e_2, e_{10}) : & -x_{12} + x_{15} - x_9 & = 0 \\
(e_1, e_3, e_9) : & x_{11} - x_{12} - x_{17} & = 0 \\
(e_1, e_4, e_8) : & -x_{17} - x_{18} + x_{23} & = 0 \\
(e_1, e_5, e_7) : & -x_{18} - x_{19} + x_3 & = 0 \\
(e_2, e_3, e_8) : & -x_{12} x_{13} - x_{18} + x_7 x_9 & = 0 \\
(e_2, e_4, e_7) : & x_{10} x_9 - x_{17} x_{21} - x_{19} & = 0 \\
(e_2, e_5, e_6) : & -x_{18} x_2 + x_{19} x_6 + x_{20} x_9 & = 0 \\
(e_3, e_4, e_6) : & x_1 x_{19} + x_{12} x_{14} - x_{17} x_4 & = 0
\end{aligned}$$

Groebner basis (23 variables, 0 linear, 24 nonlinear)

$$\begin{aligned}
100x_1 + 88x_{22}x_{23} + 20x_{22} - 77385x_{23}^3 - 1188x_{23}^2 - 208x_{23} - 20 &= 0 \\
50x_2 - 88x_{22}x_{23} - 20x_{22} + 77385x_{23}^3 + 1188x_{23}^2 + 208x_{23} - 30 &= 0
\end{aligned}$$



$$\begin{aligned}
&8x_{22}x_{23} - 7035x_{23}^3 - 108x_{23}^2 - 8x_{23} + 20x_3 = 0 \\
&8x_{22}x_{23} + 20x_{22} - 7035x_{23}^3 - 108x_{23}^2 - 28x_{23} + 100x_4 - 20 = 0 \\
&8x_{22}x_{23} - 7035x_{23}^3 - 108x_{23}^2 - 18x_{23} + 10x_5 = 0 \\
&-88x_{22}x_{23} - 20x_{22} + 77385x_{23}^3 + 1188x_{23}^2 + 208x_{23} + 100x_6 - 80 = 0 \\
&-56x_{22}x_{23} + 10x_{22} + 49245x_{23}^3 + 756x_{23}^2 + 146x_{23} + 50x_7 - 10 = 0 \\
&-72x_{22}x_{23} + 20x_{22} + 63315x_{23}^3 + 972x_{23}^2 + 152x_{23} + 100x_8 - 20 = 0 \\
&6072x_{22}x_{23} - 4620x_{22} - 5838315x_{23}^3 - 92972x_{23}^2 - 27852x_{23} + 3300x_9 + 1320 = 0 \\
&20x_{10} + 8x_{22}x_{23} - 7035x_{23}^3 - 108x_{23}^2 - 28x_{23} = 0 \\
&50x_{11} - 56x_{22}x_{23} + 10x_{22} + 49245x_{23}^3 + 756x_{23}^2 + 196x_{23} - 10 = 0 \\
&3300x_{12} - 2376x_{22}x_{23} + 660x_{22} + 2588145x_{23}^3 + 43076x_{23}^2 + 14916x_{23} - 660 = 0 \\
&50x_{13} - 56x_{22}x_{23} - 40x_{22} + 49245x_{23}^3 + 756x_{23}^2 + 146x_{23} - 10 = 0 \\
&10x_{14} + 8x_{22}x_{23} - 7035x_{23}^3 - 108x_{23}^2 - 18x_{23} = 0 \\
&50x_{15} + 56x_{22}x_{23} - 60x_{22} - 49245x_{23}^3 - 756x_{23}^2 - 196x_{23} + 10 = 0 \\
&100x_{16} + 88x_{22}x_{23} + 20x_{22} - 77385x_{23}^3 - 1188x_{23}^2 - 208x_{23} - 20 = 0 \\
&660x_{17} - 264x_{22}x_{23} + 132405x_{23}^3 + 1364x_{23}^2 - 396x_{23} = 0 \\
&660x_{18} + 264x_{22}x_{23} - 132405x_{23}^3 - 1364x_{23}^2 - 264x_{23} = 0 \\
&66x_{19} - 9975x_{23}^3 - 220x_{23}^2 = 0 \\
&20x_{20} + 8x_{22}x_{23} - 7035x_{23}^3 - 108x_{23}^2 - 8x_{23} = 0 \\
&100x_{21} - 184x_{22}x_{23} - 60x_{22} + 161805x_{23}^3 + 2484x_{23}^2 + 444x_{23} - 40 = 0 \\
&144x_{22}^2 + 432x_{22}x_{23} - 288x_{22} - 49245x_{23}^3 - 4256x_{23}^2 - 2832x_{23} + 144 = 0 \\
&4x_{22}x_{23}^2 + 175x_{23}^3 - 4x_{23}^2 = 0 \\
&105x_{23}^4 - x_{23}^3 = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
x_1 &= 0 \\
x_2 &= 1 \\
x_3 &= 0 \\
x_4 &= 0 \\
x_5 &= 0 \\
x_6 &= 1 \\
x_7 &= 0 \\
x_8 &= 0 \\
x_9 &= 1
\end{aligned}$$

$$x_10 = 0$$

$$x_11 = 0$$

$$x_12 = 0$$

$$x_13 = 1$$

$$x_14 = 0$$

$$x_15 = 1$$

$$x_16 = 0$$

$$x_17 = 0$$

$$x_18 = 0$$

$$x_19 = 0$$

$$x_20 = 0$$

$$x_21 = 1$$

$$x_22 = 1$$

$$x_23 = 0$$

Solution 2:

$$x_1 = 1/10$$

$$x_2 = 4/5$$

$$x_3 = 1/420$$

$$x_4 = 3/35$$

$$x_5 = 1/70$$

$$x_6 = 9/10$$

$$x_7 = 5/84$$

$$x_8 = 1/14$$

$$x_9 = 27/55$$

$$x_{10} = 1/84$$

$$x_{11} = 1/20$$

$$x_{12} = 7/165$$

$$x_{13} = 9/14$$

$$x_{14} = 1/70$$

$$x_{15} = 8/15$$

$$x_{16} = 1/10$$

$$x_{17} = 1/132$$

$$x_1 8 = 3/1540$$

$$x_1 9 = 1/2310$$

$$x_2 0 = 1/420$$

$$x_2 1 = 5/7$$

$$x_2 2 = 7/12$$

$$x_2 3 = 1/105$$

$\mathfrak{m}_{2A}(3, 13)$

m2A313 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_2, e_9] = e_{12}$$

$$[e_2, e_{10}] = 4e_{13}$$

$$[e_3, e_8] = -e_{12}$$

$$[e_3, e_9] = -3e_{13}$$

$$[e_4, e_7] = e_{12}$$

$$[e_4, e_8] = 2e_{13}$$

$$[e_5, e_6] = -e_{12}$$

$$[e_5, e_7] = -e_{13}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(3, 13)$

m4A313 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{10} \\
[e_2, e_8] = 3e_{11} & [e_2, e_9] = \frac{7e_{12}}{2} \\
[e_2, e_{10}] = 0 & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_3, e_8] = -\frac{e_{12}}{2} \\
[e_3, e_9] = \frac{7e_{13}}{2} & [e_4, e_5] = e_{10} \\
[e_4, e_6] = e_{11} & [e_4, e_7] = -\frac{3e_{12}}{2} \\
[e_4, e_8] = -4e_{13} & [e_5, e_6] = \frac{5e_{12}}{2} \\
[e_5, e_7] = \frac{5e_{13}}{2} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{10} \\
[e_2, e_8] = 3e_{11} & [e_2, e_9] = \alpha_{2,9}^{12}e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13}e_{13} & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_3, e_8] = \alpha_{3,8}^{12}e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13}e_{13} & [e_4, e_5] = e_{10} \\
[e_4, e_6] = e_{11} & [e_4, e_7] = \alpha_{4,7}^{12}e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13}e_{13} & [e_5, e_6] = \alpha_{5,6}^{12}e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13}e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{12} - \alpha_{4,7}^{12} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{12} - \alpha_{5,6}^{12} + 1 & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,10}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{2,10}^{13} &= 0 \\
\alpha_{3,8}^{12} &= -1/2 \\
\alpha_{4,7}^{12} &= -3/2 \\
\alpha_{5,6}^{12} &= 5/2 \\
\alpha_{2,9}^{12} &= 7/2 \\
\alpha_{4,8}^{13} &= -4 \\
\alpha_{3,9}^{13} &= 7/2 \\
\alpha_{5,7}^{13} &= 5/2
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{2,10}^{13} &\rightarrow x_1 \\
\alpha_{3,8}^{12} &\rightarrow x_2 \\
\alpha_{4,7}^{12} &\rightarrow x_3 \\
\alpha_{5,6}^{12} &\rightarrow x_4 \\
\alpha_{2,9}^{12} &\rightarrow x_5 \\
\alpha_{4,8}^{13} &\rightarrow x_6 \\
\alpha_{3,9}^{13} &\rightarrow x_7
\end{aligned}$$

$$\alpha_{5,7}^{13} \rightarrow x_8$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_2 - x_5 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_2 - x_3 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_3 - x_4 + 1 & = 0 \\
(e_1, e_2, e_9) : & -x_1 + x_5 - x_7 & = 0 \\
(e_1, e_3, e_8) : & x_2 - x_6 - x_7 & = 0 \\
(e_1, e_4, e_7) : & x_3 - x_6 - x_8 & = 0 \\
(e_1, e_5, e_6) : & x_4 - x_8 & = 0 \\
(e_2, e_3, e_6) : & -x_1 & = 0 \\
(e_2, e_4, e_5) : & x_1 & = 0
\end{array}$$

Groebner basis (8 variables, 8 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 = 0 \\
2x_2 + 1 = 0 \\
2x_3 + 3 = 0 \\
2x_4 - 5 = 0 \\
2x_5 - 7 = 0 \\
x_6 + 4 = 0 \\
2x_7 - 7 = 0 \\
2x_8 - 5 = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = 0 \\
x_2 = -1/2 \\
x_3 = -3/2 \\
x_4 = 5/2 \\
x_5 = 7/2 \\
x_6 = -4 \\
x_7 = 7/2 \\
x_8 = 5/2
\end{array}$$

$\mathfrak{m}_{6A}(3, 13)$

m6A313 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \frac{5e_{10}}{3} \\
[e_2, e_8] = 0 & [e_2, e_9] = -\frac{49e_{12}}{33} \\
[e_2, e_{10}] = -\frac{14e_{13}}{11} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \frac{e_{10}}{3} \\
[e_3, e_7] = \frac{5e_{11}}{3} & [e_3, e_8] = \frac{49e_{12}}{33} \\
[e_3, e_9] = -\frac{7e_{13}}{33} & [e_4, e_5] = -\frac{4e_{10}}{3} \\
[e_4, e_6] = -\frac{4e_{11}}{3} & [e_4, e_7] = \frac{2e_{12}}{11} \\
[e_4, e_8] = \frac{56e_{13}}{33} & [e_5, e_6] = -\frac{50e_{12}}{33} \\
[e_5, e_7] = -\frac{50e_{13}}{33} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_9] = \alpha_{2,9}^{12} e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_7] = \alpha_{4,7}^{12} e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13} e_{13} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13} e_{13} &
\end{array}$$



Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - 2\alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{4,8}^{13} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,7}^{11} &= 5/3 \\
\alpha_{2,7}^{10} &= 5/3 \\
\alpha_{2,10}^{13} &= -14/11 \\
\alpha_{4,6}^{11} &= -4/3 \\
\alpha_{3,8}^{12} &= 49/33 \\
\alpha_{4,5}^{10} &= -4/3 \\
\alpha_{4,7}^{12} &= 2/11 \\
\alpha_{5,6}^{12} &= -50/33 \\
\alpha_{3,6}^{10} &= 1/3 \\
\alpha_{2,9}^{12} &= -49/33 \\
\alpha_{4,8}^{13} &= 56/33 \\
\alpha_{2,8}^{11} &= 0 \\
\alpha_{3,9}^{13} &= -7/33 \\
\alpha_{5,7}^{13} &= -50/33
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{3,7}^{11} &\rightarrow x_1 \\
\alpha_{2,7}^{10} &\rightarrow x_2 \\
\alpha_{2,10}^{13} &\rightarrow x_3 \\
\alpha_{4,6}^{11} &\rightarrow x_4 \\
\alpha_{3,8}^{12} &\rightarrow x_5 \\
\alpha_{4,5}^{10} &\rightarrow x_6 \\
\alpha_{4,7}^{12} &\rightarrow x_7 \\
\alpha_{5,6}^{12} &\rightarrow x_8 \\
\alpha_{3,6}^{10} &\rightarrow x_9 \\
\alpha_{2,9}^{12} &\rightarrow x_{10} \\
\alpha_{4,8}^{13} &\rightarrow x_{11} \\
\alpha_{2,8}^{11} &\rightarrow x_{12} \\
\alpha_{3,9}^{13} &\rightarrow x_{13}
\end{aligned}$$

$$\alpha_{5,7}^{13} \rightarrow x_{14}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_2 - x_9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_6 - x_9 - 1 & = 0 \\
(e_1, e_2, e_7) : & -x_1 - x_{12} + x_2 & = 0 \\
(e_1, e_3, e_6) : & -x_1 - x_4 + x_9 & = 0 \\
(e_1, e_4, e_5) : & -x_4 + x_6 & = 0 \\
(e_2, e_3, e_4) : & -x_{12} & = 0 \\
(e_1, e_2, e_8) : & -x_{10} + x_{12} - x_5 & = 0 \\
(e_1, e_3, e_7) : & x_1 - x_5 - x_7 & = 0 \\
(e_1, e_4, e_6) : & x_4 - x_7 - x_8 & = 0 \\
(e_2, e_3, e_5) : & -x_{10} - x_5 & = 0 \\
(e_1, e_2, e_9) : & x_{10} - x_{13} - x_3 & = 0 \\
(e_1, e_3, e_8) : & -x_{11} - x_{13} + x_5 & = 0 \\
(e_1, e_4, e_7) : & -x_{11} - x_{14} + x_7 & = 0 \\
(e_1, e_5, e_6) : & -x_{14} + x_8 & = 0 \\
(e_2, e_3, e_6) : & -2x_{13} + x_3x_9 & = 0 \\
(e_2, e_4, e_5) : & -x_{11} + x_3x_6 & = 0
\end{array}$$

Groebner basis (14 variables, 14 linear, 0 nonlinear)

$$\begin{array}{l}
3x_1 - 5 = 0 \\
3x_2 - 5 = 0 \\
11x_3 + 14 = 0 \\
3x_4 + 4 = 0 \\
33x_5 - 49 = 0 \\
3x_6 + 4 = 0 \\
11x_7 - 2 = 0 \\
33x_8 + 50 = 0 \\
3x_9 - 1 = 0 \\
33x_{10} + 49 = 0 \\
33x_{11} - 56 = 0 \\
x_{12} = 0
\end{array}$$

$$33x_{13} + 7 = 0$$

$$33x_{14} + 50 = 0$$

Solution 1:

$$x_1 = 5/3$$

$$x_2 = 5/3$$

$$x_3 = -14/11$$

$$x_4 = -4/3$$

$$x_5 = 49/33$$

$$x_6 = -4/3$$

$$x_7 = 2/11$$

$$x_8 = -50/33$$

$$x_9 = 1/3$$

$$x_{10} = -49/33$$

$$x_{11} = 56/33$$

$$x_{12} = 0$$

$$x_{13} = -7/33$$

$$x_{14} = -50/33$$

$\mathfrak{m}_{8A}(3, 13)$

m8A313 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\
[e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_9] = \alpha_{2,9}^{12} e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} & [e_3, e_4] = \alpha_{3,4}^8 e_8 \\
[e_3, e_5] = \alpha_{3,5}^9 e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_7] = \alpha_{4,7}^{12} e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13} e_{13} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13} e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{12} + \alpha_{2,9}^{12} \alpha_{3,5}^9 + \alpha_{5,6}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - \alpha_{2,6}^9 \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{2,5}^8 \alpha_{4,8}^{13} + \alpha_{5,7}^{13} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,7}^{11} \rightarrow x_1$$

$$\alpha_{2,7}^{10} \rightarrow x_2$$

$$\alpha_{2,6}^9 \rightarrow x_3$$

$$\alpha_{2,9}^{12} \rightarrow x_4$$

$$\alpha_{2,10}^{13} \rightarrow x_5$$

$$\alpha_{4,6}^{11} \rightarrow x_6$$

$$\alpha_{3,8}^{12} \rightarrow x_7$$

$$\alpha_{4,5}^{10} \rightarrow x_8$$

$$\alpha_{4,7}^{12} \rightarrow x_9$$

$$\alpha_{5,6}^{12} \rightarrow x_{10}$$

$$\alpha_{4,8}^{13} \rightarrow x_{11}$$

$$\alpha_{3,6}^{10} \rightarrow x_{12}$$

$$\alpha_{3,4}^8 \rightarrow x_{13}$$

$$\alpha_{2,5}^8 \rightarrow x_{14}$$

$$\alpha_{2,8}^{11} \rightarrow x_{15}$$

$$\alpha_{3,5}^9 \rightarrow x_{16}$$

$$\alpha_{3,9}^{13} \rightarrow x_{17}$$

$$\alpha_{5,7}^{13} \rightarrow x_{18}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{13} - x_{14} + 1 & = 0 \\
(e_1, e_2, e_5) : & x_{14} - x_{16} - x_3 & = 0 \\
(e_1, e_3, e_4) : & x_{13} - x_{16} & = 0 \\
(e_1, e_2, e_6) : & -x_{12} - x_2 + x_3 & = 0 \\
(e_1, e_3, e_5) : & -x_{12} + x_{16} - x_8 & = 0 \\
(e_1, e_2, e_7) : & -x_1 - x_{15} + x_2 & = 0 \\
(e_1, e_3, e_6) : & -x_1 + x_{12} - x_6 & = 0 \\
(e_1, e_4, e_5) : & -x_6 + x_8 & = 0 \\
(e_2, e_3, e_4) : & -x_1 + x_{13}x_{15} + x_6 & = 0 \\
(e_1, e_2, e_8) : & x_{15} - x_4 - x_7 & = 0 \\
(e_1, e_3, e_7) : & x_1 - x_7 - x_9 & = 0 \\
(e_1, e_4, e_6) : & -x_{10} + x_6 - x_9 & = 0 \\
(e_2, e_3, e_5) : & x_{10} - x_{14}x_7 + x_{16}x_4 & = 0 \\
(e_1, e_2, e_9) : & -x_{17} + x_4 - x_5 & = 0 \\
(e_1, e_3, e_8) : & -x_{11} - x_{17} + x_7 & = 0 \\
(e_1, e_4, e_7) : & -x_{11} - x_{18} + x_9 & = 0 \\
(e_1, e_5, e_6) : & x_{10} - x_{18} & = 0 \\
(e_2, e_3, e_6) : & x_{12}x_5 - x_{17}x_3 & = 0 \\
(e_2, e_4, e_5) : & -x_{11}x_{14} + x_{18} + x_5x_8 & = 0
\end{array}$$

Groebner basis (18 variables, 15 linear, 4 nonlinear)

$$\begin{aligned}
2x_1 - x_{16} - x_{17} + 3x_{18} &= 0 \\
11x_{16} + x_{17} - 3x_{18} + 4x_2 - 4 &= 0 \\
2x_{16} + x_3 - 1 &= 0 \\
7x_{16} + 3x_{17} - 7x_{18} + 2x_4 - 2 &= 0 \\
7x_{16} + 5x_{17} - 7x_{18} + 2x_5 - 2 &= 0 \\
-x_{16} + x_{17} - 3x_{18} + 4x_6 &= 0 \\
-x_{16} - 3x_{17} + 5x_{18} + 4x_7 &= 0 \\
-x_{16} + x_{17} - 3x_{18} + 4x_8 &= 0 \\
-x_{16} + x_{17} + x_{18} + 4x_9 &= 0 \\
x_{10} - x_{18} &= 0 \\
4x_{11} - x_{16} + x_{17} + 5x_{18} &= 0 \\
4x_{12} - 3x_{16} - x_{17} + 3x_{18} &= 0 \\
x_{13} - x_{16} &= 0 \\
x_{14} + x_{16} - 1 &= 0 \\
4x_{15} + 13x_{16} + 3x_{17} - 9x_{18} - 4 &= 0 \\
5x_{16}^2 + 24x_{16}x_{18} - 5x_{17}^2 + 22x_{17}x_{18} - 21x_{18}^2 - 24x_{18} &= 0 \\
15x_{16}x_{17} - 357x_{16}x_{18} - 15x_{16} + 65x_{17}^2 - 286x_{17}x_{18} + 15x_{17} + 273x_{18}^2 + 267x_{18} &= 0 \\
56784x_{16}x_{18}^2 + 6435x_{16}x_{18} + 150x_{16} - 500x_{17}^3 - 8130x_{17}^2x_{18} - 800x_{17}^2 + 43352x_{17}x_{18}^2 - 1280x_{17}x_{18} - 150x_{17} - 43386x_{18}^3 &= 0 \\
500x_{17}^4 - 3770x_{17}^3x_{18} + 300x_{17}^3 + 9218x_{17}^2x_{18}^2 + 1995x_{17}^2x_{18} - 7518x_{17}x_{18}^3 - 7278x_{17}x_{18}^2 + 1530x_{17}x_{18} + 882x_{18}^4 - 4221x_{18}^3 &= 0
\end{aligned}$$

$\mathbf{m}_{1A}(4, 13)$

m1A413 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_9] &= e_{13} \\
[e_3, e_8] &= -e_{13} & [e_4, e_7] &= e_{13} \\
[e_5, e_6] &= -e_{13} & &
\end{aligned}$$

No non-trivial Jacobi tests



$\mathfrak{m}_{3A}(4, 13)$

m3A413 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{11} \\
[e_2, e_8] = 3e_{12} & [e_2, e_9] = \alpha_{2,9}^{13}e_{13} \\
[e_3, e_6] = -e_{11} & [e_3, e_7] = -2e_{12} \\
[e_3, e_8] = \alpha_{3,8}^{13}e_{13} & [e_4, e_5] = e_{11} \\
[e_4, e_6] = e_{12} & [e_4, e_7] = \alpha_{4,7}^{13}e_{13} \\
[e_5, e_6] = \alpha_{5,6}^{13}e_{13} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{13} - \alpha_{3,8}^{13} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{13} - \alpha_{4,7}^{13} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{13} - \alpha_{5,6}^{13} + 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{5,6}^{13} \rightarrow x_1$$

$$\alpha_{4,7}^{13} \rightarrow x_2$$

$$\alpha_{2,9}^{13} \rightarrow x_3$$

$$\alpha_{3,8}^{13} \rightarrow x_4$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_3 - x_4 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_2 - x_4 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_1 - x_2 + 1 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 - x_4 - 3 = 0$$

$$x_2 + x_4 + 2 = 0$$

$$x_3 + x_4 - 3 = 0$$

$\mathbf{m}_{5A}(4, 13)$

m5A413 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_9 \\
[e_2, e_6] = 2e_{10} & [e_2, e_7] = \alpha_{2,7}^{11}e_{11} \\
[e_2, e_8] = \alpha_{2,8}^{12}e_{12} & [e_2, e_9] = \alpha_{2,9}^{13}e_{13} \\
[e_3, e_4] = -e_9 & [e_3, e_5] = -e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11}e_{11} & [e_3, e_7] = \alpha_{3,7}^{12}e_{12} \\
[e_3, e_8] = \alpha_{3,8}^{13}e_{13} & [e_4, e_5] = \alpha_{4,5}^{11}e_{11} \\
[e_4, e_6] = \alpha_{4,6}^{12}e_{12} & [e_4, e_7] = \alpha_{4,7}^{13}e_{13} \\
[e_5, e_6] = \alpha_{5,6}^{13}e_{13} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,9}^{13} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{5,6}^{13} \rightarrow x_1$$

$$\alpha_{4,5}^{11} \rightarrow x_2$$

$$\alpha_{2,8}^{12} \rightarrow x_3$$

$$\alpha_{3,6}^{11} \rightarrow x_4$$

$$\alpha_{4,7}^{13} \rightarrow x_5$$

$$\alpha_{2,9}^{13} \rightarrow x_6$$

$$\alpha_{2,7}^{11} \rightarrow x_7$$

$$\alpha_{3,7}^{12} \rightarrow x_8$$

$$\alpha_{4,6}^{12} \rightarrow x_9$$

$$\alpha_{3,8}^{13} \rightarrow x_{10}$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_4 - x_7 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_2 - x_4 - 1 \quad = 0$$

$$(e_1, e_2, e_7) : \quad -x_3 + x_7 - x_8 \quad = 0$$

$$(e_1, e_3, e_6) : \quad x_4 - x_8 - x_9 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_2 - x_9 \quad = 0$$

$$(e_1, e_2, e_8) : \quad -x_{10} + x_3 - x_6 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_{10} - x_5 + x_8 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_1 - x_5 + x_9 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_6 \quad = 0$$

Groebner basis (10 variables, 9 linear, 0 nonlinear)

$$x_1 - 2x_{10} + 3 = 0$$

$$-x_{10} + 3x_2 + 4 = 0$$

$$-x_{10} + x_3 = 0$$

$$x_{10} + 3x_4 - 1 = 0$$

$$5x_{10} + 3x_5 - 5 = 0$$

$$x_6 = 0$$

$$-x_{10} + 3x_7 - 5 = 0$$

$$2x_{10} + 3x_8 - 5 = 0$$

$$-x_{10} + 3x_9 + 4 = 0$$

$\mathfrak{m}_{7A}(4, 13)$

m7A413 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_7 \\
[e_2, e_4] = e_8 & [e_2, e_5] = \alpha_{2,5}^9 e_9 \\
[e_2, e_6] = \alpha_{2,6}^{10} e_{10} & [e_2, e_7] = \alpha_{2,7}^{11} e_{11} \\
[e_2, e_8] = \alpha_{2,8}^{12} e_{12} & [e_2, e_9] = \alpha_{2,9}^{13} e_{13} \\
[e_3, e_4] = \alpha_{3,4}^9 e_9 & [e_3, e_5] = \alpha_{3,5}^{10} e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11} e_{11} & [e_3, e_7] = \alpha_{3,7}^{12} e_{12} \\
[e_3, e_8] = \alpha_{3,8}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{11} e_{11} \\
[e_4, e_6] = \alpha_{4,6}^{12} e_{12} & [e_4, e_7] = \alpha_{4,7}^{13} e_{13} \\
[e_5, e_6] = \alpha_{5,6}^{13} e_{13} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,9}^{13} \alpha_{3,4}^9 - \alpha_{3,8}^{13} + \alpha_{4,7}^{13} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{5,6}^{13} \rightarrow x_1$$

$$\alpha_{4,5}^{11} \rightarrow x_2$$

$$\alpha_{3,6}^{11} \rightarrow x_3$$

$$\alpha_{2,8}^{12} \rightarrow x_4$$

$$\alpha_{2,5}^9 \rightarrow x_5$$

$$\alpha_{4,7}^{13} \rightarrow x_6$$

$$\alpha_{3,5}^{10} \rightarrow x_7$$

$$\alpha_{2,9}^{13} \rightarrow x_8$$

$$\alpha_{2,7}^{11} \rightarrow x_9$$

$$\alpha_{3,7}^{12} \rightarrow x_{10}$$

$$\alpha_{3,4}^9 \rightarrow x_{11}$$

$$\alpha_{2,6}^{10} \rightarrow x_{12}$$

$$\alpha_{4,6}^{12} \rightarrow x_{13}$$

$$\alpha_{3,8}^{13} \rightarrow x_{14}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_{11} - x_5 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_{12} + x_5 - x_7 \quad = 0$$

$$(e_1, e_3, e_4) : \quad x_{11} - x_7 \quad = 0$$

$$(e_1, e_2, e_6) : \quad x_{12} - x_3 - x_9 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_2 - x_3 + x_7 \quad = 0$$

$$(e_1, e_2, e_7) : \quad -x_{10} - x_4 + x_9 \quad = 0$$

$$(e_1, e_3, e_6) : \quad -x_{10} - x_{13} + x_3 \quad = 0$$

$$(e_1, e_4, e_5) : \quad -x_{13} + x_2 \quad = 0$$

$$(e_1, e_2, e_8) : \quad -x_{14} + x_4 - x_8 \quad = 0$$

$$(e_1, e_3, e_7) : \quad x_{10} - x_{14} - x_6 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_1 + x_{13} - x_6 \quad = 0$$

$$(e_2, e_3, e_4) : \quad x_{11}x_8 - x_{14} + x_6 \quad = 0$$

Groebner basis (14 variables, 11 linear, 1 nonlinear)

$$2x_1 - x_{12} - 6x_{13} - 2x_{14} + 1 = 0$$

$$\begin{aligned}
& -x_{13} + x_2 = 0 \\
& x_{12} + 2x_{13} + 2x_3 - 1 = 0 \\
& -2x_{12} - 3x_{13} + x_4 + 1 = 0 \\
& -x_{12} + 2x_5 - 1 = 0 \\
& x_{12} + 4x_{13} + 2x_{14} + 2x_6 - 1 = 0 \\
& x_{12} + 2x_7 - 1 = 0 \\
& -2x_{12} - 3x_{13} + x_{14} + x_8 + 1 = 0 \\
& -3x_{12} - 2x_{13} + 2x_9 + 1 = 0 \\
& 2x_{10} + x_{12} + 4x_{13} - 1 = 0 \\
& 2x_{11} + x_{12} - 1 = 0 \\
& 2x_{12}^2 + 3x_{12}x_{13} - x_{12}x_{14} - 2x_{12} + x_{13} + 5x_{14} = 0
\end{aligned}$$

$\mathfrak{m}_{2A}(5, 13)$

m2A513 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_7] &= e_{12} \\
[e_2, e_8] &= 3e_{13} & [e_3, e_6] &= -e_{12} \\
[e_3, e_7] &= -2e_{13} & [e_4, e_5] &= e_{12} \\
[e_4, e_6] &= e_{13} & &
\end{aligned}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(5, 13)$

m4A513 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_7] = \alpha_{2,7}^{12} e_{12} \\
[e_2, e_8] = \alpha_{2,8}^{13} e_{13} & [e_3, e_4] = -e_{10} \\
[e_3, e_5] = -e_{11} & [e_3, e_6] = \alpha_{3,6}^{12} e_{12} \\
[e_3, e_7] = \alpha_{3,7}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{12} e_{12} \\
[e_4, e_6] = \alpha_{4,6}^{13} e_{13} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{12} - \alpha_{3,6}^{12} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{12} - \alpha_{4,5}^{12} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{4,5}^{12} \rightarrow x_1 \\
\alpha_{2,7}^{12} \rightarrow x_2 \\
\alpha_{3,7}^{13} \rightarrow x_3 \\
\alpha_{2,8}^{13} \rightarrow x_4 \\
\alpha_{3,6}^{12} \rightarrow x_5 \\
\alpha_{4,6}^{13} \rightarrow x_6
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_2 - x_5 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_5 - 1 & = 0 \\
(e_1, e_2, e_7) : & x_2 - x_3 - x_4 & = 0 \\
(e_1, e_3, e_6) : & -x_3 + x_5 - x_6 & = 0 \\
(e_1, e_4, e_5) : & x_1 - x_6 & = 0
\end{array}$$

Groebner basis (6 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - x_6 = 0 \\
x_2 - x_6 - 3 = 0 \\
x_3 + 2x_6 + 1 = 0 \\
x_4 - 3x_6 - 4 = 0 \\
x_5 + x_6 + 1 = 0
\end{array}$$

$\mathfrak{m}_{6A}(5, 13)$

m6A513 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_5] = \alpha_{2,5}^{10} e_{10} \\
[e_2, e_6] = \alpha_{2,6}^{11} e_{11} & [e_2, e_7] = \alpha_{2,7}^{12} e_{12} \\
[e_2, e_8] = \alpha_{2,8}^{13} e_{13} & [e_3, e_4] = \alpha_{3,4}^{10} e_{10} \\
[e_3, e_5] = \alpha_{3,5}^{11} e_{11} & [e_3, e_6] = \alpha_{3,6}^{12} e_{12} \\
[e_3, e_7] = \alpha_{3,7}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{12} e_{12} \\
[e_4, e_6] = \alpha_{4,6}^{13} e_{13} &
\end{array}$$



Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \quad \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_6) : & \quad \alpha_{2,6}^{11} - \alpha_{2,7}^{12} - \alpha_{3,6}^{12} & = 0 \\
(e_1, e_3, e_5) : & \quad \alpha_{3,5}^{11} - \alpha_{3,6}^{12} - \alpha_{4,5}^{12} & = 0 \\
(e_1, e_2, e_7) : & \quad \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \quad \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \quad \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{2,7}^{12} & \rightarrow x_1 \\
\alpha_{4,5}^{12} & \rightarrow x_2 \\
\alpha_{3,7}^{13} & \rightarrow x_3 \\
\alpha_{3,4}^{10} & \rightarrow x_4 \\
\alpha_{2,6}^{11} & \rightarrow x_5 \\
\alpha_{3,5}^{11} & \rightarrow x_6 \\
\alpha_{2,5}^{10} & \rightarrow x_7 \\
\alpha_{2,8}^{13} & \rightarrow x_8 \\
\alpha_{3,6}^{12} & \rightarrow x_9 \\
\alpha_{4,6}^{13} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -x_4 - x_7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad -x_5 - x_6 + x_7 & = 0 \\
(e_1, e_3, e_4) : & \quad x_4 - x_6 & = 0 \\
(e_1, e_2, e_6) : & \quad -x_1 + x_5 - x_9 & = 0 \\
(e_1, e_3, e_5) : & \quad -x_2 + x_6 - x_9 & = 0 \\
(e_1, e_2, e_7) : & \quad x_1 - x_3 - x_8 & = 0 \\
(e_1, e_3, e_6) : & \quad -x_{10} - x_3 + x_9 & = 0 \\
(e_1, e_4, e_5) : & \quad -x_{10} + x_2 & = 0
\end{aligned}$$

Groebner basis (10 variables, 8 linear, 0 nonlinear)

$$x_1 + 2x_{10} + 3x_9 - 1 = 0$$

$$-x_{10} + x_2 = 0$$

$$x_{10} + x_3 - x_9 = 0$$

$$-x_{10} + x_4 - x_9 = 0$$

$$2x_{10} + x_5 + 2x_9 - 1 = 0$$

$$-x_{10} + x_6 - x_9 = 0$$

$$x_{10} + x_7 + x_9 - 1 = 0$$

$$x_{10} + x_8 + 4x_9 - 1 = 0$$

$\mathfrak{m}_{1A}(6, 13)$

m1A613 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_2, e_7] = e_{13}$$

$$[e_3, e_6] = -e_{13}$$

$$[e_4, e_5] = e_{13}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(6, 13)$

m3A613 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{11} \\
[e_2, e_6] = 2e_{12} & [e_2, e_7] = \alpha_{2,7}^{13} e_{13} \\
[e_3, e_4] = -e_{11} & [e_3, e_5] = -e_{12} \\
[e_3, e_6] = \alpha_{3,6}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{13} e_{13}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{13} - \alpha_{3,6}^{13} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{13} - \alpha_{4,5}^{13} - 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,7}^{13} \rightarrow x_1$$

$$\alpha_{4,5}^{13} \rightarrow x_2$$

$$\alpha_{3,6}^{13} \rightarrow x_3$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_3 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_3 - 1 & = 0
\end{array}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$x_1 + x_3 - 2 = 0$$

$$x_2 + x_3 + 1 = 0$$

$\mathfrak{m}_{5A}(6, 13)$

m5A613 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_9 \\
[e_2, e_4] = e_{10} & [e_2, e_5] = \alpha_{2,5}^{11} e_{11} \\
[e_2, e_6] = \alpha_{2,6}^{12} e_{12} & [e_2, e_7] = \alpha_{2,7}^{13} e_{13} \\
[e_3, e_4] = \alpha_{3,4}^{11} e_{11} & [e_3, e_5] = \alpha_{3,5}^{12} e_{12} \\
[e_3, e_6] = \alpha_{3,6}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{13} e_{13}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{11} - \alpha_{2,6}^{12} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{11} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{12} - \alpha_{2,7}^{13} - \alpha_{3,6}^{13} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{12} - \alpha_{3,6}^{13} - \alpha_{4,5}^{13} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{3,4}^{11} \rightarrow x_1 \\
\alpha_{2,6}^{12} \rightarrow x_2 \\
\alpha_{4,5}^{13} \rightarrow x_3 \\
\alpha_{2,7}^{13} \rightarrow x_4 \\
\alpha_{3,5}^{12} \rightarrow x_5 \\
\alpha_{3,6}^{13} \rightarrow x_6 \\
\alpha_{2,5}^{11} \rightarrow x_7
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_7 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_2 - x_5 + x_7 & = 0 \\
(e_1, e_3, e_4) : & x_1 - x_5 & = 0 \\
(e_1, e_2, e_6) : & x_2 - x_4 - x_6 & = 0 \\
(e_1, e_3, e_5) : & -x_3 + x_5 - x_6 & = 0
\end{array}$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_7 - 1 = 0 \\
x_2 - 2x_7 + 1 = 0 \\
x_3 + x_6 + x_7 - 1 = 0 \\
x_4 + x_6 - 2x_7 + 1 = 0 \\
x_5 + x_7 - 1 = 0
\end{array}$$

$\mathfrak{m}_{2A}(7, 13)$

m2A713 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{12} \\
[e_2, e_6] = 2e_{13} & [e_3, e_4] = -e_{12} \\
[e_3, e_5] = -e_{13} &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(7, 13)$

m4A713 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{10} \\
[e_2, e_4] = e_{11} & [e_2, e_5] = \alpha_{2,5}^{12} e_{12} \\
[e_2, e_6] = \alpha_{2,6}^{13} e_{13} & [e_3, e_4] = \alpha_{3,4}^{12} e_{12} \\
[e_3, e_5] = \alpha_{3,5}^{13} e_{13} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{12} - \alpha_{3,4}^{12} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{12} - \alpha_{2,6}^{13} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{12} - \alpha_{3,5}^{13} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,5}^{12} \rightarrow x_1 \\
\alpha_{2,6}^{13} \rightarrow x_2 \\
\alpha_{3,5}^{13} \rightarrow x_3 \\
\alpha_{3,4}^{12} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & x_1 - x_2 - x_3 & = 0 \\
(e_1, e_3, e_4) : & -x_3 + x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_4 - 1 = 0 \\
x_2 + 2x_4 - 1 = 0 \\
x_3 - x_4 = 0
\end{array}$$

$\mathfrak{m}_{1A}(8, 13)$

m1A813 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{13} \\
[e_3, e_4] = -e_{13} & 
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(8, 13)$

m3A813 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{11} \\
[e_2, e_4] = e_{12} & [e_2, e_5] = \alpha_{2,5}^{13} e_{13} \\
[e_3, e_4] = \alpha_{3,4}^{13} e_{13} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{13} - \alpha_{3,4}^{13} + 1 \quad = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,5}^{13} \rightarrow x_1$$

$$\alpha_{3,4}^{13} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(9, 13)$

m2A913 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{12} \\ [e_2, e_4] = e_{13} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(10, 13)$

m1A1013 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{13} \end{array}$$

No non-trivial Jacobi tests



$\mathfrak{m}_{2A}(2, 14)$

m2A214 (this line included for string searching purposes)

Original brackets:

|                           |                            |
|---------------------------|----------------------------|
| $[e_1, e_2] = e_3$        | $[e_1, e_3] = e_4$         |
| $[e_1, e_4] = e_5$        | $[e_1, e_5] = e_6$         |
| $[e_1, e_6] = e_7$        | $[e_1, e_7] = e_8$         |
| $[e_1, e_8] = e_9$        | $[e_1, e_9] = e_{10}$      |
| $[e_1, e_{10}] = e_{11}$  | $[e_1, e_{11}] = e_{12}$   |
| $[e_1, e_{12}] = e_{13}$  | $[e_1, e_{13}] = e_{14}$   |
| $[e_2, e_{11}] = e_{13}$  | $[e_2, e_{12}] = 5e_{14}$  |
| $[e_3, e_{10}] = -e_{13}$ | $[e_3, e_{11}] = -4e_{14}$ |
| $[e_4, e_9] = e_{13}$     | $[e_4, e_{10}] = 3e_{14}$  |
| $[e_5, e_8] = -e_{13}$    | $[e_5, e_9] = -2e_{14}$    |
| $[e_6, e_7] = e_{13}$     | $[e_6, e_8] = e_{14}$      |

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(2, 14)$

m4A214 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_9] = e_{11} & [e_2, e_{10}] = 4e_{12} \\
[e_2, e_{11}] = \alpha_{2,11}^{13} e_{13} & [e_2, e_{12}] = \alpha_{2,12}^{14} e_{14} \\
[e_3, e_8] = -e_{11} & [e_3, e_9] = -3e_{12} \\
[e_3, e_{10}] = \alpha_{3,10}^{13} e_{13} & [e_3, e_{11}] = \alpha_{3,11}^{14} e_{14} \\
[e_4, e_7] = e_{11} & [e_4, e_8] = 2e_{12} \\
[e_4, e_9] = \alpha_{4,9}^{13} e_{13} & [e_4, e_{10}] = \alpha_{4,10}^{14} e_{14} \\
[e_5, e_6] = -e_{11} & [e_5, e_7] = -e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{13} e_{13} & [e_5, e_9] = \alpha_{5,9}^{14} e_{14} \\
[e_6, e_7] = \alpha_{6,7}^{13} e_{13} & [e_6, e_8] = \alpha_{6,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & -\alpha_{2,11}^{13} - \alpha_{3,10}^{13} + 4 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} - \alpha_{4,9}^{13} - 3 & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{13} - \alpha_{5,8}^{13} + 2 & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{13} - \alpha_{6,7}^{13} - 1 & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,11}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} & = 0 \\
(e_2, e_5, e_6) : & -\alpha_{2,11}^{13} & = 0 \\
(e_1, e_2, e_{11}) : & \alpha_{2,11}^{13} - \alpha_{2,12}^{14} - \alpha_{3,11}^{14} & = 0 \\
(e_1, e_3, e_{10}) : & \alpha_{3,10}^{13} - \alpha_{3,11}^{14} - \alpha_{4,10}^{14} & = 0 \\
(e_1, e_4, e_9) : & -\alpha_{4,10}^{14} + \alpha_{4,9}^{13} - \alpha_{5,9}^{14} & = 0 \\
(e_1, e_5, e_8) : & \alpha_{5,8}^{13} - \alpha_{5,9}^{14} - \alpha_{6,8}^{14} & = 0 \\
(e_1, e_6, e_7) : & \alpha_{6,7}^{13} - \alpha_{6,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & -3\alpha_{2,12}^{14} - \alpha_{3,11}^{14} & = 0 \\
(e_2, e_4, e_8) : & 2\alpha_{2,12}^{14} & = 0 \\
(e_2, e_5, e_7) : & -\alpha_{2,12}^{14} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,11}^{14} & = 0 \\
(e_3, e_5, e_6) : & -\alpha_{3,11}^{14} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{5,9}^{14} & \rightarrow x_1 \\
\alpha_{4,9}^{13} & \rightarrow x_2 \\
\alpha_{3,10}^{13} & \rightarrow x_3 \\
\alpha_{4,10}^{14} & \rightarrow x_4 \\
\alpha_{6,7}^{13} & \rightarrow x_5 \\
\alpha_{5,8}^{13} & \rightarrow x_6 \\
\alpha_{2,12}^{14} & \rightarrow x_7 \\
\alpha_{3,11}^{14} & \rightarrow x_8 \\
\alpha_{6,8}^{14} & \rightarrow x_9 \\
\alpha_{2,11}^{13} & \rightarrow x_{10}
\end{aligned}$$

## Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -x_{10} - x_3 + 4 & = 0 \\
(e_1, e_3, e_9) : & -x_2 - x_3 - 3 & = 0 \\
(e_1, e_4, e_8) : & -x_2 - x_6 + 2 & = 0 \\
(e_1, e_5, e_7) : & -x_5 - x_6 - 1 & = 0 \\
(e_2, e_3, e_8) : & -x_{10} & = 0 \\
(e_2, e_4, e_7) : & x_{10} & = 0 \\
(e_2, e_5, e_6) : & -x_{10} & = 0 \\
(e_1, e_2, e_{11}) : & x_{10} - x_7 - x_8 & = 0 \\
(e_1, e_3, e_{10}) : & x_3 - x_4 - x_8 & = 0 \\
(e_1, e_4, e_9) : & -x_1 + x_2 - x_4 & = 0 \\
(e_1, e_5, e_8) : & -x_1 + x_6 - x_9 & = 0 \\
(e_1, e_6, e_7) : & x_5 - x_9 & = 0 \\
(e_2, e_3, e_9) : & -3x_7 - x_8 & = 0 \\
(e_2, e_4, e_8) : & 2x_7 & = 0 \\
(e_2, e_5, e_7) : & -x_7 & = 0 \\
(e_3, e_4, e_7) : & x_8 & = 0 \\
(e_3, e_5, e_6) : & -x_8 & = 0
\end{array}$$

Groebner basis (10 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{10A}(2, 14)$

m10A214 (this line included for string searching purposes)

Solution 1

|                          |                          |
|--------------------------|--------------------------|
| $[e_1, e_2] = e_3$       | $[e_1, e_3] = e_4$       |
| $[e_1, e_4] = e_5$       | $[e_1, e_5] = e_6$       |
| $[e_1, e_6] = e_7$       | $[e_1, e_7] = e_8$       |
| $[e_1, e_8] = e_9$       | $[e_1, e_9] = e_{10}$    |
| $[e_1, e_{10}] = e_{11}$ | $[e_1, e_{11}] = e_{12}$ |
| $[e_1, e_{12}] = e_{13}$ | $[e_1, e_{13}] = e_{14}$ |
| $[e_2, e_3] = e_5$       | $[e_2, e_4] = e_6$       |
| $[e_2, e_5] = e_7$       | $[e_2, e_6] = e_8$       |
| $[e_2, e_7] = e_9$       | $[e_2, e_8] = e_{10}$    |
| $[e_2, e_9] = e_{11}$    | $[e_2, e_{10}] = e_{12}$ |
| $[e_2, e_{11}] = e_{13}$ | $[e_2, e_{12}] = e_{14}$ |
| $[e_3, e_4] = 0$         | $[e_3, e_5] = 0$         |
| $[e_3, e_6] = 0$         | $[e_3, e_7] = 0$         |
| $[e_3, e_8] = 0$         | $[e_3, e_9] = 0$         |
| $[e_3, e_{10}] = 0$      | $[e_3, e_{11}] = 0$      |
| $[e_4, e_5] = 0$         | $[e_4, e_6] = 0$         |
| $[e_4, e_7] = 0$         | $[e_4, e_8] = 0$         |
| $[e_4, e_9] = 0$         | $[e_4, e_{10}] = 0$      |
| $[e_5, e_6] = 0$         | $[e_5, e_7] = 0$         |
| $[e_5, e_8] = 0$         | $[e_5, e_9] = 0$         |
| $[e_6, e_7] = 0$         | $[e_6, e_8] = 0$         |

Solution 2

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_5 & [e_2, e_4] = e_6 \\
[e_2, e_5] = \frac{9e_7}{10} & [e_2, e_6] = \frac{4e_8}{5} \\
[e_2, e_7] = \frac{5e_9}{7} & [e_2, e_8] = \frac{9e_{10}}{14} \\
[e_2, e_9] = \frac{7e_{11}}{12} & [e_2, e_{10}] = \frac{8e_{12}}{15} \\
[e_2, e_{11}] = \frac{27e_{13}}{55} & [e_2, e_{12}] = \frac{5e_{14}}{11} \\
[e_3, e_4] = \frac{e_7}{10} & [e_3, e_5] = \frac{e_8}{10} \\
[e_3, e_6] = \frac{3e_9}{35} & [e_3, e_7] = \frac{e_{10}}{14} \\
[e_3, e_8] = \frac{5e_{11}}{84} & [e_3, e_9] = \frac{e_{12}}{20} \\
[e_3, e_{10}] = \frac{7e_{13}}{165} & [e_3, e_{11}] = \frac{2e_{14}}{55} \\
[e_4, e_5] = \frac{e_9}{70} & [e_4, e_6] = \frac{e_{10}}{70} \\
[e_4, e_7] = \frac{e_{11}}{84} & [e_4, e_8] = \frac{e_{12}}{105} \\
[e_4, e_9] = \frac{e_{13}}{132} & [e_4, e_{10}] = \frac{e_{14}}{165} \\
[e_5, e_6] = \frac{e_{11}}{420} & [e_5, e_7] = \frac{e_{12}}{420} \\
[e_5, e_8] = \frac{3e_{13}}{1540} & [e_5, e_9] = \frac{e_{14}}{660} \\
[e_6, e_7] = \frac{e_{13}}{2310} & [e_6, e_8] = \frac{e_{14}}{2310}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_5 & [e_2, e_4] = e_6 \\
[e_2, e_5] = \alpha_{2,5}^7 e_7 & [e_2, e_6] = \alpha_{2,6}^8 e_8 \\
[e_2, e_7] = \alpha_{2,7}^9 e_9 & [e_2, e_8] = \alpha_{2,8}^{10} e_{10} \\
[e_2, e_9] = \alpha_{2,9}^{11} e_{11} & [e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} \\
[e_2, e_{11}] = \alpha_{2,11}^{13} e_{13} & [e_2, e_{12}] = \alpha_{2,12}^{14} e_{14} \\
[e_3, e_4] = \alpha_{3,4}^7 e_7 & [e_3, e_5] = \alpha_{3,5}^8 e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_3, e_9] = \alpha_{3,9}^{12} e_{12} \\
[e_3, e_{10}] = \alpha_{3,10}^{13} e_{13} & [e_3, e_{11}] = \alpha_{3,11}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^9 e_9 & [e_4, e_6] = \alpha_{4,6}^{10} e_{10} \\
[e_4, e_7] = \alpha_{4,7}^{11} e_{11} & [e_4, e_8] = \alpha_{4,8}^{12} e_{12} \\
[e_4, e_9] = \alpha_{4,9}^{13} e_{13} & [e_4, e_{10}] = \alpha_{4,10}^{14} e_{14} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & [e_5, e_7] = \alpha_{5,7}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{13} e_{13} & [e_5, e_9] = \alpha_{5,9}^{14} e_{14} \\
[e_6, e_7] = \alpha_{6,7}^{13} e_{13} & [e_6, e_8] = \alpha_{6,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - \alpha_{2,6}^8 \alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,4}^7 \alpha_{5,7}^{12} - \alpha_{3,5}^8 \alpha_{4,8}^{12} + \alpha_{3,9}^{12} \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{12} - \alpha_{2,11}^{13} - \alpha_{3,10}^{13} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} + \alpha_{3,9}^{12} - \alpha_{4,9}^{13} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{12} - \alpha_{4,9}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{12} - \alpha_{5,8}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_3, e_8) : & \alpha_{2,11}^{13} \alpha_{3,8}^{11} - \alpha_{2,8}^{10} \alpha_{3,10}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} \alpha_{4,7}^{11} - \alpha_{2,7}^9 \alpha_{4,9}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,11}^{13} \alpha_{5,6}^{11} + \alpha_{2,5}^7 \alpha_{6,7}^{13} - \alpha_{2,6}^8 \alpha_{5,8}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{13} \alpha_{4,6}^{10} + \alpha_{3,4}^7 \alpha_{6,7}^{13} - \alpha_{3,6}^9 \alpha_{4,9}^{13} & = 0 \\
(e_1, e_2, e_{11}) : & \alpha_{2,11}^{13} - \alpha_{2,12}^{14} - \alpha_{3,11}^{14} & = 0 \\
(e_1, e_3, e_{10}) : & \alpha_{3,10}^{13} - \alpha_{3,11}^{14} - \alpha_{4,10}^{14} & = 0 \\
(e_1, e_4, e_9) : & -\alpha_{4,10}^{14} + \alpha_{4,9}^{13} - \alpha_{5,9}^{14} & = 0 \\
(e_1, e_5, e_8) : & \alpha_{5,8}^{13} - \alpha_{5,9}^{14} - \alpha_{6,8}^{14} & = 0 \\
(e_1, e_6, e_7) : & \alpha_{6,7}^{13} - \alpha_{6,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & \alpha_{2,12}^{14} \alpha_{3,9}^{12} - \alpha_{2,9}^{11} \alpha_{3,11}^{14} - \alpha_{5,9}^{14} & = 0 \\
(e_2, e_4, e_8) : & \alpha_{2,12}^{14} \alpha_{4,8}^{12} - \alpha_{2,8}^{10} \alpha_{4,10}^{14} - \alpha_{6,8}^{14} & = 0 \\
(e_2, e_5, e_7) : & \alpha_{2,12}^{14} \alpha_{5,7}^{12} - \alpha_{2,7}^9 \alpha_{5,9}^{14} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,11}^{14} \alpha_{4,7}^{11} - \alpha_{3,7}^{10} \alpha_{4,10}^{14} & = 0 \\
(e_3, e_5, e_6) : & \alpha_{2,11}^{13} \alpha_{5,6}^{11} + \alpha_{2,5}^7 \alpha_{6,7}^{13} - \alpha_{2,6}^8 \alpha_{5,9}^{14} & = 0
\end{aligned}$$



Solution 1:

$$\begin{aligned}\alpha_{3,4}^7 &= 0 \\ \alpha_{2,6}^8 &= 1 \\ \alpha_{5,7}^{12} &= 0 \\ \alpha_{5,9}^{14} &= 0 \\ \alpha_{3,6}^9 &= 0 \\ \alpha_{4,5}^9 &= 0 \\ \alpha_{2,5}^7 &= 1 \\ \alpha_{3,8}^{11} &= 0 \\ \alpha_{3,7}^{10} &= 0 \\ \alpha_{2,11}^{13} &= 1 \\ \alpha_{4,7}^{11} &= 0 \\ \alpha_{3,9}^{12} &= 0 \\ \alpha_{3,10}^{13} &= 0 \\ \alpha_{2,8}^{10} &= 1 \\ \alpha_{4,10}^{14} &= 0 \\ \alpha_{4,6}^{10} &= 0 \\ \alpha_{2,10}^{12} &= 1 \\ \alpha_{6,8}^{14} &= 0 \\ \alpha_{3,5}^8 &= 0 \\ \alpha_{4,9}^{13} &= 0 \\ \alpha_{5,8}^{13} &= 0 \\ \alpha_{6,7}^{13} &= 0 \\ \alpha_{2,12}^{14} &= 1 \\ \alpha_{5,6}^{11} &= 0 \\ \alpha_{2,7}^9 &= 1 \\ \alpha_{2,9}^{11} &= 1 \\ \alpha_{3,11}^{14} &= 0 \\ \alpha_{4,8}^{12} &= 0\end{aligned}$$

Solution 2:

$$\begin{aligned}
\alpha_{3,4}^7 &= 1/10 \\
\alpha_{2,6}^8 &= 4/5 \\
\alpha_{5,7}^{12} &= 1/420 \\
\alpha_{5,9}^{14} &= 1/660 \\
\alpha_{3,6}^9 &= 3/35 \\
\alpha_{4,5}^9 &= 1/70 \\
\alpha_{2,5}^7 &= 9/10 \\
\alpha_{3,8}^{11} &= 5/84 \\
\alpha_{3,7}^{10} &= 1/14 \\
\alpha_{2,11}^{13} &= 27/55 \\
\alpha_{4,7}^{11} &= 1/84 \\
\alpha_{3,9}^{12} &= 1/20 \\
\alpha_{3,10}^{13} &= 7/165 \\
\alpha_{2,8}^{10} &= 9/14 \\
\alpha_{4,10}^{14} &= 1/165 \\
\alpha_{4,6}^{10} &= 1/70 \\
\alpha_{2,10}^{12} &= 8/15 \\
\alpha_{6,8}^{14} &= 1/2310 \\
\alpha_{3,5}^8 &= 1/10 \\
\alpha_{4,9}^{13} &= 1/132 \\
\alpha_{5,8}^{13} &= 3/1540 \\
\alpha_{6,7}^{13} &= 1/2310 \\
\alpha_{2,12}^{14} &= 5/11 \\
\alpha_{5,6}^{11} &= 1/420 \\
\alpha_{2,7}^9 &= 5/7 \\
\alpha_{2,9}^{11} &= 7/12 \\
\alpha_{3,11}^{14} &= 2/55 \\
\alpha_{4,8}^{12} &= 1/105
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{3,4}^7 \rightarrow x_1$$

$$\begin{aligned}
\alpha_{2,6}^8 &\rightarrow x_2 \\
\alpha_{5,7}^{12} &\rightarrow x_3 \\
\alpha_{5,9}^{14} &\rightarrow x_4 \\
\alpha_{3,6}^9 &\rightarrow x_5 \\
\alpha_{4,5}^9 &\rightarrow x_6 \\
\alpha_{2,5}^7 &\rightarrow x_7 \\
\alpha_{3,8}^{11} &\rightarrow x_8 \\
\alpha_{3,7}^{10} &\rightarrow x_9 \\
\alpha_{2,11}^{13} &\rightarrow x_{10} \\
\alpha_{4,7}^{11} &\rightarrow x_{11} \\
\alpha_{3,9}^{12} &\rightarrow x_{12} \\
\alpha_{3,10}^{13} &\rightarrow x_{13} \\
\alpha_{2,8}^{10} &\rightarrow x_{14} \\
\alpha_{4,10}^{14} &\rightarrow x_{15} \\
\alpha_{4,6}^{10} &\rightarrow x_{16} \\
\alpha_{2,10}^{12} &\rightarrow x_{17} \\
\alpha_{6,8}^{14} &\rightarrow x_{18} \\
\alpha_{3,5}^8 &\rightarrow x_{19} \\
\alpha_{4,9}^{13} &\rightarrow x_{20} \\
\alpha_{5,8}^{13} &\rightarrow x_{21} \\
\alpha_{6,7}^{13} &\rightarrow x_{22} \\
\alpha_{2,12}^{14} &\rightarrow x_{23} \\
\alpha_{5,6}^{11} &\rightarrow x_{24} \\
\alpha_{2,7}^9 &\rightarrow x_{25} \\
\alpha_{2,9}^{11} &\rightarrow x_{26} \\
\alpha_{3,11}^{14} &\rightarrow x_{27} \\
\alpha_{4,8}^{12} &\rightarrow x_{28}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_1 - x_7 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{19} - x_2 + x_7 & = 0 \\
(e_1, e_3, e_4) : & x_1 - x_{19} & = 0 \\
(e_1, e_2, e_6) : & x_2 - x_{25} - x_5 & = 0 \\
(e_1, e_3, e_5) : & x_{19} - x_5 - x_6 & = 0 \\
(e_2, e_3, e_4) : & x_1 x_{25} - x_5 + x_6 & = 0 \\
(e_1, e_2, e_7) : & -x_{14} + x_{25} - x_9 & = 0 \\
(e_1, e_3, e_6) : & -x_{16} + x_5 - x_9 & = 0 \\
(e_1, e_4, e_5) : & -x_{16} + x_6 & = 0 \\
(e_2, e_3, e_5) : & x_{14} x_{19} - x_7 x_9 & = 0 \\
(e_1, e_2, e_8) : & x_{14} - x_{26} - x_8 & = 0 \\
(e_1, e_3, e_7) : & -x_{11} - x_8 + x_9 & = 0 \\
(e_1, e_4, e_6) : & -x_{11} + x_{16} - x_{24} & = 0 \\
(e_2, e_3, e_6) : & -x_2 x_8 - x_{24} + x_{26} x_5 & = 0 \\
(e_2, e_4, e_5) : & -x_{11} x_7 + x_{24} + x_{26} x_6 & = 0 \\
(e_1, e_2, e_9) : & -x_{12} - x_{17} + x_{26} & = 0 \\
(e_1, e_3, e_8) : & -x_{12} - x_{28} + x_8 & = 0 \\
(e_1, e_4, e_7) : & x_{11} - x_{28} - x_3 & = 0 \\
(e_1, e_5, e_6) : & x_{24} - x_3 & = 0 \\
(e_2, e_3, e_7) : & -x_{12} x_{25} + x_{17} x_9 - x_3 & = 0 \\
(e_2, e_4, e_6) : & x_{16} x_{17} - x_2 x_{28} & = 0 \\
(e_3, e_4, e_5) : & x_1 x_3 + x_{12} x_6 - x_{19} x_{28} & = 0 \\
(e_1, e_2, e_{10}) : & -x_{10} - x_{13} + x_{17} & = 0 \\
(e_1, e_3, e_9) : & x_{12} - x_{13} - x_{20} & = 0 \\
(e_1, e_4, e_8) : & -x_{20} - x_{21} + x_{28} & = 0 \\
(e_1, e_5, e_7) : & -x_{21} - x_{22} + x_3 & = 0 \\
(e_2, e_3, e_8) : & x_{10} x_8 - x_{13} x_{14} - x_{21} & = 0 \\
(e_2, e_4, e_7) : & x_{10} x_{11} - x_{20} x_{25} - x_{22} & = 0 \\
(e_2, e_5, e_6) : & x_{10} x_{24} - x_2 x_{21} + x_{22} x_7 & = 0 \\
(e_3, e_4, e_6) : & x_1 x_{22} + x_{13} x_{16} - x_{20} x_5 & = 0 \\
(e_1, e_2, e_{11}) : & x_{10} - x_{23} - x_{27} & = 0 \\
(e_1, e_3, e_{10}) : & x_{13} - x_{15} - x_{27} & = 0 \\
(e_1, e_4, e_9) : & -x_{15} + x_{20} - x_4 & = 0 \\
(e_1, e_5, e_8) : & -x_{18} + x_{21} - x_4 & = 0 \\
(e_1, e_6, e_7) : & -x_{18} + x_{22} & = 0 \\
(e_2, e_3, e_9) : & x_{12} x_{23} - x_{26} x_{27} - x_4 & = 0 \\
(e_2, e_4, e_8) : & -x_{14} x_{15} - x_{18} + x_{23} x_{28} & = 0 \\
(e_2, e_5, e_7) : & x_{23} x_3 - x_{25} x_4 & = 0 \\
(e_3, e_4, e_7) : & x_{11} x_{27} - x_{15} x_9 & = 0 \\
(e_3, e_5, e_6) : & x_{18} x_{19} + x_{24} x_{27} - x_4 x_5 & = 0
\end{aligned}$$

Groebner basis (28 variables, 0 linear, 29 nonlinear)

$$\begin{aligned}
&66x_1 - 264x_{27}x_{28} - 66x_{27} - 89985x_{28}^3 - 2860x_{28}^2 - 396x_{28} = 0 \\
&33x_2 + 264x_{27}x_{28} + 66x_{27} + 89985x_{28}^3 + 2860x_{28}^2 + 396x_{28} - 33 = 0 \\
&\quad -88x_{27}x_{28} - 16695x_{28}^3 - 660x_{28}^2 + 44x_3 = 0 \\
&\quad -264x_{27}x_{28} - 10185x_{28}^3 - 1100x_{28}^2 + 132x_4 = 0 \\
&\quad -33x_{27} - 19950x_{28}^3 - 440x_{28}^2 - 165x_{28} + 33x_5 = 0 \\
&\quad -88x_{27}x_{28} - 16695x_{28}^3 - 660x_{28}^2 - 22x_{28} + 22x_6 = 0 \\
&264x_{27}x_{28} + 66x_{27} + 89985x_{28}^3 + 2860x_{28}^2 + 396x_{28} + 66x_7 - 66 = 0 \\
&\quad 72x_{27}x_{28} - 12x_{27} + 6405x_{28}^3 + 380x_{28}^2 - 36x_{28} + 12x_8 = 0 \\
&264x_{27}x_{28} - 66x_{27} + 10185x_{28}^3 + 1100x_{28}^2 - 264x_{28} + 66x_9 = 0 \\
&\quad 11x_{10} - 132x_{27}x_{28} + 77x_{27} + 19845x_{28}^3 + 297x_{28} - 11 = 0 \\
&\quad 44x_{11} - 88x_{27}x_{28} - 16695x_{28}^3 - 660x_{28}^2 - 44x_{28} = 0 \\
&\quad 12x_{12} + 72x_{27}x_{28} - 12x_{27} + 6405x_{28}^3 + 380x_{28}^2 - 24x_{28} = 0 \\
&\quad 11x_{13} + 44x_{27}x_{28} - 11x_{27} + 3360x_{28}^3 + 220x_{28}^2 - 11x_{28} = 0 \\
&66x_{14} + 264x_{27}x_{28} + 264x_{27} + 209685x_{28}^3 + 5500x_{28}^2 + 1386x_{28} - 66 = 0 \\
&\quad 11x_{15} + 44x_{27}x_{28} + 3360x_{28}^3 + 220x_{28}^2 - 11x_{28} = 0 \\
&\quad 22x_{16} - 88x_{27}x_{28} - 16695x_{28}^3 - 660x_{28}^2 - 22x_{28} = 0 \\
&11x_{17} - 88x_{27}x_{28} + 66x_{27} + 23205x_{28}^3 + 220x_{28}^2 + 286x_{28} - 11 = 0 \\
&\quad 66x_{18} - 9975x_{28}^3 - 220x_{28}^2 = 0 \\
&66x_{19} - 264x_{27}x_{28} - 66x_{27} - 89985x_{28}^3 - 2860x_{28}^2 - 396x_{28} = 0 \\
&\quad 132x_{20} + 264x_{27}x_{28} + 30135x_{28}^3 + 1540x_{28}^2 - 132x_{28} = 0 \\
&\quad 132x_{21} - 264x_{27}x_{28} - 30135x_{28}^3 - 1540x_{28}^2 = 0 \\
&\quad 66x_{22} - 9975x_{28}^3 - 220x_{28}^2 = 0 \\
&\quad 11x_{23} - 132x_{27}x_{28} + 88x_{27} + 19845x_{28}^3 + 297x_{28} - 11 = 0 \\
&\quad 44x_{24} - 88x_{27}x_{28} - 16695x_{28}^3 - 660x_{28}^2 = 0 \\
&11x_{25} + 88x_{27}x_{28} + 33x_{27} + 36645x_{28}^3 + 1100x_{28}^2 + 187x_{28} - 11 = 0 \\
&132x_{26} - 264x_{27}x_{28} + 660x_{27} + 348915x_{28}^3 + 6820x_{28}^2 + 3168x_{28} - 132 = 0 \\
&\quad 1089x_{27}^2 + 9801x_{27}x_{28} + 298830x_{28}^3 + 20086x_{28}^2 - 726x_{28} = 0 \\
&\quad 11x_{27}x_{28}^2 - 42x_{28}^3 = 0 \\
&\quad 105x_{28}^4 - x_{28}^3 = 0
\end{aligned}$$

Solution 1:

$$x_1 = 0$$

$$x_2 = 1$$

$$x_3 = 0$$

$$x_4 = 0$$

$$x_5 = 0$$

$$x_6 = 0$$

$$x_7 = 1$$

$$x_8 = 0$$

$$x_9 = 0$$

$$x_{10} = 1$$

$$x_{11} = 0$$

$$x_{12} = 0$$

$$x_{13} = 0$$

$$x_{14} = 1$$

$$x_{15} = 0$$

$$x_{16} = 0$$

$$x_{17} = 1$$

$$x_{18} = 0$$

$$x_{19} = 0$$

$$x_{20} = 0$$

$$x_{21} = 0$$

$$x_{22} = 0$$

$$x_{23} = 1$$

$$x_{24} = 0$$

$$x_{25} = 1$$

$$x_{26} = 1$$

$$x_{27} = 0$$

$$x_{28} = 0$$

Solution 2:

$$x_1 = 1/10$$

$$x_2 = 4/5$$

$$\begin{aligned}
x_3 &= 1/420 \\
x_4 &= 1/660 \\
x_5 &= 3/35 \\
x_6 &= 1/70 \\
x_7 &= 9/10 \\
x_8 &= 5/84 \\
x_9 &= 1/14 \\
x_{10} &= 27/55 \\
x_{11} &= 1/84 \\
x_{12} &= 1/20 \\
x_{13} &= 7/165 \\
x_{14} &= 9/14 \\
x_{15} &= 1/165 \\
x_{16} &= 1/70 \\
x_{17} &= 8/15 \\
x_{18} &= 1/2310 \\
x_{19} &= 1/10 \\
x_{20} &= 1/132 \\
x_{21} &= 3/1540 \\
x_{22} &= 1/2310 \\
x_{23} &= 5/11 \\
x_{24} &= 1/420 \\
x_{25} &= 5/7 \\
x_{26} &= 7/12 \\
x_{27} &= 2/55 \\
x_{28} &= 1/105
\end{aligned}$$



$\mathfrak{m}_{1A}(3, 14)$

m1A314 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_{11}] = e_{14} & [e_3, e_{10}] = -e_{14} \\
[e_4, e_9] = e_{14} & [e_5, e_8] = -e_{14} \\
[e_6, e_7] = e_{14} & 
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(3, 14)$

m3A314 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_9] = e_{12} & [e_2, e_{10}] = 4e_{13} \\
[e_2, e_{11}] = \alpha_{2,11}^{14} e_{14} & [e_3, e_8] = -e_{12} \\
[e_3, e_9] = -3e_{13} & [e_3, e_{10}] = \alpha_{3,10}^{14} e_{14} \\
[e_4, e_7] = e_{12} & [e_4, e_8] = 2e_{13} \\
[e_4, e_9] = \alpha_{4,9}^{14} e_{14} & [e_5, e_6] = -e_{12} \\
[e_5, e_7] = -e_{13} & [e_5, e_8] = \alpha_{5,8}^{14} e_{14} \\
[e_6, e_7] = \alpha_{6,7}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & \quad -\alpha_{2,11}^{14} - \alpha_{3,10}^{14} + 4 & = 0 \\
(e_1, e_3, e_9) : & \quad -\alpha_{3,10}^{14} - \alpha_{4,9}^{14} - 3 & = 0 \\
(e_1, e_4, e_8) : & \quad -\alpha_{4,9}^{14} - \alpha_{5,8}^{14} + 2 & = 0 \\
(e_1, e_5, e_7) : & \quad -\alpha_{5,8}^{14} - \alpha_{6,7}^{14} - 1 & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{5,8}^{14} \rightarrow x_1$$

$$\alpha_{2,11}^{14} \rightarrow x_2$$

$$\alpha_{4,9}^{14} \rightarrow x_3$$

$$\alpha_{6,7}^{14} \rightarrow x_4$$

$$\alpha_{3,10}^{14} \rightarrow x_5$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_{10}) : & \quad -x_2 - x_5 + 4 & = 0 \\
(e_1, e_3, e_9) : & \quad -x_3 - x_5 - 3 & = 0 \\
(e_1, e_4, e_8) : & \quad -x_1 - x_3 + 2 & = 0 \\
(e_1, e_5, e_7) : & \quad -x_1 - x_4 - 1 & = 0
\end{aligned}$$

Groebner basis (5 variables, 4 linear, 0 nonlinear)

$$x_1 - x_5 - 5 = 0$$

$$x_2 + x_5 - 4 = 0$$

$$x_3 + x_5 + 3 = 0$$

$$x_4 + x_5 + 6 = 0$$

$\mathfrak{m}_{5A}(3, 14)$

m5A314 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_7] = e_{10} & [e_2, e_8] = 3e_{11} \\
[e_2, e_9] = \frac{7e_{12}}{2} & [e_2, e_{10}] = 0 \\
[e_2, e_{11}] = 0 & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_3, e_8] = -\frac{e_{12}}{2} \\
[e_3, e_9] = \frac{7e_{13}}{2} & [e_3, e_{10}] = 0 \\
[e_4, e_5] = e_{10} & [e_4, e_6] = e_{11} \\
[e_4, e_7] = -\frac{3e_{12}}{2} & [e_4, e_8] = -4e_{13} \\
[e_4, e_9] = \frac{7e_{14}}{2} & [e_5, e_6] = \frac{5e_{12}}{2} \\
[e_5, e_7] = \frac{5e_{13}}{2} & [e_5, e_8] = -\frac{15e_{14}}{2} \\
[e_6, e_7] = 10e_{14} & 
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_7] = e_{10} & [e_2, e_8] = 3e_{11} \\
[e_2, e_9] = \alpha_{2,9}^{12}e_{12} & [e_2, e_{10}] = \alpha_{2,10}^{13}e_{13} \\
[e_2, e_{11}] = \alpha_{2,11}^{14}e_{14} & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_3, e_8] = \alpha_{3,8}^{12}e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13}e_{13} & [e_3, e_{10}] = \alpha_{3,10}^{14}e_{14} \\
[e_4, e_5] = e_{10} & [e_4, e_6] = e_{11} \\
[e_4, e_7] = \alpha_{4,7}^{12}e_{12} & [e_4, e_8] = \alpha_{4,8}^{13}e_{13} \\
[e_4, e_9] = \alpha_{4,9}^{14}e_{14} & [e_5, e_6] = \alpha_{5,6}^{12}e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13}e_{13} & [e_5, e_8] = \alpha_{5,8}^{14}e_{14} \\
[e_6, e_7] = \alpha_{6,7}^{14}e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{12} - \alpha_{4,7}^{12} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{12} - \alpha_{5,6}^{12} + 1 & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,10}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{13} - \alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{14} + \alpha_{3,9}^{13} - \alpha_{4,9}^{14} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{13} - \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{13} - \alpha_{5,8}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_3, e_7) : & -2\alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,11}^{14} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{5,8}^{14} &= -15/2 \\
\alpha_{2,11}^{14} &= 0 \\
\alpha_{2,10}^{13} &= 0 \\
\alpha_{4,9}^{14} &= 7/2 \\
\alpha_{6,7}^{14} &= 10 \\
\alpha_{3,10}^{14} &= 0 \\
\alpha_{3,8}^{12} &= -1/2 \\
\alpha_{4,7}^{12} &= -3/2 \\
\alpha_{5,6}^{12} &= 5/2 \\
\alpha_{2,9}^{12} &= 7/2 \\
\alpha_{4,8}^{13} &= -4 \\
\alpha_{3,9}^{13} &= 7/2 \\
\alpha_{5,7}^{13} &= 5/2
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{5,8}^{14} &\rightarrow x_1 \\
\alpha_{2,11}^{14} &\rightarrow x_2 \\
\alpha_{2,10}^{13} &\rightarrow x_3 \\
\alpha_{4,9}^{14} &\rightarrow x_4 \\
\alpha_{6,7}^{14} &\rightarrow x_5 \\
\alpha_{3,10}^{14} &\rightarrow x_6 \\
\alpha_{3,8}^{12} &\rightarrow x_7 \\
\alpha_{4,7}^{12} &\rightarrow x_8 \\
\alpha_{5,6}^{12} &\rightarrow x_9 \\
\alpha_{2,9}^{12} &\rightarrow x_{10} \\
\alpha_{4,8}^{13} &\rightarrow x_{11} \\
\alpha_{3,9}^{13} &\rightarrow x_{12} \\
\alpha_{5,7}^{13} &\rightarrow x_{13}
\end{aligned}$$

## Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_{10} - x_7 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_7 - x_8 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_8 - x_9 + 1 & = 0 \\
(e_1, e_2, e_9) : & x_{10} - x_{12} - x_3 & = 0 \\
(e_1, e_3, e_8) : & -x_{11} - x_{12} + x_7 & = 0 \\
(e_1, e_4, e_7) : & -x_{11} - x_{13} + x_8 & = 0 \\
(e_1, e_5, e_6) : & -x_{13} + x_9 & = 0 \\
(e_2, e_3, e_6) : & -x_3 & = 0 \\
(e_2, e_4, e_5) : & x_3 & = 0 \\
(e_1, e_2, e_{10}) : & -x_2 + x_3 - x_6 & = 0 \\
(e_1, e_3, e_9) : & x_{12} - x_4 - x_6 & = 0 \\
(e_1, e_4, e_8) : & -x_1 + x_{11} - x_4 & = 0 \\
(e_1, e_5, e_7) : & -x_1 + x_{13} - x_5 & = 0 \\
(e_2, e_3, e_7) : & -2x_2 - x_6 & = 0 \\
(e_2, e_4, e_6) : & x_2 & = 0 \\
(e_3, e_4, e_5) : & x_6 & = 0
\end{array}$$

Groebner basis (13 variables, 13 linear, 0 nonlinear)

$$\begin{array}{l}
2x_1 + 15 = 0 \\
x_2 = 0 \\
x_3 = 0 \\
2x_4 - 7 = 0 \\
x_5 - 10 = 0 \\
x_6 = 0 \\
2x_7 + 1 = 0 \\
2x_8 + 3 = 0 \\
2x_9 - 5 = 0 \\
2x_{10} - 7 = 0 \\
x_{11} + 4 = 0 \\
2x_{12} - 7 = 0 \\
2x_{13} - 5 = 0
\end{array}$$

Solution 1:

$$x_1 = -15/2$$

$$x_2 = 0$$

$$x_3 = 0$$

$$x_4 = 7/2$$

$$x_5 = 10$$

$$x_6 = 0$$

$$x_7 = -1/2$$

$$x_8 = -3/2$$

$$x_9 = 5/2$$

$$x_{10} = 7/2$$

$$x_{11} = -4$$

$$x_{12} = 7/2$$

$$x_{13} = 5/2$$

$\mathfrak{m}_{7A}(3, 14)$

m7A314 (this line included for string searching purposes)



Solution 1

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_1, e_{13}] &= e_{14} \\
[e_2, e_5] &= e_8 & [e_2, e_6] &= 2e_9 \\
[e_2, e_7] &= \frac{5e_{10}}{3} & [e_2, e_8] &= 0 \\
[e_2, e_9] &= -\frac{49e_{12}}{33} & [e_2, e_{10}] &= -\frac{14e_{13}}{11} \\
[e_2, e_{11}] &= -\frac{7e_{14}}{11} & [e_3, e_4] &= -e_8 \\
[e_3, e_5] &= -e_9 & [e_3, e_6] &= \frac{e_{10}}{3} \\
[e_3, e_7] &= \frac{5e_{11}}{3} & [e_3, e_8] &= \frac{49e_{12}}{33} \\
[e_3, e_9] &= -\frac{7e_{13}}{33} & [e_3, e_{10}] &= -\frac{7e_{14}}{11} \\
[e_4, e_5] &= -\frac{4e_{10}}{3} & [e_4, e_6] &= -\frac{4e_{11}}{3} \\
[e_4, e_7] &= \frac{2e_{12}}{11} & [e_4, e_8] &= \frac{56e_{13}}{33} \\
[e_4, e_9] &= \frac{14e_{14}}{33} & [e_5, e_6] &= -\frac{50e_{12}}{33} \\
[e_5, e_7] &= -\frac{50e_{13}}{33} & [e_5, e_8] &= \frac{14e_{14}}{11} \\
[e_6, e_7] &= -\frac{92e_{14}}{33}
\end{aligned}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_5] = e_8 & [e_2, e_6] = 2e_9 \\
[e_2, e_7] = \alpha_{2,7}^{10} e_{10} & [e_2, e_8] = \alpha_{2,8}^{11} e_{11} \\
[e_2, e_9] = \alpha_{2,9}^{12} e_{12} & [e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} \\
[e_2, e_{11}] = \alpha_{2,11}^{14} e_{14} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13} e_{13} & [e_3, e_{10}] = \alpha_{3,10}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{10} e_{10} & [e_4, e_6] = \alpha_{4,6}^{11} e_{11} \\
[e_4, e_7] = \alpha_{4,7}^{12} e_{12} & [e_4, e_8] = \alpha_{4,8}^{13} e_{13} \\
[e_4, e_9] = \alpha_{4,9}^{14} e_{14} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13} e_{13} & [e_5, e_8] = \alpha_{5,8}^{14} e_{14} \\
[e_6, e_7] = \alpha_{6,7}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - 2\alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{13} - \alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{14} + \alpha_{3,9}^{13} - \alpha_{4,9}^{14} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{13} - \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{13} - \alpha_{5,8}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,11}^{14} \alpha_{3,7}^{11} - \alpha_{2,7}^{10} \alpha_{3,10}^{14} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,11}^{14} \alpha_{4,6}^{11} - 2\alpha_{4,9}^{14} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{14} \alpha_{4,5}^{10} + \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,7}^{11} &= 5/3 \\
\alpha_{5,8}^{14} &= 14/11 \\
\alpha_{2,7}^{10} &= 5/3 \\
\alpha_{2,11}^{14} &= -7/11 \\
\alpha_{2,10}^{13} &= -14/11 \\
\alpha_{4,9}^{14} &= 14/33 \\
\alpha_{6,7}^{14} &= -92/33 \\
\alpha_{4,6}^{11} &= -4/3 \\
\alpha_{3,8}^{12} &= 49/33 \\
\alpha_{4,5}^{10} &= -4/3 \\
\alpha_{4,7}^{12} &= 2/11 \\
\alpha_{3,10}^{14} &= -7/11 \\
\alpha_{5,6}^{12} &= -50/33 \\
\alpha_{3,6}^{10} &= 1/3 \\
\alpha_{2,9}^{12} &= -49/33 \\
\alpha_{4,8}^{13} &= 56/33 \\
\alpha_{2,8}^{11} &= 0 \\
\alpha_{3,9}^{13} &= -7/33 \\
\alpha_{5,7}^{13} &= -50/33
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{3,7}^{11} &\rightarrow x_1 \\
\alpha_{5,8}^{14} &\rightarrow x_2 \\
\alpha_{2,7}^{10} &\rightarrow x_3 \\
\alpha_{2,11}^{14} &\rightarrow x_4 \\
\alpha_{2,10}^{13} &\rightarrow x_5 \\
\alpha_{4,9}^{14} &\rightarrow x_6 \\
\alpha_{6,7}^{14} &\rightarrow x_7 \\
\alpha_{4,6}^{11} &\rightarrow x_8
\end{aligned}$$

$$\alpha_{3,8}^{12} \rightarrow x_9$$

$$\alpha_{4,5}^{10} \rightarrow x_{10}$$

$$\alpha_{4,7}^{12} \rightarrow x_{11}$$

$$\alpha_{3,10}^{14} \rightarrow x_{12}$$

$$\alpha_{5,6}^{12} \rightarrow x_{13}$$

$$\alpha_{3,6}^{10} \rightarrow x_{14}$$

$$\alpha_{2,9}^{12} \rightarrow x_{15}$$

$$\alpha_{4,8}^{13} \rightarrow x_{16}$$

$$\alpha_{2,8}^{11} \rightarrow x_{17}$$

$$\alpha_{3,9}^{13} \rightarrow x_{18}$$

$$\alpha_{5,7}^{13} \rightarrow x_{19}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_{14} - x_3 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_{10} - x_{14} - 1 & = 0 \\
(e_1, e_2, e_7) : & -x_1 - x_{17} + x_3 & = 0 \\
(e_1, e_3, e_6) : & -x_1 + x_{14} - x_8 & = 0 \\
(e_1, e_4, e_5) : & x_{10} - x_8 & = 0 \\
(e_2, e_3, e_4) : & -x_{17} & = 0 \\
(e_1, e_2, e_8) : & -x_{15} + x_{17} - x_9 & = 0 \\
(e_1, e_3, e_7) : & x_1 - x_{11} - x_9 & = 0 \\
(e_1, e_4, e_6) : & -x_{11} - x_{13} + x_8 & = 0 \\
(e_2, e_3, e_5) : & -x_{15} - x_9 & = 0 \\
(e_1, e_2, e_9) : & x_{15} - x_{18} - x_5 & = 0 \\
(e_1, e_3, e_8) : & -x_{16} - x_{18} + x_9 & = 0 \\
(e_1, e_4, e_7) : & x_{11} - x_{16} - x_{19} & = 0 \\
(e_1, e_5, e_6) : & x_{13} - x_{19} & = 0 \\
(e_2, e_3, e_6) : & x_{14}x_5 - 2x_{18} & = 0 \\
(e_2, e_4, e_5) : & x_{10}x_5 - x_{16} & = 0 \\
(e_1, e_2, e_{10}) : & -x_{12} - x_4 + x_5 & = 0 \\
(e_1, e_3, e_9) : & -x_{12} + x_{18} - x_6 & = 0 \\
(e_1, e_4, e_8) : & x_{16} - x_2 - x_6 & = 0 \\
(e_1, e_5, e_7) : & x_{19} - x_2 - x_7 & = 0 \\
(e_2, e_3, e_7) : & x_1x_4 - x_{12}x_3 & = 0 \\
(e_2, e_4, e_6) : & x_4x_8 - 2x_6 & = 0 \\
(e_3, e_4, e_5) : & x_{10}x_{12} - x_2 + x_6 & = 0
\end{array}$$

Groebner basis (19 variables, 19 linear, 0 nonlinear)

$$\begin{array}{l}
3x_1 - 5 = 0 \\
11x_2 - 14 = 0 \\
3x_3 - 5 = 0 \\
11x_4 + 7 = 0 \\
11x_5 + 14 = 0 \\
33x_6 - 14 = 0 \\
33x_7 + 92 = 0 \\
3x_8 + 4 = 0
\end{array}$$

$$33x_9 - 49 = 0$$

$$3x_{10} + 4 = 0$$

$$11x_{11} - 2 = 0$$

$$11x_{12} + 7 = 0$$

$$33x_{13} + 50 = 0$$

$$3x_{14} - 1 = 0$$

$$33x_{15} + 49 = 0$$

$$33x_{16} - 56 = 0$$

$$x_{17} = 0$$

$$33x_{18} + 7 = 0$$

$$33x_{19} + 50 = 0$$

Solution 1:

$$x_1 = 5/3$$

$$x_2 = 14/11$$

$$x_3 = 5/3$$

$$x_4 = -7/11$$

$$x_5 = -14/11$$

$$x_6 = 14/33$$

$$x_7 = -92/33$$

$$x_8 = -4/3$$

$$x_9 = 49/33$$

$$x_{10} = -4/3$$

$$x_{11} = 2/11$$

$$x_{12} = -7/11$$

$$x_{13} = -50/33$$

$$x_{14} = 1/3$$

$$x_{15} = -49/33$$

$$x_{16} = 56/33$$

$$x_{17} = 0$$

$$x_{18} = -7/33$$

$$x_{19} = -50/33$$

$\mathfrak{m}_{9A}(3, 14)$

m9A314 (this line included for string searching purposes)

Original brackets:

|   |   |
|---|---|
| $[e_1, e_2] = e_3$                          | $[e_1, e_3] = e_4$                          |
| $[e_1, e_4] = e_5$                          | $[e_1, e_5] = e_6$                          |
| $[e_1, e_6] = e_7$                          | $[e_1, e_7] = e_8$                          |
| $[e_1, e_8] = e_9$                          | $[e_1, e_9] = e_{10}$                       |
| $[e_1, e_{10}] = e_{11}$                    | $[e_1, e_{11}] = e_{12}$                    |
| $[e_1, e_{12}] = e_{13}$                    | $[e_1, e_{13}] = e_{14}$                    |
| $[e_2, e_3] = e_6$                          | $[e_2, e_4] = e_7$                          |
| $[e_2, e_5] = \alpha_{2,5}^8 e_8$           | $[e_2, e_6] = \alpha_{2,6}^9 e_9$           |
| $[e_2, e_7] = \alpha_{2,7}^{10} e_{10}$     | $[e_2, e_8] = \alpha_{2,8}^{11} e_{11}$     |
| $[e_2, e_9] = \alpha_{2,9}^{12} e_{12}$     | $[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13}$ |
| $[e_2, e_{11}] = \alpha_{2,11}^{14} e_{14}$ | $[e_3, e_4] = \alpha_{3,4}^8 e_8$           |
| $[e_3, e_5] = \alpha_{3,5}^9 e_9$           | $[e_3, e_6] = \alpha_{3,6}^{10} e_{10}$     |
| $[e_3, e_7] = \alpha_{3,7}^{11} e_{11}$     | $[e_3, e_8] = \alpha_{3,8}^{12} e_{12}$     |
| $[e_3, e_9] = \alpha_{3,9}^{13} e_{13}$     | $[e_3, e_{10}] = \alpha_{3,10}^{14} e_{14}$ |
| $[e_4, e_5] = \alpha_{4,5}^{10} e_{10}$     | $[e_4, e_6] = \alpha_{4,6}^{11} e_{11}$     |
| $[e_4, e_7] = \alpha_{4,7}^{12} e_{12}$     | $[e_4, e_8] = \alpha_{4,8}^{13} e_{13}$     |
| $[e_4, e_9] = \alpha_{4,9}^{14} e_{14}$     | $[e_5, e_6] = \alpha_{5,6}^{12} e_{12}$     |
| $[e_5, e_7] = \alpha_{5,7}^{13} e_{13}$     | $[e_5, e_8] = \alpha_{5,8}^{14} e_{14}$     |
| $[e_6, e_7] = \alpha_{6,7}^{14} e_{14}$     |   |



Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{12} + \alpha_{2,9}^{12} \alpha_{3,5}^9 + \alpha_{5,6}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - \alpha_{2,6}^9 \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{2,5}^8 \alpha_{4,8}^{13} + \alpha_{5,7}^{13} & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{13} - \alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{14} + \alpha_{3,9}^{13} - \alpha_{4,9}^{14} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{13} - \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{13} - \alpha_{5,8}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,11}^{14} \alpha_{3,7}^{11} - \alpha_{2,7}^{10} \alpha_{3,10}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,11}^{14} \alpha_{4,6}^{11} - \alpha_{2,6}^9 \alpha_{4,9}^{14} + \alpha_{6,7}^{14} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{14} \alpha_{4,5}^{10} + \alpha_{3,4}^8 \alpha_{5,8}^{14} - \alpha_{3,5}^9 \alpha_{4,9}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,7}^{11} \rightarrow x_1$$

$$\alpha_{2,7}^{10} \rightarrow x_2$$

$$\begin{aligned}
\alpha_{2,10}^{13} &\rightarrow x_3 \\
\alpha_{6,7}^{14} &\rightarrow x_4 \\
\alpha_{3,8}^{12} &\rightarrow x_5 \\
\alpha_{5,6}^{12} &\rightarrow x_6 \\
\alpha_{3,5}^9 &\rightarrow x_7 \\
\alpha_{5,7}^{13} &\rightarrow x_8 \\
\alpha_{5,8}^{14} &\rightarrow x_9 \\
\alpha_{2,6}^9 &\rightarrow x_{10} \\
\alpha_{4,5}^{10} &\rightarrow x_{11} \\
\alpha_{2,9}^{12} &\rightarrow x_{12} \\
\alpha_{3,4}^8 &\rightarrow x_{13} \\
\alpha_{2,5}^8 &\rightarrow x_{14} \\
\alpha_{2,8}^{11} &\rightarrow x_{15} \\
\alpha_{2,11}^{14} &\rightarrow x_{16} \\
\alpha_{4,6}^{11} &\rightarrow x_{17} \\
\alpha_{3,10}^{14} &\rightarrow x_{18} \\
\alpha_{3,6}^{10} &\rightarrow x_{19} \\
\alpha_{4,8}^{13} &\rightarrow x_{20} \\
\alpha_{3,9}^{13} &\rightarrow x_{21} \\
\alpha_{4,9}^{14} &\rightarrow x_{22} \\
\alpha_{4,7}^{12} &\rightarrow x_{23}
\end{aligned}$$

## Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{13} - x_{14} + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{10} + x_{14} - x_7 & = 0 \\
(e_1, e_3, e_4) : & x_{13} - x_7 & = 0 \\
(e_1, e_2, e_6) : & x_{10} - x_{19} - x_2 & = 0 \\
(e_1, e_3, e_5) : & -x_{11} - x_{19} + x_7 & = 0 \\
(e_1, e_2, e_7) : & -x_1 - x_{15} + x_2 & = 0 \\
(e_1, e_3, e_6) : & -x_1 - x_{17} + x_{19} & = 0 \\
(e_1, e_4, e_5) : & x_{11} - x_{17} & = 0 \\
(e_2, e_3, e_4) : & -x_1 + x_{13}x_{15} + x_{17} & = 0 \\
(e_1, e_2, e_8) : & -x_{12} + x_{15} - x_5 & = 0 \\
(e_1, e_3, e_7) : & x_1 - x_{23} - x_5 & = 0 \\
(e_1, e_4, e_6) : & x_{17} - x_{23} - x_6 & = 0 \\
(e_2, e_3, e_5) : & x_{12}x_7 - x_{14}x_5 + x_6 & = 0 \\
(e_1, e_2, e_9) : & x_{12} - x_{21} - x_3 & = 0 \\
(e_1, e_3, e_8) : & -x_{20} - x_{21} + x_5 & = 0 \\
(e_1, e_4, e_7) : & -x_{20} + x_{23} - x_8 & = 0 \\
(e_1, e_5, e_6) : & x_6 - x_8 & = 0 \\
(e_2, e_3, e_6) : & -x_{10}x_{21} + x_{19}x_3 & = 0 \\
(e_2, e_4, e_5) : & x_{11}x_3 - x_{14}x_{20} + x_8 & = 0 \\
(e_1, e_2, e_{10}) : & -x_{16} - x_{18} + x_3 & = 0 \\
(e_1, e_3, e_9) : & -x_{18} + x_{21} - x_{22} & = 0 \\
(e_1, e_4, e_8) : & x_{20} - x_{22} - x_9 & = 0 \\
(e_1, e_5, e_7) : & -x_4 + x_8 - x_9 & = 0 \\
(e_2, e_3, e_7) : & x_1x_{16} - x_{18}x_2 - x_4 & = 0 \\
(e_2, e_4, e_6) : & -x_{10}x_{22} + x_{16}x_{17} + x_4 & = 0 \\
(e_3, e_4, e_5) : & x_{11}x_{18} + x_{13}x_9 - x_{22}x_7 & = 0
\end{array}$$

Groebner basis (23 variables, 19 linear, 9 nonlinear)

$$\begin{aligned}
x_1 - x_{20} - x_{21} - x_{23} &= 0 \\
x_2 - 2x_{20} + 3x_{21} + 13x_{23} - 1 &= 0 \\
6x_{21} + 14x_{23} + x_3 - 1 &= 0 \\
2x_{20} - x_{22} - x_{23} + x_4 &= 0 \\
-x_{20} - x_{21} + x_5 &= 0
\end{aligned}$$

$$\begin{aligned}
x_{20} - x_{23} + x_6 &= 0 \\
x_{20} - x_{21} - 5x_{23} + x_7 &= 0 \\
x_{20} - x_{23} + x_8 &= 0 \\
-x_{20} + x_{22} + x_9 &= 0 \\
x_{10} - 2x_{20} + 2x_{21} + 10x_{23} - 1 &= 0 \\
x_{11} + x_{20} - 2x_{23} &= 0 \\
x_{12} + 5x_{21} + 14x_{23} - 1 &= 0 \\
x_{13} + x_{20} - x_{21} - 5x_{23} &= 0 \\
x_{14} - x_{20} + x_{21} + 5x_{23} - 1 &= 0 \\
x_{15} - x_{20} + 4x_{21} + 14x_{23} - 1 &= 0 \\
x_{16} + 7x_{21} - x_{22} + 14x_{23} - 1 &= 0 \\
x_{17} + x_{20} - 2x_{23} &= 0 \\
x_{18} - x_{21} + x_{22} &= 0 \\
x_{19} - x_{21} - 3x_{23} &= 0 \\
41521907825516851200x_{20}^2 + 124565723476550553600x_{20} - 1162613419114471833600x_{21}x_{22} + 31662477970148307 & \\
41521907825516851200x_{20}x_{21} - 166087631302067404800x_{21}x_{22} + 5121553233717394432000x_{21}x_{23}^6 - 14303593984 & \\
41521907825516851200x_{20}x_{22} + 41521907825516851200x_{20} - 415219078255168512000x_{21}x_{22} + 1092156236424886 & \\
10380476956379212800x_{20}x_{23} - 55110456129913856000x_{21}x_{23}^6 + 190316553161232662400x_{21}x_{23}^5 - 1909503254453 & \\
83043815651033702400x_{21}^2 + 166087631302067404800x_{21}x_{22} - 5121553233717394432000x_{21}x_{23}^6 + 14303593984447 & \\
132622542961459200x_{21}x_{22}^2 + 22103757160243200x_{21}x_{22} - 203396275145728000x_{21}x_{23}^6 + 661217946787651200x_{21} & \\
140911451896550400x_{21}x_{22}x_{23} + 1384101827032064000x_{21}x_{23}^6 - 3322119579271305600x_{21}x_{23}^5 + 1078179152126370 & \\
1598464000x_{21}x_{23}^7 - 3669705600x_{21}x_{23}^6 + 625038120x_{21}x_{23}^5 - 2195035200x_{21}x_{23}^4 - 351423360x_{21}x_{23}^3 - 18662400x_{21} & \\
90x_{22}^4x_{23}^2 + 2592x_{22}^4x_{23} - 3420x_{22}^3x_{23}^3 - 14430x_{22}^3x_{23}^2 + 3024x_{22}^3x_{23} - 40x_{22}^2x_{23}^4 + 28119x_{22}^2x_{23}^3 - 5904x_{22}^2x_{23}^2 + 432x_{22}^2x_{23} &
\end{aligned}$$

$\mathfrak{m}_{2A}(4, 14)$

m2A414 (this line included for string searching purposes)

Original brackets:

|                          |                           |
|--------------------------|---------------------------|
| $[e_1, e_2] = e_3$       | $[e_1, e_3] = e_4$        |
| $[e_1, e_4] = e_5$       | $[e_1, e_5] = e_6$        |
| $[e_1, e_6] = e_7$       | $[e_1, e_7] = e_8$        |
| $[e_1, e_8] = e_9$       | $[e_1, e_9] = e_{10}$     |
| $[e_1, e_{10}] = e_{11}$ | $[e_1, e_{11}] = e_{12}$  |
| $[e_1, e_{12}] = e_{13}$ | $[e_1, e_{13}] = e_{14}$  |
| $[e_2, e_9] = e_{13}$    | $[e_2, e_{10}] = 4e_{14}$ |
| $[e_3, e_8] = -e_{13}$   | $[e_3, e_9] = -3e_{14}$   |
| $[e_4, e_7] = e_{13}$    | $[e_4, e_8] = 2e_{14}$    |
| $[e_5, e_6] = -e_{13}$   | $[e_5, e_7] = -e_{14}$    |

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(4, 14)$

m4A414 (this line included for string searching purposes)

Original brackets:

|  |  |
|--|--|
| $[e_1, e_2] = e_3$                     | $[e_1, e_3] = e_4$                         |
| $[e_1, e_4] = e_5$                     | $[e_1, e_5] = e_6$                         |
| $[e_1, e_6] = e_7$                     | $[e_1, e_7] = e_8$                         |
| $[e_1, e_8] = e_9$                     | $[e_1, e_9] = e_{10}$                      |
| $[e_1, e_{10}] = e_{11}$               | $[e_1, e_{11}] = e_{12}$                   |
| $[e_1, e_{12}] = e_{13}$               | $[e_1, e_{13}] = e_{14}$                   |
| $[e_2, e_7] = e_{11}$                  | $[e_2, e_8] = 3e_{12}$                     |
| $[e_2, e_9] = \alpha_{2,9}^{13}e_{13}$ | $[e_2, e_{10}] = \alpha_{2,10}^{14}e_{14}$ |
| $[e_3, e_6] = -e_{11}$                 | $[e_3, e_7] = -2e_{12}$                    |
| $[e_3, e_8] = \alpha_{3,8}^{13}e_{13}$ | $[e_3, e_9] = \alpha_{3,9}^{14}e_{14}$     |
| $[e_4, e_5] = e_{11}$                  | $[e_4, e_6] = e_{12}$                      |
| $[e_4, e_7] = \alpha_{4,7}^{13}e_{13}$ | $[e_4, e_8] = \alpha_{4,8}^{14}e_{14}$     |
| $[e_5, e_6] = \alpha_{5,6}^{13}e_{13}$ | $[e_5, e_7] = \alpha_{5,7}^{14}e_{14}$     |

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{13} - \alpha_{3,8}^{13} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{13} - \alpha_{4,7}^{13} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{13} - \alpha_{5,6}^{13} + 1 & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{14} + \alpha_{2,9}^{13} - \alpha_{3,9}^{14} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{13} - \alpha_{3,9}^{14} - \alpha_{4,8}^{14} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{13} - \alpha_{4,8}^{14} - \alpha_{5,7}^{14} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{13} - \alpha_{5,7}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{5,6}^{13} & \rightarrow x_1 \\
\alpha_{3,9}^{14} & \rightarrow x_2 \\
\alpha_{4,7}^{13} & \rightarrow x_3 \\
\alpha_{5,7}^{14} & \rightarrow x_4 \\
\alpha_{2,10}^{14} & \rightarrow x_5 \\
\alpha_{2,9}^{13} & \rightarrow x_6 \\
\alpha_{4,8}^{14} & \rightarrow x_7 \\
\alpha_{3,8}^{13} & \rightarrow x_8
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_8) : & -x_6 - x_8 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_3 - x_8 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_1 - x_3 + 1 & = 0 \\
(e_1, e_2, e_9) : & -x_2 - x_5 + x_6 & = 0 \\
(e_1, e_3, e_8) : & -x_2 - x_7 + x_8 & = 0 \\
(e_1, e_4, e_7) : & x_3 - x_4 - x_7 & = 0 \\
(e_1, e_5, e_6) : & x_1 - x_4 & = 0
\end{aligned}$$

Groebner basis (8 variables, 7 linear, 0 nonlinear)

$$x_1 - x_8 - 3 = 0$$

$$x_2 - 3x_8 - 5 = 0$$

$$x_3 + x_8 + 2 = 0$$

$$x_4 - x_8 - 3 = 0$$

$$x_5 + 4x_8 + 2 = 0$$

$$x_6 + x_8 - 3 = 0$$

$$x_7 + 2x_8 + 5 = 0$$

$\mathfrak{m}_{6A}(4, 14)$

m6A414 (this line included for string searching purposes)

Original brackets:

|  |  |
|--|--|
| $[e_1, e_2] = e_3$                     | $[e_1, e_3] = e_4$                         |
| $[e_1, e_4] = e_5$                     | $[e_1, e_5] = e_6$                         |
| $[e_1, e_6] = e_7$                     | $[e_1, e_7] = e_8$                         |
| $[e_1, e_8] = e_9$                     | $[e_1, e_9] = e_{10}$                      |
| $[e_1, e_{10}] = e_{11}$               | $[e_1, e_{11}] = e_{12}$                   |
| $[e_1, e_{12}] = e_{13}$               | $[e_1, e_{13}] = e_{14}$                   |
| $[e_2, e_5] = e_9$                     | $[e_2, e_6] = 2e_{10}$                     |
| $[e_2, e_7] = \alpha_{2,7}^{11}e_{11}$ | $[e_2, e_8] = \alpha_{2,8}^{12}e_{12}$     |
| $[e_2, e_9] = \alpha_{2,9}^{13}e_{13}$ | $[e_2, e_{10}] = \alpha_{2,10}^{14}e_{14}$ |
| $[e_3, e_4] = -e_9$                    | $[e_3, e_5] = -e_{10}$                     |
| $[e_3, e_6] = \alpha_{3,6}^{11}e_{11}$ | $[e_3, e_7] = \alpha_{3,7}^{12}e_{12}$     |
| $[e_3, e_8] = \alpha_{3,8}^{13}e_{13}$ | $[e_3, e_9] = \alpha_{3,9}^{14}e_{14}$     |
| $[e_4, e_5] = \alpha_{4,5}^{11}e_{11}$ | $[e_4, e_6] = \alpha_{4,6}^{12}e_{12}$     |
| $[e_4, e_7] = \alpha_{4,7}^{13}e_{13}$ | $[e_4, e_8] = \alpha_{4,8}^{14}e_{14}$     |
| $[e_5, e_6] = \alpha_{5,6}^{13}e_{13}$ | $[e_5, e_7] = \alpha_{5,7}^{14}e_{14}$     |

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,9}^{13} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{14} + \alpha_{2,9}^{13} - \alpha_{3,9}^{14} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{13} - \alpha_{3,9}^{14} - \alpha_{4,8}^{14} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{13} - \alpha_{4,8}^{14} - \alpha_{5,7}^{14} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{13} - \alpha_{5,7}^{14} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,10}^{14} - \alpha_{3,9}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{5,6}^{13} & \rightarrow x_1 \\
\alpha_{4,5}^{11} & \rightarrow x_2 \\
\alpha_{2,8}^{12} & \rightarrow x_3 \\
\alpha_{3,6}^{11} & \rightarrow x_4 \\
\alpha_{3,9}^{14} & \rightarrow x_5 \\
\alpha_{4,7}^{13} & \rightarrow x_6 \\
\alpha_{5,7}^{14} & \rightarrow x_7 \\
\alpha_{2,9}^{13} & \rightarrow x_8 \\
\alpha_{2,10}^{14} & \rightarrow x_9 \\
\alpha_{2,7}^{11} & \rightarrow x_{10} \\
\alpha_{3,7}^{12} & \rightarrow x_{11} \\
\alpha_{4,6}^{12} & \rightarrow x_{12}
\end{aligned}$$



$$\alpha_{4,8}^{14} \rightarrow x_{13}$$

$$\alpha_{3,8}^{13} \rightarrow x_{14}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_{10} - x_4 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_4 - 1 & = 0 \\
(e_1, e_2, e_7) : & x_{10} - x_{11} - x_3 & = 0 \\
(e_1, e_3, e_6) : & -x_{11} - x_{12} + x_4 & = 0 \\
(e_1, e_4, e_5) : & -x_{12} + x_2 & = 0 \\
(e_1, e_2, e_8) : & -x_{14} + x_3 - x_8 & = 0 \\
(e_1, e_3, e_7) : & x_{11} - x_{14} - x_6 & = 0 \\
(e_1, e_4, e_6) : & -x_1 + x_{12} - x_6 & = 0 \\
(e_2, e_3, e_4) : & -x_8 & = 0 \\
(e_1, e_2, e_9) : & -x_5 + x_8 - x_9 & = 0 \\
(e_1, e_3, e_8) : & -x_{13} + x_{14} - x_5 & = 0 \\
(e_1, e_4, e_7) : & -x_{13} + x_6 - x_7 & = 0 \\
(e_1, e_5, e_6) : & x_1 - x_7 & = 0 \\
(e_2, e_3, e_5) : & -x_5 - x_9 & = 0
\end{array}$$

Groebner basis (14 variables, 13 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - 2x_{14} + 3 = 0 \\
-x_{14} + 3x_2 + 4 = 0 \\
-x_{14} + x_3 = 0 \\
x_{14} + 3x_4 - 1 = 0 \\
-14x_{14} + 3x_5 + 14 = 0 \\
5x_{14} + 3x_6 - 5 = 0 \\
-2x_{14} + x_7 + 3 = 0 \\
x_8 = 0 \\
14x_{14} + 3x_9 - 14 = 0 \\
3x_{10} - x_{14} - 5 = 0 \\
3x_{11} + 2x_{14} - 5 = 0 \\
3x_{12} - x_{14} + 4 = 0 \\
3x_{13} + 11x_{14} - 14 = 0
\end{array}$$

$\mathfrak{m}_{8A}(4, 14)$

m8A414 (this line included for string searching purposes)

Original brackets:

|   |   |
|---|---|
| $[e_1, e_2] = e_3$                      | $[e_1, e_3] = e_4$                          |
| $[e_1, e_4] = e_5$                      | $[e_1, e_5] = e_6$                          |
| $[e_1, e_6] = e_7$                      | $[e_1, e_7] = e_8$                          |
| $[e_1, e_8] = e_9$                      | $[e_1, e_9] = e_{10}$                       |
| $[e_1, e_{10}] = e_{11}$                | $[e_1, e_{11}] = e_{12}$                    |
| $[e_1, e_{12}] = e_{13}$                | $[e_1, e_{13}] = e_{14}$                    |
| $[e_2, e_3] = e_7$                      | $[e_2, e_4] = e_8$                          |
| $[e_2, e_5] = \alpha_{2,5}^9 e_9$       | $[e_2, e_6] = \alpha_{2,6}^{10} e_{10}$     |
| $[e_2, e_7] = \alpha_{2,7}^{11} e_{11}$ | $[e_2, e_8] = \alpha_{2,8}^{12} e_{12}$     |
| $[e_2, e_9] = \alpha_{2,9}^{13} e_{13}$ | $[e_2, e_{10}] = \alpha_{2,10}^{14} e_{14}$ |
| $[e_3, e_4] = \alpha_{3,4}^9 e_9$       | $[e_3, e_5] = \alpha_{3,5}^{10} e_{10}$     |
| $[e_3, e_6] = \alpha_{3,6}^{11} e_{11}$ | $[e_3, e_7] = \alpha_{3,7}^{12} e_{12}$     |
| $[e_3, e_8] = \alpha_{3,8}^{13} e_{13}$ | $[e_3, e_9] = \alpha_{3,9}^{14} e_{14}$     |
| $[e_4, e_5] = \alpha_{4,5}^{11} e_{11}$ | $[e_4, e_6] = \alpha_{4,6}^{12} e_{12}$     |
| $[e_4, e_7] = \alpha_{4,7}^{13} e_{13}$ | $[e_4, e_8] = \alpha_{4,8}^{14} e_{14}$     |
| $[e_5, e_6] = \alpha_{5,6}^{13} e_{13}$ | $[e_5, e_7] = \alpha_{5,7}^{14} e_{14}$     |

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,9}^{13} \alpha_{3,4}^9 - \alpha_{3,8}^{13} + \alpha_{4,7}^{13} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{14} + \alpha_{2,9}^{13} - \alpha_{3,9}^{14} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{13} - \alpha_{3,9}^{14} - \alpha_{4,8}^{14} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{13} - \alpha_{4,8}^{14} - \alpha_{5,7}^{14} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{13} - \alpha_{5,7}^{14} & = 0 \\
(e_2, e_3, e_5) : & \alpha_{2,10}^{14} \alpha_{3,5}^{10} - \alpha_{2,5}^9 \alpha_{3,9}^{14} + \alpha_{5,7}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{5,6}^{13} & \rightarrow x_1 \\
\alpha_{4,5}^{11} & \rightarrow x_2 \\
\alpha_{3,6}^{11} & \rightarrow x_3 \\
\alpha_{2,8}^{12} & \rightarrow x_4 \\
\alpha_{3,9}^{14} & \rightarrow x_5 \\
\alpha_{2,5}^9 & \rightarrow x_6 \\
\alpha_{4,7}^{13} & \rightarrow x_7 \\
\alpha_{3,5}^{10} & \rightarrow x_8 \\
\alpha_{5,7}^{14} & \rightarrow x_9 \\
\alpha_{2,9}^{13} & \rightarrow x_{10}
\end{aligned}$$

$$\alpha_{2,10}^{14} \rightarrow x_{11}$$

$$\alpha_{2,7}^{11} \rightarrow x_{12}$$

$$\alpha_{3,7}^{12} \rightarrow x_{13}$$

$$\alpha_{3,4}^9 \rightarrow x_{14}$$

$$\alpha_{2,6}^{10} \rightarrow x_{15}$$

$$\alpha_{4,6}^{12} \rightarrow x_{16}$$

$$\alpha_{4,8}^{14} \rightarrow x_{17}$$

$$\alpha_{3,8}^{13} \rightarrow x_{18}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{14} - x_6 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{15} + x_6 - x_8 & = 0 \\
(e_1, e_3, e_4) : & x_{14} - x_8 & = 0 \\
(e_1, e_2, e_6) : & -x_{12} + x_{15} - x_3 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_3 + x_8 & = 0 \\
(e_1, e_2, e_7) : & x_{12} - x_{13} - x_4 & = 0 \\
(e_1, e_3, e_6) : & -x_{13} - x_{16} + x_3 & = 0 \\
(e_1, e_4, e_5) : & -x_{16} + x_2 & = 0 \\
(e_1, e_2, e_8) : & -x_{10} - x_{18} + x_4 & = 0 \\
(e_1, e_3, e_7) : & x_{13} - x_{18} - x_7 & = 0 \\
(e_1, e_4, e_6) : & -x_1 + x_{16} - x_7 & = 0 \\
(e_2, e_3, e_4) : & x_{10}x_{14} - x_{18} + x_7 & = 0 \\
(e_1, e_2, e_9) : & x_{10} - x_{11} - x_5 & = 0 \\
(e_1, e_3, e_8) : & -x_{17} + x_{18} - x_5 & = 0 \\
(e_1, e_4, e_7) : & -x_{17} + x_7 - x_9 & = 0 \\
(e_1, e_5, e_6) : & x_1 - x_9 & = 0 \\
(e_2, e_3, e_5) : & x_{11}x_8 - x_5x_6 + x_9 & = 0
\end{array}$$

Groebner basis (18 variables, 15 linear, 1 nonlinear)

$$2x_1 - x_{16} + x_{17} = 0$$

$$-x_{16} + x_2 = 0$$

$$-3x_{16} - x_{17} - 2x_{18} + 2x_3 = 0$$

$$7x_{16} + 2x_{17} + 4x_{18} + x_4 - 1 = 0$$

$$\begin{aligned}
x_{17} - x_{18} + x_5 &= 0 \\
5x_{16} + x_{17} + 2x_{18} + 2x_6 - 2 &= 0 \\
-x_{16} - x_{17} + 2x_7 &= 0 \\
-5x_{16} - x_{17} - 2x_{18} + 2x_8 &= 0 \\
-x_{16} + x_{17} + 2x_9 &= 0 \\
x_{10} + 7x_{16} + 2x_{17} + 5x_{18} - 1 &= 0 \\
x_{11} + 7x_{16} + x_{17} + 6x_{18} - 1 &= 0 \\
2x_{12} + 13x_{16} + 3x_{17} + 6x_{18} - 2 &= 0 \\
2x_{13} - x_{16} - x_{17} - 2x_{18} &= 0 \\
2x_{14} - 5x_{16} - x_{17} - 2x_{18} &= 0 \\
x_{15} + 5x_{16} + x_{17} + 2x_{18} - 1 &= 0 \\
35x_{16}^2 + 17x_{16}x_{17} + 39x_{16}x_{18} - 6x_{16} + 2x_{17}^2 + 9x_{17}x_{18} - 2x_{17} + 10x_{18}^2 &= 0
\end{aligned}$$

$\mathfrak{m}_{1A}(5, 14)$

m1A514 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_9] = e_{14} & [e_3, e_8] = -e_{14} \\
[e_4, e_7] = e_{14} & [e_5, e_6] = -e_{14}
\end{array}$$

No non-trivial Jacobi tests

$m_{3A}(5, 14)$

m3A514 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_7] = e_{12} & [e_2, e_8] = 3e_{13} \\
[e_2, e_9] = \alpha_{2,9}^{14}e_{14} & [e_3, e_6] = -e_{12} \\
[e_3, e_7] = -2e_{13} & [e_3, e_8] = \alpha_{3,8}^{14}e_{14} \\
[e_4, e_5] = e_{12} & [e_4, e_6] = e_{13} \\
[e_4, e_7] = \alpha_{4,7}^{14}e_{14} & [e_5, e_6] = \alpha_{5,6}^{14}e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{14} - \alpha_{3,8}^{14} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{14} - \alpha_{4,7}^{14} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{14} - \alpha_{5,6}^{14} + 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,9}^{14} \rightarrow x_1 \\
\alpha_{4,7}^{14} \rightarrow x_2 \\
\alpha_{3,8}^{14} \rightarrow x_3 \\
\alpha_{5,6}^{14} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_1 - x_3 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_2 - x_3 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_2 - x_4 + 1 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 + x_4 - 6 = 0$$

$$x_2 + x_4 - 1 = 0$$

$$x_3 - x_4 + 3 = 0$$

$\mathfrak{m}_{5A}(5, 14)$

m5A514 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_5] = e_{10} & [e_2, e_6] = 2e_{11} \\
[e_2, e_7] = \alpha_{2,7}^{12}e_{12} & [e_2, e_8] = \alpha_{2,8}^{13}e_{13} \\
[e_2, e_9] = \alpha_{2,9}^{14}e_{14} & [e_3, e_4] = -e_{10} \\
[e_3, e_5] = -e_{11} & [e_3, e_6] = \alpha_{3,6}^{12}e_{12} \\
[e_3, e_7] = \alpha_{3,7}^{13}e_{13} & [e_3, e_8] = \alpha_{3,8}^{14}e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{12}e_{12} & [e_4, e_6] = \alpha_{4,6}^{13}e_{13} \\
[e_4, e_7] = \alpha_{4,7}^{14}e_{14} & [e_5, e_6] = \alpha_{5,6}^{14}e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{12} - \alpha_{3,6}^{12} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{12} - \alpha_{4,5}^{12} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{13} - \alpha_{2,9}^{14} - \alpha_{3,8}^{14} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{13} - \alpha_{3,8}^{14} - \alpha_{4,7}^{14} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{13} - \alpha_{4,7}^{14} - \alpha_{5,6}^{14} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,5}^{12} \rightarrow x_1$$

$$\alpha_{2,7}^{12} \rightarrow x_2$$

$$\alpha_{4,7}^{14} \rightarrow x_3$$

$$\alpha_{3,7}^{13} \rightarrow x_4$$

$$\alpha_{3,8}^{14} \rightarrow x_5$$

$$\alpha_{2,9}^{14} \rightarrow x_6$$

$$\alpha_{2,8}^{13} \rightarrow x_7$$

$$\alpha_{5,6}^{14} \rightarrow x_8$$

$$\alpha_{3,6}^{12} \rightarrow x_9$$

$$\alpha_{4,6}^{13} \rightarrow x_{10}$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_2 - x_9 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 - x_9 - 1 \quad = 0$$

$$(e_1, e_2, e_7) : \quad x_2 - x_4 - x_7 \quad = 0$$

$$(e_1, e_3, e_6) : \quad -x_{10} - x_4 + x_9 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_1 - x_{10} \quad = 0$$

$$(e_1, e_2, e_8) : \quad -x_5 - x_6 + x_7 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_3 + x_4 - x_5 \quad = 0$$

$$(e_1, e_4, e_6) : \quad x_{10} - x_3 - x_8 \quad = 0$$

Groebner basis (10 variables, 8 linear, 0 nonlinear)

$$x_1 - x_{10} = 0$$

$$-x_{10} + x_2 - 3 = 0$$

$$-x_{10} + x_3 + x_8 = 0$$

$$2x_{10} + x_4 + 1 = 0$$

$$3x_{10} + x_5 - x_8 + 1 = 0$$

$$-6x_{10} + x_6 + x_8 - 5 = 0$$

$$-3x_{10} + x_7 - 4 = 0$$

$$x_{10} + x_9 + 1 = 0$$



$\mathfrak{m}_{7A}(5, 14)$

m7A514 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_8 & [e_2, e_4] = e_9 \\
[e_2, e_5] = \alpha_{2,5}^{10} e_{10} & [e_2, e_6] = \alpha_{2,6}^{11} e_{11} \\
[e_2, e_7] = \alpha_{2,7}^{12} e_{12} & [e_2, e_8] = \alpha_{2,8}^{13} e_{13} \\
[e_2, e_9] = \alpha_{2,9}^{14} e_{14} & [e_3, e_4] = \alpha_{3,4}^{10} e_{10} \\
[e_3, e_5] = \alpha_{3,5}^{11} e_{11} & [e_3, e_6] = \alpha_{3,6}^{12} e_{12} \\
[e_3, e_7] = \alpha_{3,7}^{13} e_{13} & [e_3, e_8] = \alpha_{3,8}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{12} e_{12} & [e_4, e_6] = \alpha_{4,6}^{13} e_{13} \\
[e_4, e_7] = \alpha_{4,7}^{14} e_{14} & [e_5, e_6] = \alpha_{5,6}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{11} - \alpha_{2,7}^{12} - \alpha_{3,6}^{12} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{11} - \alpha_{3,6}^{12} - \alpha_{4,5}^{12} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{13} - \alpha_{2,9}^{14} - \alpha_{3,8}^{14} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{13} - \alpha_{3,8}^{14} - \alpha_{4,7}^{14} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{13} - \alpha_{4,7}^{14} - \alpha_{5,6}^{14} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,7}^{12} \rightarrow x_1$$

$$\alpha_{4,5}^{12} \rightarrow x_2$$

$$\alpha_{4,7}^{14} \rightarrow x_3$$

$$\alpha_{3,7}^{13} \rightarrow x_4$$

$$\alpha_{3,4}^{10} \rightarrow x_5$$

$$\alpha_{2,9}^{14} \rightarrow x_6$$

$$\alpha_{2,6}^{11} \rightarrow x_7$$

$$\alpha_{3,5}^{11} \rightarrow x_8$$

$$\alpha_{3,8}^{14} \rightarrow x_9$$

$$\alpha_{2,5}^{10} \rightarrow x_{10}$$

$$\alpha_{2,8}^{13} \rightarrow x_{11}$$

$$\alpha_{5,6}^{14} \rightarrow x_{12}$$

$$\alpha_{3,6}^{12} \rightarrow x_{13}$$

$$\alpha_{4,6}^{13} \rightarrow x_{14}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_{10} - x_5 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad x_{10} - x_7 - x_8 \quad = 0$$

$$(e_1, e_3, e_4) : \quad x_5 - x_8 \quad = 0$$

$$(e_1, e_2, e_6) : \quad -x_1 - x_{13} + x_7 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_{13} - x_2 + x_8 \quad = 0$$

$$(e_1, e_2, e_7) : \quad x_1 - x_{11} - x_4 \quad = 0$$

$$(e_1, e_3, e_6) : \quad x_{13} - x_{14} - x_4 \quad = 0$$

$$(e_1, e_4, e_5) : \quad -x_{14} + x_2 \quad = 0$$

$$(e_1, e_2, e_8) : \quad x_{11} - x_6 - x_9 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_3 + x_4 - x_9 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_{12} + x_{14} - x_3 \quad = 0$$

Groebner basis (14 variables, 11 linear, 0 nonlinear)

$$x_1 + 3x_{13} + 2x_{14} - 1 = 0$$

$$\begin{aligned}
-x_{14} + x_2 &= 0 \\
x_{12} - x_{14} + x_3 &= 0 \\
-x_{13} + x_{14} + x_4 &= 0 \\
-x_{13} - x_{14} + x_5 &= 0 \\
x_{12} + 5x_{13} - x_{14} + x_6 - 1 &= 0 \\
2x_{13} + 2x_{14} + x_7 - 1 &= 0 \\
-x_{13} - x_{14} + x_8 &= 0 \\
-x_{12} - x_{13} + 2x_{14} + x_9 &= 0 \\
x_{10} + x_{13} + x_{14} - 1 &= 0 \\
x_{11} + 4x_{13} + x_{14} - 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{2A}(6, 14)$

m2A614 (this line included for string searching purposes)

Original brackets:

|                          |                          |
|--------------------------|--------------------------|
| $[e_1, e_2] = e_3$       | $[e_1, e_3] = e_4$       |
| $[e_1, e_4] = e_5$       | $[e_1, e_5] = e_6$       |
| $[e_1, e_6] = e_7$       | $[e_1, e_7] = e_8$       |
| $[e_1, e_8] = e_9$       | $[e_1, e_9] = e_{10}$    |
| $[e_1, e_{10}] = e_{11}$ | $[e_1, e_{11}] = e_{12}$ |
| $[e_1, e_{12}] = e_{13}$ | $[e_1, e_{13}] = e_{14}$ |
| $[e_2, e_7] = e_{13}$    | $[e_2, e_8] = 3e_{14}$   |
| $[e_3, e_6] = -e_{13}$   | $[e_3, e_7] = -2e_{14}$  |
| $[e_4, e_5] = e_{13}$    | $[e_4, e_6] = e_{14}$    |

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(6, 14)$

m4A614 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_5] = e_{11} & [e_2, e_6] = 2e_{12} \\
[e_2, e_7] = \alpha_{2,7}^{13} e_{13} & [e_2, e_8] = \alpha_{2,8}^{14} e_{14} \\
[e_3, e_4] = -e_{11} & [e_3, e_5] = -e_{12} \\
[e_3, e_6] = \alpha_{3,6}^{13} e_{13} & [e_3, e_7] = \alpha_{3,7}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{13} e_{13} & [e_4, e_6] = \alpha_{4,6}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{13} - \alpha_{3,6}^{13} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{13} - \alpha_{4,5}^{13} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{13} - \alpha_{2,8}^{14} - \alpha_{3,7}^{14} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{13} - \alpha_{3,7}^{14} - \alpha_{4,6}^{14} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{13} - \alpha_{4,6}^{14} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,7}^{14} \rightarrow x_1$$

$$\alpha_{4,6}^{14} \rightarrow x_2$$

$$\alpha_{4,5}^{13} \rightarrow x_3$$

$$\alpha_{2,7}^{13} \rightarrow x_4$$

$$\alpha_{2,8}^{14} \rightarrow x_5$$

$$\alpha_{3,6}^{13} \rightarrow x_6$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_4 - x_6 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_3 - x_6 - 1 & = 0 \\
(e_1, e_2, e_7) : & -x_1 + x_4 - x_5 & = 0 \\
(e_1, e_3, e_6) : & -x_1 - x_2 + x_6 & = 0 \\
(e_1, e_4, e_5) : & -x_2 + x_3 & = 0
\end{array}$$

Groebner basis (6 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - 2x_6 - 1 = 0 \\
x_2 + x_6 + 1 = 0 \\
x_3 + x_6 + 1 = 0 \\
x_4 + x_6 - 2 = 0 \\
x_5 + 3x_6 - 1 = 0
\end{array}$$

$\mathfrak{m}_{6A}(6, 14)$

m6A614 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_9 & [e_2, e_4] = e_{10} \\
[e_2, e_5] = \alpha_{2,5}^{11} e_{11} & [e_2, e_6] = \alpha_{2,6}^{12} e_{12} \\
[e_2, e_7] = \alpha_{2,7}^{13} e_{13} & [e_2, e_8] = \alpha_{2,8}^{14} e_{14} \\
[e_3, e_4] = \alpha_{3,4}^{11} e_{11} & [e_3, e_5] = \alpha_{3,5}^{12} e_{12} \\
[e_3, e_6] = \alpha_{3,6}^{13} e_{13} & [e_3, e_7] = \alpha_{3,7}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{13} e_{13} & [e_4, e_6] = \alpha_{4,6}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad \alpha_{2,5}^{11} - \alpha_{2,6}^{12} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_3, e_4) : & \quad \alpha_{3,4}^{11} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_2, e_6) : & \quad \alpha_{2,6}^{12} - \alpha_{2,7}^{13} - \alpha_{3,6}^{13} & = 0 \\
(e_1, e_3, e_5) : & \quad \alpha_{3,5}^{12} - \alpha_{3,6}^{13} - \alpha_{4,5}^{13} & = 0 \\
(e_1, e_2, e_7) : & \quad \alpha_{2,7}^{13} - \alpha_{2,8}^{14} - \alpha_{3,7}^{14} & = 0 \\
(e_1, e_3, e_6) : & \quad \alpha_{3,6}^{13} - \alpha_{3,7}^{14} - \alpha_{4,6}^{14} & = 0 \\
(e_1, e_4, e_5) : & \quad \alpha_{4,5}^{13} - \alpha_{4,6}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{3,7}^{14} & \rightarrow x_1 \\
\alpha_{3,4}^{11} & \rightarrow x_2 \\
\alpha_{2,6}^{12} & \rightarrow x_3 \\
\alpha_{4,6}^{14} & \rightarrow x_4 \\
\alpha_{4,5}^{13} & \rightarrow x_5 \\
\alpha_{2,7}^{13} & \rightarrow x_6 \\
\alpha_{2,8}^{14} & \rightarrow x_7 \\
\alpha_{3,5}^{12} & \rightarrow x_8 \\
\alpha_{3,6}^{13} & \rightarrow x_9 \\
\alpha_{2,5}^{11} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -x_{10} - x_2 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad x_{10} - x_3 - x_8 & = 0 \\
(e_1, e_3, e_4) : & \quad x_2 - x_8 & = 0 \\
(e_1, e_2, e_6) : & \quad x_3 - x_6 - x_9 & = 0 \\
(e_1, e_3, e_5) : & \quad -x_5 + x_8 - x_9 & = 0 \\
(e_1, e_2, e_7) : & \quad -x_1 + x_6 - x_7 & = 0 \\
(e_1, e_3, e_6) : & \quad -x_1 - x_4 + x_9 & = 0 \\
(e_1, e_4, e_5) : & \quad -x_4 + x_5 & = 0
\end{aligned}$$

Groebner basis (10 variables, 8 linear, 0 nonlinear)

$$x_1 - x_{10} - 2x_9 + 1 = 0$$

$$x_{10} + x_2 - 1 = 0$$

$$-2x_{10} + x_3 + 1 = 0$$

$$x_{10} + x_4 + x_9 - 1 = 0$$

$$x_{10} + x_5 + x_9 - 1 = 0$$

$$-2x_{10} + x_6 + x_9 + 1 = 0$$

$$-x_{10} + x_7 + 3x_9 = 0$$

$$x_{10} + x_8 - 1 = 0$$

$\mathfrak{m}_{1A}(7, 14)$

m1A714 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_1, e_{13}] = e_{14}$$

$$[e_2, e_7] = e_{14}$$

$$[e_3, e_6] = -e_{14}$$

$$[e_4, e_5] = e_{14}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(7, 14)$

m3A714 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_5] = e_{12} & [e_2, e_6] = 2e_{13} \\
[e_2, e_7] = \alpha_{2,7}^{14} e_{14} & [e_3, e_4] = -e_{12} \\
[e_3, e_5] = -e_{13} & [e_3, e_6] = \alpha_{3,6}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{14} - \alpha_{3,6}^{14} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{14} - \alpha_{4,5}^{14} - 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,7}^{14} \rightarrow x_1 \\
\alpha_{4,5}^{14} \rightarrow x_2 \\
\alpha_{3,6}^{14} \rightarrow x_3
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_3 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_3 - 1 & = 0
\end{array}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_3 - 2 = 0 \\
x_2 + x_3 + 1 = 0
\end{array}$$



$\mathfrak{m}_{5A}(7, 14)$

m5A714 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_{10} & [e_2, e_4] = e_{11} \\
[e_2, e_5] = \alpha_{2,5}^{12} e_{12} & [e_2, e_6] = \alpha_{2,6}^{13} e_{13} \\
[e_2, e_7] = \alpha_{2,7}^{14} e_{14} & [e_3, e_4] = \alpha_{3,4}^{12} e_{12} \\
[e_3, e_5] = \alpha_{3,5}^{13} e_{13} & [e_3, e_6] = \alpha_{3,6}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{12} - \alpha_{3,4}^{12} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{12} - \alpha_{2,6}^{13} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{12} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{13} - \alpha_{2,7}^{14} - \alpha_{3,6}^{14} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{13} - \alpha_{3,6}^{14} - \alpha_{4,5}^{14} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{3,5}^{13} \rightarrow x_1 \\
\alpha_{2,7}^{14} \rightarrow x_2 \\
\alpha_{3,6}^{14} \rightarrow x_3 \\
\alpha_{2,5}^{12} \rightarrow x_4 \\
\alpha_{2,6}^{13} \rightarrow x_5 \\
\alpha_{4,5}^{14} \rightarrow x_6 \\
\alpha_{3,4}^{12} \rightarrow x_7
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_4 - x_7 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 + x_4 - x_5 & = 0 \\
(e_1, e_3, e_4) : & -x_1 + x_7 & = 0 \\
(e_1, e_2, e_6) : & -x_2 - x_3 + x_5 & = 0 \\
(e_1, e_3, e_5) : & x_1 - x_3 - x_6 & = 0
\end{array}$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - x_7 = 0 \\
x_2 - x_6 + 3x_7 - 1 = 0 \\
x_3 + x_6 - x_7 = 0 \\
x_4 + x_7 - 1 = 0 \\
x_5 + 2x_7 - 1 = 0
\end{array}$$

$\mathfrak{m}_{2A}(8, 14)$

m2A814 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_5] = e_{13} & [e_2, e_6] = 2e_{14} \\
[e_3, e_4] = -e_{13} & [e_3, e_5] = -e_{14}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(8, 14)$

m4A814 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_{11} & [e_2, e_4] = e_{12} \\
[e_2, e_5] = \alpha_{2,5}^{13} e_{13} & [e_2, e_6] = \alpha_{2,6}^{14} e_{14} \\
[e_3, e_4] = \alpha_{3,4}^{13} e_{13} & [e_3, e_5] = \alpha_{3,5}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{13} - \alpha_{3,4}^{13} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{13} - \alpha_{2,6}^{14} - \alpha_{3,5}^{14} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{13} - \alpha_{3,5}^{14} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,5}^{13} \rightarrow x_1 \\
\alpha_{2,6}^{14} \rightarrow x_2 \\
\alpha_{3,4}^{13} \rightarrow x_3 \\
\alpha_{3,5}^{14} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_3 + 1 & = 0 \\
(e_1, e_2, e_5) : & x_1 - x_2 - x_4 & = 0 \\
(e_1, e_3, e_4) : & x_3 - x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_4 - 1 = 0 \\
x_2 + 2x_4 - 1 = 0 \\
x_3 - x_4 = 0
\end{array}$$

$\mathfrak{m}_{1A}(9, 14)$

m1A914 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_5] = e_{14} & [e_3, e_4] = -e_{14}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(9, 14)$

m3A914 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_{12} & [e_2, e_4] = e_{13} \\
[e_2, e_5] = \alpha_{2,5}^{14} e_{14} & [e_3, e_4] = \alpha_{3,4}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{14} - \alpha_{3,4}^{14} + 1 \quad = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,5}^{14} \rightarrow x_1$$

$$\alpha_{3,4}^{14} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(10, 14)$

m2A1014 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\ [e_2, e_3] = e_{13} & [e_2, e_4] = e_{14} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(11, 14)$

m1A1114 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\ [e_2, e_3] = e_{14} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(2, 15)$

m1A215 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_{13}] = e_{15} \\
[e_3, e_{12}] = -e_{15} & [e_4, e_{11}] = e_{15} \\
[e_5, e_{10}] = -e_{15} & [e_6, e_9] = e_{15} \\
[e_7, e_8] = -e_{15} & 
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(2, 15)$

m3A215 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_{11}] = e_{13} \\
[e_2, e_{12}] = 5e_{14} & [e_2, e_{13}] = 0 \\
[e_3, e_{10}] = -e_{13} & [e_3, e_{11}] = -4e_{14} \\
[e_3, e_{12}] = 5e_{15} & [e_4, e_9] = e_{13} \\
[e_4, e_{10}] = 3e_{14} & [e_4, e_{11}] = -9e_{15} \\
[e_5, e_8] = -e_{13} & [e_5, e_9] = -2e_{14} \\
[e_5, e_{10}] = 12e_{15} & [e_6, e_7] = e_{13} \\
[e_6, e_8] = e_{14} & [e_6, e_9] = -14e_{15} \\
[e_7, e_8] = 15e_{15} & 
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_{11}] = e_{13} \\
[e_2, e_{12}] = 5e_{14} & [e_2, e_{13}] = \alpha_{2,13}^{15} e_{15} \\
[e_3, e_{10}] = -e_{13} & [e_3, e_{11}] = -4e_{14} \\
[e_3, e_{12}] = \alpha_{3,12}^{15} e_{15} & [e_4, e_9] = e_{13} \\
[e_4, e_{10}] = 3e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{15} e_{15} \\
[e_5, e_8] = -e_{13} & [e_5, e_9] = -2e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{15} e_{15} & [e_6, e_7] = e_{13} \\
[e_6, e_8] = e_{14} & [e_6, e_9] = \alpha_{6,9}^{15} e_{15} \\
[e_7, e_8] = \alpha_{7,8}^{15} e_{15} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{2,13}^{15} - \alpha_{3,12}^{15} + 5 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{15} - \alpha_{4,11}^{15} - 4 & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{15} - \alpha_{5,10}^{15} + 3 & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{15} - \alpha_{6,9}^{15} - 2 & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{15} - \alpha_{7,8}^{15} + 1 & = 0 \\
(e_2, e_3, e_{10}) : & -\alpha_{2,13}^{15} & = 0 \\
(e_2, e_4, e_9) : & \alpha_{2,13}^{15} & = 0 \\
(e_2, e_5, e_8) : & -\alpha_{2,13}^{15} & = 0 \\
(e_2, e_6, e_7) : & \alpha_{2,13}^{15} & = 0
\end{array}$$

Solution 1:

$$\begin{aligned}
\alpha_{7,8}^{15} &= 15 \\
\alpha_{2,13}^{15} &= 0 \\
\alpha_{5,10}^{15} &= 12 \\
\alpha_{3,12}^{15} &= 5 \\
\alpha_{6,9}^{15} &= -14 \\
\alpha_{4,11}^{15} &= -9
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{7,8}^{15} &\rightarrow x_1 \\
\alpha_{2,13}^{15} &\rightarrow x_2 \\
\alpha_{5,10}^{15} &\rightarrow x_3 \\
\alpha_{3,12}^{15} &\rightarrow x_4 \\
\alpha_{6,9}^{15} &\rightarrow x_5 \\
\alpha_{4,11}^{15} &\rightarrow x_6
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_{12}) : & \quad -x_2 - x_4 + 5 & = 0 \\
(e_1, e_3, e_{11}) : & \quad -x_4 - x_6 - 4 & = 0 \\
(e_1, e_4, e_{10}) : & \quad -x_3 - x_6 + 3 & = 0 \\
(e_1, e_5, e_9) : & \quad -x_3 - x_5 - 2 & = 0 \\
(e_1, e_6, e_8) : & \quad -x_1 - x_5 + 1 & = 0 \\
(e_2, e_3, e_{10}) : & \quad -x_2 & = 0 \\
(e_2, e_4, e_9) : & \quad x_2 & = 0 \\
(e_2, e_5, e_8) : & \quad -x_2 & = 0 \\
(e_2, e_6, e_7) : & \quad x_2 & = 0
\end{aligned}$$

Groebner basis (6 variables, 6 linear, 0 nonlinear)

$$\begin{aligned}
x_1 - 15 &= 0 \\
x_2 &= 0 \\
x_3 - 12 &= 0
\end{aligned}$$



$$x_4 - 5 = 0$$

$$x_5 + 14 = 0$$

$$x_6 + 9 = 0$$

Solution 1:

$$x_1 = 15$$

$$x_2 = 0$$

$$x_3 = 12$$

$$x_4 = 5$$

$$x_5 = -14$$

$$x_6 = -9$$

**m**<sub>11A</sub>(2, 15)

m11A215 (this line included for string searching purposes)

Solution 1

|                          |                          |
|--------------------------|--------------------------|
| $[e_1, e_2] = e_3$       | $[e_1, e_3] = e_4$       |
| $[e_1, e_4] = e_5$       | $[e_1, e_5] = e_6$       |
| $[e_1, e_6] = e_7$       | $[e_1, e_7] = e_8$       |
| $[e_1, e_8] = e_9$       | $[e_1, e_9] = e_{10}$    |
| $[e_1, e_{10}] = e_{11}$ | $[e_1, e_{11}] = e_{12}$ |
| $[e_1, e_{12}] = e_{13}$ | $[e_1, e_{13}] = e_{14}$ |
| $[e_1, e_{14}] = e_{15}$ | $[e_2, e_3] = e_5$       |
| $[e_2, e_4] = e_6$       | $[e_2, e_5] = e_7$       |
| $[e_2, e_6] = e_8$       | $[e_2, e_7] = e_9$       |
| $[e_2, e_8] = e_{10}$    | $[e_2, e_9] = e_{11}$    |
| $[e_2, e_{10}] = e_{12}$ | $[e_2, e_{11}] = e_{13}$ |
| $[e_2, e_{12}] = e_{14}$ | $[e_2, e_{13}] = e_{15}$ |
| $[e_3, e_4] = 0$         | $[e_3, e_5] = 0$         |
| $[e_3, e_6] = 0$         | $[e_3, e_7] = 0$         |
| $[e_3, e_8] = 0$         | $[e_3, e_9] = 0$         |
| $[e_3, e_{10}] = 0$      | $[e_3, e_{11}] = 0$      |
| $[e_3, e_{12}] = 0$      | $[e_4, e_5] = 0$         |
| $[e_4, e_6] = 0$         | $[e_4, e_7] = 0$         |
| $[e_4, e_8] = 0$         | $[e_4, e_9] = 0$         |
| $[e_4, e_{10}] = 0$      | $[e_4, e_{11}] = 0$      |
| $[e_5, e_6] = 0$         | $[e_5, e_7] = 0$         |
| $[e_5, e_8] = 0$         | $[e_5, e_9] = 0$         |
| $[e_5, e_{10}] = 0$      | $[e_6, e_7] = 0$         |
| $[e_6, e_8] = 0$         | $[e_6, e_9] = 0$         |
| $[e_7, e_8] = 0$         |                          |

Solution 2

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_1, e_{13}] &= e_{14} \\
[e_1, e_{14}] &= e_{15} & [e_2, e_3] &= e_5 \\
[e_2, e_4] &= e_6 & [e_2, e_5] &= \frac{9e_7}{10} \\
[e_2, e_6] &= \frac{4e_8}{5} & [e_2, e_7] &= \frac{5e_9}{7} \\
[e_2, e_8] &= \frac{9e_{10}}{14} & [e_2, e_9] &= \frac{7e_{11}}{12} \\
[e_2, e_{10}] &= \frac{8e_{12}}{15} & [e_2, e_{11}] &= \frac{27e_{13}}{55} \\
[e_2, e_{12}] &= \frac{5e_{14}}{11} & [e_2, e_{13}] &= \frac{11e_{15}}{26} \\
[e_3, e_4] &= \frac{e_7}{10} & [e_3, e_5] &= \frac{e_8}{10} \\
[e_3, e_6] &= \frac{3e_9}{35} & [e_3, e_7] &= \frac{e_{10}}{14} \\
[e_3, e_8] &= \frac{5e_{11}}{84} & [e_3, e_9] &= \frac{e_{12}}{20} \\
[e_3, e_{10}] &= \frac{7e_{13}}{165} & [e_3, e_{11}] &= \frac{2e_{14}}{55} \\
[e_3, e_{12}] &= \frac{9e_{15}}{286} & [e_4, e_5] &= \frac{e_9}{70} \\
[e_4, e_6] &= \frac{e_{10}}{70} & [e_4, e_7] &= \frac{e_{11}}{84} \\
[e_4, e_8] &= \frac{e_{12}}{105} & [e_4, e_9] &= \frac{e_{13}}{132} \\
[e_4, e_{10}] &= \frac{e_{14}}{165} & [e_4, e_{11}] &= \frac{7e_{15}}{1430} \\
[e_5, e_6] &= \frac{e_{11}}{420} & [e_5, e_7] &= \frac{e_{12}}{420} \\
[e_5, e_8] &= \frac{3e_{13}}{1540} & [e_5, e_9] &= \frac{e_{14}}{660} \\
[e_5, e_{10}] &= \frac{e_{15}}{858} & [e_6, e_7] &= \frac{e_{13}}{2310} \\
[e_6, e_8] &= \frac{e_{14}}{2310} & [e_6, e_9] &= \frac{e_{15}}{2860} \\
[e_7, e_8] &= \frac{e_{15}}{12012}
\end{aligned}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_6] = \alpha_{2,6}^8 e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} & [e_2, e_{11}] = \alpha_{2,11}^{13} e_{13} \\
[e_2, e_{12}] = \alpha_{2,12}^{14} e_{14} & [e_2, e_{13}] = \alpha_{2,13}^{15} e_{15} \\
[e_3, e_4] = \alpha_{3,4}^7 e_7 & [e_3, e_5] = \alpha_{3,5}^8 e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_3, e_9] = \alpha_{3,9}^{12} e_{12} \\
[e_3, e_{10}] = \alpha_{3,10}^{13} e_{13} & [e_3, e_{11}] = \alpha_{3,11}^{14} e_{14} \\
[e_3, e_{12}] = \alpha_{3,12}^{15} e_{15} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_4, e_8] = \alpha_{4,8}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{13} e_{13} \\
[e_4, e_{10}] = \alpha_{4,10}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{15} e_{15} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & [e_5, e_7] = \alpha_{5,7}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{13} e_{13} & [e_5, e_9] = \alpha_{5,9}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{15} e_{15} & [e_6, e_7] = \alpha_{6,7}^{13} e_{13} \\
[e_6, e_8] = \alpha_{6,8}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{15} e_{15} \\
[e_7, e_8] = \alpha_{7,8}^{15} e_{15} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - \alpha_{2,6}^8 \alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,4}^7 \alpha_{5,7}^{12} - \alpha_{3,5}^8 \alpha_{4,8}^{12} + \alpha_{3,9}^{12} \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{12} - \alpha_{2,11}^{13} - \alpha_{3,10}^{13} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} + \alpha_{3,9}^{12} - \alpha_{4,9}^{13} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{12} - \alpha_{4,9}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{12} - \alpha_{5,8}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_3, e_8) : & \alpha_{2,11}^{13} \alpha_{3,8}^{11} - \alpha_{2,8}^{10} \alpha_{3,10}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} \alpha_{4,7}^{11} - \alpha_{2,7}^9 \alpha_{4,9}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,11}^{13} \alpha_{5,6}^{11} + \alpha_{2,5}^7 \alpha_{6,7}^{13} - \alpha_{2,6}^8 \alpha_{5,8}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{13} \alpha_{4,6}^{10} + \alpha_{3,4}^7 \alpha_{6,7}^{13} - \alpha_{3,6}^9 \alpha_{4,9}^{13} & = 0 \\
(e_1, e_2, e_{11}) : & \alpha_{2,11}^{13} - \alpha_{2,12}^{14} - \alpha_{3,11}^{14} & = 0 \\
(e_1, e_3, e_{10}) : & \alpha_{3,10}^{13} - \alpha_{3,11}^{14} - \alpha_{4,10}^{14} & = 0 \\
(e_1, e_4, e_9) : & -\alpha_{4,10}^{14} + \alpha_{4,9}^{13} - \alpha_{5,9}^{14} & = 0 \\
(e_1, e_5, e_8) : & \alpha_{5,8}^{13} - \alpha_{5,9}^{14} - \alpha_{6,8}^{14} & = 0 \\
(e_1, e_6, e_7) : & \alpha_{6,7}^{13} - \alpha_{6,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & \alpha_{2,12}^{14} \alpha_{3,9}^{12} - \alpha_{2,9}^{11} \alpha_{3,11}^{14} - \alpha_{5,9}^{14} & = 0 \\
(e_2, e_4, e_8) : & \alpha_{2,12}^{14} \alpha_{4,8}^{12} - \alpha_{2,8}^{10} \alpha_{4,10}^{14} - \alpha_{6,8}^{14} & = 0 \\
(e_2, e_5, e_7) : & \alpha_{2,12}^{14} \alpha_{5,7}^{12} - \alpha_{2,7}^9 \alpha_{5,9}^{14} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,11}^{14} \alpha_{4,7}^{11} - \alpha_{3,7}^{10} \alpha_{4,10}^{14} & = 0 \\
(e_3, e_5, e_6) : & \alpha_{2,11}^{13} \alpha_{5,6}^{11} + \alpha_{2,5}^7 \alpha_{6,8}^{14} - \alpha_{2,6}^8 \alpha_{5,9}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,4}^7 &= 0 \\
\alpha_{2,6}^8 &= 1 \\
\alpha_{5,7}^{12} &= 0 \\
\alpha_{5,9}^{14} &= 0 \\
\alpha_{3,6}^9 &= 0 \\
\alpha_{5,10}^{15} &= 0 \\
\alpha_{4,5}^9 &= 0 \\
\alpha_{2,5}^7 &= 1 \\
\alpha_{4,11}^{15} &= 0 \\
\alpha_{3,8}^{11} &= 0 \\
\alpha_{3,7}^{10} &= 0 \\
\alpha_{2,11}^{13} &= 1 \\
\alpha_{4,7}^{11} &= 0 \\
\alpha_{3,9}^{12} &= 0 \\
\alpha_{3,10}^{13} &= 0 \\
\alpha_{2,8}^{10} &= 1 \\
\alpha_{4,10}^{14} &= 0 \\
\alpha_{4,6}^{10} &= 0 \\
\alpha_{2,10}^{12} &= 1 \\
\alpha_{6,8}^{14} &= 0 \\
\alpha_{3,5}^8 &= 0 \\
\alpha_{4,9}^{13} &= 0 \\
\alpha_{3,12}^{15} &= 0 \\
\alpha_{5,8}^{13} &= 0 \\
\alpha_{6,7}^{13} &= 0 \\
\alpha_{2,12}^{14} &= 1 \\
\alpha_{6,9}^{15} &= 0 \\
\alpha_{7,8}^{15} &= 0 \\
\alpha_{2,13}^{15} &= 1 \\
\alpha_{5,6}^{11} &= 0 \\
\alpha_{2,7}^9 &= 1 \\
\alpha_{2,9}^{11} &= 1 \\
\alpha_{3,11}^{14} &= 0 \\
\alpha_{4,8}^{12} &= 0
\end{aligned}$$

Solution 2:



$$\begin{aligned}
\alpha_{3,4}^7 &= 1/10 \\
\alpha_{2,6}^8 &= 4/5 \\
\alpha_{5,7}^{12} &= 1/420 \\
\alpha_{5,9}^{14} &= 1/660 \\
\alpha_{3,6}^9 &= 3/35 \\
\alpha_{5,10}^{15} &= 1/858 \\
\alpha_{4,5}^9 &= 1/70 \\
\alpha_{2,5}^7 &= 9/10 \\
\alpha_{4,11}^{15} &= 7/1430 \\
\alpha_{3,8}^{11} &= 5/84 \\
\alpha_{3,7}^{10} &= 1/14 \\
\alpha_{2,11}^{13} &= 27/55 \\
\alpha_{4,7}^{11} &= 1/84 \\
\alpha_{3,9}^{12} &= 1/20 \\
\alpha_{3,10}^{13} &= 7/165 \\
\alpha_{2,8}^{10} &= 9/14 \\
\alpha_{4,10}^{14} &= 1/165 \\
\alpha_{4,6}^{10} &= 1/70 \\
\alpha_{2,10}^{12} &= 8/15 \\
\alpha_{6,8}^{14} &= 1/2310 \\
\alpha_{3,5}^8 &= 1/10 \\
\alpha_{4,9}^{13} &= 1/132 \\
\alpha_{3,12}^{15} &= 9/286 \\
\alpha_{5,8}^{13} &= 3/1540 \\
\alpha_{6,7}^{13} &= 1/2310 \\
\alpha_{2,12}^{14} &= 5/11 \\
\alpha_{6,9}^{15} &= 1/2860 \\
\alpha_{7,8}^{15} &= 1/12012 \\
\alpha_{2,13}^{15} &= 11/26 \\
\alpha_{5,6}^{11} &= 1/420 \\
\alpha_{2,7}^9 &= 5/7 \\
\alpha_{2,9}^{11} &= 7/12 \\
\alpha_{3,11}^{14} &= 2/55 \\
\alpha_{4,8}^{12} &= 1/105
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{3,4}^7 \rightarrow x_1$$

$$\alpha_{2,6}^8 \rightarrow x_2$$

$$\alpha_{5,7}^{12} \rightarrow x_3$$

$$\alpha_{5,9}^{14} \rightarrow x_4$$

$$\alpha_{3,6}^9 \rightarrow x_5$$

$$\alpha_{5,10}^{15} \rightarrow x_6$$

$$\alpha_{4,5}^9 \rightarrow x_7$$

$$\alpha_{2,5}^7 \rightarrow x_8$$

$$\alpha_{4,11}^{15} \rightarrow x_9$$

$$\alpha_{3,8}^{11} \rightarrow x_{10}$$

$$\alpha_{3,7}^{10} \rightarrow x_{11}$$

$$\alpha_{2,11}^{13} \rightarrow x_{12}$$

$$\alpha_{4,7}^{11} \rightarrow x_{13}$$

$$\alpha_{3,9}^{12} \rightarrow x_{14}$$

$$\alpha_{3,10}^{13} \rightarrow x_{15}$$

$$\alpha_{2,8}^{10} \rightarrow x_{16}$$

$$\alpha_{4,10}^{14} \rightarrow x_{17}$$

$$\alpha_{4,6}^{10} \rightarrow x_{18}$$

$$\alpha_{2,10}^{12} \rightarrow x_{19}$$

$$\alpha_{6,8}^{14} \rightarrow x_{20}$$

$$\alpha_{3,5}^8 \rightarrow x_{21}$$

$$\alpha_{4,9}^{13} \rightarrow x_{22}$$

$$\alpha_{3,12}^{15} \rightarrow x_{23}$$

$$\alpha_{5,8}^{13} \rightarrow x_{24}$$

$$\alpha_{6,7}^{13} \rightarrow x_{25}$$

$$\alpha_{2,12}^{14} \rightarrow x_{26}$$

$$\alpha_{6,9}^{15} \rightarrow x_{27}$$

$$\alpha_{7,8}^{15} \rightarrow x_{28}$$

$$\alpha_{2,13}^{15} \rightarrow x_{29}$$

$$\alpha_{5,6}^{11} \rightarrow x_{30}$$

$$\alpha_{2,7}^9 \rightarrow x_{31}$$

$$\alpha_{2,9}^{11} \rightarrow x_{32}$$

$$\alpha_{3,11}^{14} \rightarrow x_{33}$$

$$\alpha_{4,8}^{12} \rightarrow x_{34}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_1 - x_8 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_2 - x_{21} + x_8 & = 0 \\
(e_1, e_3, e_4) : & x_1 - x_{21} & = 0 \\
(e_1, e_2, e_6) : & x_2 - x_{31} - x_5 & = 0 \\
(e_1, e_3, e_5) : & x_{21} - x_5 - x_7 & = 0 \\
(e_2, e_3, e_4) : & x_1 x_{31} - x_5 + x_7 & = 0 \\
(e_1, e_2, e_7) : & -x_{11} - x_{16} + x_{31} & = 0 \\
(e_1, e_3, e_6) : & -x_{11} - x_{18} + x_5 & = 0 \\
(e_1, e_4, e_5) : & -x_{18} + x_7 & = 0 \\
(e_2, e_3, e_5) : & -x_{11} x_8 + x_{16} x_{21} & = 0 \\
(e_1, e_2, e_8) : & -x_{10} + x_{16} - x_{32} & = 0 \\
(e_1, e_3, e_7) : & -x_{10} + x_{11} - x_{13} & = 0 \\
(e_1, e_4, e_6) : & -x_{13} + x_{18} - x_{30} & = 0 \\
(e_2, e_3, e_6) : & -x_{10} x_2 - x_{30} + x_{32} x_5 & = 0 \\
(e_2, e_4, e_5) : & -x_{13} x_8 + x_{30} + x_{32} x_7 & = 0 \\
(e_1, e_2, e_9) : & -x_{14} - x_{19} + x_{32} & = 0 \\
(e_1, e_3, e_8) : & x_{10} - x_{14} - x_{34} & = 0 \\
(e_1, e_4, e_7) : & x_{13} - x_3 - x_{34} & = 0 \\
(e_1, e_5, e_6) : & -x_3 + x_{30} & = 0 \\
(e_2, e_3, e_7) : & x_{11} x_{19} - x_{14} x_{31} - x_3 & = 0 \\
(e_2, e_4, e_6) : & x_{18} x_{19} - x_2 x_{34} & = 0 \\
(e_3, e_4, e_5) : & x_1 x_3 + x_{14} x_7 - x_{21} x_{34} & = 0 \\
(e_1, e_2, e_{10}) : & -x_{12} - x_{15} + x_{19} & = 0 \\
(e_1, e_3, e_9) : & x_{14} - x_{15} - x_{22} & = 0 \\
(e_1, e_4, e_8) : & -x_{22} - x_{24} + x_{34} & = 0 \\
(e_1, e_5, e_7) : & -x_{24} - x_{25} + x_3 & = 0 \\
(e_2, e_3, e_8) : & x_{10} x_{12} - x_{15} x_{16} - x_{24} & = 0 \\
(e_2, e_4, e_7) : & x_{12} x_{13} - x_{22} x_{31} - x_{25} & = 0 \\
(e_2, e_5, e_6) : & x_{12} x_{30} - x_2 x_{24} + x_{25} x_8 & = 0 \\
(e_3, e_4, e_6) : & x_1 x_{25} + x_{15} x_{18} - x_{22} x_5 & = 0 \\
(e_1, e_2, e_{11}) : & x_{12} - x_{26} - x_{33} & = 0 \\
(e_1, e_3, e_{10}) : & x_{15} - x_{17} - x_{33} & = 0 \\
(e_1, e_4, e_9) : & -x_{17} + x_{22} - x_4 & = 0 \\
(e_1, e_5, e_8) : & -x_{20} + x_{24} - x_4 & = 0 \\
(e_1, e_6, e_7) : & -x_{20} + x_{25} & = 0 \\
(e_2, e_3, e_9) : & x_{14} x_{26} - x_{32} x_{33} - x_4 & = 0 \\
(e_2, e_4, e_8) : & -x_{16} x_{17} - x_{20} + x_{26} x_{34} & = 0 \\
(e_2, e_5, e_7) : & x_{26} x_3 - x_{31} x_4 & = 0 \\
(e_3, e_4, e_7) : & -x_{11} x_{17} + x_{13} x_{33} & = 0 \\
(e_3, e_5, e_6) : & x_{20} x_{21} + x_{30} x_{33} - x_4 x_5 & = 0 \\
(e_1, e_2, e_{12}) : & -x_{23} + x_{26} - x_{29} & = 0 \\
(e_1, e_3, e_{11}) : & -x_{23} + x_{33} - x_9 & = 0 \\
(e_1, e_4, e_{10}) : & x_{17} - x_6 - x_9 & = 0 \\
(e_1, e_5, e_9) : & -x_{27} + x_4 - x_9 & = 0
\end{aligned}$$

Groebner basis (34 variables, 0 linear, 35 nonlinear)

$$\begin{aligned}
&66x_1 - 264x_{33}x_{34} - 66x_{33} - 89985x_{34}^3 - 2860x_{34}^2 - 396x_{34} = 0 \\
&33x_2 + 264x_{33}x_{34} + 66x_{33} + 89985x_{34}^3 + 2860x_{34}^2 + 396x_{34} - 33 = 0 \\
&44x_3 - 88x_{33}x_{34} - 16695x_{34}^3 - 660x_{34}^2 = 0 \\
&-264x_{33}x_{34} - 10185x_{34}^3 - 1100x_{34}^2 + 132x_4 = 0 \\
&-33x_{33} - 19950x_{34}^3 - 440x_{34}^2 - 165x_{34} + 33x_5 = 0 \\
&-572x_{33}x_{34} - 6405x_{34}^3 - 1430x_{34}^2 + 286x_6 = 0 \\
&-88x_{33}x_{34} - 16695x_{34}^3 - 660x_{34}^2 - 22x_{34} + 22x_7 = 0 \\
&264x_{33}x_{34} + 66x_{33} + 89985x_{34}^3 + 2860x_{34}^2 + 396x_{34} + 66x_8 - 66 = 0 \\
&1716x_{33}x_{34} + 93765x_{34}^3 + 7150x_{34}^2 - 286x_{34} + 286x_9 = 0 \\
&12x_{10} + 72x_{33}x_{34} - 12x_{33} + 6405x_{34}^3 + 380x_{34}^2 - 36x_{34} = 0 \\
&66x_{11} + 264x_{33}x_{34} - 66x_{33} + 10185x_{34}^3 + 1100x_{34}^2 - 264x_{34} = 0 \\
&11x_{12} - 132x_{33}x_{34} + 77x_{33} + 19845x_{34}^3 + 297x_{34} - 11 = 0 \\
&44x_{13} - 88x_{33}x_{34} - 16695x_{34}^3 - 660x_{34}^2 - 44x_{34} = 0 \\
&12x_{14} + 72x_{33}x_{34} - 12x_{33} + 6405x_{34}^3 + 380x_{34}^2 - 24x_{34} = 0 \\
&11x_{15} + 44x_{33}x_{34} - 11x_{33} + 3360x_{34}^3 + 220x_{34}^2 - 11x_{34} = 0 \\
&66x_{16} + 264x_{33}x_{34} + 264x_{33} + 209685x_{34}^3 + 5500x_{34}^2 + 1386x_{34} - 66 = 0 \\
&11x_{17} + 44x_{33}x_{34} + 3360x_{34}^3 + 220x_{34}^2 - 11x_{34} = 0 \\
&22x_{18} - 88x_{33}x_{34} - 16695x_{34}^3 - 660x_{34}^2 - 22x_{34} = 0 \\
&11x_{19} - 88x_{33}x_{34} + 66x_{33} + 23205x_{34}^3 + 220x_{34}^2 + 286x_{34} - 11 = 0 \\
&66x_{20} - 9975x_{34}^3 - 220x_{34}^2 = 0 \\
&66x_{21} - 264x_{33}x_{34} - 66x_{33} - 89985x_{34}^3 - 2860x_{34}^2 - 396x_{34} = 0 \\
&132x_{22} + 264x_{33}x_{34} + 30135x_{34}^3 + 1540x_{34}^2 - 132x_{34} = 0 \\
&286x_{23} - 1716x_{33}x_{34} - 286x_{33} - 93765x_{34}^3 - 7150x_{34}^2 + 286x_{34} = 0 \\
&132x_{24} - 264x_{33}x_{34} - 30135x_{34}^3 - 1540x_{34}^2 = 0 \\
&66x_{25} - 9975x_{34}^3 - 220x_{34}^2 = 0 \\
&11x_{26} - 132x_{33}x_{34} + 88x_{33} + 19845x_{34}^3 + 297x_{34} - 11 = 0 \\
&1716x_{27} - 93975x_{34}^3 - 5720x_{34}^2 = 0 \\
&572x_{28} - 55125x_{34}^3 = 0 \\
&286x_{29} - 1716x_{33}x_{34} + 2574x_{33} + 609735x_{34}^3 + 7150x_{34}^2 + 7436x_{34} - 286 = 0 \\
&44x_{30} - 88x_{33}x_{34} - 16695x_{34}^3 - 660x_{34}^2 = 0
\end{aligned}$$

$$\begin{aligned}
11x_{31} + 88x_{33}x_{34} + 33x_{33} + 36645x_{34}^3 + 1100x_{34}^2 + 187x_{34} - 11 &= 0 \\
132x_{32} - 264x_{33}x_{34} + 660x_{33} + 348915x_{34}^3 + 6820x_{34}^2 + 3168x_{34} - 132 &= 0 \\
1089x_{33}^2 + 9801x_{33}x_{34} + 298830x_{34}^3 + 20086x_{34}^2 - 726x_{34} &= 0 \\
11x_{33}x_{34}^2 - 42x_{34}^3 &= 0 \\
105x_{34}^4 - x_{34}^3 &= 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
x_1 &= 0 \\
x_2 &= 1 \\
x_3 &= 0 \\
x_4 &= 0 \\
x_5 &= 0 \\
x_6 &= 0 \\
x_7 &= 0 \\
x_8 &= 1 \\
x_9 &= 0 \\
x_10 &= 0 \\
x_11 &= 0 \\
x_12 &= 1 \\
x_13 &= 0 \\
x_14 &= 0 \\
x_15 &= 0 \\
x_16 &= 1 \\
x_17 &= 0 \\
x_18 &= 0 \\
x_19 &= 1 \\
x_20 &= 0 \\
x_21 &= 0 \\
x_22 &= 0 \\
x_23 &= 0 \\
x_24 &= 0 \\
x_25 &= 0 \\
x_26 &= 1
\end{aligned}$$

$$x_27 = 0$$

$$x_28 = 0$$

$$x_29 = 1$$

$$x_30 = 0$$

$$x_31 = 1$$

$$x_32 = 1$$

$$x_33 = 0$$

$$x_34 = 0$$

Solution 2:

$$x_1 = 1/10$$

$$x_2 = 4/5$$

$$x_3 = 1/420$$

$$x_4 = 1/660$$

$$x_5 = 3/35$$

$$x_6 = 1/858$$

$$x_7 = 1/70$$

$$x_8 = 9/10$$

$$x_9 = 7/1430$$

$$x_{10} = 5/84$$

$$x_{11} = 1/14$$

$$x_{12} = 27/55$$

$$x_{13} = 1/84$$

$$x_{14} = 1/20$$

$$x_{15} = 7/165$$

$$x_{16} = 9/14$$

$$x_{17} = 1/165$$

$$x_{18} = 1/70$$

$$x_{19} = 8/15$$

$$x_{20} = 1/2310$$

$$x_{21} = 1/10$$

$$x_{22} = 1/132$$

$$x_{23} = 9/286$$

$$x_24 = 3/1540$$

$$x_25 = 1/2310$$

$$x_26 = 5/11$$

$$x_27 = 1/2860$$

$$x_28 = 1/12012$$

$$x_29 = 11/26$$

$$x_30 = 1/420$$

$$x_31 = 5/7$$

$$x_32 = 7/12$$

$$x_33 = 2/55$$

$$x_34 = 1/105$$

$\mathfrak{m}_{2A}(3, 15)$

m2A315 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_1, e_{13}] = e_{14}$$

$$[e_1, e_{14}] = e_{15}$$

$$[e_2, e_{11}] = e_{14}$$

$$[e_2, e_{12}] = 5e_{15}$$

$$[e_3, e_{10}] = -e_{14}$$

$$[e_3, e_{11}] = -4e_{15}$$

$$[e_4, e_9] = e_{14}$$

$$[e_4, e_{10}] = 3e_{15}$$

$$[e_5, e_8] = -e_{14}$$

$$[e_5, e_9] = -2e_{15}$$

$$[e_6, e_7] = e_{14}$$

$$[e_6, e_8] = e_{15}$$

No non-trivial Jacobi tests



$\mathfrak{m}_{4A}(3, 15)$

m4A315 (this line included for string searching purposes)

Solution 1

|                            |                            |
|----------------------------|----------------------------|
| $[e_1, e_2] = e_3$         | $[e_1, e_3] = e_4$         |
| $[e_1, e_4] = e_5$         | $[e_1, e_5] = e_6$         |
| $[e_1, e_6] = e_7$         | $[e_1, e_7] = e_8$         |
| $[e_1, e_8] = e_9$         | $[e_1, e_9] = e_{10}$      |
| $[e_1, e_{10}] = e_{11}$   | $[e_1, e_{11}] = e_{12}$   |
| $[e_1, e_{12}] = e_{13}$   | $[e_1, e_{13}] = e_{14}$   |
| $[e_1, e_{14}] = e_{15}$   | $[e_2, e_9] = e_{12}$      |
| $[e_2, e_{10}] = 4e_{13}$  | $[e_2, e_{11}] = 6e_{14}$  |
| $[e_2, e_{12}] = 0$        | $[e_3, e_8] = -e_{12}$     |
| $[e_3, e_9] = -3e_{13}$    | $[e_3, e_{10}] = -2e_{14}$ |
| $[e_3, e_{11}] = 6e_{15}$  | $[e_4, e_7] = e_{12}$      |
| $[e_4, e_8] = 2e_{13}$     | $[e_4, e_9] = -e_{14}$     |
| $[e_4, e_{10}] = -8e_{15}$ | $[e_5, e_6] = -e_{12}$     |
| $[e_5, e_7] = -e_{13}$     | $[e_5, e_8] = 3e_{14}$     |
| $[e_5, e_9] = 7e_{15}$     | $[e_6, e_7] = -4e_{14}$    |
| $[e_6, e_8] = -4e_{15}$    |                            |

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_9] = e_{12} \\
[e_2, e_{10}] = 4e_{13} & [e_2, e_{11}] = \alpha_{2,11}^{14} e_{14} \\
[e_2, e_{12}] = \alpha_{2,12}^{15} e_{15} & [e_3, e_8] = -e_{12} \\
[e_3, e_9] = -3e_{13} & [e_3, e_{10}] = \alpha_{3,10}^{14} e_{14} \\
[e_3, e_{11}] = \alpha_{3,11}^{15} e_{15} & [e_4, e_7] = e_{12} \\
[e_4, e_8] = 2e_{13} & [e_4, e_9] = \alpha_{4,9}^{14} e_{14} \\
[e_4, e_{10}] = \alpha_{4,10}^{15} e_{15} & [e_5, e_6] = -e_{12} \\
[e_5, e_7] = -e_{13} & [e_5, e_8] = \alpha_{5,8}^{14} e_{14} \\
[e_5, e_9] = \alpha_{5,9}^{15} e_{15} & [e_6, e_7] = \alpha_{6,7}^{14} e_{14} \\
[e_6, e_8] = \alpha_{6,8}^{15} e_{15} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{2,11}^{14} - \alpha_{3,10}^{14} + 4 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{14} - \alpha_{4,9}^{14} - 3 & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{14} - \alpha_{5,8}^{14} + 2 & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{14} - \alpha_{6,7}^{14} - 1 & = 0 \\
(e_1, e_2, e_{11}) : & \alpha_{2,11}^{14} - \alpha_{2,12}^{15} - \alpha_{3,11}^{15} & = 0 \\
(e_1, e_3, e_{10}) : & \alpha_{3,10}^{14} - \alpha_{3,11}^{15} - \alpha_{4,10}^{15} & = 0 \\
(e_1, e_4, e_9) : & -\alpha_{4,10}^{15} + \alpha_{4,9}^{14} - \alpha_{5,9}^{15} & = 0 \\
(e_1, e_5, e_8) : & \alpha_{5,8}^{14} - \alpha_{5,9}^{15} - \alpha_{6,8}^{15} & = 0 \\
(e_1, e_6, e_7) : & \alpha_{6,7}^{14} - \alpha_{6,8}^{15} & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,12}^{15} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,12}^{15} & = 0 \\
(e_2, e_5, e_6) : & -\alpha_{2,12}^{15} & = 0
\end{array}$$

Solution 1:

$$\begin{aligned}
\alpha_{5,8}^{14} &= 3 \\
\alpha_{2,11}^{14} &= 6 \\
\alpha_{2,12}^{15} &= 0 \\
\alpha_{4,9}^{14} &= -1 \\
\alpha_{6,7}^{14} &= -4 \\
\alpha_{3,10}^{14} &= -2 \\
\alpha_{3,11}^{15} &= 6 \\
\alpha_{5,9}^{15} &= 7 \\
\alpha_{4,10}^{15} &= -8 \\
\alpha_{6,8}^{15} &= -4
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{5,8}^{14} &\rightarrow x_1 \\
\alpha_{2,11}^{14} &\rightarrow x_2 \\
\alpha_{2,12}^{15} &\rightarrow x_3 \\
\alpha_{4,9}^{14} &\rightarrow x_4 \\
\alpha_{6,7}^{14} &\rightarrow x_5 \\
\alpha_{3,10}^{14} &\rightarrow x_6 \\
\alpha_{3,11}^{15} &\rightarrow x_7 \\
\alpha_{5,9}^{15} &\rightarrow x_8 \\
\alpha_{4,10}^{15} &\rightarrow x_9 \\
\alpha_{6,8}^{15} &\rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -x_2 - x_6 + 4 & = 0 \\
(e_1, e_3, e_9) : & -x_4 - x_6 - 3 & = 0 \\
(e_1, e_4, e_8) : & -x_1 - x_4 + 2 & = 0 \\
(e_1, e_5, e_7) : & -x_1 - x_5 - 1 & = 0 \\
(e_1, e_2, e_{11}) : & x_2 - x_3 - x_7 & = 0 \\
(e_1, e_3, e_{10}) : & x_6 - x_7 - x_9 & = 0 \\
(e_1, e_4, e_9) : & x_4 - x_8 - x_9 & = 0 \\
(e_1, e_5, e_8) : & x_1 - x_{10} - x_8 & = 0 \\
(e_1, e_6, e_7) : & -x_{10} + x_5 & = 0 \\
(e_2, e_3, e_8) : & -x_3 & = 0 \\
(e_2, e_4, e_7) : & x_3 & = 0 \\
(e_2, e_5, e_6) : & -x_3 & = 0
\end{array}$$

Groebner basis (10 variables, 10 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - 3 = 0 \\
x_2 - 6 = 0 \\
x_3 = 0 \\
x_4 + 1 = 0 \\
x_5 + 4 = 0 \\
x_6 + 2 = 0 \\
x_7 - 6 = 0 \\
x_8 - 7 = 0 \\
x_9 + 8 = 0 \\
x_{10} + 4 = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = 3 \\
x_2 = 6 \\
x_3 = 0 \\
x_4 = -1 \\
x_5 = -4 \\
x_6 = -2 \\
x_7 = 6 \\
x_8 = 7 \\
x_9 = -8 \\
x_{10} = -4
\end{array}$$

$\mathfrak{m}_{6A}(3, 15)$

m6A315 (this line included for string searching purposes)

Original brackets:

|   |   |
|---|---|
| $[e_1, e_2] = e_3$                          | $[e_1, e_3] = e_4$                          |
| $[e_1, e_4] = e_5$                          | $[e_1, e_5] = e_6$                          |
| $[e_1, e_6] = e_7$                          | $[e_1, e_7] = e_8$                          |
| $[e_1, e_8] = e_9$                          | $[e_1, e_9] = e_{10}$                       |
| $[e_1, e_{10}] = e_{11}$                    | $[e_1, e_{11}] = e_{12}$                    |
| $[e_1, e_{12}] = e_{13}$                    | $[e_1, e_{13}] = e_{14}$                    |
| $[e_1, e_{14}] = e_{15}$                    | $[e_2, e_7] = e_{10}$                       |
| $[e_2, e_8] = 3e_{11}$                      | $[e_2, e_9] = \alpha_{2,9}^{12} e_{12}$     |
| $[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13}$ | $[e_2, e_{11}] = \alpha_{2,11}^{14} e_{14}$ |
| $[e_2, e_{12}] = \alpha_{2,12}^{15} e_{15}$ | $[e_3, e_6] = -e_{10}$                      |
| $[e_3, e_7] = -2e_{11}$                     | $[e_3, e_8] = \alpha_{3,8}^{12} e_{12}$     |
| $[e_3, e_9] = \alpha_{3,9}^{13} e_{13}$     | $[e_3, e_{10}] = \alpha_{3,10}^{14} e_{14}$ |
| $[e_3, e_{11}] = \alpha_{3,11}^{15} e_{15}$ | $[e_4, e_5] = e_{10}$                       |
| $[e_4, e_6] = e_{11}$                       | $[e_4, e_7] = \alpha_{4,7}^{12} e_{12}$     |
| $[e_4, e_8] = \alpha_{4,8}^{13} e_{13}$     | $[e_4, e_9] = \alpha_{4,9}^{14} e_{14}$     |
| $[e_4, e_{10}] = \alpha_{4,10}^{15} e_{15}$ | $[e_5, e_6] = \alpha_{5,6}^{12} e_{12}$     |
| $[e_5, e_7] = \alpha_{5,7}^{13} e_{13}$     | $[e_5, e_8] = \alpha_{5,8}^{14} e_{14}$     |
| $[e_5, e_9] = \alpha_{5,9}^{15} e_{15}$     | $[e_6, e_7] = \alpha_{6,7}^{14} e_{14}$     |
| $[e_6, e_8] = \alpha_{6,8}^{15} e_{15}$     |   |

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{12} - \alpha_{4,7}^{12} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{12} - \alpha_{5,6}^{12} + 1 & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,10}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{13} - \alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{14} + \alpha_{3,9}^{13} - \alpha_{4,9}^{14} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{13} - \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{13} - \alpha_{5,8}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_3, e_7) : & -2\alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,11}^{14} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{14} & = 0 \\
(e_1, e_2, e_{11}) : & \alpha_{2,11}^{14} - \alpha_{2,12}^{15} - \alpha_{3,11}^{15} & = 0 \\
(e_1, e_3, e_{10}) : & \alpha_{3,10}^{14} - \alpha_{3,11}^{15} - \alpha_{4,10}^{15} & = 0 \\
(e_1, e_4, e_9) : & -\alpha_{4,10}^{15} + \alpha_{4,9}^{14} - \alpha_{5,9}^{15} & = 0 \\
(e_1, e_5, e_8) : & \alpha_{5,8}^{14} - \alpha_{5,9}^{15} - \alpha_{6,8}^{15} & = 0 \\
(e_1, e_6, e_7) : & \alpha_{6,7}^{14} - \alpha_{6,8}^{15} & = 0 \\
(e_2, e_3, e_8) : & \alpha_{2,12}^{15} \alpha_{3,8}^{12} - 3\alpha_{3,11}^{15} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,12}^{15} \alpha_{4,7}^{12} - \alpha_{4,10}^{15} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,12}^{15} \alpha_{5,6}^{12} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,11}^{15} + \alpha_{4,10}^{15} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{5,8}^{14} \rightarrow x_1$$

$$\alpha_{2,11}^{14} \rightarrow x_2$$

$$\alpha_{2,10}^{13} \rightarrow x_3$$

$$\alpha_{2,12}^{15} \rightarrow x_4$$

$$\alpha_{4,9}^{14} \rightarrow x_5$$

$$\alpha_{6,7}^{14} \rightarrow x_6$$

$$\alpha_{3,10}^{14} \rightarrow x_7$$

$$\alpha_{3,8}^{12} \rightarrow x_8$$

$$\alpha_{3,11}^{15} \rightarrow x_9$$

$$\alpha_{4,7}^{12} \rightarrow x_{10}$$

$$\alpha_{5,9}^{15} \rightarrow x_{11}$$

$$\alpha_{5,6}^{12} \rightarrow x_{12}$$

$$\alpha_{4,10}^{15} \rightarrow x_{13}$$

$$\alpha_{2,9}^{12} \rightarrow x_{14}$$

$$\alpha_{4,8}^{13} \rightarrow x_{15}$$

$$\alpha_{6,8}^{15} \rightarrow x_{16}$$

$$\alpha_{3,9}^{13} \rightarrow x_{17}$$

$$\alpha_{5,7}^{13} \rightarrow x_{18}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_{14} - x_8 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_{10} - x_8 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_{10} - x_{12} + 1 & = 0 \\
(e_1, e_2, e_9) : & x_{14} - x_{17} - x_3 & = 0 \\
(e_1, e_3, e_8) : & -x_{15} - x_{17} + x_8 & = 0 \\
(e_1, e_4, e_7) : & x_{10} - x_{15} - x_{18} & = 0 \\
(e_1, e_5, e_6) : & x_{12} - x_{18} & = 0 \\
(e_2, e_3, e_6) : & -x_3 & = 0 \\
(e_2, e_4, e_5) : & x_3 & = 0 \\
(e_1, e_2, e_{10}) : & -x_2 + x_3 - x_7 & = 0 \\
(e_1, e_3, e_9) : & x_{17} - x_5 - x_7 & = 0 \\
(e_1, e_4, e_8) : & -x_1 + x_{15} - x_5 & = 0 \\
(e_1, e_5, e_7) : & -x_1 + x_{18} - x_6 & = 0 \\
(e_2, e_3, e_7) : & -2x_2 - x_7 & = 0 \\
(e_2, e_4, e_6) : & x_2 & = 0 \\
(e_3, e_4, e_5) : & x_7 & = 0 \\
(e_1, e_2, e_{11}) : & x_2 - x_4 - x_9 & = 0 \\
(e_1, e_3, e_{10}) : & -x_{13} + x_7 - x_9 & = 0 \\
(e_1, e_4, e_9) : & -x_{11} - x_{13} + x_5 & = 0 \\
(e_1, e_5, e_8) : & x_1 - x_{11} - x_{16} & = 0 \\
(e_1, e_6, e_7) : & -x_{16} + x_6 & = 0 \\
(e_2, e_3, e_8) : & x_4x_8 - 3x_9 & = 0 \\
(e_2, e_4, e_7) : & x_{10}x_4 - x_{13} & = 0 \\
(e_2, e_5, e_6) : & x_{12}x_4 & = 0 \\
(e_3, e_4, e_6) : & x_{13} + x_9 & = 0
\end{array}$$

Groebner basis (18 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{8A}(3, 15)$

m8A315 (this line included for string searching purposes)



Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_9] = \alpha_{2,9}^{12} e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} & [e_2, e_{11}] = \alpha_{2,11}^{14} e_{14} \\
[e_2, e_{12}] = \alpha_{2,12}^{15} e_{15} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13} e_{13} & [e_3, e_{10}] = \alpha_{3,10}^{14} e_{14} \\
[e_3, e_{11}] = \alpha_{3,11}^{15} e_{15} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_7] = \alpha_{4,7}^{12} e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13} e_{13} & [e_4, e_9] = \alpha_{4,9}^{14} e_{14} \\
[e_4, e_{10}] = \alpha_{4,10}^{15} e_{15} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13} e_{13} & [e_5, e_8] = \alpha_{5,8}^{14} e_{14} \\
[e_5, e_9] = \alpha_{5,9}^{15} e_{15} & [e_6, e_7] = \alpha_{6,7}^{14} e_{14} \\
[e_6, e_8] = \alpha_{6,8}^{15} e_{15} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - 2\alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{13} - \alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{14} + \alpha_{3,9}^{13} - \alpha_{4,9}^{14} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{13} - \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{13} - \alpha_{5,8}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,11}^{14} \alpha_{3,7}^{11} - \alpha_{2,7}^{10} \alpha_{3,10}^{14} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,11}^{14} \alpha_{4,6}^{11} - 2\alpha_{4,9}^{14} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{14} \alpha_{4,5}^{10} + \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0 \\
(e_1, e_2, e_{11}) : & \alpha_{2,11}^{14} - \alpha_{2,12}^{15} - \alpha_{3,11}^{15} & = 0 \\
(e_1, e_3, e_{10}) : & \alpha_{3,10}^{14} - \alpha_{3,11}^{15} - \alpha_{4,10}^{15} & = 0 \\
(e_1, e_4, e_9) : & -\alpha_{4,10}^{15} + \alpha_{4,9}^{14} - \alpha_{5,9}^{15} & = 0 \\
(e_1, e_5, e_8) : & \alpha_{5,8}^{14} - \alpha_{5,9}^{15} - \alpha_{6,8}^{15} & = 0 \\
(e_1, e_6, e_7) : & \alpha_{6,7}^{14} - \alpha_{6,8}^{15} & = 0 \\
(e_2, e_3, e_8) : & \alpha_{2,12}^{15} \alpha_{3,8}^{12} - \alpha_{2,8}^{11} \alpha_{3,11}^{15} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,12}^{15} \alpha_{4,7}^{12} - \alpha_{2,7}^{10} \alpha_{4,10}^{15} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,12}^{15} \alpha_{5,6}^{12} - 2\alpha_{5,9}^{15} + \alpha_{6,8}^{15} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,11}^{15} \alpha_{4,6}^{11} - \alpha_{3,6}^{10} \alpha_{4,10}^{15} - \alpha_{6,8}^{15} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,7}^{11} \rightarrow x_1$$

$$\alpha_{2,7}^{10} \rightarrow x_2$$

$$\alpha_{2,10}^{13} \rightarrow x_3$$

$$\alpha_{6,7}^{14} \rightarrow x_4$$

$$\alpha_{3,8}^{12} \rightarrow x_5$$

$$\alpha_{5,6}^{12} \rightarrow x_6$$

$$\alpha_{5,7}^{13} \rightarrow x_7$$

$$\alpha_{5,8}^{14} \rightarrow x_8$$

$$\alpha_{4,5}^{10} \rightarrow x_9$$

$$\alpha_{2,9}^{12} \rightarrow x_{10}$$

$$\alpha_{2,8}^{11} \rightarrow x_{11}$$

$$\alpha_{2,11}^{14} \rightarrow x_{12}$$

$$\alpha_{2,12}^{15} \rightarrow x_{13}$$

$$\alpha_{5,9}^{15} \rightarrow x_{14}$$

$$\alpha_{3,11}^{15} \rightarrow x_{15}$$

$$\alpha_{4,6}^{11} \rightarrow x_{16}$$

$$\alpha_{3,10}^{14} \rightarrow x_{17}$$

$$\alpha_{4,10}^{15} \rightarrow x_{18}$$

$$\alpha_{3,6}^{10} \rightarrow x_{19}$$

$$\alpha_{4,8}^{13} \rightarrow x_{20}$$

$$\alpha_{3,9}^{13} \rightarrow x_{21}$$

$$\alpha_{4,9}^{14} \rightarrow x_{22}$$

$$\alpha_{4,7}^{12} \rightarrow x_{23}$$

$$\alpha_{6,8}^{15} \rightarrow x_{24}$$

## Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_{19} - x_2 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_{19} - x_9 - 1 & = 0 \\
(e_1, e_2, e_7) : & -x_1 - x_{11} + x_2 & = 0 \\
(e_1, e_3, e_6) : & -x_1 - x_{16} + x_{19} & = 0 \\
(e_1, e_4, e_5) : & -x_{16} + x_9 & = 0 \\
(e_2, e_3, e_4) : & -x_{11} & = 0 \\
(e_1, e_2, e_8) : & -x_{10} + x_{11} - x_5 & = 0 \\
(e_1, e_3, e_7) : & x_1 - x_{23} - x_5 & = 0 \\
(e_1, e_4, e_6) : & x_{16} - x_{23} - x_6 & = 0 \\
(e_2, e_3, e_5) : & -x_{10} - x_5 & = 0 \\
(e_1, e_2, e_9) : & x_{10} - x_{21} - x_3 & = 0 \\
(e_1, e_3, e_8) : & -x_{20} - x_{21} + x_5 & = 0 \\
(e_1, e_4, e_7) : & -x_{20} + x_{23} - x_7 & = 0 \\
(e_1, e_5, e_6) : & x_6 - x_7 & = 0 \\
(e_2, e_3, e_6) : & x_{19}x_3 - 2x_{21} & = 0 \\
(e_2, e_4, e_5) : & -x_{20} + x_3x_9 & = 0 \\
(e_1, e_2, e_{10}) : & -x_{12} - x_{17} + x_3 & = 0 \\
(e_1, e_3, e_9) : & -x_{17} + x_{21} - x_{22} & = 0 \\
(e_1, e_4, e_8) : & x_{20} - x_{22} - x_8 & = 0 \\
(e_1, e_5, e_7) : & -x_4 + x_7 - x_8 & = 0 \\
(e_2, e_3, e_7) : & x_1x_{12} - x_{17}x_2 & = 0 \\
(e_2, e_4, e_6) : & x_{12}x_{16} - 2x_{22} & = 0 \\
(e_3, e_4, e_5) : & x_{17}x_9 + x_{22} - x_8 & = 0 \\
(e_1, e_2, e_{11}) : & x_{12} - x_{13} - x_{15} & = 0 \\
(e_1, e_3, e_{10}) : & -x_{15} + x_{17} - x_{18} & = 0 \\
(e_1, e_4, e_9) : & -x_{14} - x_{18} + x_{22} & = 0 \\
(e_1, e_5, e_8) : & -x_{14} - x_{24} + x_8 & = 0 \\
(e_1, e_6, e_7) : & -x_{24} + x_4 & = 0 \\
(e_2, e_3, e_8) : & -x_{11}x_{15} + x_{13}x_5 & = 0 \\
(e_2, e_4, e_7) : & x_{13}x_{23} - x_{18}x_2 & = 0 \\
(e_2, e_5, e_6) : & x_{13}x_6 - 2x_{14} + x_{24} & = 0 \\
(e_3, e_4, e_6) : & x_{15}x_{16} - x_{18}x_{19} - x_{24} & = 0
\end{array}$$

Groebner basis (24 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$$\mathfrak{m}_{10A}(3, 15)$$

m10A315 (this line included for string searching purposes)

Solution 1

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_1, e_{13}] &= e_{14} \\
[e_1, e_{14}] &= e_{15} & [e_2, e_3] &= e_6 \\
[e_2, e_4] &= e_7 & [e_2, e_5] &= \frac{2e_8}{5} \\
[e_2, e_6] &= -\frac{e_9}{5} & [e_2, e_7] &= -\frac{e_{10}}{2} \\
[e_2, e_8] &= -\frac{e_{11}}{2} & [e_2, e_9] &= -\frac{e_{12}}{5} \\
[e_2, e_{10}] &= \frac{2e_{13}}{5} & [e_2, e_{11}] &= e_{14} \\
[e_2, e_{12}] &= e_{15} & [e_3, e_4] &= \frac{3e_8}{5} \\
[e_3, e_5] &= \frac{3e_9}{5} & [e_3, e_6] &= \frac{3e_{10}}{10} \\
[e_3, e_7] &= 0 & [e_3, e_8] &= -\frac{3e_{12}}{10} \\
[e_3, e_9] &= -\frac{3e_{13}}{5} & [e_3, e_{10}] &= -\frac{3e_{14}}{5} \\
[e_3, e_{11}] &= 0 & [e_4, e_5] &= \frac{3e_{10}}{10} \\
[e_4, e_6] &= \frac{3e_{11}}{10} & [e_4, e_7] &= \frac{3e_{12}}{10} \\
[e_4, e_8] &= \frac{3e_{13}}{10} & [e_4, e_9] &= 0 \\
[e_4, e_{10}] &= -\frac{3e_{15}}{5} & [e_5, e_6] &= 0 \\
[e_5, e_7] &= 0 & [e_5, e_8] &= \frac{3e_{14}}{10} \\
[e_5, e_9] &= \frac{3e_{15}}{5} & [e_6, e_7] &= -\frac{3e_{14}}{10} \\
[e_6, e_8] &= -\frac{3e_{15}}{10}
\end{aligned}$$

Solution 2

|                          |                          |
|--------------------------|--------------------------|
| $[e_1, e_2] = e_3$       | $[e_1, e_3] = e_4$       |
| $[e_1, e_4] = e_5$       | $[e_1, e_5] = e_6$       |
| $[e_1, e_6] = e_7$       | $[e_1, e_7] = e_8$       |
| $[e_1, e_8] = e_9$       | $[e_1, e_9] = e_{10}$    |
| $[e_1, e_{10}] = e_{11}$ | $[e_1, e_{11}] = e_{12}$ |
| $[e_1, e_{12}] = e_{13}$ | $[e_1, e_{13}] = e_{14}$ |
| $[e_1, e_{14}] = e_{15}$ | $[e_2, e_3] = e_6$       |
| $[e_2, e_4] = e_7$       | $[e_2, e_5] = e_8$       |
| $[e_2, e_6] = e_9$       | $[e_2, e_7] = e_{10}$    |
| $[e_2, e_8] = e_{11}$    | $[e_2, e_9] = e_{12}$    |
| $[e_2, e_{10}] = e_{13}$ | $[e_2, e_{11}] = e_{14}$ |
| $[e_2, e_{12}] = e_{15}$ | $[e_3, e_4] = 0$         |
| $[e_3, e_5] = 0$         | $[e_3, e_6] = 0$         |
| $[e_3, e_7] = 0$         | $[e_3, e_8] = 0$         |
| $[e_3, e_9] = 0$         | $[e_3, e_{10}] = 0$      |
| $[e_3, e_{11}] = 0$      | $[e_4, e_5] = 0$         |
| $[e_4, e_6] = 0$         | $[e_4, e_7] = 0$         |
| $[e_4, e_8] = 0$         | $[e_4, e_9] = 0$         |
| $[e_4, e_{10}] = 0$      | $[e_5, e_6] = 0$         |
| $[e_5, e_7] = 0$         | $[e_5, e_8] = 0$         |
| $[e_5, e_9] = 0$         | $[e_6, e_7] = 0$         |
| $[e_6, e_8] = 0$         |                          |

Solution 3

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_1, e_{13}] &= e_{14} \\
[e_1, e_{14}] &= e_{15} & [e_2, e_3] &= e_6 \\
[e_2, e_4] &= e_7 & [e_2, e_5] &= \frac{6e_8}{7} \\
[e_2, e_6] &= \frac{5e_9}{7} & [e_2, e_7] &= \frac{25e_{10}}{42} \\
[e_2, e_8] &= \frac{e_{11}}{2} & [e_2, e_9] &= \frac{14e_{12}}{33} \\
[e_2, e_{10}] &= \frac{4e_{13}}{11} & [e_2, e_{11}] &= \frac{45e_{14}}{143} \\
[e_2, e_{12}] &= \frac{25e_{15}}{91} & [e_3, e_4] &= \frac{e_8}{7} \\
[e_3, e_5] &= \frac{e_9}{7} & [e_3, e_6] &= \frac{5e_{10}}{42} \\
[e_3, e_7] &= \frac{2e_{11}}{21} & [e_3, e_8] &= \frac{5e_{12}}{66} \\
[e_3, e_9] &= \frac{2e_{13}}{33} & [e_3, e_{10}] &= \frac{7e_{14}}{143} \\
[e_3, e_{11}] &= \frac{40e_{15}}{1001} & [e_4, e_5] &= \frac{e_{10}}{42} \\
[e_4, e_6] &= \frac{e_{11}}{42} & [e_4, e_7] &= \frac{3e_{12}}{154} \\
[e_4, e_8] &= \frac{e_{13}}{66} & [e_4, e_9] &= \frac{5e_{14}}{429} \\
[e_4, e_{10}] &= \frac{9e_{15}}{1001} & [e_5, e_6] &= \frac{e_{12}}{231} \\
[e_5, e_7] &= \frac{e_{13}}{231} & [e_5, e_8] &= \frac{e_{14}}{286} \\
[e_5, e_9] &= \frac{8e_{15}}{3003} & [e_6, e_7] &= \frac{5e_{14}}{6006} \\
[e_6, e_8] &= \frac{5e_{15}}{6006}
\end{aligned}$$



Solution 4

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_1, e_{13}] &= e_{14} \\
[e_1, e_{14}] &= e_{15} & [e_2, e_3] &= e_6 \\
\\ 
[e_2, e_4] &= e_7 & [e_2, e_5] &= e_8 \left( \frac{13}{7} - \frac{3\sqrt{11}}{7} \right) \\
\\ 
[e_2, e_6] &= e_9 \left( \frac{19}{7} - \frac{6\sqrt{11}}{7} \right) & [e_2, e_7] &= e_{10} \left( 1 - \frac{3\sqrt{11}}{7} \right) \\
[e_2, e_8] &= e_{11} \left( -\frac{23}{7} + \frac{6\sqrt{11}}{7} \right) & [e_2, e_9] &= e_{12} \left( -\frac{31}{5} + \frac{9\sqrt{11}}{5} \right) \\
[e_2, e_{10}] &= e_{13} \left( -\frac{19}{5} + \frac{6\sqrt{11}}{5} \right) & [e_2, e_{11}] &= e_{14} \left( -\frac{7}{5} + \frac{3\sqrt{11}}{5} \right) \\
[e_2, e_{12}] &= e_{15} \left( -\frac{95}{7} + \frac{30\sqrt{11}}{7} \right) & [e_3, e_4] &= e_8 \left( -\frac{6}{7} + \frac{3\sqrt{11}}{7} \right) \\
[e_3, e_5] &= e_9 \left( -\frac{6}{7} + \frac{3\sqrt{11}}{7} \right) & [e_3, e_6] &= e_{10} \left( \frac{12}{7} - \frac{3\sqrt{11}}{7} \right) \\
[e_3, e_7] &= e_{11} \left( \frac{30}{7} - \frac{9\sqrt{11}}{7} \right) & [e_3, e_8] &= e_{12} \left( \frac{102}{35} - \frac{33\sqrt{11}}{35} \right) \\
[e_3, e_9] &= e_{13} \left( -\frac{12}{5} + \frac{3\sqrt{11}}{5} \right) & [e_3, e_{10}] &= e_{14} \left( -\frac{12}{5} + \frac{3\sqrt{11}}{5} \right) \\
[e_3, e_{11}] &= e_{15} \left( \frac{426}{35} - \frac{129\sqrt{11}}{35} \right) & [e_4, e_5] &= e_{10} \left( -\frac{18}{7} + \frac{6\sqrt{11}}{7} \right) \\
[e_4, e_6] &= e_{11} \left( -\frac{18}{7} + \frac{6\sqrt{11}}{7} \right) & [e_4, e_7] &= e_{12} \left( \frac{48}{35} - \frac{12\sqrt{11}}{35} \right) \\
[e_4, e_8] &= e_{13} \left( \frac{186}{35} - \frac{54\sqrt{11}}{35} \right) & [e_4, e_9] &= 0 \\
[e_4, e_{10}] &= e_{15} \left( -\frac{102}{7} + \frac{30\sqrt{11}}{7} \right) & [e_5, e_6] &= e_{12} \left( -\frac{138}{35} + \frac{6\sqrt{11}}{5} \right) \\
[e_5, e_7] &= e_{13} \left( -\frac{138}{35} + \frac{6\sqrt{11}}{5} \right) & [e_5, e_8] &= e_{14} \left( \frac{186}{35} - \frac{54\sqrt{11}}{35} \right) \\
[e_5, e_9] &= e_{15} \left( \frac{102}{7} - \frac{30\sqrt{11}}{7} \right) & [e_6, e_7] &= e_{14} \left( -\frac{324}{35} + \frac{96\sqrt{11}}{35} \right) \\
[e_6, e_8] &= e_{15} \left( -\frac{324}{35} + \frac{96\sqrt{11}}{35} \right) & & 
\end{aligned}$$

Solution 5

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_1, e_{13}] &= e_{14} \\
[e_1, e_{14}] &= e_{15} & [e_2, e_3] &= e_6 \\
\\
[e_2, e_4] &= e_7 & [e_2, e_5] &= e_8 \left( \frac{3\sqrt{11}}{7} + \frac{13}{7} \right) \\
\\
[e_2, e_6] &= e_9 \left( \frac{19}{7} + \frac{6\sqrt{11}}{7} \right) & [e_2, e_7] &= e_{10} \left( 1 + \frac{3\sqrt{11}}{7} \right) \\
[e_2, e_8] &= e_{11} \left( -\frac{23}{7} - \frac{6\sqrt{11}}{7} \right) & [e_2, e_9] &= e_{12} \left( -\frac{31}{5} - \frac{9\sqrt{11}}{5} \right) \\
[e_2, e_{10}] &= e_{13} \left( -\frac{6\sqrt{11}}{5} - \frac{19}{5} \right) & [e_2, e_{11}] &= e_{14} \left( -\frac{3\sqrt{11}}{5} - \frac{7}{5} \right) \\
[e_2, e_{12}] &= e_{15} \left( -\frac{30\sqrt{11}}{7} - \frac{95}{7} \right) & [e_3, e_4] &= e_8 \left( -\frac{3\sqrt{11}}{7} - \frac{6}{7} \right) \\
[e_3, e_5] &= e_9 \left( -\frac{3\sqrt{11}}{7} - \frac{6}{7} \right) & [e_3, e_6] &= e_{10} \left( \frac{3\sqrt{11}}{7} + \frac{12}{7} \right) \\
[e_3, e_7] &= e_{11} \left( \frac{9\sqrt{11}}{7} + \frac{30}{7} \right) & [e_3, e_8] &= e_{12} \left( \frac{102}{35} + \frac{33\sqrt{11}}{35} \right) \\
[e_3, e_9] &= e_{13} \left( -\frac{12}{5} - \frac{3\sqrt{11}}{5} \right) & [e_3, e_{10}] &= e_{14} \left( -\frac{12}{5} - \frac{3\sqrt{11}}{5} \right) \\
[e_3, e_{11}] &= e_{15} \left( \frac{426}{35} + \frac{129\sqrt{11}}{35} \right) & [e_4, e_5] &= e_{10} \left( -\frac{6\sqrt{11}}{7} - \frac{18}{7} \right) \\
[e_4, e_6] &= e_{11} \left( -\frac{6\sqrt{11}}{7} - \frac{18}{7} \right) & [e_4, e_7] &= e_{12} \left( \frac{12\sqrt{11}}{35} + \frac{48}{35} \right) \\
[e_4, e_8] &= e_{13} \left( \frac{54\sqrt{11}}{35} + \frac{186}{35} \right) & [e_4, e_9] &= 0 \\
[e_4, e_{10}] &= e_{15} \left( -\frac{102}{7} - \frac{30\sqrt{11}}{7} \right) & [e_5, e_6] &= e_{12} \left( -\frac{6\sqrt{11}}{5} - \frac{138}{35} \right) \\
[e_5, e_7] &= e_{13} \left( -\frac{6\sqrt{11}}{5} - \frac{138}{35} \right) & [e_5, e_8] &= e_{14} \left( \frac{54\sqrt{11}}{35} + \frac{186}{35} \right) \\
[e_5, e_9] &= e_{15} \left( \frac{30\sqrt{11}}{7} + \frac{102}{7} \right) & [e_6, e_7] &= e_{14} \left( -\frac{324}{35} - \frac{96\sqrt{11}}{35} \right) \\
[e_6, e_8] &= e_{15} \left( -\frac{324}{35} - \frac{96\sqrt{11}}{35} \right) & &
\end{aligned}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\
[e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_9] = \alpha_{2,9}^{12} e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} & [e_2, e_{11}] = \alpha_{2,11}^{14} e_{14} \\
[e_2, e_{12}] = \alpha_{2,12}^{15} e_{15} & [e_3, e_4] = \alpha_{3,4}^8 e_8 \\
[e_3, e_5] = \alpha_{3,5}^9 e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13} e_{13} & [e_3, e_{10}] = \alpha_{3,10}^{14} e_{14} \\
[e_3, e_{11}] = \alpha_{3,11}^{15} e_{15} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_7] = \alpha_{4,7}^{12} e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13} e_{13} & [e_4, e_9] = \alpha_{4,9}^{14} e_{14} \\
[e_4, e_{10}] = \alpha_{4,10}^{15} e_{15} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13} e_{13} & [e_5, e_8] = \alpha_{5,8}^{14} e_{14} \\
[e_5, e_9] = \alpha_{5,9}^{15} e_{15} & [e_6, e_7] = \alpha_{6,7}^{14} e_{14} \\
[e_6, e_8] = \alpha_{6,8}^{15} e_{15} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{12} + \alpha_{2,9}^{12} \alpha_{3,5}^9 + \alpha_{5,6}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - \alpha_{2,6}^9 \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{2,5}^8 \alpha_{4,8}^{13} + \alpha_{5,7}^{13} & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{13} - \alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{14} + \alpha_{3,9}^{13} - \alpha_{4,9}^{14} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{13} - \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{13} - \alpha_{5,8}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,11}^{14} \alpha_{3,7}^{11} - \alpha_{2,7}^{10} \alpha_{3,10}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,11}^{14} \alpha_{4,6}^{11} - \alpha_{2,6}^9 \alpha_{4,9}^{14} + \alpha_{6,7}^{14} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{14} \alpha_{4,5}^{10} + \alpha_{3,4}^8 \alpha_{5,8}^{14} - \alpha_{3,5}^9 \alpha_{4,9}^{14} & = 0 \\
(e_1, e_2, e_{11}) : & \alpha_{2,11}^{14} - \alpha_{2,12}^{15} - \alpha_{3,11}^{15} & = 0 \\
(e_1, e_3, e_{10}) : & \alpha_{3,10}^{14} - \alpha_{3,11}^{15} - \alpha_{4,10}^{15} & = 0 \\
(e_1, e_4, e_9) : & -\alpha_{4,10}^{15} + \alpha_{4,9}^{14} - \alpha_{5,9}^{15} & = 0 \\
(e_1, e_5, e_8) : & \alpha_{5,8}^{14} - \alpha_{5,9}^{15} - \alpha_{6,8}^{15} & = 0 \\
(e_1, e_6, e_7) : & \alpha_{6,7}^{14} - \alpha_{6,8}^{15} & = 0 \\
(e_2, e_3, e_8) : & \alpha_{2,12}^{15} \alpha_{3,8}^{12} - \alpha_{2,8}^{11} \alpha_{3,11}^{15} - \alpha_{6,8}^{15} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,12}^{15} \alpha_{4,7}^{12} - \alpha_{2,7}^{10} \alpha_{4,10}^{15} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,12}^{15} \alpha_{5,6}^{12} + \alpha_{2,5}^8 \alpha_{6,8}^{15} - \alpha_{2,6}^9 \alpha_{5,9}^{15} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,11}^{15} \alpha_{4,6}^{11} + \alpha_{3,4}^8 \alpha_{6,8}^{15} - \alpha_{3,6}^{10} \alpha_{4,10}^{15} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,7}^{11} &= 0 \\
\alpha_{2,7}^{10} &= -1/2 \\
\alpha_{2,10}^{13} &= 2/5 \\
\alpha_{6,7}^{14} &= -3/10 \\
\alpha_{3,8}^{12} &= -3/10 \\
\alpha_{5,6}^{12} &= 0 \\
\alpha_{3,5}^9 &= 3/5 \\
\alpha_{5,7}^{13} &= 0 \\
\alpha_{5,8}^{14} &= 3/10 \\
\alpha_{2,6}^9 &= -1/5 \\
\alpha_{4,5}^{10} &= 3/10 \\
\alpha_{2,9}^{12} &= -1/5 \\
\alpha_{3,4}^8 &= 3/5 \\
\alpha_{2,5}^8 &= 2/5 \\
\alpha_{2,8}^{11} &= -1/2 \\
\alpha_{2,11}^{14} &= 1 \\
\alpha_{2,12}^{15} &= 1 \\
\alpha_{5,9}^{15} &= 3/5 \\
\alpha_{3,11}^{15} &= 0 \\
\alpha_{4,6}^{11} &= 3/10 \\
\alpha_{3,10}^{14} &= -3/5 \\
\alpha_{4,10}^{15} &= -3/5 \\
\alpha_{3,6}^{10} &= 3/10 \\
\alpha_{4,8}^{13} &= 3/10 \\
\alpha_{3,9}^{13} &= -3/5 \\
\alpha_{4,9}^{14} &= 0 \\
\alpha_{4,7}^{12} &= 3/10 \\
\alpha_{6,8}^{15} &= -3/10
\end{aligned}$$

Solution 2:

$$\begin{aligned}
\alpha_{3,7}^{11} &= 0 \\
\alpha_{2,7}^{10} &= 1 \\
\alpha_{2,10}^{13} &= 1 \\
\alpha_{6,7}^{14} &= 0 \\
\alpha_{3,8}^{12} &= 0 \\
\alpha_{5,6}^{12} &= 0 \\
\alpha_{3,5}^9 &= 0 \\
\alpha_{5,7}^{13} &= 0 \\
\alpha_{5,8}^{14} &= 0 \\
\alpha_{2,6}^9 &= 1 \\
\alpha_{4,5}^{10} &= 0 \\
\alpha_{2,9}^{12} &= 1 \\
\alpha_{3,4}^8 &= 0 \\
\alpha_{2,5}^8 &= 1 \\
\alpha_{2,8}^{11} &= 1 \\
\alpha_{2,11}^{14} &= 1 \\
\alpha_{2,12}^{15} &= 1 \\
\alpha_{5,9}^{15} &= 0 \\
\alpha_{3,11}^{15} &= 0 \\
\alpha_{4,6}^{11} &= 0 \\
\alpha_{3,10}^{14} &= 0 \\
\alpha_{4,10}^{15} &= 0 \\
\alpha_{3,6}^{10} &= 0 \\
\alpha_{4,8}^{13} &= 0 \\
\alpha_{3,9}^{13} &= 0 \\
\alpha_{4,9}^{14} &= 0 \\
\alpha_{4,7}^{12} &= 0 \\
\alpha_{6,8}^{15} &= 0
\end{aligned}$$

Solution 3:

$$\begin{aligned}
\alpha_{3,7}^{11} &= 2/21 \\
\alpha_{2,7}^{10} &= 25/42 \\
\alpha_{2,10}^{13} &= 4/11 \\
\alpha_{6,7}^{14} &= 5/6006 \\
\alpha_{3,8}^{12} &= 5/66 \\
\alpha_{5,6}^{12} &= 1/231 \\
\alpha_{3,5}^9 &= 1/7 \\
\alpha_{5,7}^{13} &= 1/231 \\
\alpha_{5,8}^{14} &= 1/286 \\
\alpha_{2,6}^9 &= 5/7 \\
\alpha_{4,5}^{10} &= 1/42 \\
\alpha_{2,9}^{12} &= 14/33 \\
\alpha_{3,4}^8 &= 1/7 \\
\alpha_{2,5}^8 &= 6/7 \\
\alpha_{2,8}^{11} &= 1/2 \\
\alpha_{2,11}^{14} &= 45/143 \\
\alpha_{2,12}^{15} &= 25/91 \\
\alpha_{5,9}^{15} &= 8/3003 \\
\alpha_{3,11}^{15} &= 40/1001 \\
\alpha_{4,6}^{11} &= 1/42 \\
\alpha_{3,10}^{14} &= 7/143 \\
\alpha_{4,10}^{15} &= 9/1001 \\
\alpha_{3,6}^{10} &= 5/42 \\
\alpha_{4,8}^{13} &= 1/66 \\
\alpha_{3,9}^{13} &= 2/33 \\
\alpha_{4,9}^{14} &= 5/429 \\
\alpha_{4,7}^{12} &= 3/154 \\
\alpha_{6,8}^{15} &= 5/6006
\end{aligned}$$

Solution 4:

$$\begin{aligned}
\alpha_{3,7}^{11} &= 30/7 - 9 * \text{sqrt}(11)/7 \\
\alpha_{2,7}^{10} &= 1 - 3 * \text{sqrt}(11)/7 \\
\alpha_{2,10}^{13} &= -19/5 + 6 * \text{sqrt}(11)/5 \\
\alpha_{6,7}^{14} &= -324/35 + 96 * \text{sqrt}(11)/35 \\
\alpha_{3,8}^{12} &= 102/35 - 33 * \text{sqrt}(11)/35 \\
\alpha_{5,6}^{12} &= -138/35 + 6 * \text{sqrt}(11)/5 \\
\alpha_{3,5}^9 &= -6/7 + 3 * \text{sqrt}(11)/7 \\
\alpha_{5,7}^{13} &= -138/35 + 6 * \text{sqrt}(11)/5 \\
\alpha_{5,8}^{14} &= 186/35 - 54 * \text{sqrt}(11)/35 \\
\alpha_{2,6}^9 &= 19/7 - 6 * \text{sqrt}(11)/7 \\
\alpha_{4,5}^{10} &= -18/7 + 6 * \text{sqrt}(11)/7 \\
\alpha_{2,9}^{12} &= -31/5 + 9 * \text{sqrt}(11)/5 \\
\alpha_{3,4}^8 &= -6/7 + 3 * \text{sqrt}(11)/7 \\
\alpha_{2,5}^8 &= 13/7 - 3 * \text{sqrt}(11)/7 \\
\alpha_{2,8}^{11} &= -23/7 + 6 * \text{sqrt}(11)/7 \\
\alpha_{2,11}^{14} &= -7/5 + 3 * \text{sqrt}(11)/5 \\
\alpha_{2,12}^{15} &= -95/7 + 30 * \text{sqrt}(11)/7 \\
\alpha_{5,9}^{15} &= 102/7 - 30 * \text{sqrt}(11)/7 \\
\alpha_{3,11}^{15} &= 426/35 - 129 * \text{sqrt}(11)/35 \\
\alpha_{4,6}^{11} &= -18/7 + 6 * \text{sqrt}(11)/7 \\
\alpha_{3,10}^{14} &= -12/5 + 3 * \text{sqrt}(11)/5 \\
\alpha_{4,10}^{15} &= -102/7 + 30 * \text{sqrt}(11)/7 \\
\alpha_{3,6}^{10} &= 12/7 - 3 * \text{sqrt}(11)/7 \\
\alpha_{4,8}^{13} &= 186/35 - 54 * \text{sqrt}(11)/35 \\
\alpha_{3,9}^{13} &= -12/5 + 3 * \text{sqrt}(11)/5 \\
\alpha_{4,9}^{14} &= 0 \\
\alpha_{4,7}^{12} &= 48/35 - 12 * \text{sqrt}(11)/35 \\
\alpha_{6,8}^{15} &= -324/35 + 96 * \text{sqrt}(11)/35
\end{aligned}$$

Solution 5:



$$\begin{aligned}
\alpha_{3,7}^{11} &= 9 * \sqrt{11}/7 + 30/7 \\
\alpha_{2,7}^{10} &= 1 + 3 * \sqrt{11}/7 \\
\alpha_{2,10}^{13} &= -6 * \sqrt{11}/5 - 19/5 \\
\alpha_{6,7}^{14} &= -324/35 - 96 * \sqrt{11}/35 \\
\alpha_{3,8}^{12} &= 102/35 + 33 * \sqrt{11}/35 \\
\alpha_{5,6}^{12} &= -6 * \sqrt{11}/5 - 138/35 \\
\alpha_{3,5}^9 &= -3 * \sqrt{11}/7 - 6/7 \\
\alpha_{5,7}^{13} &= -6 * \sqrt{11}/5 - 138/35 \\
\alpha_{5,8}^{14} &= 54 * \sqrt{11}/35 + 186/35 \\
\alpha_{2,6}^9 &= 19/7 + 6 * \sqrt{11}/7 \\
\alpha_{4,5}^{10} &= -6 * \sqrt{11}/7 - 18/7 \\
\alpha_{2,9}^{12} &= -31/5 - 9 * \sqrt{11}/5 \\
\alpha_{3,4}^8 &= -3 * \sqrt{11}/7 - 6/7 \\
\alpha_{2,5}^8 &= 3 * \sqrt{11}/7 + 13/7 \\
\alpha_{2,8}^{11} &= -23/7 - 6 * \sqrt{11}/7 \\
\alpha_{2,11}^{14} &= -3 * \sqrt{11}/5 - 7/5 \\
\alpha_{2,12}^{15} &= -30 * \sqrt{11}/7 - 95/7 \\
\alpha_{5,9}^{15} &= 30 * \sqrt{11}/7 + 102/7 \\
\alpha_{3,11}^{15} &= 426/35 + 129 * \sqrt{11}/35 \\
\alpha_{4,6}^{11} &= -6 * \sqrt{11}/7 - 18/7 \\
\alpha_{3,10}^{14} &= -12/5 - 3 * \sqrt{11}/5 \\
\alpha_{4,10}^{15} &= -102/7 - 30 * \sqrt{11}/7 \\
\alpha_{3,6}^{10} &= 3 * \sqrt{11}/7 + 12/7 \\
\alpha_{4,8}^{13} &= 54 * \sqrt{11}/35 + 186/35 \\
\alpha_{3,9}^{13} &= -12/5 - 3 * \sqrt{11}/5 \\
\alpha_{4,9}^{14} &= 0 \\
\alpha_{4,7}^{12} &= 12 * \sqrt{11}/35 + 48/35 \\
\alpha_{6,8}^{15} &= -324/35 - 96 * \sqrt{11}/35
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{3,7}^{11} \rightarrow x_1$$

$$\alpha_{2,7}^{10} \rightarrow x_2$$

$$\alpha_{2,10}^{13} \rightarrow x_3$$

$$\alpha_{6,7}^{14} \rightarrow x_4$$

$$\alpha_{3,8}^{12} \rightarrow x_5$$

$$\alpha_{5,6}^{12} \rightarrow x_6$$

$$\alpha_{3,5}^9 \rightarrow x_7$$

$$\alpha_{5,7}^{13} \rightarrow x_8$$

$$\alpha_{5,8}^{14} \rightarrow x_9$$

$$\alpha_{2,6}^9 \rightarrow x_{10}$$

$$\alpha_{4,5}^{10} \rightarrow x_{11}$$

$$\alpha_{2,9}^{12} \rightarrow x_{12}$$

$$\alpha_{3,4}^8 \rightarrow x_{13}$$

$$\alpha_{2,5}^8 \rightarrow x_{14}$$

$$\alpha_{2,8}^{11} \rightarrow x_{15}$$

$$\alpha_{2,11}^{14} \rightarrow x_{16}$$

$$\alpha_{2,12}^{15} \rightarrow x_{17}$$

$$\alpha_{5,9}^{15} \rightarrow x_{18}$$

$$\alpha_{3,11}^{15} \rightarrow x_{19}$$

$$\alpha_{4,6}^{11} \rightarrow x_{20}$$

$$\alpha_{3,10}^{14} \rightarrow x_{21}$$

$$\alpha_{4,10}^{15} \rightarrow x_{22}$$

$$\alpha_{3,6}^{10} \rightarrow x_{23}$$

$$\alpha_{4,8}^{13} \rightarrow x_{24}$$

$$\alpha_{3,9}^{13} \rightarrow x_{25}$$

$$\alpha_{4,9}^{14} \rightarrow x_{26}$$

$$\alpha_{4,7}^{12} \rightarrow x_{27}$$

$$\alpha_{6,8}^{15} \rightarrow x_{28}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_{13} - x_{14} + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{10} + x_{14} - x_7 & = 0 \\
(e_1, e_3, e_4) : & x_{13} - x_7 & = 0 \\
(e_1, e_2, e_6) : & x_{10} - x_2 - x_{23} & = 0 \\
(e_1, e_3, e_5) : & -x_{11} - x_{23} + x_7 & = 0 \\
(e_1, e_2, e_7) : & -x_1 - x_{15} + x_2 & = 0 \\
(e_1, e_3, e_6) : & -x_1 - x_{20} + x_{23} & = 0 \\
(e_1, e_4, e_5) : & x_{11} - x_{20} & = 0 \\
(e_2, e_3, e_4) : & -x_1 + x_{13}x_{15} + x_{20} & = 0 \\
(e_1, e_2, e_8) : & -x_{12} + x_{15} - x_5 & = 0 \\
(e_1, e_3, e_7) : & x_1 - x_{27} - x_5 & = 0 \\
(e_1, e_4, e_6) : & x_{20} - x_{27} - x_6 & = 0 \\
(e_2, e_3, e_5) : & x_{12}x_7 - x_{14}x_5 + x_6 & = 0 \\
(e_1, e_2, e_9) : & x_{12} - x_{25} - x_3 & = 0 \\
(e_1, e_3, e_8) : & -x_{24} - x_{25} + x_5 & = 0 \\
(e_1, e_4, e_7) : & -x_{24} + x_{27} - x_8 & = 0 \\
(e_1, e_5, e_6) : & x_6 - x_8 & = 0 \\
(e_2, e_3, e_6) : & -x_{10}x_{25} + x_{23}x_3 & = 0 \\
(e_2, e_4, e_5) : & x_{11}x_3 - x_{14}x_{24} + x_8 & = 0 \\
(e_1, e_2, e_{10}) : & -x_{16} - x_{21} + x_3 & = 0 \\
(e_1, e_3, e_9) : & -x_{21} + x_{25} - x_{26} & = 0 \\
(e_1, e_4, e_8) : & x_{24} - x_{26} - x_9 & = 0 \\
(e_1, e_5, e_7) : & -x_4 + x_8 - x_9 & = 0 \\
(e_2, e_3, e_7) : & x_1x_{16} - x_2x_{21} - x_4 & = 0 \\
(e_2, e_4, e_6) : & -x_{10}x_{26} + x_{16}x_{20} + x_4 & = 0 \\
(e_3, e_4, e_5) : & x_{11}x_{21} + x_{13}x_9 - x_{26}x_7 & = 0 \\
(e_1, e_2, e_{11}) : & x_{16} - x_{17} - x_{19} & = 0 \\
(e_1, e_3, e_{10}) : & -x_{19} + x_{21} - x_{22} & = 0 \\
(e_1, e_4, e_9) : & -x_{18} - x_{22} + x_{26} & = 0 \\
(e_1, e_5, e_8) : & -x_{18} - x_{28} + x_9 & = 0 \\
(e_1, e_6, e_7) : & -x_{28} + x_4 & = 0 \\
(e_2, e_3, e_8) : & -x_{15}x_{19} + x_{17}x_5 - x_{28} & = 0 \\
(e_2, e_4, e_7) : & x_{17}x_{27} - x_2x_{22} & = 0 \\
(e_2, e_5, e_6) : & -x_{10}x_{18} + x_{14}x_{28} + x_{17}x_6 & = 0 \\
(e_3, e_4, e_6) : & x_{13}x_{28} + x_{19}x_{20} - x_{22}x_{23} & = 0
\end{aligned}$$

Groebner basis (28 variables, 24 linear, 10 nonlinear)

$$\begin{aligned}
&2x_1 - 2x_{25} - x_{26} - 3x_{27} + x_{28} = 0 \\
&x_2 + 3x_{25} - x_{26} + 12x_{27} + x_{28} - 1 = 0 \\
&6x_{25} + 14x_{27} + x_3 - 1 = 0 \\
&-x_{28} + x_4 = 0 \\
&-2x_{25} - x_{26} - x_{27} + x_{28} + 2x_5 = 0 \\
&x_{26} - x_{27} - x_{28} + 2x_6 = 0 \\
&-2x_{25} + x_{26} - 9x_{27} - x_{28} + 2x_7 = 0 \\
&x_{26} - x_{27} - x_{28} + 2x_8 = 0 \\
&x_{26} - x_{27} + x_{28} + 2x_9 = 0 \\
&x_{10} + 2x_{25} - x_{26} + 9x_{27} + x_{28} - 1 = 0 \\
&2x_{11} + x_{26} - 3x_{27} - x_{28} = 0 \\
&x_{12} + 5x_{25} + 14x_{27} - 1 = 0 \\
&2x_{13} - 2x_{25} + x_{26} - 9x_{27} - x_{28} = 0 \\
&2x_{14} + 2x_{25} - x_{26} + 9x_{27} + x_{28} - 2 = 0 \\
&2x_{15} + 8x_{25} - x_{26} + 27x_{27} + x_{28} - 2 = 0 \\
&x_{16} + 7x_{25} - x_{26} + 14x_{27} - 1 = 0 \\
&2x_{17} + 16x_{25} - 7x_{26} + 29x_{27} - 3x_{28} - 2 = 0 \\
&2x_{18} + x_{26} - x_{27} + 3x_{28} = 0 \\
&2x_{19} - 2x_{25} + 5x_{26} - x_{27} + 3x_{28} = 0 \\
&2x_{20} + x_{26} - 3x_{27} - x_{28} = 0 \\
&x_{21} - x_{25} + x_{26} = 0 \\
&2x_{22} - 3x_{26} + x_{27} - 3x_{28} = 0 \\
&x_{23} - x_{25} - 3x_{27} = 0 \\
&2x_{24} - x_{26} - x_{27} + x_{28} = 0 \\
&145229536056000000x_{25}^2 - 261413164900800000x_{26} - 1969675582759500000x_{27}^2 + 152491012858800000x_{27} + 373775 \\
&653532912252000000x_{25}x_{26} + 196059873675600000x_{26} - 5309954912047500000x_{27}^2 - 196059873675600000x_{27} + 136 \\
&59412082932000000x_{25}x_{27} + 17823624879600000x_{26} + 259927862827500000x_{27}^2 - 17823624879600000x_{27} - 2747907 \\
&4356886081680000x_{25}x_{28} - 16338322806300000x_{27}^2 + 757206035122637100x_{28}^5 + 14260044724105485760x_{28}^4 + 66892 \\
&1021145175393750x_{26}^2 + 9190306578543750x_{27}^2 - 286507315912517700x_{28}^5 - 5399157338131712120x_{28}^4 - 2597357429 \\
&4084580701575000x_{26}x_{27} + 16338322806300000x_{27}^2 - 377949358352666100x_{28}^5 - 7127391140699094160x_{28}^4 - 352093
\end{aligned}$$

$$\begin{aligned}
& 343819924375x_{26}x_{28}-5416216205400x_{28}^5-101902239178740x_{28}^4-46000255837536x_{28}^3-4775113062720x_{28}^2=0 \\
& 3176896101225000x_{27}^3-35493791599566300x_{28}^5-668039674446711280x_{28}^4-306146686390745217x_{28}^3-336318364 \\
& 1089221520420000x_{27}x_{28}-31136803122324900x_{28}^5-585621282927869440x_{28}^4-260749156999700991x_{28}^3-2527030 \\
& 14714700x_{28}^6+276834320x_{28}^5+124742373x_{28}^4+12868920x_{28}^3-10800x_{28}^2=0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
x_1 &= 0 \\
x_2 &= -1/2 \\
x_3 &= 2/5 \\
x_4 &= -3/10 \\
x_5 &= -3/10 \\
x_6 &= 0 \\
x_7 &= 3/5 \\
x_8 &= 0 \\
x_9 &= 3/10 \\
x_{10} &= -1/5 \\
x_{11} &= 3/10 \\
x_{12} &= -1/5 \\
x_{13} &= 3/5 \\
x_{14} &= 2/5 \\
x_{15} &= -1/2 \\
x_{16} &= 1 \\
x_{17} &= 1 \\
x_{18} &= 3/5 \\
x_{19} &= 0 \\
x_{20} &= 3/10 \\
x_{21} &= -3/5 \\
x_{22} &= -3/5 \\
x_{23} &= 3/10 \\
x_{24} &= 3/10 \\
x_{25} &= -3/5 \\
x_{26} &= 0 \\
x_{27} &= 3/10
\end{aligned}$$

$$x_2 8 = -3/10$$

Solution 2:

$$x_1 = 0$$

$$x_2 = 1$$

$$x_3 = 1$$

$$x_4 = 0$$

$$x_5 = 0$$

$$x_6 = 0$$

$$x_7 = 0$$

$$x_8 = 0$$

$$x_9 = 0$$

$$x_1 0 = 1$$

$$x_1 1 = 0$$

$$x_1 2 = 1$$

$$x_1 3 = 0$$

$$x_1 4 = 1$$

$$x_1 5 = 1$$

$$x_1 6 = 1$$

$$x_1 7 = 1$$

$$x_1 8 = 0$$

$$x_1 9 = 0$$

$$x_2 0 = 0$$

$$x_2 1 = 0$$

$$x_2 2 = 0$$

$$x_2 3 = 0$$

$$x_2 4 = 0$$

$$x_2 5 = 0$$

$$x_2 6 = 0$$

$$x_2 7 = 0$$

$$x_2 8 = 0$$

Solution 3:

$$x_1 = 2/21$$

$$\begin{aligned}
x_2 &= 25/42 \\
x_3 &= 4/11 \\
x_4 &= 5/6006 \\
x_5 &= 5/66 \\
x_6 &= 1/231 \\
x_7 &= 1/7 \\
x_8 &= 1/231 \\
x_9 &= 1/286 \\
x_{10} &= 5/7 \\
x_{11} &= 1/42 \\
x_{12} &= 14/33 \\
x_{13} &= 1/7 \\
x_{14} &= 6/7 \\
x_{15} &= 1/2 \\
x_{16} &= 45/143 \\
x_{17} &= 25/91 \\
x_{18} &= 8/3003 \\
x_{19} &= 40/1001 \\
x_{20} &= 1/42 \\
x_{21} &= 7/143 \\
x_{22} &= 9/1001 \\
x_{23} &= 5/42 \\
x_{24} &= 1/66 \\
x_{25} &= 2/33 \\
x_{26} &= 5/429 \\
x_{27} &= 3/154 \\
x_{28} &= 5/6006
\end{aligned}$$

Solution 4:

$$\begin{aligned}
x_1 &= 30/7 - 9 * \sqrt{11}/7 \\
x_2 &= 1 - 3 * \sqrt{11}/7 \\
x_3 &= -19/5 + 6 * \sqrt{11}/5 \\
x_4 &= -324/35 + 96 * \sqrt{11}/35
\end{aligned}$$



$$\begin{aligned}
x_5 &= 102/35 - 33 * \text{sqrt}(11)/35 \\
x_6 &= -138/35 + 6 * \text{sqrt}(11)/5 \\
x_7 &= -6/7 + 3 * \text{sqrt}(11)/7 \\
x_8 &= -138/35 + 6 * \text{sqrt}(11)/5 \\
x_9 &= 186/35 - 54 * \text{sqrt}(11)/35 \\
x_{10} &= 19/7 - 6 * \text{sqrt}(11)/7 \\
x_{11} &= -18/7 + 6 * \text{sqrt}(11)/7 \\
x_{12} &= -31/5 + 9 * \text{sqrt}(11)/5 \\
x_{13} &= -6/7 + 3 * \text{sqrt}(11)/7 \\
x_{14} &= 13/7 - 3 * \text{sqrt}(11)/7 \\
x_{15} &= -23/7 + 6 * \text{sqrt}(11)/7 \\
x_{16} &= -7/5 + 3 * \text{sqrt}(11)/5 \\
x_{17} &= -95/7 + 30 * \text{sqrt}(11)/7 \\
x_{18} &= 102/7 - 30 * \text{sqrt}(11)/7 \\
x_{19} &= 426/35 - 129 * \text{sqrt}(11)/35 \\
x_{20} &= -18/7 + 6 * \text{sqrt}(11)/7 \\
x_{21} &= -12/5 + 3 * \text{sqrt}(11)/5 \\
x_{22} &= -102/7 + 30 * \text{sqrt}(11)/7 \\
x_{23} &= 12/7 - 3 * \text{sqrt}(11)/7 \\
x_{24} &= 186/35 - 54 * \text{sqrt}(11)/35 \\
x_{25} &= -12/5 + 3 * \text{sqrt}(11)/5 \\
x_{26} &= 0 \\
x_{27} &= 48/35 - 12 * \text{sqrt}(11)/35 \\
x_{28} &= -324/35 + 96 * \text{sqrt}(11)/35
\end{aligned}$$

Solution 5:

$$\begin{aligned}
x_1 &= 9 * \text{sqrt}(11)/7 + 30/7 \\
x_2 &= 1 + 3 * \text{sqrt}(11)/7 \\
x_3 &= -6 * \text{sqrt}(11)/5 - 19/5 \\
x_4 &= -324/35 - 96 * \text{sqrt}(11)/35 \\
x_5 &= 102/35 + 33 * \text{sqrt}(11)/35 \\
x_6 &= -6 * \text{sqrt}(11)/5 - 138/35 \\
x_7 &= -3 * \text{sqrt}(11)/7 - 6/7
\end{aligned}$$

$$\begin{aligned}
x_8 &= -6 * \text{sqrt}(11)/5 - 138/35 \\
x_9 &= 54 * \text{sqrt}(11)/35 + 186/35 \\
x_{10} &= 19/7 + 6 * \text{sqrt}(11)/7 \\
x_{11} &= -6 * \text{sqrt}(11)/7 - 18/7 \\
x_{12} &= -31/5 - 9 * \text{sqrt}(11)/5 \\
x_{13} &= -3 * \text{sqrt}(11)/7 - 6/7 \\
x_{14} &= 3 * \text{sqrt}(11)/7 + 13/7 \\
x_{15} &= -23/7 - 6 * \text{sqrt}(11)/7 \\
x_{16} &= -3 * \text{sqrt}(11)/5 - 7/5 \\
x_{17} &= -30 * \text{sqrt}(11)/7 - 95/7 \\
x_{18} &= 30 * \text{sqrt}(11)/7 + 102/7 \\
x_{19} &= 426/35 + 129 * \text{sqrt}(11)/35 \\
x_{20} &= -6 * \text{sqrt}(11)/7 - 18/7 \\
x_{21} &= -12/5 - 3 * \text{sqrt}(11)/5 \\
x_{22} &= -102/7 - 30 * \text{sqrt}(11)/7 \\
x_{23} &= 3 * \text{sqrt}(11)/7 + 12/7 \\
x_{24} &= 54 * \text{sqrt}(11)/35 + 186/35 \\
x_{25} &= -12/5 - 3 * \text{sqrt}(11)/5 \\
x_{26} &= 0 \\
x_{27} &= 12 * \text{sqrt}(11)/35 + 48/35 \\
x_{28} &= -324/35 - 96 * \text{sqrt}(11)/35
\end{aligned}$$

$\mathfrak{m}_{1A}(4, 15)$

m1A415 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_{11}] = e_{15} \\
[e_3, e_{10}] = -e_{15} & [e_4, e_9] = e_{15} \\
[e_5, e_8] = -e_{15} & [e_6, e_7] = e_{15}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(4, 15)$

m3A415 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_9] = e_{13} \\
[e_2, e_{10}] = 4e_{14} & [e_2, e_{11}] = \alpha_{2,11}^{15} e_{15} \\
[e_3, e_8] = -e_{13} & [e_3, e_9] = -3e_{14} \\
[e_3, e_{10}] = \alpha_{3,10}^{15} e_{15} & [e_4, e_7] = e_{13} \\
[e_4, e_8] = 2e_{14} & [e_4, e_9] = \alpha_{4,9}^{15} e_{15} \\
[e_5, e_6] = -e_{13} & [e_5, e_7] = -e_{14} \\
[e_5, e_8] = \alpha_{5,8}^{15} e_{15} & [e_6, e_7] = \alpha_{6,7}^{15} e_{15}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{2,11}^{15} - \alpha_{3,10}^{15} + 4 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{15} - \alpha_{4,9}^{15} - 3 & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{15} - \alpha_{5,8}^{15} + 2 & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{15} - \alpha_{6,7}^{15} - 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{5,8}^{15} \rightarrow x_1$$

$$\alpha_{2,11}^{15} \rightarrow x_2$$

$$\alpha_{3,10}^{15} \rightarrow x_3$$

$$\alpha_{4,9}^{15} \rightarrow x_4$$

$$\alpha_{6,7}^{15} \rightarrow x_5$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -x_2 - x_3 + 4 & = 0 \\
(e_1, e_3, e_9) : & -x_3 - x_4 - 3 & = 0 \\
(e_1, e_4, e_8) : & -x_1 - x_4 + 2 & = 0 \\
(e_1, e_5, e_7) : & -x_1 - x_5 - 1 & = 0
\end{array}$$

Groebner basis (5 variables, 4 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_5 + 1 = 0 \\
x_2 - x_5 - 10 = 0 \\
x_3 + x_5 + 6 = 0 \\
x_4 - x_5 - 3 = 0
\end{array}$$

$\mathfrak{m}_{5A}(4, 15)$

m5A415 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_7] = e_{11} \\
[e_2, e_8] = 3e_{12} & [e_2, e_9] = \alpha_{2,9}^{13} e_{13} \\
[e_2, e_{10}] = \alpha_{2,10}^{14} e_{14} & [e_2, e_{11}] = \alpha_{2,11}^{15} e_{15} \\
[e_3, e_6] = -e_{11} & [e_3, e_7] = -2e_{12} \\
[e_3, e_8] = \alpha_{3,8}^{13} e_{13} & [e_3, e_9] = \alpha_{3,9}^{14} e_{14} \\
[e_3, e_{10}] = \alpha_{3,10}^{15} e_{15} & [e_4, e_5] = e_{11} \\
[e_4, e_6] = e_{12} & [e_4, e_7] = \alpha_{4,7}^{13} e_{13} \\
[e_4, e_8] = \alpha_{4,8}^{14} e_{14} & [e_4, e_9] = \alpha_{4,9}^{15} e_{15} \\
[e_5, e_6] = \alpha_{5,6}^{13} e_{13} & [e_5, e_7] = \alpha_{5,7}^{14} e_{14} \\
[e_5, e_8] = \alpha_{5,8}^{15} e_{15} & [e_6, e_7] = \alpha_{6,7}^{15} e_{15}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{13} - \alpha_{3,8}^{13} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{13} - \alpha_{4,7}^{13} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{13} - \alpha_{5,6}^{13} + 1 & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{14} + \alpha_{2,9}^{13} - \alpha_{3,9}^{14} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{13} - \alpha_{3,9}^{14} - \alpha_{4,8}^{14} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{13} - \alpha_{4,8}^{14} - \alpha_{5,7}^{14} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{13} - \alpha_{5,7}^{14} & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{14} - \alpha_{2,11}^{15} - \alpha_{3,10}^{15} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{15} + \alpha_{3,9}^{14} - \alpha_{4,9}^{15} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{14} - \alpha_{4,9}^{15} - \alpha_{5,8}^{15} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{14} - \alpha_{5,8}^{15} - \alpha_{6,7}^{15} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,11}^{15} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,11}^{15} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{5,6}^{13} & \rightarrow x_1 \\
\alpha_{3,9}^{14} & \rightarrow x_2 \\
\alpha_{4,7}^{13} & \rightarrow x_3 \\
\alpha_{5,7}^{14} & \rightarrow x_4 \\
\alpha_{2,10}^{14} & \rightarrow x_5 \\
\alpha_{2,9}^{13} & \rightarrow x_6 \\
\alpha_{5,8}^{15} & \rightarrow x_7 \\
\alpha_{2,11}^{15} & \rightarrow x_8 \\
\alpha_{3,10}^{15} & \rightarrow x_9 \\
\alpha_{4,9}^{15} & \rightarrow x_{10} \\
\alpha_{6,7}^{15} & \rightarrow x_{11} \\
\alpha_{4,8}^{14} & \rightarrow x_{12} \\
\alpha_{3,8}^{13} & \rightarrow x_{13}
\end{aligned}$$

## Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_{13} - x_6 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_{13} - x_3 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_1 - x_3 + 1 & = 0 \\
(e_1, e_2, e_9) : & -x_2 - x_5 + x_6 & = 0 \\
(e_1, e_3, e_8) : & -x_{12} + x_{13} - x_2 & = 0 \\
(e_1, e_4, e_7) : & -x_{12} + x_3 - x_4 & = 0 \\
(e_1, e_5, e_6) : & x_1 - x_4 & = 0 \\
(e_1, e_2, e_{10}) : & x_5 - x_8 - x_9 & = 0 \\
(e_1, e_3, e_9) : & -x_{10} + x_2 - x_9 & = 0 \\
(e_1, e_4, e_8) : & -x_{10} + x_{12} - x_7 & = 0 \\
(e_1, e_5, e_7) : & -x_{11} + x_4 - x_7 & = 0 \\
(e_2, e_3, e_6) : & -x_8 & = 0 \\
(e_2, e_4, e_5) : & x_8 & = 0
\end{array}$$

Groebner basis (13 variables, 12 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - x_{13} - 3 = 0 \\
-3x_{13} + x_2 - 5 = 0 \\
x_{13} + x_3 + 2 = 0 \\
-x_{13} + x_4 - 3 = 0 \\
4x_{13} + x_5 + 2 = 0 \\
x_{13} + x_6 - 3 = 0 \\
9x_{13} + x_7 + 12 = 0 \\
x_8 = 0 \\
4x_{13} + x_9 + 2 = 0 \\
x_{10} - 7x_{13} - 7 = 0 \\
x_{11} - 10x_{13} - 15 = 0 \\
x_{12} + 2x_{13} + 5 = 0
\end{array}$$

$\mathfrak{m}_{7A}(4, 15)$

m7A415 (this line included for string searching purposes)

Original brackets:

|  |  |
|--|--|
| $[e_1, e_2] = e_3$                         | $[e_1, e_3] = e_4$                         |
| $[e_1, e_4] = e_5$                         | $[e_1, e_5] = e_6$                         |
| $[e_1, e_6] = e_7$                         | $[e_1, e_7] = e_8$                         |
| $[e_1, e_8] = e_9$                         | $[e_1, e_9] = e_{10}$                      |
| $[e_1, e_{10}] = e_{11}$                   | $[e_1, e_{11}] = e_{12}$                   |
| $[e_1, e_{12}] = e_{13}$                   | $[e_1, e_{13}] = e_{14}$                   |
| $[e_1, e_{14}] = e_{15}$                   | $[e_2, e_5] = e_9$                         |
| $[e_2, e_6] = 2e_{10}$                     | $[e_2, e_7] = \alpha_{2,7}^{11}e_{11}$     |
| $[e_2, e_8] = \alpha_{2,8}^{12}e_{12}$     | $[e_2, e_9] = \alpha_{2,9}^{13}e_{13}$     |
| $[e_2, e_{10}] = \alpha_{2,10}^{14}e_{14}$ | $[e_2, e_{11}] = \alpha_{2,11}^{15}e_{15}$ |
| $[e_3, e_4] = -e_9$                        | $[e_3, e_5] = -e_{10}$                     |
| $[e_3, e_6] = \alpha_{3,6}^{11}e_{11}$     | $[e_3, e_7] = \alpha_{3,7}^{12}e_{12}$     |
| $[e_3, e_8] = \alpha_{3,8}^{13}e_{13}$     | $[e_3, e_9] = \alpha_{3,9}^{14}e_{14}$     |
| $[e_3, e_{10}] = \alpha_{3,10}^{15}e_{15}$ | $[e_4, e_5] = \alpha_{4,5}^{11}e_{11}$     |
| $[e_4, e_6] = \alpha_{4,6}^{12}e_{12}$     | $[e_4, e_7] = \alpha_{4,7}^{13}e_{13}$     |
| $[e_4, e_8] = \alpha_{4,8}^{14}e_{14}$     | $[e_4, e_9] = \alpha_{4,9}^{15}e_{15}$     |
| $[e_5, e_6] = \alpha_{5,6}^{13}e_{13}$     | $[e_5, e_7] = \alpha_{5,7}^{14}e_{14}$     |
| $[e_5, e_8] = \alpha_{5,8}^{15}e_{15}$     | $[e_6, e_7] = \alpha_{6,7}^{15}e_{15}$     |

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,9}^{13} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{14} + \alpha_{2,9}^{13} - \alpha_{3,9}^{14} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{13} - \alpha_{3,9}^{14} - \alpha_{4,8}^{14} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{13} - \alpha_{4,8}^{14} - \alpha_{5,7}^{14} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{13} - \alpha_{5,7}^{14} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,10}^{14} - \alpha_{3,9}^{14} & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{14} - \alpha_{2,11}^{15} - \alpha_{3,10}^{15} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{15} + \alpha_{3,9}^{14} - \alpha_{4,9}^{15} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{14} - \alpha_{4,9}^{15} - \alpha_{5,8}^{15} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{14} - \alpha_{5,8}^{15} - \alpha_{6,7}^{15} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,11}^{15} \alpha_{3,6}^{11} - 2\alpha_{3,10}^{15} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,11}^{15} \alpha_{4,5}^{11} - \alpha_{4,9}^{15} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{5,6}^{13} \rightarrow x_1$$

$$\alpha_{4,5}^{11} \rightarrow x_2$$

$$\alpha_{2,8}^{12} \rightarrow x_3$$

$$\alpha_{3,6}^{11} \rightarrow x_4$$

$$\alpha_{3,9}^{14} \rightarrow x_5$$

$$\alpha_{4,7}^{13} \rightarrow x_6$$

$$\alpha_{5,7}^{14} \rightarrow x_7$$



$$\begin{aligned}
\alpha_{2,9}^{13} &\rightarrow x_8 \\
\alpha_{2,10}^{14} &\rightarrow x_9 \\
\alpha_{5,8}^{15} &\rightarrow x_{10} \\
\alpha_{2,7}^{11} &\rightarrow x_{11} \\
\alpha_{3,7}^{12} &\rightarrow x_{12} \\
\alpha_{2,11}^{15} &\rightarrow x_{13} \\
\alpha_{3,10}^{15} &\rightarrow x_{14} \\
\alpha_{4,9}^{15} &\rightarrow x_{15} \\
\alpha_{6,7}^{15} &\rightarrow x_{16} \\
\alpha_{4,6}^{12} &\rightarrow x_{17} \\
\alpha_{4,8}^{14} &\rightarrow x_{18} \\
\alpha_{3,8}^{13} &\rightarrow x_{19}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_6) : & \quad -x_{11} - x_4 + 2 & = 0 \\
(e_1, e_3, e_5) : & \quad -x_2 - x_4 - 1 & = 0 \\
(e_1, e_2, e_7) : & \quad x_{11} - x_{12} - x_3 & = 0 \\
(e_1, e_3, e_6) : & \quad -x_{12} - x_{17} + x_4 & = 0 \\
(e_1, e_4, e_5) : & \quad -x_{17} + x_2 & = 0 \\
(e_1, e_2, e_8) : & \quad -x_{19} + x_3 - x_8 & = 0 \\
(e_1, e_3, e_7) : & \quad x_{12} - x_{19} - x_6 & = 0 \\
(e_1, e_4, e_6) : & \quad -x_1 + x_{17} - x_6 & = 0 \\
(e_2, e_3, e_4) : & \quad -x_8 & = 0 \\
(e_1, e_2, e_9) : & \quad -x_5 + x_8 - x_9 & = 0 \\
(e_1, e_3, e_8) : & \quad -x_{18} + x_{19} - x_5 & = 0 \\
(e_1, e_4, e_7) : & \quad -x_{18} + x_6 - x_7 & = 0 \\
(e_1, e_5, e_6) : & \quad x_1 - x_7 & = 0 \\
(e_2, e_3, e_5) : & \quad -x_5 - x_9 & = 0 \\
(e_1, e_2, e_{10}) : & \quad -x_{13} - x_{14} + x_9 & = 0 \\
(e_1, e_3, e_9) : & \quad -x_{14} - x_{15} + x_5 & = 0 \\
(e_1, e_4, e_8) : & \quad -x_{10} - x_{15} + x_{18} & = 0 \\
(e_1, e_5, e_7) : & \quad -x_{10} - x_{16} + x_7 & = 0 \\
(e_2, e_3, e_6) : & \quad x_{13}x_4 - 2x_{14} & = 0 \\
(e_2, e_4, e_5) : & \quad x_{13}x_2 - x_{15} & = 0
\end{aligned}$$

Groebner basis (19 variables, 17 linear, 1 nonlinear)

$$\begin{aligned}
x_1 - 2x_{19} + 3 &= 0 \\
-x_{19} + 3x_2 + 4 &= 0 \\
-x_{19} + x_3 &= 0 \\
x_{19} + 3x_4 - 1 &= 0 \\
-14x_{19} + 3x_5 + 14 &= 0 \\
5x_{19} + 3x_6 - 5 &= 0 \\
-2x_{19} + x_7 + 3 &= 0 \\
x_8 &= 0 \\
14x_{19} + 3x_9 - 14 &= 0 \\
x_{10} + x_{16} - 2x_{19} + 3 &= 0 \\
3x_{11} - x_{19} - 5 &= 0 \\
3x_{12} + 2x_{19} - 5 &= 0 \\
x_{13} - x_{16} + 15x_{19} - 17 &= 0 \\
3x_{14} + 3x_{16} - 31x_{19} + 37 &= 0 \\
3x_{15} - 3x_{16} + 17x_{19} - 23 &= 0 \\
x_{16}x_{19} - 7x_{16} - 15x_{19}^2 + 94x_{19} - 91 &= 0 \\
3x_{17} - x_{19} + 4 &= 0 \\
3x_{18} + 11x_{19} - 14 &= 0
\end{aligned}$$

$\mathfrak{m}_{9A}(4, 15)$

m9A415 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_3] = e_7 \\
[e_2, e_4] = e_8 & [e_2, e_5] = \alpha_{2,5}^9 e_9 \\
[e_2, e_6] = \alpha_{2,6}^{10} e_{10} & [e_2, e_7] = \alpha_{2,7}^{11} e_{11} \\
[e_2, e_8] = \alpha_{2,8}^{12} e_{12} & [e_2, e_9] = \alpha_{2,9}^{13} e_{13} \\
[e_2, e_{10}] = \alpha_{2,10}^{14} e_{14} & [e_2, e_{11}] = \alpha_{2,11}^{15} e_{15} \\
[e_3, e_4] = \alpha_{3,4}^9 e_9 & [e_3, e_5] = \alpha_{3,5}^{10} e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11} e_{11} & [e_3, e_7] = \alpha_{3,7}^{12} e_{12} \\
[e_3, e_8] = \alpha_{3,8}^{13} e_{13} & [e_3, e_9] = \alpha_{3,9}^{14} e_{14} \\
[e_3, e_{10}] = \alpha_{3,10}^{15} e_{15} & [e_4, e_5] = \alpha_{4,5}^{11} e_{11} \\
[e_4, e_6] = \alpha_{4,6}^{12} e_{12} & [e_4, e_7] = \alpha_{4,7}^{13} e_{13} \\
[e_4, e_8] = \alpha_{4,8}^{14} e_{14} & [e_4, e_9] = \alpha_{4,9}^{15} e_{15} \\
[e_5, e_6] = \alpha_{5,6}^{13} e_{13} & [e_5, e_7] = \alpha_{5,7}^{14} e_{14} \\
[e_5, e_8] = \alpha_{5,8}^{15} e_{15} & [e_6, e_7] = \alpha_{6,7}^{15} e_{15}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,9}^{13} \alpha_{3,4}^9 - \alpha_{3,8}^{13} + \alpha_{4,7}^{13} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{14} + \alpha_{2,9}^{13} - \alpha_{3,9}^{14} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{13} - \alpha_{3,9}^{14} - \alpha_{4,8}^{14} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{13} - \alpha_{4,8}^{14} - \alpha_{5,7}^{14} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{13} - \alpha_{5,7}^{14} & = 0 \\
(e_2, e_3, e_5) : & \alpha_{2,10}^{14} \alpha_{3,5}^{10} - \alpha_{2,5}^9 \alpha_{3,9}^{14} + \alpha_{5,7}^{14} & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{14} - \alpha_{2,11}^{15} - \alpha_{3,10}^{15} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{15} + \alpha_{3,9}^{14} - \alpha_{4,9}^{15} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{14} - \alpha_{4,9}^{15} - \alpha_{5,8}^{15} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{14} - \alpha_{5,8}^{15} - \alpha_{6,7}^{15} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,11}^{15} \alpha_{3,6}^{11} - \alpha_{2,6}^{10} \alpha_{3,10}^{15} + \alpha_{6,7}^{15} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,11}^{15} \alpha_{4,5}^{11} - \alpha_{2,5}^9 \alpha_{4,9}^{15} + \alpha_{5,8}^{15} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,5}^{11} \rightarrow x_1$$

$$\alpha_{3,9}^{14} \rightarrow x_2$$

$$\alpha_{3,5}^{10} \rightarrow x_3$$

$$\alpha_{5,8}^{15} \rightarrow x_4$$

$$\alpha_{3,7}^{12} \rightarrow x_5$$

$$\alpha_{3,4}^9 \rightarrow x_6$$

$$\alpha_{4,9}^{15} \rightarrow x_7$$

$$\alpha_{2,6}^{10} \rightarrow x_8$$

$$\alpha_{5,6}^{13} \rightarrow x_9$$

$$\alpha_{2,7}^{11} \rightarrow x_{10}$$

$$\alpha_{2,11}^{15} \rightarrow x_{11}$$

$$\alpha_{3,10}^{15} \rightarrow x_{12}$$

$$\alpha_{4,6}^{12} \rightarrow x_{13}$$

$$\alpha_{2,8}^{12} \rightarrow x_{14}$$

$$\alpha_{4,7}^{13} \rightarrow x_{15}$$

$$\alpha_{5,7}^{14} \rightarrow x_{16}$$

$$\alpha_{4,8}^{14} \rightarrow x_{17}$$

$$\alpha_{3,6}^{11} \rightarrow x_{18}$$

$$\alpha_{2,5}^9 \rightarrow x_{19}$$

$$\alpha_{2,9}^{13} \rightarrow x_{20}$$

$$\alpha_{2,10}^{14} \rightarrow x_{21}$$

$$\alpha_{6,7}^{15} \rightarrow x_{22}$$

$$\alpha_{3,8}^{13} \rightarrow x_{23}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_{19} - x_6 + 1 & = 0 \\
(e_1, e_2, e_5) : & x_{19} - x_3 - x_8 & = 0 \\
(e_1, e_3, e_4) : & -x_3 + x_6 & = 0 \\
(e_1, e_2, e_6) : & -x_{10} - x_{18} + x_8 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_{18} + x_3 & = 0 \\
(e_1, e_2, e_7) : & x_{10} - x_{14} - x_5 & = 0 \\
(e_1, e_3, e_6) : & -x_{13} + x_{18} - x_5 & = 0 \\
(e_1, e_4, e_5) : & x_1 - x_{13} & = 0 \\
(e_1, e_2, e_8) : & x_{14} - x_{20} - x_{23} & = 0 \\
(e_1, e_3, e_7) : & -x_{15} - x_{23} + x_5 & = 0 \\
(e_1, e_4, e_6) : & x_{13} - x_{15} - x_9 & = 0 \\
(e_2, e_3, e_4) : & x_{15} + x_{20}x_6 - x_{23} & = 0 \\
(e_1, e_2, e_9) : & -x_2 + x_{20} - x_{21} & = 0 \\
(e_1, e_3, e_8) : & -x_{17} - x_2 + x_{23} & = 0 \\
(e_1, e_4, e_7) : & x_{15} - x_{16} - x_{17} & = 0 \\
(e_1, e_5, e_6) : & -x_{16} + x_9 & = 0 \\
(e_2, e_3, e_5) : & x_{16} - x_{19}x_2 + x_{21}x_3 & = 0 \\
(e_1, e_2, e_{10}) : & -x_{11} - x_{12} + x_{21} & = 0 \\
(e_1, e_3, e_9) : & -x_{12} + x_2 - x_7 & = 0 \\
(e_1, e_4, e_8) : & x_{17} - x_4 - x_7 & = 0 \\
(e_1, e_5, e_7) : & x_{16} - x_{22} - x_4 & = 0 \\
(e_2, e_3, e_6) : & x_{11}x_{18} - x_{12}x_8 + x_{22} & = 0 \\
(e_2, e_4, e_5) : & x_1x_{11} - x_{19}x_7 + x_4 & = 0
\end{aligned}$$

Groebner basis (23 variables, 19 linear, 4 nonlinear)

$$\begin{aligned}
7x_1 - x_{20} + 2x_{21} + 7x_{23} - 1 &= 0 \\
x_2 - x_{20} + x_{21} &= 0 \\
2x_{20} + 3x_{21} + 14x_{23} + 14x_3 - 5 &= 0 \\
-8x_{20} + 9x_{21} + 14x_{22} + 14x_{23} + 14x_4 - 1 &= 0 \\
6x_{20} - 5x_{21} - 14x_{23} + 14x_5 - 1 &= 0 \\
2x_{20} + 3x_{21} + 14x_{23} + 14x_6 - 5 &= 0 \\
22x_{20} - 23x_{21} - 14x_{22} - 28x_{23} + 14x_7 + 1 &= 0 \\
-2x_{20} - 3x_{21} - 14x_{23} + 7x_8 - 2 &= 0
\end{aligned}$$

$$\begin{aligned}
& -8x_{20} + 9x_{21} + 14x_{23} + 14x_9 - 1 = 0 \\
& 14x_{10} - 8x_{20} - 5x_{21} - 28x_{23} - 1 = 0 \\
& 14x_{11} + 36x_{20} - 51x_{21} - 14x_{22} - 28x_{23} + 1 = 0 \\
& 14x_{12} - 36x_{20} + 37x_{21} + 14x_{22} + 28x_{23} - 1 = 0 \\
& 7x_{13} - x_{20} + 2x_{21} + 7x_{23} - 1 = 0 \\
& x_{14} - x_{20} - x_{23} = 0 \\
& 14x_{15} + 6x_{20} - 5x_{21} - 1 = 0 \\
& 14x_{16} - 8x_{20} + 9x_{21} + 14x_{23} - 1 = 0 \\
& x_{17} + x_{20} - x_{21} - x_{23} = 0 \\
& 14x_{18} + 4x_{20} - x_{21} - 3 = 0 \\
& 14x_{19} - 2x_{20} - 3x_{21} - 14x_{23} - 9 = 0 \\
& 88x_{20}^2 + 184x_{20}x_{23} - 64x_{20} + 117x_{21}^2 + 42x_{21}x_{22} + 528x_{21}x_{23} - 94x_{21} + 168x_{22}x_{23} + 126x_{22} + 336x_{23}^2 + 688x_{23} - 47 = 0 \\
& 44x_{20}x_{21} + 144x_{20}x_{23} + 36x_{20} - 39x_{21}^2 - 14x_{21}x_{22} - 176x_{21}x_{23} - 42x_{21} - 56x_{22}x_{23} - 42x_{22} - 112x_{23}^2 - 24x_{23} + 1 = 0 \\
& 704x_{20}x_{22}x_{23} + 2112x_{20}x_{22} - 3200x_{20}x_{23}^2 - 3360x_{20}x_{23} - 640x_{20} + 6435x_{21}^3 + 3168x_{21}^2x_{22} + 50880x_{21}^2x_{23} + 1291x_{21}^2 + 30 \\
& 585x_{21}^4 + 288x_{21}^3x_{22} + 6540x_{21}^3x_{23} + 596x_{21}^3x_{22}^2 + 28x_{21}^2x_{22}^2 + 2904x_{21}^2x_{22}x_{23} + 1184x_{21}^2x_{22} + 25520x_{21}^2x_{23}^2 + 6876x_{21}^2x_{23} - 48
\end{aligned}$$

$\mathfrak{m}_{2A}(5, 15)$

m2A515 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_9] = e_{14} \\
[e_2, e_{10}] = 4e_{15} & [e_3, e_8] = -e_{14} \\
[e_3, e_9] = -3e_{15} & [e_4, e_7] = e_{14} \\
[e_4, e_8] = 2e_{15} & [e_5, e_6] = -e_{14} \\
[e_5, e_7] = -e_{15} & 
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(5, 15)$

m4A515 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_7] = e_{12} \\
[e_2, e_8] = 3e_{13} & [e_2, e_9] = \alpha_{2,9}^{14}e_{14} \\
[e_2, e_{10}] = \alpha_{2,10}^{15}e_{15} & [e_3, e_6] = -e_{12} \\
[e_3, e_7] = -2e_{13} & [e_3, e_8] = \alpha_{3,8}^{14}e_{14} \\
[e_3, e_9] = \alpha_{3,9}^{15}e_{15} & [e_4, e_5] = e_{12} \\
[e_4, e_6] = e_{13} & [e_4, e_7] = \alpha_{4,7}^{14}e_{14} \\
[e_4, e_8] = \alpha_{4,8}^{15}e_{15} & [e_5, e_6] = \alpha_{5,6}^{14}e_{14} \\
[e_5, e_7] = \alpha_{5,7}^{15}e_{15} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{14} - \alpha_{3,8}^{14} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{14} - \alpha_{4,7}^{14} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{14} - \alpha_{5,6}^{14} + 1 & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{15} + \alpha_{2,9}^{14} - \alpha_{3,9}^{15} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{14} - \alpha_{3,9}^{15} - \alpha_{4,8}^{15} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{14} - \alpha_{4,8}^{15} - \alpha_{5,7}^{15} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{14} - \alpha_{5,7}^{15} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{4,8}^{15} \rightarrow x_1 \\
\alpha_{3,9}^{15} \rightarrow x_2 \\
\alpha_{4,7}^{14} \rightarrow x_3 \\
\alpha_{2,10}^{15} \rightarrow x_4
\end{array}$$



$$\alpha_{5,7}^{15} \rightarrow x_5$$

$$\alpha_{3,8}^{14} \rightarrow x_6$$

$$\alpha_{2,9}^{14} \rightarrow x_7$$

$$\alpha_{5,6}^{14} \rightarrow x_8$$

Jacobi Tests

$$\begin{array}{lll} (e_1, e_2, e_8) : & -x_6 - x_7 + 3 & = 0 \\ (e_1, e_3, e_7) : & -x_3 - x_6 - 2 & = 0 \\ (e_1, e_4, e_6) : & -x_3 - x_8 + 1 & = 0 \\ (e_1, e_2, e_9) : & -x_2 - x_4 + x_7 & = 0 \\ (e_1, e_3, e_8) : & -x_1 - x_2 + x_6 & = 0 \\ (e_1, e_4, e_7) : & -x_1 + x_3 - x_5 & = 0 \\ (e_1, e_5, e_6) : & -x_5 + x_8 & = 0 \end{array}$$

Groebner basis (8 variables, 7 linear, 0 nonlinear)

$$x_1 + 2x_8 - 1 = 0$$

$$x_2 - 3x_8 + 4 = 0$$

$$x_3 + x_8 - 1 = 0$$

$$x_4 + 4x_8 - 10 = 0$$

$$x_5 - x_8 = 0$$

$$x_6 - x_8 + 3 = 0$$

$$x_7 + x_8 - 6 = 0$$

$\mathfrak{m}_{6A}(5, 15)$

m6A515 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_7] = \alpha_{2,7}^{12} e_{12} \\
[e_2, e_8] = \alpha_{2,8}^{13} e_{13} & [e_2, e_9] = \alpha_{2,9}^{14} e_{14} \\
[e_2, e_{10}] = \alpha_{2,10}^{15} e_{15} & [e_3, e_4] = -e_{10} \\
[e_3, e_5] = -e_{11} & [e_3, e_6] = \alpha_{3,6}^{12} e_{12} \\
[e_3, e_7] = \alpha_{3,7}^{13} e_{13} & [e_3, e_8] = \alpha_{3,8}^{14} e_{14} \\
[e_3, e_9] = \alpha_{3,9}^{15} e_{15} & [e_4, e_5] = \alpha_{4,5}^{12} e_{12} \\
[e_4, e_6] = \alpha_{4,6}^{13} e_{13} & [e_4, e_7] = \alpha_{4,7}^{14} e_{14} \\
[e_4, e_8] = \alpha_{4,8}^{15} e_{15} & [e_5, e_6] = \alpha_{5,6}^{14} e_{14} \\
[e_5, e_7] = \alpha_{5,7}^{15} e_{15} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{ll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{12} - \alpha_{3,6}^{12} + 2 = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{12} - \alpha_{4,5}^{12} - 1 = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{13} - \alpha_{2,9}^{14} - \alpha_{3,8}^{14} = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{13} - \alpha_{3,8}^{14} - \alpha_{4,7}^{14} = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{13} - \alpha_{4,7}^{14} - \alpha_{5,6}^{14} = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{15} + \alpha_{2,9}^{14} - \alpha_{3,9}^{15} = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{14} - \alpha_{3,9}^{15} - \alpha_{4,8}^{15} = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{14} - \alpha_{4,8}^{15} - \alpha_{5,7}^{15} = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{14} - \alpha_{5,7}^{15} = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,10}^{15} = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,8}^{15} \rightarrow x_1$$

$$\alpha_{3,9}^{15} \rightarrow x_2$$

$$\alpha_{4,5}^{12} \rightarrow x_3$$

$$\alpha_{2,7}^{12} \rightarrow x_4$$

$$\alpha_{4,7}^{14} \rightarrow x_5$$

$$\alpha_{2,10}^{15} \rightarrow x_6$$

$$\alpha_{3,7}^{13} \rightarrow x_7$$

$$\alpha_{5,7}^{15} \rightarrow x_8$$

$$\alpha_{3,8}^{14} \rightarrow x_9$$

$$\alpha_{2,9}^{14} \rightarrow x_{10}$$

$$\alpha_{2,8}^{13} \rightarrow x_{11}$$

$$\alpha_{5,6}^{14} \rightarrow x_{12}$$

$$\alpha_{3,6}^{12} \rightarrow x_{13}$$

$$\alpha_{4,6}^{13} \rightarrow x_{14}$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_{13} - x_4 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_{13} - x_3 - 1 \quad = 0$$

$$(e_1, e_2, e_7) : \quad -x_{11} + x_4 - x_7 \quad = 0$$

$$(e_1, e_3, e_6) : \quad x_{13} - x_{14} - x_7 \quad = 0$$

$$(e_1, e_4, e_5) : \quad -x_{14} + x_3 \quad = 0$$

$$(e_1, e_2, e_8) : \quad -x_{10} + x_{11} - x_9 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_5 + x_7 - x_9 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_{12} + x_{14} - x_5 \quad = 0$$

$$(e_1, e_2, e_9) : \quad x_{10} - x_2 - x_6 \quad = 0$$

$$(e_1, e_3, e_8) : \quad -x_1 - x_2 + x_9 \quad = 0$$

$$(e_1, e_4, e_7) : \quad -x_1 + x_5 - x_8 \quad = 0$$

$$(e_1, e_5, e_6) : \quad x_{12} - x_8 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_6 \quad = 0$$

Groebner basis (14 variables, 13 linear, 0 nonlinear)

$$x_1 + 4x_{14} + 3 = 0$$

$$-7x_{14} + 2x_2 - 7 = 0$$

$$-x_{14} + x_3 = 0$$

$$-x_{14} + x_4 - 3 = 0$$

$$3x_{14} + 2x_5 + 3 = 0$$

$$x_6 = 0$$

$$2x_{14} + x_7 + 1 = 0$$

$$-5x_{14} + 2x_8 - 3 = 0$$

$$x_{14} + 2x_9 - 1 = 0$$

$$2x_{10} - 7x_{14} - 7 = 0$$

$$x_{11} - 3x_{14} - 4 = 0$$

$$2x_{12} - 5x_{14} - 3 = 0$$

$$x_{13} + x_{14} + 1 = 0$$

$\mathfrak{m}_{8A}(5, 15)$

m8A515 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_5] = \alpha_{2,5}^{10} e_{10} \\
[e_2, e_6] = \alpha_{2,6}^{11} e_{11} & [e_2, e_7] = \alpha_{2,7}^{12} e_{12} \\
[e_2, e_8] = \alpha_{2,8}^{13} e_{13} & [e_2, e_9] = \alpha_{2,9}^{14} e_{14} \\
[e_2, e_{10}] = \alpha_{2,10}^{15} e_{15} & [e_3, e_4] = \alpha_{3,4}^{10} e_{10} \\
[e_3, e_5] = \alpha_{3,5}^{11} e_{11} & [e_3, e_6] = \alpha_{3,6}^{12} e_{12} \\
[e_3, e_7] = \alpha_{3,7}^{13} e_{13} & [e_3, e_8] = \alpha_{3,8}^{14} e_{14} \\
[e_3, e_9] = \alpha_{3,9}^{15} e_{15} & [e_4, e_5] = \alpha_{4,5}^{12} e_{12} \\
[e_4, e_6] = \alpha_{4,6}^{13} e_{13} & [e_4, e_7] = \alpha_{4,7}^{14} e_{14} \\
[e_4, e_8] = \alpha_{4,8}^{15} e_{15} & [e_5, e_6] = \alpha_{5,6}^{14} e_{14} \\
[e_5, e_7] = \alpha_{5,7}^{15} e_{15} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{11} - \alpha_{2,7}^{12} - \alpha_{3,6}^{12} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{11} - \alpha_{3,6}^{12} - \alpha_{4,5}^{12} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{13} - \alpha_{2,9}^{14} - \alpha_{3,8}^{14} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{13} - \alpha_{3,8}^{14} - \alpha_{4,7}^{14} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{13} - \alpha_{4,7}^{14} - \alpha_{5,6}^{14} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{15} + \alpha_{2,9}^{14} - \alpha_{3,9}^{15} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{14} - \alpha_{3,9}^{15} - \alpha_{4,8}^{15} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{14} - \alpha_{4,8}^{15} - \alpha_{5,7}^{15} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{14} - \alpha_{5,7}^{15} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,10}^{15} \alpha_{3,4}^{10} - \alpha_{3,9}^{15} + \alpha_{4,8}^{15} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{4,8}^{15} & \rightarrow x_1 \\
\alpha_{3,9}^{15} & \rightarrow x_2 \\
\alpha_{2,7}^{12} & \rightarrow x_3 \\
\alpha_{4,5}^{12} & \rightarrow x_4 \\
\alpha_{4,7}^{14} & \rightarrow x_5 \\
\alpha_{2,10}^{15} & \rightarrow x_6 \\
\alpha_{3,7}^{13} & \rightarrow x_7 \\
\alpha_{5,7}^{15} & \rightarrow x_8 \\
\alpha_{3,4}^{10} & \rightarrow x_9 \\
\alpha_{2,9}^{14} & \rightarrow x_{10}
\end{aligned}$$

$$\alpha_{2,6}^{11} \rightarrow x_{11}$$

$$\alpha_{3,5}^{11} \rightarrow x_{12}$$

$$\alpha_{3,8}^{14} \rightarrow x_{13}$$

$$\alpha_{2,5}^{10} \rightarrow x_{14}$$

$$\alpha_{2,8}^{13} \rightarrow x_{15}$$

$$\alpha_{5,6}^{14} \rightarrow x_{16}$$

$$\alpha_{3,6}^{12} \rightarrow x_{17}$$

$$\alpha_{4,6}^{13} \rightarrow x_{18}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{14} - x_9 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{11} - x_{12} + x_{14} & = 0 \\
(e_1, e_3, e_4) : & -x_{12} + x_9 & = 0 \\
(e_1, e_2, e_6) : & x_{11} - x_{17} - x_3 & = 0 \\
(e_1, e_3, e_5) : & x_{12} - x_{17} - x_4 & = 0 \\
(e_1, e_2, e_7) : & -x_{15} + x_3 - x_7 & = 0 \\
(e_1, e_3, e_6) : & x_{17} - x_{18} - x_7 & = 0 \\
(e_1, e_4, e_5) : & -x_{18} + x_4 & = 0 \\
(e_1, e_2, e_8) : & -x_{10} - x_{13} + x_{15} & = 0 \\
(e_1, e_3, e_7) : & -x_{13} - x_5 + x_7 & = 0 \\
(e_1, e_4, e_6) : & -x_{16} + x_{18} - x_5 & = 0 \\
(e_1, e_2, e_9) : & x_{10} - x_2 - x_6 & = 0 \\
(e_1, e_3, e_8) : & -x_1 + x_{13} - x_2 & = 0 \\
(e_1, e_4, e_7) : & -x_1 + x_5 - x_8 & = 0 \\
(e_1, e_5, e_6) : & x_{16} - x_8 & = 0 \\
(e_2, e_3, e_4) : & x_1 - x_2 + x_6 x_9 & = 0
\end{array}$$

Groebner basis (18 variables, 15 linear, 1 nonlinear)

$$\begin{array}{l}
x_1 + 2x_{16} - x_{18} = 0 \\
-3x_{16} - x_{17} + 3x_{18} + x_2 = 0 \\
3x_{17} + 2x_{18} + x_3 - 1 = 0 \\
-x_{18} + x_4 = 0 \\
x_{16} - x_{18} + x_5 = 0
\end{array}$$

$$\begin{aligned}
4x_{16} + 6x_{17} - 4x_{18} + x_6 - 1 &= 0 \\
-x_{17} + x_{18} + x_7 &= 0 \\
-x_{16} + x_8 &= 0 \\
-x_{17} - x_{18} + x_9 &= 0 \\
x_{10} + x_{16} + 5x_{17} - x_{18} - 1 &= 0 \\
x_{11} + 2x_{17} + 2x_{18} - 1 &= 0 \\
x_{12} - x_{17} - x_{18} &= 0 \\
x_{13} - x_{16} - x_{17} + 2x_{18} &= 0 \\
x_{14} + x_{17} + x_{18} - 1 &= 0 \\
x_{15} + 4x_{17} + x_{18} - 1 &= 0 \\
4x_{16}x_{17} + 4x_{16}x_{18} + 5x_{16} + 6x_{17}^2 + 2x_{17}x_{18} - 4x_{18}^2 - 5x_{18} &= 0
\end{aligned}$$

$\mathfrak{m}_{1A}(6, 15)$

m1A615 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_9] = e_{15} \\
[e_3, e_8] = -e_{15} & [e_4, e_7] = e_{15} \\
[e_5, e_6] = -e_{15} &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(6, 15)$

m3A615 (this line included for string searching purposes)



Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_7] = e_{13} \\
[e_2, e_8] = 3e_{14} & [e_2, e_9] = \alpha_{2,9}^{15} e_{15} \\
[e_3, e_6] = -e_{13} & [e_3, e_7] = -2e_{14} \\
[e_3, e_8] = \alpha_{3,8}^{15} e_{15} & [e_4, e_5] = e_{13} \\
[e_4, e_6] = e_{14} & [e_4, e_7] = \alpha_{4,7}^{15} e_{15} \\
[e_5, e_6] = \alpha_{5,6}^{15} e_{15} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{15} - \alpha_{3,8}^{15} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{15} - \alpha_{4,7}^{15} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{15} - \alpha_{5,6}^{15} + 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{5,6}^{15} \rightarrow x_1 \\
\alpha_{2,9}^{15} \rightarrow x_2 \\
\alpha_{4,7}^{15} \rightarrow x_3 \\
\alpha_{3,8}^{15} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_2 - x_4 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_3 - x_4 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_1 - x_3 + 1 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 - x_4 - 3 = 0$$

$$x_2 + x_4 - 3 = 0$$

$$x_3 + x_4 + 2 = 0$$

$\mathfrak{m}_{5A}(6, 15)$

m5A615 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_5] = e_{11} \\
[e_2, e_6] = 2e_{12} & [e_2, e_7] = \alpha_{2,7}^{13}e_{13} \\
[e_2, e_8] = \alpha_{2,8}^{14}e_{14} & [e_2, e_9] = \alpha_{2,9}^{15}e_{15} \\
[e_3, e_4] = -e_{11} & [e_3, e_5] = -e_{12} \\
[e_3, e_6] = \alpha_{3,6}^{13}e_{13} & [e_3, e_7] = \alpha_{3,7}^{14}e_{14} \\
[e_3, e_8] = \alpha_{3,8}^{15}e_{15} & [e_4, e_5] = \alpha_{4,5}^{13}e_{13} \\
[e_4, e_6] = \alpha_{4,6}^{14}e_{14} & [e_4, e_7] = \alpha_{4,7}^{15}e_{15} \\
[e_5, e_6] = \alpha_{5,6}^{15}e_{15} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{13} - \alpha_{3,6}^{13} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{13} - \alpha_{4,5}^{13} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{13} - \alpha_{2,8}^{14} - \alpha_{3,7}^{14} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{13} - \alpha_{3,7}^{14} - \alpha_{4,6}^{14} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{13} - \alpha_{4,6}^{14} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{14} - \alpha_{2,9}^{15} - \alpha_{3,8}^{15} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{14} - \alpha_{3,8}^{15} - \alpha_{4,7}^{15} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{14} - \alpha_{4,7}^{15} - \alpha_{5,6}^{15} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,7}^{14} \rightarrow x_1$$

$$\alpha_{4,6}^{14} \rightarrow x_2$$

$$\alpha_{3,8}^{15} \rightarrow x_3$$

$$\alpha_{4,5}^{13} \rightarrow x_4$$

$$\alpha_{2,7}^{13} \rightarrow x_5$$

$$\alpha_{2,8}^{14} \rightarrow x_6$$

$$\alpha_{2,9}^{15} \rightarrow x_7$$

$$\alpha_{5,6}^{15} \rightarrow x_8$$

$$\alpha_{4,7}^{15} \rightarrow x_9$$

$$\alpha_{3,6}^{13} \rightarrow x_{10}$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_{10} - x_5 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_{10} - x_4 - 1 \quad = 0$$

$$(e_1, e_2, e_7) : \quad -x_1 + x_5 - x_6 \quad = 0$$

$$(e_1, e_3, e_6) : \quad -x_1 + x_{10} - x_2 \quad = 0$$

$$(e_1, e_4, e_5) : \quad -x_2 + x_4 \quad = 0$$

$$(e_1, e_2, e_8) : \quad -x_3 + x_6 - x_7 \quad = 0$$

$$(e_1, e_3, e_7) : \quad x_1 - x_3 - x_9 \quad = 0$$

$$(e_1, e_4, e_6) : \quad x_2 - x_8 - x_9 \quad = 0$$

Groebner basis (10 variables, 8 linear, 0 nonlinear)

$$x_1 - 2x_{10} - 1 = 0$$

$$x_{10} + x_2 + 1 = 0$$

$$-2x_{10} + x_3 + x_9 - 1 = 0$$

$$x_{10} + x_4 + 1 = 0$$

$$x_{10} + x_5 - 2 = 0$$

$$3x_{10} + x_6 - 1 = 0$$

$$5x_{10} + x_7 - x_9 = 0$$

$$x_{10} + x_8 + x_9 + 1 = 0$$

$\mathfrak{m}_{7A}(6, 15)$

m7A615 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_3] = e_9 \\
[e_2, e_4] = e_{10} & [e_2, e_5] = \alpha_{2,5}^{11} e_{11} \\
[e_2, e_6] = \alpha_{2,6}^{12} e_{12} & [e_2, e_7] = \alpha_{2,7}^{13} e_{13} \\
[e_2, e_8] = \alpha_{2,8}^{14} e_{14} & [e_2, e_9] = \alpha_{2,9}^{15} e_{15} \\
[e_3, e_4] = \alpha_{3,4}^{11} e_{11} & [e_3, e_5] = \alpha_{3,5}^{12} e_{12} \\
[e_3, e_6] = \alpha_{3,6}^{13} e_{13} & [e_3, e_7] = \alpha_{3,7}^{14} e_{14} \\
[e_3, e_8] = \alpha_{3,8}^{15} e_{15} & [e_4, e_5] = \alpha_{4,5}^{13} e_{13} \\
[e_4, e_6] = \alpha_{4,6}^{14} e_{14} & [e_4, e_7] = \alpha_{4,7}^{15} e_{15} \\
[e_5, e_6] = \alpha_{5,6}^{15} e_{15} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{11} - \alpha_{2,6}^{12} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{11} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{12} - \alpha_{2,7}^{13} - \alpha_{3,6}^{13} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{12} - \alpha_{3,6}^{13} - \alpha_{4,5}^{13} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{13} - \alpha_{2,8}^{14} - \alpha_{3,7}^{14} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{13} - \alpha_{3,7}^{14} - \alpha_{4,6}^{14} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{13} - \alpha_{4,6}^{14} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{14} - \alpha_{2,9}^{15} - \alpha_{3,8}^{15} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{14} - \alpha_{3,8}^{15} - \alpha_{4,7}^{15} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{14} - \alpha_{4,7}^{15} - \alpha_{5,6}^{15} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,7}^{14} \rightarrow x_1$$

$$\alpha_{3,4}^{11} \rightarrow x_2$$

$$\alpha_{2,6}^{12} \rightarrow x_3$$

$$\alpha_{4,6}^{14} \rightarrow x_4$$

$$\alpha_{3,8}^{15} \rightarrow x_5$$

$$\alpha_{4,5}^{13} \rightarrow x_6$$

$$\alpha_{2,7}^{13} \rightarrow x_7$$

$$\alpha_{2,8}^{14} \rightarrow x_8$$

$$\alpha_{2,9}^{15} \rightarrow x_9$$

$$\alpha_{3,5}^{12} \rightarrow x_{10}$$

$$\alpha_{5,6}^{15} \rightarrow x_{11}$$

$$\alpha_{4,7}^{15} \rightarrow x_{12}$$

$$\alpha_{3,6}^{13} \rightarrow x_{13}$$

$$\alpha_{2,5}^{11} \rightarrow x_{14}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_{14} - x_2 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_{10} + x_{14} - x_3 \quad = 0$$

$$(e_1, e_3, e_4) : \quad -x_{10} + x_2 \quad = 0$$

$$(e_1, e_2, e_6) : \quad -x_{13} + x_3 - x_7 \quad = 0$$

$$(e_1, e_3, e_5) : \quad x_{10} - x_{13} - x_6 \quad = 0$$

$$(e_1, e_2, e_7) : \quad -x_1 + x_7 - x_8 \quad = 0$$

$$(e_1, e_3, e_6) : \quad -x_1 + x_{13} - x_4 \quad = 0$$

$$(e_1, e_4, e_5) : \quad -x_4 + x_6 \quad = 0$$

$$(e_1, e_2, e_8) : \quad -x_5 + x_8 - x_9 \quad = 0$$

$$(e_1, e_3, e_7) : \quad x_1 - x_{12} - x_5 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_{11} - x_{12} + x_4 \quad = 0$$

Groebner basis (14 variables, 11 linear, 0 nonlinear)

$$x_1 - 2x_{13} - x_{14} + 1 = 0$$

$$\begin{aligned}
x_{14} + x_2 - 1 &= 0 \\
-2x_{14} + x_3 + 1 &= 0 \\
x_{13} + x_{14} + x_4 - 1 &= 0 \\
x_{12} - 2x_{13} - x_{14} + x_5 + 1 &= 0 \\
x_{13} + x_{14} + x_6 - 1 &= 0 \\
x_{13} - 2x_{14} + x_7 + 1 &= 0 \\
3x_{13} - x_{14} + x_8 &= 0 \\
-x_{12} + 5x_{13} + x_9 - 1 &= 0 \\
x_{10} + x_{14} - 1 &= 0 \\
x_{11} + x_{12} + x_{13} + x_{14} - 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{2A}(7, 15)$

m2A715 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_1, e_{13}] &= e_{14} \\
[e_1, e_{14}] &= e_{15} & [e_2, e_7] &= e_{14} \\
[e_2, e_8] &= 3e_{15} & [e_3, e_6] &= -e_{14} \\
[e_3, e_7] &= -2e_{15} & [e_4, e_5] &= e_{14} \\
[e_4, e_6] &= e_{15} & &
\end{aligned}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(7, 15)$

m4A715 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_5] = e_{12} \\
[e_2, e_6] = 2e_{13} & [e_2, e_7] = \alpha_{2,7}^{14} e_{14} \\
[e_2, e_8] = \alpha_{2,8}^{15} e_{15} & [e_3, e_4] = -e_{12} \\
[e_3, e_5] = -e_{13} & [e_3, e_6] = \alpha_{3,6}^{14} e_{14} \\
[e_3, e_7] = \alpha_{3,7}^{15} e_{15} & [e_4, e_5] = \alpha_{4,5}^{14} e_{14} \\
[e_4, e_6] = \alpha_{4,6}^{15} e_{15} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{14} - \alpha_{3,6}^{14} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{14} - \alpha_{4,5}^{14} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{14} - \alpha_{2,8}^{15} - \alpha_{3,7}^{15} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{14} - \alpha_{3,7}^{15} - \alpha_{4,6}^{15} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{14} - \alpha_{4,6}^{15} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,7}^{14} \rightarrow x_1$$

$$\alpha_{3,6}^{14} \rightarrow x_2$$

$$\alpha_{2,8}^{15} \rightarrow x_3$$

$$\alpha_{4,6}^{15} \rightarrow x_4$$

$$\alpha_{4,5}^{14} \rightarrow x_5$$

$$\alpha_{3,7}^{15} \rightarrow x_6$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_2 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_5 - 1 & = 0 \\
(e_1, e_2, e_7) : & x_1 - x_3 - x_6 & = 0 \\
(e_1, e_3, e_6) : & x_2 - x_4 - x_6 & = 0 \\
(e_1, e_4, e_5) : & -x_4 + x_5 & = 0
\end{array}$$

Groebner basis (6 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
2x_1 + x_6 - 5 = 0 \\
2x_2 - x_6 + 1 = 0 \\
2x_3 + 3x_6 - 5 = 0 \\
2x_4 + x_6 + 1 = 0 \\
2x_5 + x_6 + 1 = 0
\end{array}$$

$\mathfrak{m}_{6A}(7, 15)$

m6A715 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_3] = e_{10} \\
[e_2, e_4] = e_{11} & [e_2, e_5] = \alpha_{2,5}^{12} e_{12} \\
[e_2, e_6] = \alpha_{2,6}^{13} e_{13} & [e_2, e_7] = \alpha_{2,7}^{14} e_{14} \\
[e_2, e_8] = \alpha_{2,8}^{15} e_{15} & [e_3, e_4] = \alpha_{3,4}^{12} e_{12} \\
[e_3, e_5] = \alpha_{3,5}^{13} e_{13} & [e_3, e_6] = \alpha_{3,6}^{14} e_{14} \\
[e_3, e_7] = \alpha_{3,7}^{15} e_{15} & [e_4, e_5] = \alpha_{4,5}^{14} e_{14} \\
[e_4, e_6] = \alpha_{4,6}^{15} e_{15} &
\end{array}$$



Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -\alpha_{2,5}^{12} - \alpha_{3,4}^{12} + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad \alpha_{2,5}^{12} - \alpha_{2,6}^{13} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_3, e_4) : & \quad \alpha_{3,4}^{12} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_2, e_6) : & \quad \alpha_{2,6}^{13} - \alpha_{2,7}^{14} - \alpha_{3,6}^{14} & = 0 \\
(e_1, e_3, e_5) : & \quad \alpha_{3,5}^{13} - \alpha_{3,6}^{14} - \alpha_{4,5}^{14} & = 0 \\
(e_1, e_2, e_7) : & \quad \alpha_{2,7}^{14} - \alpha_{2,8}^{15} - \alpha_{3,7}^{15} & = 0 \\
(e_1, e_3, e_6) : & \quad \alpha_{3,6}^{14} - \alpha_{3,7}^{15} - \alpha_{4,6}^{15} & = 0 \\
(e_1, e_4, e_5) : & \quad \alpha_{4,5}^{14} - \alpha_{4,6}^{15} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{aligned}
\alpha_{3,5}^{13} & \rightarrow x_1 \\
\alpha_{2,7}^{14} & \rightarrow x_2 \\
\alpha_{3,6}^{14} & \rightarrow x_3 \\
\alpha_{2,5}^{12} & \rightarrow x_4 \\
\alpha_{2,6}^{13} & \rightarrow x_5 \\
\alpha_{2,8}^{15} & \rightarrow x_6 \\
\alpha_{4,6}^{15} & \rightarrow x_7 \\
\alpha_{4,5}^{14} & \rightarrow x_8 \\
\alpha_{3,7}^{15} & \rightarrow x_9 \\
\alpha_{3,4}^{12} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -x_{10} - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad -x_1 + x_4 - x_5 & = 0 \\
(e_1, e_3, e_4) : & \quad -x_1 + x_{10} & = 0 \\
(e_1, e_2, e_6) : & \quad -x_2 - x_3 + x_5 & = 0 \\
(e_1, e_3, e_5) : & \quad x_1 - x_3 - x_8 & = 0 \\
(e_1, e_2, e_7) : & \quad x_2 - x_6 - x_9 & = 0 \\
(e_1, e_3, e_6) : & \quad x_3 - x_7 - x_9 & = 0 \\
(e_1, e_4, e_5) : & \quad -x_7 + x_8 & = 0
\end{aligned}$$

Groebner basis (10 variables, 8 linear, 0 nonlinear)

$$\begin{aligned}
x_1 - x_{10} &= 0 \\
5x_{10} + 2x_2 + x_9 - 2 &= 0 \\
-x_{10} + 2x_3 - x_9 &= 0 \\
x_{10} + x_4 - 1 &= 0 \\
2x_{10} + x_5 - 1 &= 0 \\
5x_{10} + 2x_6 + 3x_9 - 2 &= 0 \\
-x_{10} + 2x_7 + x_9 &= 0 \\
-x_{10} + 2x_8 + x_9 &= 0
\end{aligned}$$

$\mathfrak{m}_{1A}(8, 15)$

m1A815 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_7] = e_{15} \\
[e_3, e_6] = -e_{15} & [e_4, e_5] = e_{15}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(8, 15)$

m3A815 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_5] = e_{13} \\
[e_2, e_6] = 2e_{14} & [e_2, e_7] = \alpha_{2,7}^{15} e_{15} \\
[e_3, e_4] = -e_{13} & [e_3, e_5] = -e_{14} \\
[e_3, e_6] = \alpha_{3,6}^{15} e_{15} & [e_4, e_5] = \alpha_{4,5}^{15} e_{15}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{15} - \alpha_{3,6}^{15} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{15} - \alpha_{4,5}^{15} - 1 & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,7}^{15} \rightarrow x_1$$

$$\alpha_{3,6}^{15} \rightarrow x_2$$

$$\alpha_{4,5}^{15} \rightarrow x_3$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_2 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_3 - 1 & = 0
\end{array}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$x_1 - x_3 - 3 = 0$$

$$x_2 + x_3 + 1 = 0$$

$\mathfrak{m}_{5A}(8, 15)$

m5A815 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_3] = e_{11} \\
[e_2, e_4] = e_{12} & [e_2, e_5] = \alpha_{2,5}^{13} e_{13} \\
[e_2, e_6] = \alpha_{2,6}^{14} e_{14} & [e_2, e_7] = \alpha_{2,7}^{15} e_{15} \\
[e_3, e_4] = \alpha_{3,4}^{13} e_{13} & [e_3, e_5] = \alpha_{3,5}^{14} e_{14} \\
[e_3, e_6] = \alpha_{3,6}^{15} e_{15} & [e_4, e_5] = \alpha_{4,5}^{15} e_{15}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{13} - \alpha_{3,4}^{13} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{13} - \alpha_{2,6}^{14} - \alpha_{3,5}^{14} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{13} - \alpha_{3,5}^{14} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{14} - \alpha_{2,7}^{15} - \alpha_{3,6}^{15} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{14} - \alpha_{3,6}^{15} - \alpha_{4,5}^{15} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{3,6}^{15} \rightarrow x_1 \\
\alpha_{3,4}^{13} \rightarrow x_2 \\
\alpha_{2,5}^{13} \rightarrow x_3 \\
\alpha_{2,6}^{14} \rightarrow x_4 \\
\alpha_{2,7}^{15} \rightarrow x_5 \\
\alpha_{4,5}^{15} \rightarrow x_6 \\
\alpha_{3,5}^{14} \rightarrow x_7
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_2 - x_3 + 1 & = 0 \\
(e_1, e_2, e_5) : & x_3 - x_4 - x_7 & = 0 \\
(e_1, e_3, e_4) : & x_2 - x_7 & = 0 \\
(e_1, e_2, e_6) : & -x_1 + x_4 - x_5 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_6 + x_7 & = 0
\end{array}$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_6 - x_7 = 0 \\
x_2 - x_7 = 0 \\
x_3 + x_7 - 1 = 0 \\
x_4 + 2x_7 - 1 = 0 \\
x_5 - x_6 + 3x_7 - 1 = 0
\end{array}$$

$\mathfrak{m}_{2A}(9, 15)$

m2A915 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_5] = e_{14} \\
[e_2, e_6] = 2e_{15} & [e_3, e_4] = -e_{14} \\
[e_3, e_5] = -e_{15} &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(9, 15)$

m4A915 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_3] = e_{12} \\
[e_2, e_4] = e_{13} & [e_2, e_5] = \alpha_{2,5}^{14} e_{14} \\
[e_2, e_6] = \alpha_{2,6}^{15} e_{15} & [e_3, e_4] = \alpha_{3,4}^{14} e_{14} \\
[e_3, e_5] = \alpha_{3,5}^{15} e_{15} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{14} - \alpha_{3,4}^{14} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{14} - \alpha_{2,6}^{15} - \alpha_{3,5}^{15} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{14} - \alpha_{3,5}^{15} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,5}^{14} \rightarrow x_1 \\
\alpha_{2,6}^{15} \rightarrow x_2 \\
\alpha_{3,5}^{15} \rightarrow x_3 \\
\alpha_{3,4}^{14} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & x_1 - x_2 - x_3 & = 0 \\
(e_1, e_3, e_4) : & -x_3 + x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_4 - 1 = 0 \\
x_2 + 2x_4 - 1 = 0 \\
x_3 - x_4 = 0
\end{array}$$

$\mathfrak{m}_{1A}(10, 15)$

m1A1015 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_5] = e_{15} \\
[e_3, e_4] = -e_{15} & 
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(10, 15)$

m3A1015 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_1, e_{14}] = e_{15} & [e_2, e_3] = e_{13} \\
[e_2, e_4] = e_{14} & [e_2, e_5] = \alpha_{2,5}^{15} e_{15} \\
[e_3, e_4] = \alpha_{3,4}^{15} e_{15} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{15} - \alpha_{3,4}^{15} + 1 \quad = 0$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,4}^{15} \rightarrow x_1$$

$$\alpha_{2,5}^{15} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(11, 15)$

m2A1115 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\ [e_1, e_{14}] = e_{15} & [e_2, e_3] = e_{14} \\ [e_2, e_4] = e_{15} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(12, 15)$

m1A1215 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\ [e_1, e_{14}] = e_{15} & [e_2, e_3] = e_{15} \end{array}$$

No non-trivial Jacobi tests



$\mathfrak{m}_{2B}(2, 6)$

m2B26 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_2, e_3] = e_5 \\ [e_2, e_5] = e_6 & [e_3, e_4] = -e_6 \end{array}$$

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_2, e_3] = e_5 \\ [e_2, e_5] = e_6 & [e_3, e_4] = \alpha_{3,4}^6 e_6 \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{3,4}^6 - 1 \quad = 0$$

Solution 1:

$$\alpha_{3,4}^6 = -1$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{3,4}^6 \rightarrow x_1$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - 1 \quad = 0$$

Groebner basis (1 variables, 1 linear, 0 nonlinear)

$$x_1 + 1 = 0$$

Solution 1:

$$x_1 = -1$$

$\mathfrak{m}_{2B}(2, 8)$

m2B28 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_2, e_5] = e_7 \\
[e_2, e_7] = e_8 & [e_3, e_4] = -e_7 \\
[e_3, e_6] = \alpha_{3,6}^8 e_8 & [e_4, e_5] = \alpha_{4,5}^8 e_8
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{3,6}^8 - 1 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^8 - \alpha_{4,5}^8 & = 0 \\
(e_2, e_3, e_4) : & \text{no solutions} & 
\end{array}$$

There are no solutions.

$\mathfrak{m}_{4B}(2, 8)$

m4B28 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = 3e_7 \\
[e_2, e_7] = e_8 & [e_3, e_4] = -2e_7 \\
[e_3, e_6] = -e_8 & [e_4, e_5] = e_8
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_7] = e_8 & [e_3, e_4] = \alpha_{3,4}^7 e_7 \\
[e_3, e_6] = \alpha_{3,6}^8 e_8 & [e_4, e_5] = \alpha_{4,5}^8 e_8
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_6) : & -\alpha_{3,6}^8 - 1 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^8 - \alpha_{4,5}^8 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,6}^8 + \alpha_{4,5}^8 & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{3,4}^7 = -2 \\
\alpha_{3,6}^8 = -1 \\
\alpha_{4,5}^8 = 1 \\
\alpha_{2,5}^7 = 3
\end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{array}{l}
\alpha_{3,4}^7 \rightarrow x_1 \\
\alpha_{3,6}^8 \rightarrow x_2 \\
\alpha_{4,5}^8 \rightarrow x_3 \\
\alpha_{2,5}^7 \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_4 + 1 & = 0 \\
(e_1, e_2, e_6) : & -x_2 - 1 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_3 & = 0 \\
(e_2, e_3, e_4) : & x_1 - x_2 + x_3 & = 0
\end{array}$$

Groebner basis (4 variables, 4 linear, 0 nonlinear)

$$x_1 + 2 = 0$$

$$x_2 + 1 = 0$$

$$x_3 - 1 = 0$$

$$x_4 - 3 = 0$$

Solution 1:

$$x_1 = -2$$

$$x_2 = -1$$

$$x_3 = 1$$

$$x_4 = 3$$

$\mathfrak{m}_{3B}(3, 8)$

m3B38 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_2, e_3] = e_6$$

$$[e_2, e_4] = e_7$$

$$[e_2, e_7] = e_8$$

$$[e_3, e_6] = -e_8$$

$$[e_4, e_5] = e_8$$

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_2, e_3] = e_6$$

$$[e_2, e_4] = e_7$$

$$[e_2, e_7] = e_8$$

$$[e_3, e_6] = \alpha_{3,6}^8 e_8$$

$$[e_4, e_5] = \alpha_{4,5}^8 e_8$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_6) : \quad -\alpha_{3,6}^8 - 1 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -\alpha_{3,6}^8 - \alpha_{4,5}^8 \quad = 0$$

Solution 1:

$$\begin{aligned}\alpha_{4,5}^8 &= 1 \\ \alpha_{3,6}^8 &= -1\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}\alpha_{4,5}^8 &\rightarrow x_1 \\ \alpha_{3,6}^8 &\rightarrow x_2\end{aligned}$$

Jacobi Tests

$$\begin{aligned}(e_1, e_2, e_6) : \quad & -x_2 - 1 &= 0 \\ (e_1, e_3, e_5) : \quad & -x_1 - x_2 &= 0\end{aligned}$$

Groebner basis (2 variables, 2 linear, 0 nonlinear)

$$\begin{aligned}x_1 - 1 &= 0 \\ x_2 + 1 &= 0\end{aligned}$$

Solution 1:

$$\begin{aligned}x_1 &= 1 \\ x_2 &= -1\end{aligned}$$

$\mathfrak{m}_{2B}(4, 8)$

m2B48 (this line included for string searching purposes)

Solution 1

$$\begin{aligned}[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\ [e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\ [e_1, e_6] &= e_7 & [e_2, e_3] &= e_7 \\ [e_2, e_7] &= e_8 & [e_3, e_6] &= -e_8 \\ [e_4, e_5] &= e_8\end{aligned}$$

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_2, e_3] = e_7 \\
 [e_2, e_7] = e_8 & [e_3, e_6] = \alpha_{3,6}^8 e_8 \\
 [e_4, e_5] = \alpha_{4,5}^8 e_8 &
 \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
 (e_1, e_2, e_6) : & -\alpha_{3,6}^8 - 1 & = 0 \\
 (e_1, e_3, e_5) : & -\alpha_{3,6}^8 - \alpha_{4,5}^8 & = 0
 \end{array}$$

Solution 1:

$$\begin{array}{l}
 \alpha_{4,5}^8 = 1 \\
 \alpha_{3,6}^8 = -1
 \end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{array}{l}
 \alpha_{4,5}^8 \rightarrow x_1 \\
 \alpha_{3,6}^8 \rightarrow x_2
 \end{array}$$

Jacobi Tests

$$\begin{array}{lll}
 (e_1, e_2, e_6) : & -x_2 - 1 & = 0 \\
 (e_1, e_3, e_5) : & -x_1 - x_2 & = 0
 \end{array}$$

Groebner basis (2 variables, 2 linear, 0 nonlinear)

$$\begin{array}{l}
 x_1 - 1 = 0 \\
 x_2 + 1 = 0
 \end{array}$$

Solution 1:

$$\begin{array}{l}
 x_1 = 1 \\
 x_2 = -1
 \end{array}$$

## $\mathfrak{m}_{2B}(2, 10)$

m2B210 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_2, e_7] = e_9 \\
 [e_2, e_9] = e_{10} & [e_3, e_6] = -e_9 \\
 [e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_5] = e_9 \\
 [e_4, e_7] = \alpha_{4,7}^{10} e_{10} & [e_5, e_6] = \alpha_{5,6}^{10} e_{10}
 \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
 (e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
 (e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
 (e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
 (e_2, e_3, e_6) : & \text{no solutions} & \\
 (e_2, e_4, e_5) : & \text{no solutions} & 
 \end{array}$$

There are no solutions.

## $\mathfrak{m}_{4B}(2, 10)$

m4B210 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_2, e_5] = e_7 \\
 [e_2, e_6] = 2e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
 [e_2, e_9] = e_{10} & [e_3, e_4] = -e_7 \\
 [e_3, e_5] = -e_8 & [e_3, e_6] = \alpha_{3,6}^9 e_9 \\
 [e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
 [e_4, e_7] = \alpha_{4,7}^{10} e_{10} & [e_5, e_6] = \alpha_{5,6}^{10} e_{10}
 \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0 \\
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{3,6}^9 - 2\alpha_{3,8}^{10} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,7}^{10} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,6}^9 \rightarrow x_1$$

$$\alpha_{4,5}^9 \rightarrow x_2$$

$$\alpha_{3,8}^{10} \rightarrow x_3$$

$$\alpha_{2,7}^9 \rightarrow x_4$$

$$\alpha_{5,6}^{10} \rightarrow x_5$$

$$\alpha_{4,7}^{10} \rightarrow x_6$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_6) : & -x_1 - x_4 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_2 - 1 & = 0 \\
(e_2, e_3, e_4) : & -x_4 & = 0 \\
(e_1, e_2, e_8) : & -x_3 - 1 & = 0 \\
(e_1, e_3, e_7) : & -x_3 - x_6 & = 0 \\
(e_1, e_4, e_6) : & -x_5 - x_6 & = 0 \\
(e_2, e_3, e_6) : & x_1 - 2x_3 & = 0 \\
(e_2, e_4, e_5) : & x_2 - x_6 & = 0
\end{aligned}$$

Groebner basis (6 variables, 1 linear, 0 nonlinear)

$$1 = 0$$



$\mathfrak{m}_{6B}(2, 10)$

m6B210 (this line included for string searching purposes)

Solution 1

|                        |                        |
|------------------------|------------------------|
| $[e_1, e_2] = e_3$     | $[e_1, e_3] = e_4$     |
| $[e_1, e_4] = e_5$     | $[e_1, e_5] = e_6$     |
| $[e_1, e_6] = e_7$     | $[e_1, e_7] = e_8$     |
| $[e_1, e_8] = e_9$     | $[e_2, e_3] = e_5$     |
| $[e_2, e_4] = e_6$     | $[e_2, e_5] = 2e_7$    |
| $[e_2, e_6] = 3e_8$    | $[e_2, e_7] = 7e_9$    |
| $[e_2, e_9] = e_{10}$  | $[e_3, e_4] = -e_7$    |
| $[e_3, e_5] = -e_8$    | $[e_3, e_6] = -4e_9$   |
| $[e_3, e_8] = -e_{10}$ | $[e_4, e_5] = 3e_9$    |
| $[e_4, e_7] = e_{10}$  | $[e_5, e_6] = -e_{10}$ |

Solution 2

|                        |                        |
|------------------------|------------------------|
| $[e_1, e_2] = e_3$     | $[e_1, e_3] = e_4$     |
| $[e_1, e_4] = e_5$     | $[e_1, e_5] = e_6$     |
| $[e_1, e_6] = e_7$     | $[e_1, e_7] = e_8$     |
| $[e_1, e_8] = e_9$     | $[e_2, e_3] = e_5$     |
| $[e_2, e_4] = e_6$     | $[e_2, e_5] = 0$       |
| $[e_2, e_6] = -e_8$    | $[e_2, e_7] = -e_9$    |
| $[e_2, e_9] = e_{10}$  | $[e_3, e_4] = e_7$     |
| $[e_3, e_5] = e_8$     | $[e_3, e_6] = 0$       |
| $[e_3, e_8] = -e_{10}$ | $[e_4, e_5] = e_9$     |
| $[e_4, e_7] = e_{10}$  | $[e_5, e_6] = -e_{10}$ |

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_6] = \alpha_{2,6}^8 e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_9] = e_{10} & [e_3, e_4] = \alpha_{3,4}^7 e_7 \\
[e_3, e_5] = \alpha_{3,5}^8 e_8 & [e_3, e_6] = \alpha_{3,6}^9 e_9 \\
[e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_7] = \alpha_{4,7}^{10} e_{10} & [e_5, e_6] = \alpha_{5,6}^{10} e_{10}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{10} + \alpha_{3,6}^9 - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{10} + \alpha_{4,5}^9 + \alpha_{5,6}^{10} & = 0
\end{array}$$

Solution 1:

$$\alpha_{3,4}^7 = -1$$

$$\alpha_{2,6}^8 = 3$$

$$\alpha_{3,5}^8 = -1$$

$$\alpha_{3,6}^9 = -4$$

$$\alpha_{4,5}^9 = 3$$

$$\alpha_{2,5}^7 = 2$$

$$\alpha_{3,8}^{10} = -1$$

$$\alpha_{2,7}^9 = 7$$

$$\alpha_{5,6}^{10} = -1$$

$$\alpha_{4,7}^{10} = 1$$

Solution 2:

$$\alpha_{3,4}^7 = 1$$

$$\alpha_{2,6}^8 = -1$$

$$\alpha_{3,5}^8 = 1$$

$$\alpha_{3,6}^9 = 0$$

$$\alpha_{4,5}^9 = 1$$

$$\alpha_{2,5}^7 = 0$$

$$\alpha_{3,8}^{10} = -1$$

$$\alpha_{2,7}^9 = -1$$

$$\alpha_{5,6}^{10} = -1$$

$$\alpha_{4,7}^{10} = 1$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{3,4}^7 \rightarrow x_1$$

$$\alpha_{2,6}^8 \rightarrow x_2$$

$$\alpha_{3,5}^8 \rightarrow x_3$$

$$\alpha_{3,6}^9 \rightarrow x_4$$

$$\alpha_{4,5}^9 \rightarrow x_5$$

$$\alpha_{2,5}^7 \rightarrow x_6$$

$$\alpha_{3,8}^{10} \rightarrow x_7$$

$$\alpha_{2,7}^9 \rightarrow x_8$$

$$\alpha_{5,6}^{10} \rightarrow x_9$$

$$\alpha_{4,7}^{10} \rightarrow x_{10}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_6 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_2 - x_3 + x_6 & = 0 \\
(e_1, e_3, e_4) : & x_1 - x_3 & = 0 \\
(e_1, e_2, e_6) : & x_2 - x_4 - x_8 & = 0 \\
(e_1, e_3, e_5) : & x_3 - x_4 - x_5 & = 0 \\
(e_2, e_3, e_4) : & x_1 x_8 - x_4 + x_5 & = 0 \\
(e_1, e_2, e_8) : & -x_7 - 1 & = 0 \\
(e_1, e_3, e_7) : & -x_{10} - x_7 & = 0 \\
(e_1, e_4, e_6) : & -x_{10} - x_9 & = 0 \\
(e_2, e_3, e_6) : & -x_2 x_7 + x_4 - x_9 & = 0 \\
(e_2, e_4, e_5) : & -x_{10} x_6 + x_5 + x_9 & = 0
\end{array}$$

Groebner basis (10 variables, 9 linear, 1 nonlinear)

$$4x_1 + x_8 - 3 = 0$$

$$2x_2 - x_8 + 1 = 0$$

$$4x_3 + x_8 - 3 = 0$$

$$2x_4 + x_8 + 1 = 0$$

$$4x_5 - x_8 - 5 = 0$$

$$4x_6 - x_8 - 1 = 0$$

$$x_7 + 1 = 0$$

$$x_8^2 - 6x_8 - 7 = 0$$

$$x_9 + 1 = 0$$

$$x_{10} - 1 = 0$$

Solution 1:

$$x_1 = -1$$

$$x_2 = 3$$

$$x_3 = -1$$

$$x_4 = -4$$

$$x_5 = 3$$

$$x_6 = 2$$

$$x_7 = -1$$

$$x_8 = 7$$

$$x_9 = -1$$

$$x_{10} = 1$$

Solution 2:

$$x_1 = 1$$

$$x_2 = -1$$

$$x_3 = 1$$

$$x_4 = 0$$

$$x_5 = 1$$

$$x_6 = 0$$

$$x_7 = -1$$

$$x_8 = -1$$

$$x_9 = -1$$

$$x_{10} = 1$$

$\mathfrak{m}_{3B}(3, 10)$

m3B310 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_2, e_6] = 2e_9$$

$$[e_3, e_4] = -e_8$$

$$[e_3, e_8] = -e_{10}$$

$$[e_5, e_6] = -e_{10}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_2, e_5] = e_8$$

$$[e_2, e_9] = e_{10}$$

$$[e_3, e_5] = -e_9$$

$$[e_4, e_7] = e_{10}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_9] = e_{10} \\
[e_3, e_4] = -e_8 & [e_3, e_5] = -e_9 \\
[e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{10} e_{10} \\
[e_5, e_6] = \alpha_{5,6}^{10} e_{10} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{3,8}^{10} - 1 & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{3,8}^{10} = -1 \\
\alpha_{5,6}^{10} = -1 \\
\alpha_{4,7}^{10} = 1
\end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{array}{l}
\alpha_{3,8}^{10} \rightarrow x_1 \\
\alpha_{5,6}^{10} \rightarrow x_2 \\
\alpha_{4,7}^{10} \rightarrow x_3
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_1 - 1 & = 0 \\
(e_1, e_3, e_7) : & -x_1 - x_3 & = 0 \\
(e_1, e_4, e_6) : & -x_2 - x_3 & = 0 \\
(e_2, e_3, e_5) : & -x_1 - 1 & = 0
\end{array}$$

Groebner basis (3 variables, 3 linear, 0 nonlinear)

$$x_1 + 1 = 0$$

$$x_2 + 1 = 0$$

$$x_3 - 1 = 0$$

Solution 1:

$$x_1 = -1$$

$$x_2 = -1$$

$$x_3 = 1$$

$\mathbf{m}_{5B}(3, 10)$

m5B310 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_3] = e_6 \\ [e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\ [e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_2, e_9] = e_{10} \\ [e_3, e_4] = \alpha_{3,4}^8 e_8 & [e_3, e_5] = \alpha_{3,5}^9 e_9 \\ [e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{10} e_{10} \\ [e_5, e_6] = \alpha_{5,6}^{10} e_{10} & \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll} (e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\ (e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\ (e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\ (e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\ (e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\ (e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\ (e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{10} + \alpha_{3,5}^9 + \alpha_{5,6}^{10} & = 0 \end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,6}^9 \rightarrow x_1$$

$$\alpha_{3,8}^{10} \rightarrow x_2$$

$$\alpha_{5,6}^{10} \rightarrow x_3$$

$$\alpha_{4,7}^{10} \rightarrow x_4$$

$$\alpha_{3,4}^8 \rightarrow x_5$$

$$\alpha_{2,5}^8 \rightarrow x_6$$

$$\alpha_{3,5}^9 \rightarrow x_7$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_5 - x_6 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_1 + x_6 - x_7 \quad = 0$$

$$(e_1, e_3, e_4) : \quad x_5 - x_7 \quad = 0$$

$$(e_1, e_2, e_8) : \quad -x_2 - 1 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_2 - x_4 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_3 - x_4 \quad = 0$$

$$(e_2, e_3, e_5) : \quad -x_2x_6 + x_3 + x_7 \quad = 0$$

Groebner basis (7 variables, 6 linear, 0 nonlinear)

$$x_1 + 2x_7 - 1 = 0$$

$$x_2 + 1 = 0$$

$$x_3 + 1 = 0$$

$$x_4 - 1 = 0$$

$$x_5 - x_7 = 0$$

$$x_6 + x_7 - 1 = 0$$



## $\mathfrak{m}_{2B}(4, 10)$

m2B410 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_2, e_5] = e_9 \\
 [e_2, e_9] = e_{10} & [e_3, e_4] = -e_9 \\
 [e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{10} e_{10} \\
 [e_5, e_6] = \alpha_{5,6}^{10} e_{10} & 
 \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
 (e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
 (e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
 (e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
 (e_2, e_3, e_4) : & \text{no solutions} & 
 \end{array}$$

There are no solutions.

## $\mathfrak{m}_{4B}(4, 10)$

m4B410 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_2, e_3] = e_7 \\
 [e_2, e_4] = e_8 & [e_2, e_5] = 3e_9 \\
 [e_2, e_9] = e_{10} & [e_3, e_4] = -2e_9 \\
 [e_3, e_8] = -e_{10} & [e_4, e_7] = e_{10} \\
 [e_5, e_6] = -e_{10} & 
 \end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_3] = e_7 \\
[e_2, e_4] = e_8 & [e_2, e_5] = \alpha_{2,5}^9 e_9 \\
[e_2, e_9] = e_{10} & [e_3, e_4] = \alpha_{3,4}^9 e_9 \\
[e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{10} e_{10} \\
[e_5, e_6] = \alpha_{5,6}^{10} e_{10} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,8}^{10} + \alpha_{4,7}^{10} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{2,5}^9 = 3 \\
\alpha_{3,8}^{10} = -1 \\
\alpha_{5,6}^{10} = -1 \\
\alpha_{4,7}^{10} = 1 \\
\alpha_{3,4}^9 = -2
\end{array}$$

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{2,5}^9 \rightarrow x_1 \\
\alpha_{3,8}^{10} \rightarrow x_2 \\
\alpha_{5,6}^{10} \rightarrow x_3 \\
\alpha_{4,7}^{10} \rightarrow x_4 \\
\alpha_{3,4}^9 \rightarrow x_5
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_5 + 1 & = 0 \\
(e_1, e_2, e_8) : & -x_2 - 1 & = 0 \\
(e_1, e_3, e_7) : & -x_2 - x_4 & = 0 \\
(e_1, e_4, e_6) : & -x_3 - x_4 & = 0 \\
(e_2, e_3, e_4) : & -x_2 + x_4 + x_5 & = 0
\end{array}$$

Groebner basis (5 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - 3 = 0 \\
x_2 + 1 = 0 \\
x_3 + 1 = 0 \\
x_4 - 1 = 0 \\
x_5 + 2 = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = 3 \\
x_2 = -1 \\
x_3 = -1 \\
x_4 = 1 \\
x_5 = -2
\end{array}$$

$\mathfrak{m}_{3B}(5, 10)$

m3B510 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_9] = e_{10} \\
[e_3, e_8] = -e_{10} & [e_4, e_7] = e_{10} \\
[e_5, e_6] = -e_{10} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_9] = e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{10} e_{10} \\
[e_5, e_6] = \alpha_{5,6}^{10} e_{10} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{3,8}^{10} = -1 \\
\alpha_{5,6}^{10} = -1 \\
\alpha_{4,7}^{10} = 1
\end{array}$$

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{3,8}^{10} \rightarrow x_1 \\
\alpha_{5,6}^{10} \rightarrow x_2 \\
\alpha_{4,7}^{10} \rightarrow x_3
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_1 - 1 & = 0 \\
(e_1, e_3, e_7) : & -x_1 - x_3 & = 0 \\
(e_1, e_4, e_6) : & -x_2 - x_3 & = 0
\end{array}$$

Groebner basis (3 variables, 3 linear, 0 nonlinear)

$$x_1 + 1 = 0$$

$$x_2 + 1 = 0$$

$$x_3 - 1 = 0$$

Solution 1:

$$x_1 = -1$$

$$x_2 = -1$$

$$x_3 = 1$$

$\mathfrak{m}_{2B}(6, 10)$

m2B610 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_2, e_9] = e_{10}$$

$$[e_4, e_7] = e_{10}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_2, e_3] = e_9$$

$$[e_3, e_8] = -e_{10}$$

$$[e_5, e_6] = -e_{10}$$

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_2, e_9] = e_{10}$$

$$[e_4, e_7] = \alpha_{4,7}^{10} e_{10}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_2, e_3] = e_9$$

$$[e_3, e_8] = \alpha_{3,8}^{10} e_{10}$$

$$[e_5, e_6] = \alpha_{5,6}^{10} e_{10}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_8) : \quad -\alpha_{3,8}^{10} - 1 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} \quad = 0$$

$$(e_1, e_4, e_6) : \quad -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} \quad = 0$$

Solution 1:

$$\begin{aligned}\alpha_{3,8}^{10} &= -1 \\ \alpha_{5,6}^{10} &= -1 \\ \alpha_{4,7}^{10} &= 1\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}\alpha_{3,8}^{10} &\rightarrow x_1 \\ \alpha_{5,6}^{10} &\rightarrow x_2 \\ \alpha_{4,7}^{10} &\rightarrow x_3\end{aligned}$$

Jacobi Tests

$$\begin{aligned}(e_1, e_2, e_8) : & \quad -x_1 - 1 &= 0 \\ (e_1, e_3, e_7) : & \quad -x_1 - x_3 &= 0 \\ (e_1, e_4, e_6) : & \quad -x_2 - x_3 &= 0\end{aligned}$$

Groebner basis (3 variables, 3 linear, 0 nonlinear)

$$\begin{aligned}x_1 + 1 &= 0 \\ x_2 + 1 &= 0 \\ x_3 - 1 &= 0\end{aligned}$$

Solution 1:

$$\begin{aligned}x_1 &= -1 \\ x_2 &= -1 \\ x_3 &= 1\end{aligned}$$

$\mathfrak{m}_{2B}(2, 12)$

m2B212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_9] = e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_8] = -e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_7] = e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_6] = -e_{11} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_8) : & \text{no solutions} & \\
(e_2, e_4, e_7) : & \text{no solutions} & \\
(e_2, e_5, e_6) : & \text{no solutions} &
\end{array}$$

There are no solutions.

$\mathfrak{m}_{4B}(2, 12)$

m4B212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_7] = e_9 \\
[e_2, e_8] = 3e_{10} & [e_2, e_9] = \alpha_{2,9}^{11}e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_6] = -e_9 \\
[e_3, e_7] = -2e_{10} & [e_3, e_8] = \alpha_{3,8}^{11}e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12}e_{12} & [e_4, e_5] = e_9 \\
[e_4, e_6] = e_{10} & [e_4, e_7] = \alpha_{4,7}^{11}e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12}e_{12} & [e_5, e_6] = \alpha_{5,6}^{11}e_{11} \\
[e_5, e_8] = \alpha_{5,8}^{12}e_{12} & [e_6, e_7] = \alpha_{6,7}^{12}e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{11} - \alpha_{3,8}^{11} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{11} - \alpha_{4,7}^{11} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{11} - \alpha_{5,6}^{11} + 1 & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,9}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_8) : & -3\alpha_{3,10}^{12} + \alpha_{3,8}^{11} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,9}^{12} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{5,6}^{11} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{12} + \alpha_{4,9}^{12} & = 0
\end{array}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,7}^{11} \rightarrow x_1$$



$$\alpha_{4,9}^{12} \rightarrow x_2$$

$$\alpha_{6,7}^{12} \rightarrow x_3$$

$$\alpha_{5,6}^{11} \rightarrow x_4$$

$$\alpha_{3,10}^{12} \rightarrow x_5$$

$$\alpha_{2,9}^{11} \rightarrow x_6$$

$$\alpha_{5,8}^{12} \rightarrow x_7$$

$$\alpha_{3,8}^{11} \rightarrow x_8$$

Jacobi Tests

$$(e_1, e_2, e_8) : \quad -x_6 - x_8 + 3 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_1 - x_8 - 2 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_1 - x_4 + 1 \quad = 0$$

$$(e_2, e_3, e_6) : \quad -x_6 \quad = 0$$

$$(e_2, e_4, e_5) : \quad x_6 \quad = 0$$

$$(e_1, e_2, e_{10}) : \quad -x_5 - 1 \quad = 0$$

$$(e_1, e_3, e_9) : \quad -x_2 - x_5 \quad = 0$$

$$(e_1, e_4, e_8) : \quad -x_2 - x_7 \quad = 0$$

$$(e_1, e_5, e_7) : \quad -x_3 - x_7 \quad = 0$$

$$(e_2, e_3, e_8) : \quad -3x_5 + x_8 \quad = 0$$

$$(e_2, e_4, e_7) : \quad x_1 - x_2 \quad = 0$$

$$(e_2, e_5, e_6) : \quad x_4 \quad = 0$$

$$(e_3, e_4, e_6) : \quad x_2 + x_5 \quad = 0$$

Groebner basis (8 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{6B}(2, 12)$

m6B212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_7 \\
[e_2, e_6] = 2e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = -e_7 \\
[e_3, e_5] = -e_8 & [e_3, e_6] = \alpha_{3,6}^9 e_9 \\
[e_3, e_7] = \alpha_{3,7}^{10} e_{10} & [e_3, e_8] = \alpha_{3,8}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_6] = \alpha_{5,6}^{11} e_{11} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,9}^{11} \alpha_{3,6}^9 - 2\alpha_{3,8}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} \alpha_{4,5}^9 - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,8}^{10} \alpha_{3,10}^{12} + \alpha_{3,8}^{11} & = 0 \\
(e_2, e_4, e_7) : & -\alpha_{2,7}^9 \alpha_{4,9}^{12} + \alpha_{4,7}^{11} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{5,6}^{11} - 2\alpha_{5,8}^{12} + \alpha_{6,7}^{12} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{12} \alpha_{4,6}^{10} - \alpha_{3,6}^9 \alpha_{4,9}^{12} - \alpha_{6,7}^{12} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,7}^{11} \rightarrow x_1$$

$$\alpha_{4,9}^{12} \rightarrow x_2$$

$$\alpha_{6,7}^{12} \rightarrow x_3$$

$$\alpha_{3,6}^9 \rightarrow x_4$$

$$\alpha_{5,6}^{11} \rightarrow x_5$$

$$\alpha_{4,5}^9 \rightarrow x_6$$

$$\alpha_{2,8}^{10} \rightarrow x_7$$

$$\alpha_{3,10}^{12} \rightarrow x_8$$

$$\alpha_{4,6}^{10} \rightarrow x_9$$

$$\alpha_{2,7}^9 \rightarrow x_{10}$$

$$\alpha_{3,8}^{11} \rightarrow x_{11}$$

$$\alpha_{2,9}^{11} \rightarrow x_{12}$$

$$\alpha_{5,8}^{12} \rightarrow x_{13}$$

$$\alpha_{3,7}^{10} \rightarrow x_{14}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_{10} - x_4 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_4 - x_6 - 1 & = 0 \\
(e_2, e_3, e_4) : & -x_{10} & = 0 \\
(e_1, e_2, e_7) : & x_{10} - x_{14} - x_7 & = 0 \\
(e_1, e_3, e_6) : & -x_{14} + x_4 - x_9 & = 0 \\
(e_1, e_4, e_5) : & x_6 - x_9 & = 0 \\
(e_2, e_3, e_5) : & -x_{14} - x_7 & = 0 \\
(e_1, e_2, e_8) : & -x_{11} - x_{12} + x_7 & = 0 \\
(e_1, e_3, e_7) : & -x_1 - x_{11} + x_{14} & = 0 \\
(e_1, e_4, e_6) : & -x_1 - x_5 + x_9 & = 0 \\
(e_2, e_3, e_6) : & -2x_{11} + x_{12}x_4 & = 0 \\
(e_2, e_4, e_5) : & -x_1 + x_{12}x_6 & = 0 \\
(e_1, e_2, e_{10}) : & -x_8 - 1 & = 0 \\
(e_1, e_3, e_9) : & -x_2 - x_8 & = 0 \\
(e_1, e_4, e_8) : & -x_{13} - x_2 & = 0 \\
(e_1, e_5, e_7) : & -x_{13} - x_3 & = 0 \\
(e_2, e_3, e_8) : & x_{11} - x_7x_8 & = 0 \\
(e_2, e_4, e_7) : & x_1 - x_{10}x_2 & = 0 \\
(e_2, e_5, e_6) : & -2x_{13} + x_3 + x_5 & = 0 \\
(e_3, e_4, e_6) : & -x_2x_4 - x_3 + x_8x_9 & = 0
\end{array}$$

Groebner basis (14 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{8B}(2, 12)$

m8B212 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_5 \\
\\ 
[e_2, e_4] = e_6 & [e_2, e_5] = e_7 \left( \frac{\sqrt{10}}{5} + 1 \right) \\
[e_2, e_6] = e_8 \left( 1 + \frac{2\sqrt{10}}{5} \right) & [e_2, e_7] = e_9 \left( \frac{5}{3} + \frac{2\sqrt{10}}{3} \right) \\
[e_2, e_8] = e_{10} \left( 3 + \sqrt{10} \right) & [e_2, e_9] = e_{11} \left( 2\sqrt{10} + 7 \right) \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = -\frac{\sqrt{10}e_7}{5} \\
[e_3, e_5] = -\frac{\sqrt{10}e_8}{5} & [e_3, e_6] = e_9 \left( -\frac{4\sqrt{10}}{15} - \frac{2}{3} \right) \\
[e_3, e_7] = e_{10} \left( -\frac{4}{3} - \frac{\sqrt{10}}{3} \right) & [e_3, e_8] = e_{11} \left( -4 - \sqrt{10} \right) \\
[e_3, e_{10}] = -e_{12} & [e_4, e_5] = e_9 \left( \frac{\sqrt{10}}{15} + \frac{2}{3} \right) \\
[e_4, e_6] = e_{10} \left( \frac{\sqrt{10}}{15} + \frac{2}{3} \right) & [e_4, e_7] = e_{11} \left( \frac{2\sqrt{10}}{3} + \frac{8}{3} \right) \\
[e_4, e_9] = e_{12} & [e_5, e_6] = e_{11} \left( -2 - \frac{3\sqrt{10}}{5} \right) \\
[e_5, e_8] = -e_{12} & [e_6, e_7] = e_{12}
\end{array}$$

Solution 2

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_2, e_3] &= e_5 \\
\\ 
[e_2, e_4] &= e_6 & [e_2, e_5] &= e_7 \left(1 - \frac{\sqrt{10}}{5}\right) \\
[e_2, e_6] &= e_8 \left(1 - \frac{2\sqrt{10}}{5}\right) & [e_2, e_7] &= e_9 \left(\frac{5}{3} - \frac{2\sqrt{10}}{3}\right) \\
[e_2, e_8] &= e_{10} (3 - \sqrt{10}) & [e_2, e_9] &= e_{11} (7 - 2\sqrt{10}) \\
[e_2, e_{11}] &= e_{12} & [e_3, e_4] &= \frac{\sqrt{10}e_7}{5} \\
[e_3, e_5] &= \frac{\sqrt{10}e_8}{5} & [e_3, e_6] &= e_9 \left(-\frac{2}{3} + \frac{4\sqrt{10}}{15}\right) \\
[e_3, e_7] &= e_{10} \left(-\frac{4}{3} + \frac{\sqrt{10}}{3}\right) & [e_3, e_8] &= e_{11} (-4 + \sqrt{10}) \\
[e_3, e_{10}] &= -e_{12} & [e_4, e_5] &= e_9 \left(\frac{2}{3} - \frac{\sqrt{10}}{15}\right) \\
[e_4, e_6] &= e_{10} \left(\frac{2}{3} - \frac{\sqrt{10}}{15}\right) & [e_4, e_7] &= e_{11} \left(\frac{8}{3} - \frac{2\sqrt{10}}{3}\right) \\
[e_4, e_9] &= e_{12} & [e_5, e_6] &= e_{11} \left(-2 + \frac{3\sqrt{10}}{5}\right) \\
[e_5, e_8] &= -e_{12} & [e_6, e_7] &= e_{12}
\end{aligned}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_6] = \alpha_{2,6}^8 e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = \alpha_{3,4}^7 e_7 \\
[e_3, e_5] = \alpha_{3,5}^8 e_8 & [e_3, e_6] = \alpha_{3,6}^9 e_9 \\
[e_3, e_7] = \alpha_{3,7}^{10} e_{10} & [e_3, e_8] = \alpha_{3,8}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_6] = \alpha_{5,6}^{11} e_{11} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,8}^{10} \alpha_{3,10}^{12} + \alpha_{3,8}^{11} - \alpha_{5,8}^{12} & = 0 \\
(e_2, e_4, e_7) : & -\alpha_{2,7}^9 \alpha_{4,9}^{12} + \alpha_{4,7}^{11} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,5}^7 \alpha_{6,7}^{12} - \alpha_{2,6}^8 \alpha_{5,8}^{12} + \alpha_{5,6}^{11} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{12} \alpha_{4,6}^{10} + \alpha_{3,4}^7 \alpha_{6,7}^{12} - \alpha_{3,6}^9 \alpha_{4,9}^{12} & = 0
\end{aligned}$$

Solution 1:



$$\begin{aligned}
\alpha_{3,4}^7 &= -\sqrt{10}/5 \\
\alpha_{2,6}^8 &= 1 + 2 * \sqrt{10}/5 \\
\alpha_{4,7}^{11} &= 2 * \sqrt{10}/3 + 8/3 \\
\alpha_{3,5}^8 &= -\sqrt{10}/5 \\
\alpha_{4,9}^{12} &= 1 \\
\alpha_{6,7}^{12} &= 1 \\
\alpha_{3,6}^9 &= -4 * \sqrt{10}/15 - 2/3 \\
\alpha_{5,6}^{11} &= -2 - 3 * \sqrt{10}/5 \\
\alpha_{4,5}^9 &= \sqrt{10}/15 + 2/3 \\
\alpha_{2,8}^{10} &= 3 + \sqrt{10} \\
\alpha_{2,5}^7 &= \sqrt{10}/5 + 1 \\
\alpha_{4,6}^{10} &= \sqrt{10}/15 + 2/3 \\
\alpha_{2,7}^9 &= 5/3 + 2 * \sqrt{10}/3 \\
\alpha_{3,8}^{11} &= -4 - \sqrt{10} \\
\alpha_{2,9}^{11} &= 2 * \sqrt{10} + 7 \\
\alpha_{3,10}^{12} &= -1 \\
\alpha_{5,8}^{12} &= -1 \\
\alpha_{3,7}^{10} &= -4/3 - \sqrt{10}/3
\end{aligned}$$

Solution 2:

$$\begin{aligned}
\alpha_{3,4}^7 &= \sqrt{10}/5 \\
\alpha_{2,6}^8 &= 1 - 2 * \sqrt{10}/5 \\
\alpha_{4,7}^{11} &= 8/3 - 2 * \sqrt{10}/3 \\
\alpha_{3,5}^8 &= \sqrt{10}/5 \\
\alpha_{4,9}^{12} &= 1 \\
\alpha_{6,7}^{12} &= 1 \\
\alpha_{3,6}^9 &= -2/3 + 4 * \sqrt{10}/15 \\
\alpha_{5,6}^{11} &= -2 + 3 * \sqrt{10}/5 \\
\alpha_{4,5}^9 &= 2/3 - \sqrt{10}/15 \\
\alpha_{2,8}^{10} &= 3 - \sqrt{10} \\
\alpha_{2,5}^7 &= 1 - \sqrt{10}/5 \\
\alpha_{4,6}^{10} &= 2/3 - \sqrt{10}/15 \\
\alpha_{2,7}^9 &= 5/3 - 2 * \sqrt{10}/3 \\
\alpha_{3,8}^{11} &= -4 + \sqrt{10} \\
\alpha_{2,9}^{11} &= 7 - 2 * \sqrt{10} \\
\alpha_{3,10}^{12} &= -1 \\
\alpha_{5,8}^{12} &= -1 \\
\alpha_{3,7}^{10} &= -4/3 + \sqrt{10}/3
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{3,4}^7 &\rightarrow x_1 \\
\alpha_{2,6}^8 &\rightarrow x_2 \\
\alpha_{4,7}^{11} &\rightarrow x_3 \\
\alpha_{3,5}^8 &\rightarrow x_4 \\
\alpha_{4,9}^{12} &\rightarrow x_5 \\
\alpha_{6,7}^{12} &\rightarrow x_6 \\
\alpha_{3,6}^9 &\rightarrow x_7 \\
\alpha_{5,6}^{11} &\rightarrow x_8 \\
\alpha_{4,5}^9 &\rightarrow x_9
\end{aligned}$$

$$\alpha_{2,8}^{10} \rightarrow x_{10}$$

$$\alpha_{2,5}^7 \rightarrow x_{11}$$

$$\alpha_{4,6}^{10} \rightarrow x_{12}$$

$$\alpha_{2,7}^9 \rightarrow x_{13}$$

$$\alpha_{3,8}^{11} \rightarrow x_{14}$$

$$\alpha_{2,9}^{11} \rightarrow x_{15}$$

$$\alpha_{3,10}^{12} \rightarrow x_{16}$$

$$\alpha_{5,8}^{12} \rightarrow x_{17}$$

$$\alpha_{3,7}^{10} \rightarrow x_{18}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_{11} + 1 & = 0 \\
(e_1, e_2, e_5) : & x_{11} - x_2 - x_4 & = 0 \\
(e_1, e_3, e_4) : & x_1 - x_4 & = 0 \\
(e_1, e_2, e_6) : & -x_{13} + x_2 - x_7 & = 0 \\
(e_1, e_3, e_5) : & x_4 - x_7 - x_9 & = 0 \\
(e_2, e_3, e_4) : & x_1 x_{13} - x_7 + x_9 & = 0 \\
(e_1, e_2, e_7) : & -x_{10} + x_{13} - x_{18} & = 0 \\
(e_1, e_3, e_6) : & -x_{12} - x_{18} + x_7 & = 0 \\
(e_1, e_4, e_5) : & -x_{12} + x_9 & = 0 \\
(e_2, e_3, e_5) : & x_{10} x_4 - x_{11} x_{18} & = 0 \\
(e_1, e_2, e_8) : & x_{10} - x_{14} - x_{15} & = 0 \\
(e_1, e_3, e_7) : & -x_{14} + x_{18} - x_3 & = 0 \\
(e_1, e_4, e_6) : & x_{12} - x_3 - x_8 & = 0 \\
(e_2, e_3, e_6) : & -x_{14} x_2 + x_{15} x_7 - x_8 & = 0 \\
(e_2, e_4, e_5) : & -x_{11} x_3 + x_{15} x_9 + x_8 & = 0 \\
(e_1, e_2, e_{10}) : & -x_{16} - 1 & = 0 \\
(e_1, e_3, e_9) : & -x_{16} - x_5 & = 0 \\
(e_1, e_4, e_8) : & -x_{17} - x_5 & = 0 \\
(e_1, e_5, e_7) : & -x_{17} - x_6 & = 0 \\
(e_2, e_3, e_8) : & -x_{10} x_{16} + x_{14} - x_{17} & = 0 \\
(e_2, e_4, e_7) : & -x_{13} x_5 + x_3 - x_6 & = 0 \\
(e_2, e_5, e_6) : & x_{11} x_6 - x_{17} x_2 + x_8 & = 0 \\
(e_3, e_4, e_6) : & x_1 x_6 + x_{12} x_{16} - x_5 x_7 & = 0
\end{array}$$

Groebner basis (18 variables, 4 linear, 14 nonlinear)

$$\begin{aligned}
60x_1 - 3x_{18}^3 + 10x_{18}^2 + 10x_{18} - 36 &= 0 \\
3x_{18}^3 - 10x_{18}^2 - 10x_{18} + 30x_2 + 6 &= 0 \\
3x_{18}^3 - 10x_{18}^2 + 2x_{18} + 24x_3 - 12 &= 0 \\
-3x_{18}^3 + 10x_{18}^2 + 10x_{18} + 60x_4 - 36 &= 0 \\
x_5 - 1 &= 0 \\
x_6 - 1 &= 0 \\
-3x_{18}^3 + 10x_{18}^2 - 50x_{18} + 120x_7 - 36 &= 0 \\
-3x_{18}^3 + 10x_{18}^2 + 10x_{18} + 20x_8 + 4 &= 0 \\
-3x_{18}^3 + 10x_{18}^2 + 70x_{18} + 120x_9 - 36 &= 0 \\
24x_{10} + 3x_{18}^3 - 10x_{18}^2 + 26x_{18} + 12 &= 0 \\
60x_{11} + 3x_{18}^3 - 10x_{18}^2 - 10x_{18} - 24 &= 0 \\
120x_{12} - 3x_{18}^3 + 10x_{18}^2 + 70x_{18} - 36 &= 0 \\
24x_{13} + 3x_{18}^3 - 10x_{18}^2 + 2x_{18} + 12 &= 0 \\
24x_{14} - 3x_{18}^3 + 10x_{18}^2 - 26x_{18} + 12 &= 0 \\
12x_{15} + 3x_{18}^3 - 10x_{18}^2 + 26x_{18} &= 0 \\
x_{16} + 1 &= 0 \\
x_{17} + 1 &= 0 \\
9x_{18}^4 + 12x_{18}^3 + 10x_{18}^2 + 88x_{18} + 24 &= 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
x_1 &= -\text{sqrt}(10)/5 \\
x_2 &= 1 + 2 * \text{sqrt}(10)/5 \\
x_3 &= 2 * \text{sqrt}(10)/3 + 8/3 \\
x_4 &= -\text{sqrt}(10)/5 \\
x_5 &= 1 \\
x_6 &= 1 \\
x_7 &= -4 * \text{sqrt}(10)/15 - 2/3 \\
x_8 &= -2 - 3 * \text{sqrt}(10)/5 \\
x_9 &= \text{sqrt}(10)/15 + 2/3 \\
x_{10} &= 3 + \text{sqrt}(10) \\
x_{11} &= \text{sqrt}(10)/5 + 1
\end{aligned}$$

$$x_12 = \text{sqrt}(10)/15 + 2/3$$

$$x_13 = 5/3 + 2 * \text{sqrt}(10)/3$$

$$x_14 = -4 - \text{sqrt}(10)$$

$$x_15 = 2 * \text{sqrt}(10) + 7$$

$$x_16 = -1$$

$$x_17 = -1$$

$$x_18 = -4/3 - \text{sqrt}(10)/3$$

Solution 2:

$$x_1 = \text{sqrt}(10)/5$$

$$x_2 = 1 - 2 * \text{sqrt}(10)/5$$

$$x_3 = 8/3 - 2 * \text{sqrt}(10)/3$$

$$x_4 = \text{sqrt}(10)/5$$

$$x_5 = 1$$

$$x_6 = 1$$

$$x_7 = -2/3 + 4 * \text{sqrt}(10)/15$$

$$x_8 = -2 + 3 * \text{sqrt}(10)/5$$

$$x_9 = 2/3 - \text{sqrt}(10)/15$$

$$x_10 = 3 - \text{sqrt}(10)$$

$$x_11 = 1 - \text{sqrt}(10)/5$$

$$x_12 = 2/3 - \text{sqrt}(10)/15$$

$$x_13 = 5/3 - 2 * \text{sqrt}(10)/3$$

$$x_14 = -4 + \text{sqrt}(10)$$

$$x_15 = 7 - 2 * \text{sqrt}(10)$$

$$x_16 = -1$$

$$x_17 = -1$$

$$x_18 = -4/3 + \text{sqrt}(10)/3$$

### $\mathfrak{m}_{3B}(3, 12)$

m3B312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
 [e_1, e_{10}] = e_{11} & [e_2, e_7] = e_{10} \\
 [e_2, e_8] = 3e_{11} & [e_2, e_{11}] = e_{12} \\
 [e_3, e_6] = -e_{10} & [e_3, e_7] = -2e_{11} \\
 [e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = e_{10} \\
 [e_4, e_6] = e_{11} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
 [e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
 \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
 (e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
 (e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
 (e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
 (e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
 (e_2, e_3, e_7) : & -\alpha_{3,10}^{12} - 2 & = 0 \\
 (e_2, e_4, e_6) : & \text{no solutions} & \\
 (e_3, e_4, e_5) : & \alpha_{3,10}^{12} & = 0
 \end{array}$$

There are no solutions.

### $\mathfrak{m}_{5B}(3, 12)$

m5B312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = -e_8 & [e_3, e_5] = -e_9 \\
[e_3, e_6] = \alpha_{3,6}^{10} e_{10} & [e_3, e_7] = \alpha_{3,7}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & -\alpha_{2,7}^{10} \alpha_{3,10}^{12} + \alpha_{3,7}^{11} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{4,6}^{11} - 2\alpha_{4,9}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{12} \alpha_{4,5}^{10} + \alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0
\end{array}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,7}^{11} \rightarrow x_1$$

$$\alpha_{2,7}^{10} \rightarrow x_2$$

$$\alpha_{4,9}^{12} \rightarrow x_3$$

$$\alpha_{6,7}^{12} \rightarrow x_4$$

$$\alpha_{4,6}^{11} \rightarrow x_5$$

$$\alpha_{4,5}^{10} \rightarrow x_6$$

$$\alpha_{3,10}^{12} \rightarrow x_7$$

$$\alpha_{3,6}^{10} \rightarrow x_8$$

$$\alpha_{5,8}^{12} \rightarrow x_9$$

$$\alpha_{2,8}^{11} \rightarrow x_{10}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_2 - x_8 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_6 - x_8 - 1 & = 0 \\
(e_1, e_2, e_7) : & -x_1 - x_{10} + x_2 & = 0 \\
(e_1, e_3, e_6) : & -x_1 - x_5 + x_8 & = 0 \\
(e_1, e_4, e_5) : & -x_5 + x_6 & = 0 \\
(e_2, e_3, e_4) : & -x_{10} & = 0 \\
(e_1, e_2, e_{10}) : & -x_7 - 1 & = 0 \\
(e_1, e_3, e_9) : & -x_3 - x_7 & = 0 \\
(e_1, e_4, e_8) : & -x_3 - x_9 & = 0 \\
(e_1, e_5, e_7) : & -x_4 - x_9 & = 0 \\
(e_2, e_3, e_7) : & x_1 - x_2 x_7 & = 0 \\
(e_2, e_4, e_6) : & -2x_3 + x_5 & = 0 \\
(e_3, e_4, e_5) : & x_3 + x_6 x_7 - x_9 & = 0
\end{array}$$

Groebner basis (10 variables, 1 linear, 0 nonlinear)

$$1 = 0$$



## $\mathfrak{m}_{7B}(3, 12)$

m7B312 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
 [e_1, e_{10}] = e_{11} & [e_2, e_3] = e_6 \\
 [e_2, e_4] = e_7 & [e_2, e_5] = \frac{8e_8}{5} \\
 [e_2, e_6] = \frac{11e_9}{5} & [e_2, e_7] = 4e_{10} \\
 [e_2, e_8] = 7e_{11} & [e_2, e_{11}] = e_{12} \\
 [e_3, e_4] = -\frac{3e_8}{5} & [e_3, e_5] = -\frac{3e_9}{5} \\
 [e_3, e_6] = -\frac{9e_{10}}{5} & [e_3, e_7] = -3e_{11} \\
 [e_3, e_{10}] = -e_{12} & [e_4, e_5] = \frac{6e_{10}}{5} \\
 [e_4, e_6] = \frac{6e_{11}}{5} & [e_4, e_9] = e_{12} \\
 [e_5, e_8] = -e_{12} & [e_6, e_7] = e_{12}
 \end{array}$$

Solution 2

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
 [e_1, e_{10}] = e_{11} & [e_2, e_3] = e_6 \\
 [e_2, e_4] = e_7 & [e_2, e_5] = e_8 \\
 [e_2, e_6] = e_9 & [e_2, e_7] = e_{10} \\
 [e_2, e_8] = e_{11} & [e_2, e_{11}] = e_{12} \\
 [e_3, e_4] = 0 & [e_3, e_5] = 0 \\
 [e_3, e_6] = 0 & [e_3, e_7] = 0 \\
 [e_3, e_{10}] = -e_{12} & [e_4, e_5] = 0 \\
 [e_4, e_6] = 0 & [e_4, e_9] = e_{12} \\
 [e_5, e_8] = -e_{12} & [e_6, e_7] = e_{12}
 \end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\
[e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = \alpha_{3,4}^8 e_8 & [e_3, e_5] = \alpha_{3,5}^9 e_9 \\
[e_3, e_6] = \alpha_{3,6}^{10} e_{10} & [e_3, e_7] = \alpha_{3,7}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{ll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} = 0 \\
(e_2, e_3, e_7) : & -\alpha_{2,7}^{10} \alpha_{3,10}^{12} + \alpha_{3,7}^{11} - \alpha_{6,7}^{12} = 0 \\
(e_2, e_4, e_6) : & -\alpha_{2,6}^9 \alpha_{4,9}^{12} + \alpha_{4,6}^{11} + \alpha_{6,7}^{12} = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{12} \alpha_{4,5}^{10} + \alpha_{3,4}^8 \alpha_{5,8}^{12} - \alpha_{3,5}^9 \alpha_{4,9}^{12} = 0
\end{array}$$

Solution 1:

$$\begin{aligned}\alpha_{3,7}^{11} &= -3 \\ \alpha_{2,7}^{10} &= 4 \\ \alpha_{2,6}^9 &= 11/5 \\ \alpha_{4,9}^{12} &= 1 \\ \alpha_{6,7}^{12} &= 1 \\ \alpha_{4,6}^{11} &= 6/5 \\ \alpha_{4,5}^{10} &= 6/5 \\ \alpha_{3,10}^{12} &= -1 \\ \alpha_{3,6}^{10} &= -9/5 \\ \alpha_{3,4}^8 &= -3/5 \\ \alpha_{5,8}^{12} &= -1 \\ \alpha_{2,5}^8 &= 8/5 \\ \alpha_{2,8}^{11} &= 7 \\ \alpha_{3,5}^9 &= -3/5\end{aligned}$$

Solution 2:

$$\begin{aligned}\alpha_{3,7}^{11} &= 0 \\ \alpha_{2,7}^{10} &= 1 \\ \alpha_{2,6}^9 &= 1 \\ \alpha_{4,9}^{12} &= 1 \\ \alpha_{6,7}^{12} &= 1 \\ \alpha_{4,6}^{11} &= 0 \\ \alpha_{4,5}^{10} &= 0 \\ \alpha_{3,10}^{12} &= -1 \\ \alpha_{3,6}^{10} &= 0 \\ \alpha_{3,4}^8 &= 0 \\ \alpha_{5,8}^{12} &= -1 \\ \alpha_{2,5}^8 &= 1 \\ \alpha_{2,8}^{11} &= 1 \\ \alpha_{3,5}^9 &= 0\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{3,7}^{11} &\rightarrow x_1 \\
\alpha_{2,7}^{10} &\rightarrow x_2 \\
\alpha_{2,6}^9 &\rightarrow x_3 \\
\alpha_{4,9}^{12} &\rightarrow x_4 \\
\alpha_{6,7}^{12} &\rightarrow x_5 \\
\alpha_{4,6}^{11} &\rightarrow x_6 \\
\alpha_{4,5}^{10} &\rightarrow x_7 \\
\alpha_{3,10}^{12} &\rightarrow x_8 \\
\alpha_{3,6}^{10} &\rightarrow x_9 \\
\alpha_{3,4}^8 &\rightarrow x_{10} \\
\alpha_{5,8}^{12} &\rightarrow x_{11} \\
\alpha_{2,5}^8 &\rightarrow x_{12} \\
\alpha_{2,8}^{11} &\rightarrow x_{13} \\
\alpha_{3,5}^9 &\rightarrow x_{14}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -x_{10} - x_{12} + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad x_{12} - x_{14} - x_3 & = 0 \\
(e_1, e_3, e_4) : & \quad x_{10} - x_{14} & = 0 \\
(e_1, e_2, e_6) : & \quad -x_2 + x_3 - x_9 & = 0 \\
(e_1, e_3, e_5) : & \quad x_{14} - x_7 - x_9 & = 0 \\
(e_1, e_2, e_7) : & \quad -x_1 - x_{13} + x_2 & = 0 \\
(e_1, e_3, e_6) : & \quad -x_1 - x_6 + x_9 & = 0 \\
(e_1, e_4, e_5) : & \quad -x_6 + x_7 & = 0 \\
(e_2, e_3, e_4) : & \quad -x_1 + x_{10}x_{13} + x_6 & = 0 \\
(e_1, e_2, e_{10}) : & \quad -x_8 - 1 & = 0 \\
(e_1, e_3, e_9) : & \quad -x_4 - x_8 & = 0 \\
(e_1, e_4, e_8) : & \quad -x_{11} - x_4 & = 0 \\
(e_1, e_5, e_7) : & \quad -x_{11} - x_5 & = 0 \\
(e_2, e_3, e_7) : & \quad x_1 - x_2x_8 - x_5 & = 0 \\
(e_2, e_4, e_6) : & \quad -x_3x_4 + x_5 + x_6 & = 0 \\
(e_3, e_4, e_5) : & \quad x_{10}x_{11} - x_{14}x_4 + x_7x_8 & = 0
\end{aligned}$$

Groebner basis (14 variables, 13 linear, 1 nonlinear)

$$\begin{aligned}
 x_1 - 5x_{14} &= 0 \\
 5x_{14} + x_2 - 1 &= 0 \\
 2x_{14} + x_3 - 1 &= 0 \\
 x_4 - 1 &= 0 \\
 x_5 - 1 &= 0 \\
 2x_{14} + x_6 &= 0 \\
 2x_{14} + x_7 &= 0 \\
 x_8 + 1 &= 0 \\
 -3x_{14} + x_9 &= 0 \\
 x_{10} - x_{14} &= 0 \\
 x_{11} + 1 &= 0 \\
 x_{12} + x_{14} - 1 &= 0 \\
 x_{13} + 10x_{14} - 1 &= 0 \\
 5x_{14}^2 + 3x_{14} &= 0
 \end{aligned}$$

Solution 1:

$$\begin{aligned}
 x_1 &= -3 \\
 x_2 &= 4 \\
 x_3 &= 11/5 \\
 x_4 &= 1 \\
 x_5 &= 1 \\
 x_6 &= 6/5 \\
 x_7 &= 6/5 \\
 x_8 &= -1 \\
 x_9 &= -9/5 \\
 x_{10} &= -3/5 \\
 x_{11} &= -1 \\
 x_{12} &= 8/5 \\
 x_{13} &= 7 \\
 x_{14} &= -3/5
 \end{aligned}$$

Solution 2:

$$x_1 = 0$$

$$\begin{aligned}
x_2 &= 1 \\
x_3 &= 1 \\
x_4 &= 1 \\
x_5 &= 1 \\
x_6 &= 0 \\
x_7 &= 0 \\
x_8 &= -1 \\
x_9 &= 0 \\
x_{10} &= 0 \\
x_{11} &= -1 \\
x_{12} &= 1 \\
x_{13} &= 1 \\
x_{14} &= 0
\end{aligned}$$

$\mathfrak{m}_{2B}(4, 12)$

m2B412 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_2, e_7] &= e_{11} \\
[e_2, e_{11}] &= e_{12} & [e_3, e_6] &= -e_{11} \\
[e_3, e_{10}] &= \alpha_{3,10}^{12} e_{12} & [e_4, e_5] &= e_{11} \\
[e_4, e_9] &= \alpha_{4,9}^{12} e_{12} & [e_5, e_8] &= \alpha_{5,8}^{12} e_{12} \\
[e_6, e_7] &= \alpha_{6,7}^{12} e_{12}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & \quad -\alpha_{3,10}^{12} - 1 & &= 0 \\
(e_1, e_3, e_9) : & \quad -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & &= 0 \\
(e_1, e_4, e_8) : & \quad -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & &= 0 \\
(e_1, e_5, e_7) : & \quad -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & &= 0 \\
(e_2, e_3, e_6) : & \quad \text{no solutions} \\
(e_2, e_4, e_5) : & \quad \text{no solutions}
\end{aligned}$$

There are no solutions.

$\mathfrak{m}_{4B}(4, 12)$

m4B412 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_9 \\
[e_2, e_6] = 2e_{10} & [e_2, e_7] = 4e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = -e_9 \\
[e_3, e_5] = -e_{10} & [e_3, e_6] = -2e_{11} \\
[e_3, e_{10}] = -e_{12} & [e_4, e_5] = e_{11} \\
[e_4, e_9] = e_{12} & [e_5, e_8] = -e_{12} \\
[e_6, e_7] = e_{12} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_9 \\
[e_2, e_6] = 2e_{10} & [e_2, e_7] = \alpha_{2,7}^{11} e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = -e_9 \\
[e_3, e_5] = -e_{10} & [e_3, e_6] = \alpha_{3,6}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^{11} e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_8] = \alpha_{5,8}^{12} e_{12} \\
[e_6, e_7] = \alpha_{6,7}^{12} e_{12} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_6) : & -2\alpha_{3,10}^{12} + \alpha_{3,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,9}^{12} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{4,9}^{12} &= 1 \\
\alpha_{4,5}^{11} &= 1 \\
\alpha_{3,6}^{11} &= -2 \\
\alpha_{6,7}^{12} &= 1 \\
\alpha_{3,10}^{12} &= -1 \\
\alpha_{2,7}^{11} &= 4 \\
\alpha_{5,8}^{12} &= -1
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{4,9}^{12} &\rightarrow x_1 \\
\alpha_{4,5}^{11} &\rightarrow x_2 \\
\alpha_{3,6}^{11} &\rightarrow x_3 \\
\alpha_{6,7}^{12} &\rightarrow x_4 \\
\alpha_{3,10}^{12} &\rightarrow x_5 \\
\alpha_{2,7}^{11} &\rightarrow x_6 \\
\alpha_{5,8}^{12} &\rightarrow x_7
\end{aligned}$$



Jacobi Tests

$$\begin{array}{lll}
 (e_1, e_2, e_6) : & -x_3 - x_6 + 2 & = 0 \\
 (e_1, e_3, e_5) : & -x_2 - x_3 - 1 & = 0 \\
 (e_1, e_2, e_{10}) : & -x_5 - 1 & = 0 \\
 (e_1, e_3, e_9) : & -x_1 - x_5 & = 0 \\
 (e_1, e_4, e_8) : & -x_1 - x_7 & = 0 \\
 (e_1, e_5, e_7) : & -x_4 - x_7 & = 0 \\
 (e_2, e_3, e_6) : & x_3 - 2x_5 & = 0 \\
 (e_2, e_4, e_5) : & -x_1 + x_2 & = 0
 \end{array}$$

Groebner basis (7 variables, 7 linear, 0 nonlinear)

$$\begin{array}{l}
 x_1 - 1 = 0 \\
 x_2 - 1 = 0 \\
 x_3 + 2 = 0 \\
 x_4 - 1 = 0 \\
 x_5 + 1 = 0 \\
 x_6 - 4 = 0 \\
 x_7 + 1 = 0
 \end{array}$$

Solution 1:

$$\begin{array}{l}
 x_1 = 1 \\
 x_2 = 1 \\
 x_3 = -2 \\
 x_4 = 1 \\
 x_5 = -1 \\
 x_6 = 4 \\
 x_7 = -1
 \end{array}$$

$\mathfrak{m}_{6B}(4, 12)$

m6B412 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_7 \\
[e_2, e_4] = e_8 & [e_2, e_5] = \alpha_{2,5}^9 e_9 \\
[e_2, e_6] = \alpha_{2,6}^{10} e_{10} & [e_2, e_7] = \alpha_{2,7}^{11} e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = \alpha_{3,4}^9 e_9 \\
[e_3, e_5] = \alpha_{3,5}^{10} e_{10} & [e_3, e_6] = \alpha_{3,6}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^{11} e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_8] = \alpha_{5,8}^{12} e_{12} \\
[e_6, e_7] = \alpha_{6,7}^{12} e_{12} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^{10} \alpha_{3,10}^{12} + \alpha_{3,6}^{11} + \alpha_{6,7}^{12} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^9 \alpha_{4,9}^{12} + \alpha_{4,5}^{11} + \alpha_{5,8}^{12} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,5}^{11} \rightarrow x_1$$

$$\alpha_{3,6}^{11} \rightarrow x_2$$

$$\alpha_{4,9}^{12} \rightarrow x_3$$

$$\alpha_{6,7}^{12} \rightarrow x_4$$

$$\alpha_{2,5}^9 \rightarrow x_5$$

$$\alpha_{3,5}^{10} \rightarrow x_6$$

$$\alpha_{3,10}^{12} \rightarrow x_7$$

$$\alpha_{2,7}^{11} \rightarrow x_8$$

$$\alpha_{3,4}^9 \rightarrow x_9$$

$$\alpha_{5,8}^{12} \rightarrow x_{10}$$

$$\alpha_{2,6}^{10} \rightarrow x_{11}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_5 - x_9 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_{11} + x_5 - x_6 \quad = 0$$

$$(e_1, e_3, e_4) : \quad -x_6 + x_9 \quad = 0$$

$$(e_1, e_2, e_6) : \quad x_{11} - x_2 - x_8 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 - x_2 + x_6 \quad = 0$$

$$(e_1, e_2, e_{10}) : \quad -x_7 - 1 \quad = 0$$

$$(e_1, e_3, e_9) : \quad -x_3 - x_7 \quad = 0$$

$$(e_1, e_4, e_8) : \quad -x_{10} - x_3 \quad = 0$$

$$(e_1, e_5, e_7) : \quad -x_{10} - x_4 \quad = 0$$

$$(e_2, e_3, e_6) : \quad -x_{11}x_7 + x_2 + x_4 \quad = 0$$

$$(e_2, e_4, e_5) : \quad x_1 + x_{10} - x_3x_5 \quad = 0$$

Groebner basis (11 variables, 10 linear, 0 nonlinear)

$$2x_1 - x_{11} - 3 = 0$$

$$x_{11} + x_2 + 1 = 0$$

$$x_3 - 1 = 0$$

$$x_4 - 1 = 0$$

$$-x_{11} + 2x_5 - 1 = 0$$

$$x_{11} + 2x_6 - 1 = 0$$

$$x_7 + 1 = 0$$

$$-2x_{11} + x_8 - 1 = 0$$

$$x_{11} + 2x_9 - 1 = 0$$

$$x_{10} + 1 = 0$$

$\mathfrak{m}_{3B}(5, 12)$

m3B512 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = -e_{10} & [e_3, e_5] = -e_{11} \\
[e_3, e_{10}] = -e_{12} & [e_4, e_9] = e_{12} \\
[e_5, e_8] = -e_{12} & [e_6, e_7] = e_{12}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = -e_{10} & [e_3, e_5] = -e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{3,10}^{12} - 1 & = 0
\end{array}$$

Solution 1:

$$\begin{aligned}\alpha_{6,7}^{12} &= 1 \\ \alpha_{4,9}^{12} &= 1 \\ \alpha_{5,8}^{12} &= -1 \\ \alpha_{3,10}^{12} &= -1\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}\alpha_{6,7}^{12} &\rightarrow x_1 \\ \alpha_{4,9}^{12} &\rightarrow x_2 \\ \alpha_{5,8}^{12} &\rightarrow x_3 \\ \alpha_{3,10}^{12} &\rightarrow x_4\end{aligned}$$

Jacobi Tests

$$\begin{array}{lll}(e_1, e_2, e_{10}) : & -x_4 - 1 & = 0 \\ (e_1, e_3, e_9) : & -x_2 - x_4 & = 0 \\ (e_1, e_4, e_8) : & -x_2 - x_3 & = 0 \\ (e_1, e_5, e_7) : & -x_1 - x_3 & = 0 \\ (e_2, e_3, e_5) : & -x_4 - 1 & = 0\end{array}$$

Groebner basis (4 variables, 4 linear, 0 nonlinear)

$$\begin{aligned}x_1 - 1 &= 0 \\ x_2 - 1 &= 0 \\ x_3 + 1 &= 0 \\ x_4 + 1 &= 0\end{aligned}$$

Solution 1:

$$\begin{aligned}x_1 &= 1 \\ x_2 &= 1 \\ x_3 &= -1 \\ x_4 &= -1\end{aligned}$$

$\mathfrak{m}_{5B}(5, 12)$

m5B512 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_5] = \alpha_{2,5}^{10} e_{10} \\
[e_2, e_6] = \alpha_{2,6}^{11} e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = \alpha_{3,4}^{10} e_{10} & [e_3, e_5] = \alpha_{3,5}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^{10} \alpha_{3,10}^{12} + \alpha_{3,5}^{11} + \alpha_{5,8}^{12} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{4,9}^{12} \rightarrow x_1$$

$$\alpha_{6,7}^{12} \rightarrow x_2$$

$$\alpha_{3,4}^{10} \rightarrow x_3$$

$$\alpha_{3,10}^{12} \rightarrow x_4$$

$$\alpha_{2,6}^{11} \rightarrow x_5$$

$$\alpha_{3,5}^{11} \rightarrow x_6$$

$$\alpha_{5,8}^{12} \rightarrow x_7$$

$$\alpha_{2,5}^{10} \rightarrow x_8$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_3 - x_8 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_5 - x_6 + x_8 \quad = 0$$

$$(e_1, e_3, e_4) : \quad x_3 - x_6 \quad = 0$$

$$(e_1, e_2, e_{10}) : \quad -x_4 - 1 \quad = 0$$

$$(e_1, e_3, e_9) : \quad -x_1 - x_4 \quad = 0$$

$$(e_1, e_4, e_8) : \quad -x_1 - x_7 \quad = 0$$

$$(e_1, e_5, e_7) : \quad -x_2 - x_7 \quad = 0$$

$$(e_2, e_3, e_5) : \quad -x_4 x_8 + x_6 + x_7 \quad = 0$$

Groebner basis (8 variables, 7 linear, 0 nonlinear)

$$x_1 - 1 = 0$$

$$x_2 - 1 = 0$$

$$x_3 + x_8 - 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 - 2x_8 + 1 = 0$$

$$x_6 + x_8 - 1 = 0$$

$$x_7 + 1 = 0$$

$\mathfrak{m}_{2B}(6, 12)$

m2B612 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_2, e_5] = e_{11}$$

$$[e_2, e_{11}] = e_{12}$$

$$[e_3, e_4] = -e_{11}$$

$$[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12}$$

$$[e_4, e_9] = \alpha_{4,9}^{12} e_{12}$$

$$[e_5, e_8] = \alpha_{5,8}^{12} e_{12}$$

$$[e_6, e_7] = \alpha_{6,7}^{12} e_{12}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & \quad -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & \quad -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & \quad -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & \quad -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_4) : & \quad \text{no solutions}
\end{aligned}$$

There are no solutions.

$\mathfrak{m}_{4B}(6, 12)$

m4B612 (this line included for string searching purposes)

Solution 1

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_2, e_3] &= e_9 \\
[e_2, e_4] &= e_{10} & [e_2, e_5] &= 3e_{11} \\
[e_2, e_{11}] &= e_{12} & [e_3, e_4] &= -2e_{11} \\
[e_3, e_{10}] &= -e_{12} & [e_4, e_9] &= e_{12} \\
[e_5, e_8] &= -e_{12} & [e_6, e_7] &= e_{12}
\end{aligned}$$

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_2, e_3] &= e_9 \\
[e_2, e_4] &= e_{10} & [e_2, e_5] &= \alpha_{2,5}^{11} e_{11} \\
[e_2, e_{11}] &= e_{12} & [e_3, e_4] &= \alpha_{3,4}^{11} e_{11} \\
[e_3, e_{10}] &= \alpha_{3,10}^{12} e_{12} & [e_4, e_9] &= \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] &= \alpha_{5,8}^{12} e_{12} & [e_6, e_7] &= \alpha_{6,7}^{12} e_{12}
\end{aligned}$$



Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{3,10}^{12} + \alpha_{3,4}^{11} + \alpha_{4,9}^{12} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,4}^{11} &= -2 \\
\alpha_{4,9}^{12} &= 1 \\
\alpha_{6,7}^{12} &= 1 \\
\alpha_{3,10}^{12} &= -1 \\
\alpha_{5,8}^{12} &= -1 \\
\alpha_{2,5}^{11} &= 3
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{3,4}^{11} &\rightarrow x_1 \\
\alpha_{4,9}^{12} &\rightarrow x_2 \\
\alpha_{6,7}^{12} &\rightarrow x_3 \\
\alpha_{3,10}^{12} &\rightarrow x_4 \\
\alpha_{5,8}^{12} &\rightarrow x_5 \\
\alpha_{2,5}^{11} &\rightarrow x_6
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_1 - x_6 + 1 & = 0 \\
(e_1, e_2, e_{10}) : & -x_4 - 1 & = 0 \\
(e_1, e_3, e_9) : & -x_2 - x_4 & = 0 \\
(e_1, e_4, e_8) : & -x_2 - x_5 & = 0 \\
(e_1, e_5, e_7) : & -x_3 - x_5 & = 0 \\
(e_2, e_3, e_4) : & x_1 + x_2 - x_4 & = 0
\end{aligned}$$

Groebner basis (6 variables, 6 linear, 0 nonlinear)

$$x_1 + 2 = 0$$

$$x_2 - 1 = 0$$

$$x_3 - 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 + 1 = 0$$

$$x_6 - 3 = 0$$

Solution 1:

$$x_1 = -2$$

$$x_2 = 1$$

$$x_3 = 1$$

$$x_4 = -1$$

$$x_5 = -1$$

$$x_6 = 3$$

$\mathfrak{m}_{3B}(7, 12)$

m3B712 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_2, e_4] = e_{11}$$

$$[e_3, e_{10}] = -e_{12}$$

$$[e_5, e_8] = -e_{12}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_2, e_3] = e_{10}$$

$$[e_2, e_{11}] = e_{12}$$

$$[e_4, e_9] = e_{12}$$

$$[e_6, e_7] = e_{12}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_{10} \\
[e_2, e_4] = e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{6,7}^{12} = 1 \\
\alpha_{4,9}^{12} = 1 \\
\alpha_{5,8}^{12} = -1 \\
\alpha_{3,10}^{12} = -1
\end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{array}{l}
\alpha_{6,7}^{12} \rightarrow x_1 \\
\alpha_{4,9}^{12} \rightarrow x_2 \\
\alpha_{5,8}^{12} \rightarrow x_3 \\
\alpha_{3,10}^{12} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -x_4 - 1 & = 0 \\
(e_1, e_3, e_9) : & -x_2 - x_4 & = 0 \\
(e_1, e_4, e_8) : & -x_2 - x_3 & = 0 \\
(e_1, e_5, e_7) : & -x_1 - x_3 & = 0
\end{array}$$

Groebner basis (4 variables, 4 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - 1 = 0 \\
x_2 - 1 = 0 \\
x_3 + 1 = 0 \\
x_4 + 1 = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = 1 \\
x_2 = 1 \\
x_3 = -1 \\
x_4 = -1
\end{array}$$

$\mathfrak{m}_{2B}(8, 12)$

m2B812 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_{10}] = -e_{12} \\
[e_4, e_9] = e_{12} & [e_5, e_8] = -e_{12} \\
[e_6, e_7] = e_{12} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_8] = \alpha_{5,8}^{12} e_{12} \\
[e_6, e_7] = \alpha_{6,7}^{12} e_{12} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{6,7}^{12} = 1 \\
\alpha_{4,9}^{12} = 1 \\
\alpha_{5,8}^{12} = -1 \\
\alpha_{3,10}^{12} = -1
\end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{array}{l}
\alpha_{6,7}^{12} \rightarrow x_1 \\
\alpha_{4,9}^{12} \rightarrow x_2 \\
\alpha_{5,8}^{12} \rightarrow x_3 \\
\alpha_{3,10}^{12} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -x_4 - 1 & = 0 \\
(e_1, e_3, e_9) : & -x_2 - x_4 & = 0 \\
(e_1, e_4, e_8) : & -x_2 - x_3 & = 0 \\
(e_1, e_5, e_7) : & -x_1 - x_3 & = 0
\end{array}$$

Groebner basis (4 variables, 4 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - 1 = 0 \\
x_2 - 1 = 0 \\
x_3 + 1 = 0 \\
x_4 + 1 = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = 1 \\
x_2 = 1 \\
x_3 = -1 \\
x_4 = -1
\end{array}$$

$\mathfrak{m}_{2B}(2, 14)$

m2B214 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_{11}] = e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_{10}] = -e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_9] = e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_8] = -e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_7] = e_{13} \\
[e_6, e_9] = \alpha_{6,9}^{14} e_{14} & [e_7, e_8] = \alpha_{7,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_{10}) : & \text{no solutions} \\
(e_2, e_4, e_9) : & \text{no solutions} \\
(e_2, e_5, e_8) : & \text{no solutions} \\
(e_2, e_6, e_7) : & \text{no solutions}
\end{aligned}$$

There are no solutions.

$\mathbf{m}_{4B}(2, 14)$

m4B214 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_9] &= e_{11} \\
[e_2, e_{10}] &= 4e_{12} & [e_2, e_{11}] &= \alpha_{2,11}^{13} e_{13} \\
[e_2, e_{13}] &= e_{14} & [e_3, e_8] &= -e_{11} \\
[e_3, e_9] &= -3e_{12} & [e_3, e_{10}] &= \alpha_{3,10}^{13} e_{13} \\
[e_3, e_{12}] &= \alpha_{3,12}^{14} e_{14} & [e_4, e_7] &= e_{11} \\
[e_4, e_8] &= 2e_{12} & [e_4, e_9] &= \alpha_{4,9}^{13} e_{13} \\
[e_4, e_{11}] &= \alpha_{4,11}^{14} e_{14} & [e_5, e_6] &= -e_{11} \\
[e_5, e_7] &= -e_{12} & [e_5, e_8] &= \alpha_{5,8}^{13} e_{13} \\
[e_5, e_{10}] &= \alpha_{5,10}^{14} e_{14} & [e_6, e_7] &= \alpha_{6,7}^{13} e_{13} \\
[e_6, e_9] &= \alpha_{6,9}^{14} e_{14} & [e_7, e_8] &= \alpha_{7,8}^{14} e_{14}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & -\alpha_{2,11}^{13} - \alpha_{3,10}^{13} + 4 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} - \alpha_{4,9}^{13} - 3 & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{13} - \alpha_{5,8}^{13} + 2 & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{13} - \alpha_{6,7}^{13} - 1 & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,11}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} & = 0 \\
(e_2, e_5, e_6) : & -\alpha_{2,11}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_{10}) : & \alpha_{3,10}^{13} - 4\alpha_{3,12}^{14} & = 0 \\
(e_2, e_4, e_9) : & -\alpha_{4,11}^{14} + \alpha_{4,9}^{13} & = 0 \\
(e_2, e_5, e_8) : & \alpha_{5,8}^{13} & = 0 \\
(e_2, e_6, e_7) : & \alpha_{6,7}^{13} & = 0 \\
(e_3, e_4, e_8) : & 2\alpha_{3,12}^{14} + \alpha_{4,11}^{14} & = 0 \\
(e_3, e_5, e_7) : & -\alpha_{3,12}^{14} & = 0 \\
(e_4, e_5, e_6) : & -\alpha_{4,11}^{14} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{6,9}^{14} \rightarrow x_1$$

$$\alpha_{7,8}^{14} \rightarrow x_2$$

$$\alpha_{4,9}^{13} \rightarrow x_3$$

$$\alpha_{4,11}^{14} \rightarrow x_4$$

$$\alpha_{3,10}^{13} \rightarrow x_5$$

$$\alpha_{5,10}^{14} \rightarrow x_6$$

$$\alpha_{6,7}^{13} \rightarrow x_7$$

$$\alpha_{5,8}^{13} \rightarrow x_8$$



$$\alpha_{3,12}^{14} \rightarrow x_9$$

$$\alpha_{2,11}^{13} \rightarrow x_{10}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -x_{10} - x_5 + 4 & = 0 \\
(e_1, e_3, e_9) : & -x_3 - x_5 - 3 & = 0 \\
(e_1, e_4, e_8) : & -x_3 - x_8 + 2 & = 0 \\
(e_1, e_5, e_7) : & -x_7 - x_8 - 1 & = 0 \\
(e_2, e_3, e_8) : & -x_{10} & = 0 \\
(e_2, e_4, e_7) : & x_{10} & = 0 \\
(e_2, e_5, e_6) : & -x_{10} & = 0 \\
(e_1, e_2, e_{12}) : & -x_9 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_4 - x_9 & = 0 \\
(e_1, e_4, e_{10}) : & -x_4 - x_6 & = 0 \\
(e_1, e_5, e_9) : & -x_1 - x_6 & = 0 \\
(e_1, e_6, e_8) : & -x_1 - x_2 & = 0 \\
(e_2, e_3, e_{10}) : & x_5 - 4x_9 & = 0 \\
(e_2, e_4, e_9) : & x_3 - x_4 & = 0 \\
(e_2, e_5, e_8) : & x_8 & = 0 \\
(e_2, e_6, e_7) : & x_7 & = 0 \\
(e_3, e_4, e_8) : & x_4 + 2x_9 & = 0 \\
(e_3, e_5, e_7) : & -x_9 & = 0 \\
(e_4, e_5, e_6) : & -x_4 & = 0
\end{array}$$

Groebner basis (10 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{10B}(2, 14)$

m10B214 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_6] = \alpha_{2,6}^8 e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} & [e_2, e_{11}] = \alpha_{2,11}^{13} e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = \alpha_{3,4}^7 e_7 \\
[e_3, e_5] = \alpha_{3,5}^8 e_8 & [e_3, e_6] = \alpha_{3,6}^9 e_9 \\
[e_3, e_7] = \alpha_{3,7}^{10} e_{10} & [e_3, e_8] = \alpha_{3,8}^{11} e_{11} \\
[e_3, e_9] = \alpha_{3,9}^{12} e_{12} & [e_3, e_{10}] = \alpha_{3,10}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_4, e_8] = \alpha_{4,8}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{13} e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_6] = \alpha_{5,6}^{11} e_{11} \\
[e_5, e_7] = \alpha_{5,7}^{12} e_{12} & [e_5, e_8] = \alpha_{5,8}^{13} e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_7] = \alpha_{6,7}^{13} e_{13} \\
[e_6, e_9] = \alpha_{6,9}^{14} e_{14} & [e_7, e_8] = \alpha_{7,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - \alpha_{2,6}^8 \alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,4}^7 \alpha_{5,7}^{12} - \alpha_{3,5}^8 \alpha_{4,8}^{12} + \alpha_{3,9}^{12} \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{12} - \alpha_{2,11}^{13} - \alpha_{3,10}^{13} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} + \alpha_{3,9}^{12} - \alpha_{4,9}^{13} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{12} - \alpha_{4,9}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{12} - \alpha_{5,8}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_3, e_8) : & \alpha_{2,11}^{13} \alpha_{3,8}^{11} - \alpha_{2,8}^{10} \alpha_{3,10}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} \alpha_{4,7}^{11} - \alpha_{2,7}^9 \alpha_{4,9}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,11}^{13} \alpha_{5,6}^{11} + \alpha_{2,5}^7 \alpha_{6,7}^{13} - \alpha_{2,6}^8 \alpha_{5,8}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{13} \alpha_{4,6}^{10} + \alpha_{3,4}^7 \alpha_{6,7}^{13} - \alpha_{3,6}^9 \alpha_{4,9}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_{10}) : & -\alpha_{2,10}^{12} \alpha_{3,12}^{14} + \alpha_{3,10}^{13} - \alpha_{5,10}^{14} & = 0 \\
(e_2, e_4, e_9) : & -\alpha_{2,9}^{11} \alpha_{4,11}^{14} + \alpha_{4,9}^{13} - \alpha_{6,9}^{14} & = 0 \\
(e_2, e_5, e_8) : & -\alpha_{2,5}^7 \alpha_{7,8}^{14} - \alpha_{2,8}^{10} \alpha_{5,10}^{14} + \alpha_{5,8}^{13} & = 0 \\
(e_2, e_6, e_7) : & \alpha_{2,6}^8 \alpha_{7,8}^{14} - \alpha_{2,7}^9 \alpha_{6,9}^{14} + \alpha_{6,7}^{13} & = 0 \\
(e_3, e_4, e_8) : & \alpha_{2,11}^{13} \alpha_{4,8}^{12} - \alpha_{2,4}^7 \alpha_{7,8}^{14} - \alpha_{2,8}^{10} \alpha_{4,11}^{14} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,4}^7 \rightarrow x_1$$

$$\alpha_{2,6}^8 \rightarrow x_2$$

$$\alpha_{5,7}^{12} \rightarrow x_3$$

$$\alpha_{3,6}^9 \rightarrow x_4$$

$$\alpha_{4,5}^9 \rightarrow x_5$$

$$\alpha_{2,5}^7 \rightarrow x_6$$

$$\alpha_{3,8}^{11} \rightarrow x_7$$

$$\alpha_{3,7}^{10} \rightarrow x_8$$

$$\alpha_{2,11}^{13} \rightarrow x_9$$

$$\alpha_{4,7}^{11} \rightarrow x_{10}$$

$$\alpha_{7,8}^{14} \rightarrow x_{11}$$

$$\alpha_{3,9}^{12} \rightarrow x_{12}$$

$$\alpha_{4,11}^{14} \rightarrow x_{13}$$

$$\alpha_{3,10}^{13} \rightarrow x_{14}$$

$$\alpha_{2,8}^{10} \rightarrow x_{15}$$

$$\alpha_{4,6}^{10} \rightarrow x_{16}$$

$$\alpha_{2,10}^{12} \rightarrow x_{17}$$

$$\alpha_{3,5}^8 \rightarrow x_{18}$$

$$\alpha_{4,9}^{13} \rightarrow x_{19}$$

$$\alpha_{5,8}^{13} \rightarrow x_{20}$$

$$\alpha_{6,7}^{13} \rightarrow x_{21}$$

$$\alpha_{3,12}^{14} \rightarrow x_{22}$$

$$\alpha_{6,9}^{14} \rightarrow x_{23}$$

$$\alpha_{5,6}^{11} \rightarrow x_{24}$$

$$\alpha_{5,10}^{14} \rightarrow x_{25}$$

$$\alpha_{2,7}^9 \rightarrow x_{26}$$

$$\alpha_{2,9}^{11} \rightarrow x_{27}$$

$$\alpha_{4,8}^{12} \rightarrow x_{28}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_1 - x_6 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{18} - x_2 + x_6 & = 0 \\
(e_1, e_3, e_4) : & x_1 - x_{18} & = 0 \\
(e_1, e_2, e_6) : & x_2 - x_{26} - x_4 & = 0 \\
(e_1, e_3, e_5) : & x_{18} - x_4 - x_5 & = 0 \\
(e_2, e_3, e_4) : & x_1 x_{26} - x_4 + x_5 & = 0 \\
(e_1, e_2, e_7) : & -x_{15} + x_{26} - x_8 & = 0 \\
(e_1, e_3, e_6) : & -x_{16} + x_4 - x_8 & = 0 \\
(e_1, e_4, e_5) : & -x_{16} + x_5 & = 0 \\
(e_2, e_3, e_5) : & x_{15} x_{18} - x_6 x_8 & = 0 \\
(e_1, e_2, e_8) : & x_{15} - x_{27} - x_7 & = 0 \\
(e_1, e_3, e_7) : & -x_{10} - x_7 + x_8 & = 0 \\
(e_1, e_4, e_6) : & -x_{10} + x_{16} - x_{24} & = 0 \\
(e_2, e_3, e_6) : & -x_2 x_7 - x_{24} + x_{27} x_4 & = 0 \\
(e_2, e_4, e_5) : & -x_{10} x_6 + x_{24} + x_{27} x_5 & = 0 \\
(e_1, e_2, e_9) : & -x_{12} - x_{17} + x_{27} & = 0 \\
(e_1, e_3, e_8) : & -x_{12} - x_{28} + x_7 & = 0 \\
(e_1, e_4, e_7) : & x_{10} - x_{28} - x_3 & = 0 \\
(e_1, e_5, e_6) : & x_{24} - x_3 & = 0 \\
(e_2, e_3, e_7) : & -x_{12} x_{26} + x_{17} x_8 - x_3 & = 0 \\
(e_2, e_4, e_6) : & x_{16} x_{17} - x_2 x_{28} & = 0 \\
(e_3, e_4, e_5) : & x_1 x_3 + x_{12} x_5 - x_{18} x_{28} & = 0 \\
(e_1, e_2, e_{10}) : & -x_{14} + x_{17} - x_9 & = 0 \\
(e_1, e_3, e_9) : & x_{12} - x_{14} - x_{19} & = 0 \\
(e_1, e_4, e_8) : & -x_{19} - x_{20} + x_{28} & = 0 \\
(e_1, e_5, e_7) : & -x_{20} - x_{21} + x_3 & = 0 \\
(e_2, e_3, e_8) : & -x_{14} x_{15} - x_{20} + x_7 x_9 & = 0 \\
(e_2, e_4, e_7) : & x_{10} x_9 - x_{19} x_{26} - x_{21} & = 0 \\
(e_2, e_5, e_6) : & -x_2 x_{20} + x_{21} x_6 + x_{24} x_9 & = 0 \\
(e_3, e_4, e_6) : & x_1 x_{21} + x_{14} x_{16} - x_{19} x_4 & = 0 \\
(e_1, e_2, e_{12}) : & -x_{22} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{13} - x_{22} & = 0 \\
(e_1, e_4, e_{10}) : & -x_{13} - x_{25} & = 0 \\
(e_1, e_5, e_9) : & -x_{23} - x_{25} & = 0 \\
(e_1, e_6, e_8) : & -x_{11} - x_{23} & = 0 \\
(e_2, e_3, e_{10}) : & x_{14} - x_{17} x_{22} - x_{25} & = 0 \\
(e_2, e_4, e_9) : & -x_{13} x_{27} + x_{19} - x_{23} & = 0 \\
(e_2, e_5, e_8) : & -x_{11} x_6 - x_{13} x_{25} + x_{20} & = 0 \\
(e_2, e_6, e_7) : & x_{11} x_2 + x_{21} - x_{23} x_{26} & = 0 \\
(e_3, e_4, e_8) : & -x_1 x_{11} - x_{13} x_7 + x_{22} x_{28} & = 0 \\
(e_3, e_5, e_7) : & x_{11} x_{18} + x_{22} x_3 - x_{25} x_8 & = 0 \\
(e_4, e_5, e_6) : & x_{13} x_{24} - x_{16} x_{25} + x_{23} x_5 & = 0
\end{aligned}$$

Groebner basis (28 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{3B}(3, 14)$

m3B314 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_9] = e_{12} \\
[e_2, e_{10}] = 4e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_8] = -e_{12} & [e_3, e_9] = -3e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_7] = e_{12} \\
[e_4, e_8] = 2e_{13} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_6] = -e_{12} & [e_5, e_7] = -e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & -\alpha_{3,12}^{14} - 3 & = 0 \\
(e_2, e_4, e_8) : & \text{no solutions} & \\
(e_2, e_5, e_7) : & \text{no solutions} & \\
(e_3, e_4, e_7) : & \alpha_{3,12}^{14} & = 0 \\
(e_3, e_5, e_6) : & -\alpha_{3,12}^{14} & = 0
\end{array}$$

There are no solutions.

$\mathfrak{m}_{5B}(3, 14)$

m5B314 (this line included for string searching purposes)

Original brackets:

|  |  |
|--|--|
| $[e_1, e_2] = e_3$                         | $[e_1, e_3] = e_4$                         |
| $[e_1, e_4] = e_5$                         | $[e_1, e_5] = e_6$                         |
| $[e_1, e_6] = e_7$                         | $[e_1, e_7] = e_8$                         |
| $[e_1, e_8] = e_9$                         | $[e_1, e_9] = e_{10}$                      |
| $[e_1, e_{10}] = e_{11}$                   | $[e_1, e_{11}] = e_{12}$                   |
| $[e_1, e_{12}] = e_{13}$                   | $[e_2, e_7] = e_{10}$                      |
| $[e_2, e_8] = 3e_{11}$                     | $[e_2, e_9] = \alpha_{2,9}^{12}e_{12}$     |
| $[e_2, e_{10}] = \alpha_{2,10}^{13}e_{13}$ | $[e_2, e_{13}] = e_{14}$                   |
| $[e_3, e_6] = -e_{10}$                     | $[e_3, e_7] = -2e_{11}$                    |
| $[e_3, e_8] = \alpha_{3,8}^{12}e_{12}$     | $[e_3, e_9] = \alpha_{3,9}^{13}e_{13}$     |
| $[e_3, e_{12}] = \alpha_{3,12}^{14}e_{14}$ | $[e_4, e_5] = e_{10}$                      |
| $[e_4, e_6] = e_{11}$                      | $[e_4, e_7] = \alpha_{4,7}^{12}e_{12}$     |
| $[e_4, e_8] = \alpha_{4,8}^{13}e_{13}$     | $[e_4, e_{11}] = \alpha_{4,11}^{14}e_{14}$ |
| $[e_5, e_6] = \alpha_{5,6}^{12}e_{12}$     | $[e_5, e_7] = \alpha_{5,7}^{13}e_{13}$     |
| $[e_5, e_{10}] = \alpha_{5,10}^{14}e_{14}$ | $[e_6, e_9] = \alpha_{6,9}^{14}e_{14}$     |
| $[e_7, e_8] = \alpha_{7,8}^{14}e_{14}$     |  |



Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{12} - \alpha_{4,7}^{12} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{12} - \alpha_{5,6}^{12} + 1 & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,10}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & -\alpha_{2,9}^{12}\alpha_{3,12}^{14} + \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_8) : & -3\alpha_{4,11}^{14} + \alpha_{4,8}^{13} & = 0 \\
(e_2, e_5, e_7) : & -\alpha_{5,10}^{14} + \alpha_{5,7}^{13} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,12}^{14}\alpha_{4,7}^{12} + 2\alpha_{4,11}^{14} & = 0 \\
(e_3, e_5, e_6) : & \alpha_{3,12}^{14}\alpha_{5,6}^{12} + \alpha_{5,10}^{14} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{6,9}^{14} \rightarrow x_1$$

$$\alpha_{2,10}^{13} \rightarrow x_2$$

$$\alpha_{7,8}^{14} \rightarrow x_3$$

$$\alpha_{4,11}^{14} \rightarrow x_4$$

$$\alpha_{5,10}^{14} \rightarrow x_5$$

$$\alpha_{3,8}^{12} \rightarrow x_6$$

$$\alpha_{4,7}^{12} \rightarrow x_7$$

$$\alpha_{5,6}^{12} \rightarrow x_8$$

$$\alpha_{2,9}^{12} \rightarrow x_9$$

$$\alpha_{4,8}^{13} \rightarrow x_{10}$$

$$\alpha_{3,12}^{14} \rightarrow x_{11}$$

$$\alpha_{3,9}^{13} \rightarrow x_{12}$$

$$\alpha_{5,7}^{13} \rightarrow x_{13}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_6 - x_9 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_6 - x_7 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_7 - x_8 + 1 & = 0 \\
(e_1, e_2, e_9) : & -x_{12} - x_2 + x_9 & = 0 \\
(e_1, e_3, e_8) : & -x_{10} - x_{12} + x_6 & = 0 \\
(e_1, e_4, e_7) : & -x_{10} - x_{13} + x_7 & = 0 \\
(e_1, e_5, e_6) : & -x_{13} + x_8 & = 0 \\
(e_2, e_3, e_6) : & -x_2 & = 0 \\
(e_2, e_4, e_5) : & x_2 & = 0 \\
(e_1, e_2, e_{12}) : & -x_{11} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{11} - x_4 & = 0 \\
(e_1, e_4, e_{10}) : & -x_4 - x_5 & = 0 \\
(e_1, e_5, e_9) : & -x_1 - x_5 & = 0 \\
(e_1, e_6, e_8) : & -x_1 - x_3 & = 0 \\
(e_2, e_3, e_9) : & -x_{11}x_9 + x_{12} & = 0 \\
(e_2, e_4, e_8) : & x_{10} - 3x_4 & = 0 \\
(e_2, e_5, e_7) : & x_{13} - x_5 & = 0 \\
(e_3, e_4, e_7) : & x_{11}x_7 + 2x_4 & = 0 \\
(e_3, e_5, e_6) : & x_{11}x_8 + x_5 & = 0
\end{array}$$

Groebner basis (13 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{7B}(3, 14)$

m7B314 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_9] = \alpha_{2,9}^{12} e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = -e_8 & [e_3, e_5] = -e_9 \\
[e_3, e_6] = \alpha_{3,6}^{10} e_{10} & [e_3, e_7] = \alpha_{3,7}^{11} e_{11} \\
[e_3, e_8] = \alpha_{3,8}^{12} e_{12} & [e_3, e_9] = \alpha_{3,9}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_7] = \alpha_{4,7}^{12} e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13} e_{13} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_6] = \alpha_{5,6}^{12} e_{12} & [e_5, e_7] = \alpha_{5,7}^{13} e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - 2\alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & -\alpha_{2,9}^{12} \alpha_{3,12}^{14} + \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_8) : & -\alpha_{2,8}^{11} \alpha_{4,11}^{14} + \alpha_{4,8}^{13} & = 0 \\
(e_2, e_5, e_7) : & -\alpha_{2,7}^{10} \alpha_{5,10}^{14} + \alpha_{5,7}^{13} + \alpha_{7,8}^{14} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,12}^{14} \alpha_{4,7}^{12} - \alpha_{3,7}^{11} \alpha_{4,11}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_3, e_5, e_6) : & \alpha_{3,12}^{14} \alpha_{5,6}^{12} - \alpha_{3,6}^{10} \alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0
\end{aligned}$$

No solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,7}^{11} \rightarrow x_1$$

$$\alpha_{2,7}^{10} \rightarrow x_2$$

$$\alpha_{6,9}^{14} \rightarrow x_3$$

$$\alpha_{2,10}^{13} \rightarrow x_4$$

$$\alpha_{7,8}^{14} \rightarrow x_5$$

$$\alpha_{4,11}^{14} \rightarrow x_6$$

$$\alpha_{5,10}^{14} \rightarrow x_7$$

$$\alpha_{4,6}^{11} \rightarrow x_8$$

$$\alpha_{3,8}^{12} \rightarrow x_9$$

$$\alpha_{4,5}^{10} \rightarrow x_{10}$$

$$\alpha_{4,7}^{12} \rightarrow x_{11}$$

$$\alpha_{5,6}^{12} \rightarrow x_{12}$$

$$\alpha_{3,6}^{10} \rightarrow x_{13}$$

$$\alpha_{2,9}^{12} \rightarrow x_{14}$$

$$\alpha_{4,8}^{13} \rightarrow x_{15}$$

$$\alpha_{3,12}^{14} \rightarrow x_{16}$$

$$\alpha_{2,8}^{11} \rightarrow x_{17}$$

$$\alpha_{3,9}^{13} \rightarrow x_{18}$$

$$\alpha_{5,7}^{13} \rightarrow x_{19}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_6) : & \quad -x_{13} - x_2 + 2 & = 0 \\
(e_1, e_3, e_5) : & \quad -x_{10} - x_{13} - 1 & = 0 \\
(e_1, e_2, e_7) : & \quad -x_1 - x_{17} + x_2 & = 0 \\
(e_1, e_3, e_6) : & \quad -x_1 + x_{13} - x_8 & = 0 \\
(e_1, e_4, e_5) : & \quad x_{10} - x_8 & = 0 \\
(e_2, e_3, e_4) : & \quad -x_{17} & = 0 \\
(e_1, e_2, e_8) : & \quad -x_{14} + x_{17} - x_9 & = 0 \\
(e_1, e_3, e_7) : & \quad x_1 - x_{11} - x_9 & = 0 \\
(e_1, e_4, e_6) : & \quad -x_{11} - x_{12} + x_8 & = 0 \\
(e_2, e_3, e_5) : & \quad -x_{14} - x_9 & = 0 \\
(e_1, e_2, e_9) : & \quad x_{14} - x_{18} - x_4 & = 0 \\
(e_1, e_3, e_8) : & \quad -x_{15} - x_{18} + x_9 & = 0 \\
(e_1, e_4, e_7) : & \quad x_{11} - x_{15} - x_{19} & = 0 \\
(e_1, e_5, e_6) : & \quad x_{12} - x_{19} & = 0 \\
(e_2, e_3, e_6) : & \quad x_{13}x_4 - 2x_{18} & = 0 \\
(e_2, e_4, e_5) : & \quad x_{10}x_4 - x_{15} & = 0 \\
(e_1, e_2, e_{12}) : & \quad -x_{16} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & \quad -x_{16} - x_6 & = 0 \\
(e_1, e_4, e_{10}) : & \quad -x_6 - x_7 & = 0 \\
(e_1, e_5, e_9) : & \quad -x_3 - x_7 & = 0 \\
(e_1, e_6, e_8) : & \quad -x_3 - x_5 & = 0 \\
(e_2, e_3, e_9) : & \quad -x_{14}x_{16} + x_{18} & = 0 \\
(e_2, e_4, e_8) : & \quad x_{15} - x_{17}x_6 & = 0 \\
(e_2, e_5, e_7) : & \quad x_{19} - x_2x_7 + x_5 & = 0 \\
(e_3, e_4, e_7) : & \quad -x_1x_6 + x_{11}x_{16} - x_5 & = 0 \\
(e_3, e_5, e_6) : & \quad x_{12}x_{16} - x_{13}x_7 - x_3 & = 0
\end{aligned}$$

Groebner basis (19 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{9B}(3, 14)$

m9B314 (this line included for string searching purposes)

Solution 1

|                           |                          |
|---------------------------|--------------------------|
| $[e_1, e_2] = e_3$        | $[e_1, e_3] = e_4$       |
| $[e_1, e_4] = e_5$        | $[e_1, e_5] = e_6$       |
| $[e_1, e_6] = e_7$        | $[e_1, e_7] = e_8$       |
| $[e_1, e_8] = e_9$        | $[e_1, e_9] = e_{10}$    |
| $[e_1, e_{10}] = e_{11}$  | $[e_1, e_{11}] = e_{12}$ |
| $[e_1, e_{12}] = e_{13}$  | $[e_2, e_3] = e_6$       |
| $[e_2, e_4] = e_7$        | $[e_2, e_5] = -2e_8$     |
| $[e_2, e_6] = -5e_9$      | $[e_2, e_7] = -5e_{10}$  |
| $[e_2, e_8] = -2e_{11}$   | $[e_2, e_9] = e_{12}$    |
| $[e_2, e_{10}] = e_{13}$  | $[e_2, e_{13}] = e_{14}$ |
| $[e_3, e_4] = 3e_8$       | $[e_3, e_5] = 3e_9$      |
| $[e_3, e_6] = 0$          | $[e_3, e_7] = -3e_{11}$  |
| $[e_3, e_8] = -3e_{12}$   | $[e_3, e_9] = 0$         |
| $[e_3, e_{12}] = -e_{14}$ | $[e_4, e_5] = 3e_{10}$   |
| $[e_4, e_6] = 3e_{11}$    | $[e_4, e_7] = 0$         |
| $[e_4, e_8] = -3e_{13}$   | $[e_4, e_{11}] = e_{14}$ |
| $[e_5, e_6] = 3e_{12}$    | $[e_5, e_7] = 3e_{13}$   |
| $[e_5, e_{10}] = -e_{14}$ | $[e_6, e_9] = e_{14}$    |
| $[e_7, e_8] = -e_{14}$    |                          |

Solution 2

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_3] &= e_6 \\
[e_2, e_4] &= e_7 & [e_2, e_5] &= \frac{10e_8}{7} \\
[e_2, e_6] &= \frac{13e_9}{7} & [e_2, e_7] &= \frac{19e_{10}}{7} \\
[e_2, e_8] &= 4e_{11} & [e_2, e_9] &= 7e_{12} \\
[e_2, e_{10}] &= 13e_{13} & [e_2, e_{13}] &= e_{14} \\
[e_3, e_4] &= -\frac{3e_8}{7} & [e_3, e_5] &= -\frac{3e_9}{7} \\
[e_3, e_6] &= -\frac{6e_{10}}{7} & [e_3, e_7] &= -\frac{9e_{11}}{7} \\
[e_3, e_8] &= -3e_{12} & [e_3, e_9] &= -6e_{13} \\
[e_3, e_{12}] &= -e_{14} & [e_4, e_5] &= \frac{3e_{10}}{7} \\
[e_4, e_6] &= \frac{3e_{11}}{7} & [e_4, e_7] &= \frac{12e_{12}}{7} \\
[e_4, e_8] &= 3e_{13} & [e_4, e_{11}] &= e_{14} \\
[e_5, e_6] &= -\frac{9e_{12}}{7} & [e_5, e_7] &= -\frac{9e_{13}}{7} \\
[e_5, e_{10}] &= -e_{14} & [e_6, e_9] &= e_{14} \\
[e_7, e_8] &= -e_{14}
\end{aligned}$$



Solution 3

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_3] &= e_6 \\
[e_2, e_4] &= e_7 & [e_2, e_5] &= \frac{e_8}{4} \\
[e_2, e_6] &= -\frac{e_9}{2} & [e_2, e_7] &= -\frac{23e_{10}}{28} \\
[e_2, e_8] &= -\frac{5e_{11}}{7} & [e_2, e_9] &= -\frac{5e_{12}}{4} \\
[e_2, e_{10}] &= -\frac{7e_{13}}{2} & [e_2, e_{13}] &= e_{14} \\
[e_3, e_4] &= \frac{3e_8}{4} & [e_3, e_5] &= \frac{3e_9}{4} \\
[e_3, e_6] &= \frac{9e_{10}}{28} & [e_3, e_7] &= -\frac{3e_{11}}{28} \\
[e_3, e_8] &= \frac{15e_{12}}{28} & [e_3, e_9] &= \frac{9e_{13}}{4} \\
[e_3, e_{12}] &= -e_{14} & [e_4, e_5] &= \frac{3e_{10}}{7} \\
[e_4, e_6] &= \frac{3e_{11}}{7} & [e_4, e_7] &= -\frac{9e_{12}}{14} \\
[e_4, e_8] &= -\frac{12e_{13}}{7} & [e_4, e_{11}] &= e_{14} \\
[e_5, e_6] &= \frac{15e_{12}}{14} & [e_5, e_7] &= \frac{15e_{13}}{14} \\
[e_5, e_{10}] &= -e_{14} & [e_6, e_9] &= e_{14} \\
[e_7, e_8] &= -e_{14} & &
\end{aligned}$$

Solution 4

|                           |                          |
|---------------------------|--------------------------|
| $[e_1, e_2] = e_3$        | $[e_1, e_3] = e_4$       |
| $[e_1, e_4] = e_5$        | $[e_1, e_5] = e_6$       |
| $[e_1, e_6] = e_7$        | $[e_1, e_7] = e_8$       |
| $[e_1, e_8] = e_9$        | $[e_1, e_9] = e_{10}$    |
| $[e_1, e_{10}] = e_{11}$  | $[e_1, e_{11}] = e_{12}$ |
| $[e_1, e_{12}] = e_{13}$  | $[e_2, e_3] = e_6$       |
| $[e_2, e_4] = e_7$        | $[e_2, e_5] = e_8$       |
| $[e_2, e_6] = e_9$        | $[e_2, e_7] = e_{10}$    |
| $[e_2, e_8] = e_{11}$     | $[e_2, e_9] = e_{12}$    |
| $[e_2, e_{10}] = e_{13}$  | $[e_2, e_{13}] = e_{14}$ |
| $[e_3, e_4] = 0$          | $[e_3, e_5] = 0$         |
| $[e_3, e_6] = 0$          | $[e_3, e_7] = 0$         |
| $[e_3, e_8] = 0$          | $[e_3, e_9] = 0$         |
| $[e_3, e_{12}] = -e_{14}$ | $[e_4, e_5] = 0$         |
| $[e_4, e_6] = 0$          | $[e_4, e_7] = 0$         |
| $[e_4, e_8] = 0$          | $[e_4, e_{11}] = e_{14}$ |
| $[e_5, e_6] = 0$          | $[e_5, e_7] = 0$         |
| $[e_5, e_{10}] = -e_{14}$ | $[e_6, e_9] = e_{14}$    |
| $[e_7, e_8] = -e_{14}$    |                          |

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\
[e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_9] = \alpha_{2,9}^{12} e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = \alpha_{3,4}^8 e_8 & [e_3, e_5] = \alpha_{3,5}^9 e_9 \\
[e_3, e_6] = \alpha_{3,6}^{10} e_{10} & [e_3, e_7] = \alpha_{3,7}^{11} e_{11} \\
[e_3, e_8] = \alpha_{3,8}^{12} e_{12} & [e_3, e_9] = \alpha_{3,9}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_7] = \alpha_{4,7}^{12} e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13} e_{13} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_6] = \alpha_{5,6}^{12} e_{12} & [e_5, e_7] = \alpha_{5,7}^{13} e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{12} + \alpha_{2,9}^{12} \alpha_{3,5}^9 + \alpha_{5,6}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - \alpha_{2,6}^9 \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{2,5}^8 \alpha_{4,8}^{13} + \alpha_{5,7}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & -\alpha_{2,9}^{12} \alpha_{3,12}^{14} + \alpha_{3,9}^{13} - \alpha_{6,9}^{14} & = 0 \\
(e_2, e_4, e_8) : & -\alpha_{2,8}^{11} \alpha_{4,11}^{14} + \alpha_{4,8}^{13} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_5, e_7) : & \alpha_{2,5}^8 \alpha_{7,8}^{14} - \alpha_{2,7}^{10} \alpha_{5,10}^{14} + \alpha_{5,7}^{13} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,12}^{14} \alpha_{4,7}^{12} + \alpha_{3,4}^8 \alpha_{7,8}^{14} - \alpha_{3,7}^{11} \alpha_{4,11}^{14} & = 0 \\
(e_3, e_5, e_6) : & \alpha_{3,12}^{14} \alpha_{5,6}^{12} + \alpha_{3,5}^9 \alpha_{6,9}^{14} - \alpha_{3,6}^{10} \alpha_{5,10}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,7}^{11} &= -3 \\
\alpha_{2,7}^{10} &= -5 \\
\alpha_{2,10}^{13} &= 1 \\
\alpha_{3,8}^{12} &= -3 \\
\alpha_{5,6}^{12} &= 3 \\
\alpha_{3,5}^9 &= 3 \\
\alpha_{5,7}^{13} &= 3 \\
\alpha_{2,6}^9 &= -5 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{4,5}^{10} &= 3 \\
\alpha_{2,9}^{12} &= 1 \\
\alpha_{3,4}^8 &= 3 \\
\alpha_{2,5}^8 &= -2 \\
\alpha_{2,8}^{11} &= -2 \\
\alpha_{4,6}^{11} &= 3 \\
\alpha_{3,6}^{10} &= 0 \\
\alpha_{4,8}^{13} &= -3 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{3,9}^{13} &= 0 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{4,7}^{12} &= 0
\end{aligned}$$

Solution 2:

$$\begin{aligned}
\alpha_{3,7}^{11} &= -9/7 \\
\alpha_{2,7}^{10} &= 19/7 \\
\alpha_{2,10}^{13} &= 13 \\
\alpha_{3,8}^{12} &= -3 \\
\alpha_{5,6}^{12} &= -9/7 \\
\alpha_{3,5}^9 &= -3/7 \\
\alpha_{5,7}^{13} &= -9/7 \\
\alpha_{2,6}^9 &= 13/7 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{4,5}^{10} &= 3/7 \\
\alpha_{2,9}^{12} &= 7 \\
\alpha_{3,4}^8 &= -3/7 \\
\alpha_{2,5}^8 &= 10/7 \\
\alpha_{2,8}^{11} &= 4 \\
\alpha_{4,6}^{11} &= 3/7 \\
\alpha_{3,6}^{10} &= -6/7 \\
\alpha_{4,8}^{13} &= 3 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{3,9}^{13} &= -6 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{4,7}^{12} &= 12/7
\end{aligned}$$

Solution 3:

$$\begin{aligned}
\alpha_{3,7}^{11} &= -3/28 \\
\alpha_{2,7}^{10} &= -23/28 \\
\alpha_{2,10}^{13} &= -7/2 \\
\alpha_{3,8}^{12} &= 15/28 \\
\alpha_{5,6}^{12} &= 15/14 \\
\alpha_{3,5}^9 &= 3/4 \\
\alpha_{5,7}^{13} &= 15/14 \\
\alpha_{2,6}^9 &= -1/2 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{4,5}^{10} &= 3/7 \\
\alpha_{2,9}^{12} &= -5/4 \\
\alpha_{3,4}^8 &= 3/4 \\
\alpha_{2,5}^8 &= 1/4 \\
\alpha_{2,8}^{11} &= -5/7 \\
\alpha_{4,6}^{11} &= 3/7 \\
\alpha_{3,6}^{10} &= 9/28 \\
\alpha_{4,8}^{13} &= -12/7 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{3,9}^{13} &= 9/4 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{4,7}^{12} &= -9/14
\end{aligned}$$

Solution 4:

$$\alpha_{3,7}^{11} = 0$$

$$\alpha_{2,7}^{10} = 1$$

$$\alpha_{2,10}^{13} = 1$$

$$\alpha_{3,8}^{12} = 0$$

$$\alpha_{5,6}^{12} = 0$$

$$\alpha_{3,5}^9 = 0$$

$$\alpha_{5,7}^{13} = 0$$

$$\alpha_{2,6}^9 = 1$$

$$\alpha_{7,8}^{14} = -1$$

$$\alpha_{4,11}^{14} = 1$$

$$\alpha_{4,5}^{10} = 0$$

$$\alpha_{2,9}^{12} = 1$$

$$\alpha_{3,4}^8 = 0$$

$$\alpha_{2,5}^8 = 1$$

$$\alpha_{2,8}^{11} = 1$$

$$\alpha_{4,6}^{11} = 0$$

$$\alpha_{3,6}^{10} = 0$$

$$\alpha_{4,8}^{13} = 0$$

$$\alpha_{3,12}^{14} = -1$$

$$\alpha_{3,9}^{13} = 0$$

$$\alpha_{6,9}^{14} = 1$$

$$\alpha_{5,10}^{14} = -1$$

$$\alpha_{4,7}^{12} = 0$$

*How the solution(s) were or were not found:*  
Change variables

$$\alpha_{3,7}^{11} \rightarrow x_1$$

$$\alpha_{2,7}^{10} \rightarrow x_2$$

$$\alpha_{2,10}^{13} \rightarrow x_3$$

$$\alpha_{3,8}^{12} \rightarrow x_4$$

$$\alpha_{5,6}^{12} \rightarrow x_5$$



$$\alpha_{3,5}^9 \rightarrow x_6$$

$$\alpha_{5,7}^{13} \rightarrow x_7$$

$$\alpha_{2,6}^9 \rightarrow x_8$$

$$\alpha_{7,8}^{14} \rightarrow x_9$$

$$\alpha_{4,11}^{14} \rightarrow x_{10}$$

$$\alpha_{4,5}^{10} \rightarrow x_{11}$$

$$\alpha_{2,9}^{12} \rightarrow x_{12}$$

$$\alpha_{3,4}^8 \rightarrow x_{13}$$

$$\alpha_{2,5}^8 \rightarrow x_{14}$$

$$\alpha_{2,8}^{11} \rightarrow x_{15}$$

$$\alpha_{4,6}^{11} \rightarrow x_{16}$$

$$\alpha_{3,6}^{10} \rightarrow x_{17}$$

$$\alpha_{4,8}^{13} \rightarrow x_{18}$$

$$\alpha_{3,12}^{14} \rightarrow x_{19}$$

$$\alpha_{3,9}^{13} \rightarrow x_{20}$$

$$\alpha_{6,9}^{14} \rightarrow x_{21}$$

$$\alpha_{5,10}^{14} \rightarrow x_{22}$$

$$\alpha_{4,7}^{12} \rightarrow x_{23}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{13} - x_{14} + 1 & = 0 \\
(e_1, e_2, e_5) : & x_{14} - x_6 - x_8 & = 0 \\
(e_1, e_3, e_4) : & x_{13} - x_6 & = 0 \\
(e_1, e_2, e_6) : & -x_{17} - x_2 + x_8 & = 0 \\
(e_1, e_3, e_5) : & -x_{11} - x_{17} + x_6 & = 0 \\
(e_1, e_2, e_7) : & -x_1 - x_{15} + x_2 & = 0 \\
(e_1, e_3, e_6) : & -x_1 - x_{16} + x_{17} & = 0 \\
(e_1, e_4, e_5) : & x_{11} - x_{16} & = 0 \\
(e_2, e_3, e_4) : & -x_1 + x_{13}x_{15} + x_{16} & = 0 \\
(e_1, e_2, e_8) : & -x_{12} + x_{15} - x_4 & = 0 \\
(e_1, e_3, e_7) : & x_1 - x_{23} - x_4 & = 0 \\
(e_1, e_4, e_6) : & x_{16} - x_{23} - x_5 & = 0 \\
(e_2, e_3, e_5) : & x_{12}x_6 - x_{14}x_4 + x_5 & = 0 \\
(e_1, e_2, e_9) : & x_{12} - x_{20} - x_3 & = 0 \\
(e_1, e_3, e_8) : & -x_{18} - x_{20} + x_4 & = 0 \\
(e_1, e_4, e_7) : & -x_{18} + x_{23} - x_7 & = 0 \\
(e_1, e_5, e_6) : & x_5 - x_7 & = 0 \\
(e_2, e_3, e_6) : & x_{17}x_3 - x_{20}x_8 & = 0 \\
(e_2, e_4, e_5) : & x_{11}x_3 - x_{14}x_{18} + x_7 & = 0 \\
(e_1, e_2, e_{12}) : & -x_{19} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{10} - x_{19} & = 0 \\
(e_1, e_4, e_{10}) : & -x_{10} - x_{22} & = 0 \\
(e_1, e_5, e_9) : & -x_{21} - x_{22} & = 0 \\
(e_1, e_6, e_8) : & -x_{21} - x_9 & = 0 \\
(e_2, e_3, e_9) : & -x_{12}x_{19} + x_{20} - x_{21} & = 0 \\
(e_2, e_4, e_8) : & -x_{10}x_{15} + x_{18} - x_9 & = 0 \\
(e_2, e_5, e_7) : & x_{14}x_9 - x_2x_{22} + x_7 & = 0 \\
(e_3, e_4, e_7) : & -x_1x_{10} + x_{13}x_9 + x_{19}x_{23} & = 0 \\
(e_3, e_5, e_6) : & -x_{17}x_{22} + x_{19}x_5 + x_{21}x_6 & = 0
\end{array}$$

Groebner basis (23 variables, 21 linear, 3 nonlinear)

$$\begin{aligned}
2x_1 - 2x_{18} + 5x_{23} &= 0 \\
-4x_{18} + 2x_2 + 5x_{23} - 2 &= 0 \\
-7x_{23} + x_3 - 1 &= 0
\end{aligned}$$

$$\begin{aligned}
-2x_{18} + 7x_{23} + 2x_4 &= 0 \\
x_{18} - x_{23} + x_5 &= 0 \\
2x_{18} - 3x_{23} + 2x_6 &= 0 \\
x_{18} - x_{23} + x_7 &= 0 \\
-2x_{18} + 3x_{23} + x_8 - 1 &= 0 \\
x_9 + 1 &= 0 \\
x_{10} - 1 &= 0 \\
x_{11} + x_{18} - 2x_{23} &= 0 \\
2x_{12} - 7x_{23} - 2 &= 0 \\
2x_{13} + 2x_{18} - 3x_{23} &= 0 \\
2x_{14} - 2x_{18} + 3x_{23} - 2 &= 0 \\
x_{15} - x_{18} - 1 &= 0 \\
x_{16} + x_{18} - 2x_{23} &= 0 \\
2x_{17} + x_{23} &= 0 \\
14x_{18}^2 + 42x_{18} - 42x_{23}^2 - 75x_{23} &= 0 \\
7x_{18}x_{23} - 14x_{23}^2 + 3x_{23} &= 0 \\
x_{19} + 1 &= 0 \\
2x_{20} + 7x_{23} &= 0 \\
x_{21} - 1 &= 0 \\
x_{22} + 1 &= 0 \\
98x_{23}^3 - 105x_{23}^2 - 108x_{23} &= 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
x_1 &= -3 \\
x_2 &= -5 \\
x_3 &= 1 \\
x_4 &= -3 \\
x_5 &= 3 \\
x_6 &= 3 \\
x_7 &= 3 \\
x_8 &= -5 \\
x_9 &= -1 \\
x_{10} &= 1
\end{aligned}$$

$$x_11 = 3$$

$$x_12 = 1$$

$$x_13 = 3$$

$$x_14 = -2$$

$$x_15 = -2$$

$$x_16 = 3$$

$$x_17 = 0$$

$$x_18 = -3$$

$$x_19 = -1$$

$$x_20 = 0$$

$$x_21 = 1$$

$$x_22 = -1$$

$$x_23 = 0$$

Solution 2:

$$x_1 = -9/7$$

$$x_2 = 19/7$$

$$x_3 = 13$$

$$x_4 = -3$$

$$x_5 = -9/7$$

$$x_6 = -3/7$$

$$x_7 = -9/7$$

$$x_8 = 13/7$$

$$x_9 = -1$$

$$x_{10} = 1$$

$$x_{11} = 3/7$$

$$x_{12} = 7$$

$$x_{13} = -3/7$$

$$x_{14} = 10/7$$

$$x_{15} = 4$$

$$x_{16} = 3/7$$

$$x_{17} = -6/7$$

$$x_{18} = 3$$

$$x_1 9 = -1$$

$$x_2 0 = -6$$

$$x_2 1 = 1$$

$$x_2 2 = -1$$

$$x_2 3 = 12/7$$

Solution 3:

$$x_1 = -3/28$$

$$x_2 = -23/28$$

$$x_3 = -7/2$$

$$x_4 = 15/28$$

$$x_5 = 15/14$$

$$x_6 = 3/4$$

$$x_7 = 15/14$$

$$x_8 = -1/2$$

$$x_9 = -1$$

$$x_1 0 = 1$$

$$x_1 1 = 3/7$$

$$x_1 2 = -5/4$$

$$x_1 3 = 3/4$$

$$x_1 4 = 1/4$$

$$x_1 5 = -5/7$$

$$x_1 6 = 3/7$$

$$x_1 7 = 9/28$$

$$x_1 8 = -12/7$$

$$x_1 9 = -1$$

$$x_2 0 = 9/4$$

$$x_2 1 = 1$$

$$x_2 2 = -1$$

$$x_2 3 = -9/14$$

Solution 4:

$$x_1 = 0$$

$$x_2 = 1$$

$$\begin{aligned}
x_3 &= 1 \\
x_4 &= 0 \\
x_5 &= 0 \\
x_6 &= 0 \\
x_7 &= 0 \\
x_8 &= 1 \\
x_9 &= -1 \\
x_{10} &= 1 \\
x_{11} &= 0 \\
x_{12} &= 1 \\
x_{13} &= 0 \\
x_{14} &= 1 \\
x_{15} &= 1 \\
x_{16} &= 0 \\
x_{17} &= 0 \\
x_{18} &= 0 \\
x_{19} &= -1 \\
x_{20} &= 0 \\
x_{21} &= 1 \\
x_{22} &= -1 \\
x_{23} &= 0
\end{aligned}$$

$\mathfrak{m}_{2B}(4, 14)$

m2B414 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_9] = e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_8] = -e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_7] = e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_6] = -e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_8) : & \text{no solutions} & \\
(e_2, e_4, e_7) : & \text{no solutions} & \\
(e_2, e_5, e_6) : & \text{no solutions} &
\end{array}$$

There are no solutions.

$\mathfrak{m}_{4B}(4, 14)$

m4B414 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{11} \\
[e_2, e_8] = 3e_{12} & [e_2, e_9] = 6e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_6] = -e_{11} \\
[e_3, e_7] = -2e_{12} & [e_3, e_8] = -3e_{13} \\
[e_3, e_{12}] = -e_{14} & [e_4, e_5] = e_{11} \\
[e_4, e_6] = e_{12} & [e_4, e_7] = e_{13} \\
[e_4, e_{11}] = e_{14} & [e_5, e_6] = 0 \\
[e_5, e_{10}] = -e_{14} & [e_6, e_9] = e_{14} \\
[e_7, e_8] = -e_{14} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{11} \\
[e_2, e_8] = 3e_{12} & [e_2, e_9] = \alpha_{2,9}^{13}e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_6] = -e_{11} \\
[e_3, e_7] = -2e_{12} & [e_3, e_8] = \alpha_{3,8}^{13}e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14}e_{14} & [e_4, e_5] = e_{11} \\
[e_4, e_6] = e_{12} & [e_4, e_7] = \alpha_{4,7}^{13}e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14}e_{14} & [e_5, e_6] = \alpha_{5,6}^{13}e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14}e_{14} & [e_6, e_9] = \alpha_{6,9}^{14}e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14}e_{14} &
\end{array}$$



Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{13} - \alpha_{3,8}^{13} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{13} - \alpha_{4,7}^{13} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{13} - \alpha_{5,6}^{13} + 1 & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_8) : & -3\alpha_{3,12}^{14} + \alpha_{3,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & -\alpha_{4,11}^{14} + \alpha_{4,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{5,6}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,12}^{14} + \alpha_{4,11}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{5,6}^{13} &= 0 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{4,7}^{13} &= 1 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{2,9}^{13} &= 6 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{3,8}^{13} &= -3
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{5,6}^{13} &\rightarrow x_1 \\
\alpha_{6,9}^{14} &\rightarrow x_2 \\
\alpha_{7,8}^{14} &\rightarrow x_3 \\
\alpha_{4,7}^{13} &\rightarrow x_4
\end{aligned}$$

$$\alpha_{4,11}^{14} \rightarrow x_5$$

$$\alpha_{5,10}^{14} \rightarrow x_6$$

$$\alpha_{2,9}^{13} \rightarrow x_7$$

$$\alpha_{3,12}^{14} \rightarrow x_8$$

$$\alpha_{3,8}^{13} \rightarrow x_9$$

Jacobi Tests

$$\begin{array}{lll} (e_1, e_2, e_8) : & -x_7 - x_9 + 3 & = 0 \\ (e_1, e_3, e_7) : & -x_4 - x_9 - 2 & = 0 \\ (e_1, e_4, e_6) : & -x_1 - x_4 + 1 & = 0 \\ (e_1, e_2, e_{12}) : & -x_8 - 1 & = 0 \\ (e_1, e_3, e_{11}) : & -x_5 - x_8 & = 0 \\ (e_1, e_4, e_{10}) : & -x_5 - x_6 & = 0 \\ (e_1, e_5, e_9) : & -x_2 - x_6 & = 0 \\ (e_1, e_6, e_8) : & -x_2 - x_3 & = 0 \\ (e_2, e_3, e_8) : & -3x_8 + x_9 & = 0 \\ (e_2, e_4, e_7) : & x_4 - x_5 & = 0 \\ (e_2, e_5, e_6) : & x_1 & = 0 \\ (e_3, e_4, e_6) : & x_5 + x_8 & = 0 \end{array}$$

Groebner basis (9 variables, 9 linear, 0 nonlinear)

$$\begin{array}{l} x_1 = 0 \\ x_2 - 1 = 0 \\ x_3 + 1 = 0 \\ x_4 - 1 = 0 \\ x_5 - 1 = 0 \\ x_6 + 1 = 0 \\ x_7 - 6 = 0 \\ x_8 + 1 = 0 \\ x_9 + 3 = 0 \end{array}$$

Solution 1:

$$\begin{array}{l} x_1 = 0 \\ x_2 = 1 \end{array}$$

$$x_3 = -1$$

$$x_4 = 1$$

$$x_5 = 1$$

$$x_6 = -1$$

$$x_7 = 6$$

$$x_8 = -1$$

$$x_9 = -3$$

$\mathfrak{m}_{6B}(4, 14)$

m6B414 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_2, e_6] = 2e_{10}$$

$$[e_2, e_8] = 0$$

$$[e_2, e_{13}] = e_{14}$$

$$[e_3, e_5] = -e_{10}$$

$$[e_3, e_7] = \frac{5e_{12}}{3}$$

$$[e_3, e_{12}] = -e_{14}$$

$$[e_4, e_6] = -\frac{4e_{12}}{3}$$

$$[e_4, e_{11}] = e_{14}$$

$$[e_5, e_{10}] = -e_{14}$$

$$[e_7, e_8] = -e_{14}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_2, e_5] = e_9$$

$$[e_2, e_7] = \frac{5e_{11}}{3}$$

$$[e_2, e_9] = 0$$

$$[e_3, e_4] = -e_9$$

$$[e_3, e_6] = \frac{e_{11}}{3}$$

$$[e_3, e_8] = 0$$

$$[e_4, e_5] = -\frac{4e_{11}}{3}$$

$$[e_4, e_7] = \frac{5e_{13}}{3}$$

$$[e_5, e_6] = -3e_{13}$$

$$[e_6, e_9] = e_{14}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_9 \\
[e_2, e_6] = 2e_{10} & [e_2, e_7] = \alpha_{2,7}^{11}e_{11} \\
[e_2, e_8] = \alpha_{2,8}^{12}e_{12} & [e_2, e_9] = \alpha_{2,9}^{13}e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = -e_9 \\
[e_3, e_5] = -e_{10} & [e_3, e_6] = \alpha_{3,6}^{11}e_{11} \\
[e_3, e_7] = \alpha_{3,7}^{12}e_{12} & [e_3, e_8] = \alpha_{3,8}^{13}e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14}e_{14} & [e_4, e_5] = \alpha_{4,5}^{11}e_{11} \\
[e_4, e_6] = \alpha_{4,6}^{12}e_{12} & [e_4, e_7] = \alpha_{4,7}^{13}e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14}e_{14} & [e_5, e_6] = \alpha_{5,6}^{13}e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14}e_{14} & [e_6, e_9] = \alpha_{6,9}^{14}e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14}e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,9}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,8}^{12}\alpha_{3,12}^{14} + \alpha_{3,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & -\alpha_{2,7}^{11}\alpha_{4,11}^{14} + \alpha_{4,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & -2\alpha_{5,10}^{14} + \alpha_{5,6}^{13} + \alpha_{6,9}^{14} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,12}^{14}\alpha_{4,6}^{12} - \alpha_{3,6}^{11}\alpha_{4,11}^{14} - \alpha_{6,9}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{5,6}^{13} &= -3 \\
\alpha_{4,5}^{11} &= -4/3 \\
\alpha_{2,8}^{12} &= 0 \\
\alpha_{3,6}^{11} &= 1/3 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{4,7}^{13} &= 5/3 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{2,9}^{13} &= 0 \\
\alpha_{2,7}^{11} &= 5/3 \\
\alpha_{3,7}^{12} &= 5/3 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{4,6}^{12} &= -4/3 \\
\alpha_{3,8}^{13} &= 0
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{5,6}^{13} &\rightarrow x_1 \\
\alpha_{4,5}^{11} &\rightarrow x_2 \\
\alpha_{2,8}^{12} &\rightarrow x_3 \\
\alpha_{3,6}^{11} &\rightarrow x_4 \\
\alpha_{6,9}^{14} &\rightarrow x_5 \\
\alpha_{4,7}^{13} &\rightarrow x_6 \\
\alpha_{4,11}^{14} &\rightarrow x_7 \\
\alpha_{5,10}^{14} &\rightarrow x_8 \\
\alpha_{7,8}^{14} &\rightarrow x_9 \\
\alpha_{2,9}^{13} &\rightarrow x_{10} \\
\alpha_{2,7}^{11} &\rightarrow x_{11} \\
\alpha_{3,7}^{12} &\rightarrow x_{12}
\end{aligned}$$

$$\alpha_{3,12}^{14} \rightarrow x_{13}$$

$$\alpha_{4,6}^{12} \rightarrow x_{14}$$

$$\alpha_{3,8}^{13} \rightarrow x_{15}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_{11} - x_4 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_4 - 1 & = 0 \\
(e_1, e_2, e_7) : & x_{11} - x_{12} - x_3 & = 0 \\
(e_1, e_3, e_6) : & -x_{12} - x_{14} + x_4 & = 0 \\
(e_1, e_4, e_5) : & -x_{14} + x_2 & = 0 \\
(e_1, e_2, e_8) : & -x_{10} - x_{15} + x_3 & = 0 \\
(e_1, e_3, e_7) : & x_{12} - x_{15} - x_6 & = 0 \\
(e_1, e_4, e_6) : & -x_1 + x_{14} - x_6 & = 0 \\
(e_2, e_3, e_4) : & -x_{10} & = 0 \\
(e_1, e_2, e_{12}) : & -x_{13} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{13} - x_7 & = 0 \\
(e_1, e_4, e_{10}) : & -x_7 - x_8 & = 0 \\
(e_1, e_5, e_9) : & -x_5 - x_8 & = 0 \\
(e_1, e_6, e_8) : & -x_5 - x_9 & = 0 \\
(e_2, e_3, e_8) : & -x_{13}x_3 + x_{15} & = 0 \\
(e_2, e_4, e_7) : & -x_{11}x_7 + x_6 & = 0 \\
(e_2, e_5, e_6) : & x_1 + x_5 - 2x_8 & = 0 \\
(e_3, e_4, e_6) : & x_{13}x_{14} - x_4x_7 - x_5 & = 0
\end{array}$$

Groebner basis (15 variables, 15 linear, 0 nonlinear)

$$x_1 + 3 = 0$$

$$3x_2 + 4 = 0$$

$$x_3 = 0$$

$$3x_4 - 1 = 0$$

$$x_5 - 1 = 0$$

$$3x_6 - 5 = 0$$

$$x_7 - 1 = 0$$

$$x_8 + 1 = 0$$

$$x_9 + 1 = 0$$

$$x_{10} = 0$$

$$3x_{11} - 5 = 0$$

$$3x_{12} - 5 = 0$$

$$x_{13} + 1 = 0$$

$$3x_{14} + 4 = 0$$

$$x_{15} = 0$$

Solution 1:

$$x_1 = -3$$

$$x_2 = -4/3$$

$$x_3 = 0$$

$$x_4 = 1/3$$

$$x_5 = 1$$

$$x_6 = 5/3$$

$$x_7 = 1$$

$$x_8 = -1$$

$$x_9 = -1$$

$$x_{10} = 0$$

$$x_{11} = 5/3$$

$$x_{12} = 5/3$$

$$x_{13} = -1$$

$$x_{14} = -4/3$$

$$x_{15} = 0$$



$\mathfrak{m}_{8B}(4, 14)$

m8B414 (this line included for string searching purposes)

Original brackets:

|   |   |
|---|---|
| $[e_1, e_2] = e_3$                          | $[e_1, e_3] = e_4$                      |
| $[e_1, e_4] = e_5$                          | $[e_1, e_5] = e_6$                      |
| $[e_1, e_6] = e_7$                          | $[e_1, e_7] = e_8$                      |
| $[e_1, e_8] = e_9$                          | $[e_1, e_9] = e_{10}$                   |
| $[e_1, e_{10}] = e_{11}$                    | $[e_1, e_{11}] = e_{12}$                |
| $[e_1, e_{12}] = e_{13}$                    | $[e_2, e_3] = e_7$                      |
| $[e_2, e_4] = e_8$                          | $[e_2, e_5] = \alpha_{2,5}^9 e_9$       |
| $[e_2, e_6] = \alpha_{2,6}^{10} e_{10}$     | $[e_2, e_7] = \alpha_{2,7}^{11} e_{11}$ |
| $[e_2, e_8] = \alpha_{2,8}^{12} e_{12}$     | $[e_2, e_9] = \alpha_{2,9}^{13} e_{13}$ |
| $[e_2, e_{13}] = e_{14}$                    | $[e_3, e_4] = \alpha_{3,4}^9 e_9$       |
| $[e_3, e_5] = \alpha_{3,5}^{10} e_{10}$     | $[e_3, e_6] = \alpha_{3,6}^{11} e_{11}$ |
| $[e_3, e_7] = \alpha_{3,7}^{12} e_{12}$     | $[e_3, e_8] = \alpha_{3,8}^{13} e_{13}$ |
| $[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14}$ | $[e_4, e_5] = \alpha_{4,5}^{11} e_{11}$ |
| $[e_4, e_6] = \alpha_{4,6}^{12} e_{12}$     | $[e_4, e_7] = \alpha_{4,7}^{13} e_{13}$ |
| $[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14}$ | $[e_5, e_6] = \alpha_{5,6}^{13} e_{13}$ |
| $[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14}$ | $[e_6, e_9] = \alpha_{6,9}^{14} e_{14}$ |
| $[e_7, e_8] = \alpha_{7,8}^{14} e_{14}$     |   |

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,9}^{13} \alpha_{3,4}^9 - \alpha_{3,8}^{13} + \alpha_{4,7}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,8}^{12} \alpha_{3,12}^{14} + \alpha_{3,8}^{13} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_4, e_7) : & -\alpha_{2,7}^{11} \alpha_{4,11}^{14} + \alpha_{4,7}^{13} + \alpha_{7,8}^{14} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,5}^9 \alpha_{6,9}^{14} - \alpha_{2,6}^{10} \alpha_{5,10}^{14} + \alpha_{5,6}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,12}^{14} \alpha_{4,6}^{12} + \alpha_{3,4}^9 \alpha_{6,9}^{14} - \alpha_{3,6}^{11} \alpha_{4,11}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{5,6}^{13} \rightarrow x_1$$

$$\alpha_{4,5}^{11} \rightarrow x_2$$

$$\alpha_{3,6}^{11} \rightarrow x_3$$

$$\alpha_{2,8}^{12} \rightarrow x_4$$

$$\alpha_{6,9}^{14} \rightarrow x_5$$

$$\alpha_{2,5}^9 \rightarrow x_6$$

$$\alpha_{4,7}^{13} \rightarrow x_7$$

$$\alpha_{4,11}^{14} \rightarrow x_8$$

$$\alpha_{3,5}^{10} \rightarrow x_9$$

$$\alpha_{5,10}^{14} \rightarrow x_{10}$$

$$\alpha_{7,8}^{14} \rightarrow x_{11}$$

$$\alpha_{2,9}^{13} \rightarrow x_{12}$$

$$\alpha_{2,7}^{11} \rightarrow x_{13}$$

$$\alpha_{3,7}^{12} \rightarrow x_{14}$$

$$\alpha_{3,4}^9 \rightarrow x_{15}$$

$$\alpha_{2,6}^{10} \rightarrow x_{16}$$

$$\alpha_{3,12}^{14} \rightarrow x_{17}$$

$$\alpha_{4,6}^{12} \rightarrow x_{18}$$

$$\alpha_{3,8}^{13} \rightarrow x_{19}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -x_{15} - x_6 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad -x_{16} + x_6 - x_9 & = 0 \\
(e_1, e_3, e_4) : & \quad x_{15} - x_9 & = 0 \\
(e_1, e_2, e_6) : & \quad -x_{13} + x_{16} - x_3 & = 0 \\
(e_1, e_3, e_5) : & \quad -x_2 - x_3 + x_9 & = 0 \\
(e_1, e_2, e_7) : & \quad x_{13} - x_{14} - x_4 & = 0 \\
(e_1, e_3, e_6) : & \quad -x_{14} - x_{18} + x_3 & = 0 \\
(e_1, e_4, e_5) : & \quad -x_{18} + x_2 & = 0 \\
(e_1, e_2, e_8) : & \quad -x_{12} - x_{19} + x_4 & = 0 \\
(e_1, e_3, e_7) : & \quad x_{14} - x_{19} - x_7 & = 0 \\
(e_1, e_4, e_6) : & \quad -x_1 + x_{18} - x_7 & = 0 \\
(e_2, e_3, e_4) : & \quad x_{12}x_{15} - x_{19} + x_7 & = 0 \\
(e_1, e_2, e_{12}) : & \quad -x_{17} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & \quad -x_{17} - x_8 & = 0 \\
(e_1, e_4, e_{10}) : & \quad -x_{10} - x_8 & = 0 \\
(e_1, e_5, e_9) : & \quad -x_{10} - x_5 & = 0 \\
(e_1, e_6, e_8) : & \quad -x_{11} - x_5 & = 0 \\
(e_2, e_3, e_8) : & \quad -x_{11} - x_{17}x_4 + x_{19} & = 0 \\
(e_2, e_4, e_7) : & \quad x_{11} - x_{13}x_8 + x_7 & = 0 \\
(e_2, e_5, e_6) : & \quad x_1 - x_{10}x_{16} + x_5x_6 & = 0 \\
(e_3, e_4, e_6) : & \quad x_{15}x_5 + x_{17}x_{18} - x_3x_8 & = 0
\end{aligned}$$

Groebner basis (19 variables, 17 linear, 1 nonlinear)

$$\begin{aligned}
4x_1 - 9x_{18} - 3x_{19} + 2 &= 0 \\
-x_{18} + x_2 &= 0 \\
x_{18} - x_{19} + 4x_3 - 2 &= 0 \\
x_{19} + x_4 + 1 &= 0 \\
x_5 - 1 &= 0 \\
3x_{18} + x_{19} + 4x_6 - 2 &= 0 \\
5x_{18} + 3x_{19} + 4x_7 - 2 &= 0 \\
x_8 - 1 &= 0 \\
-3x_{18} - x_{19} + 4x_9 - 2 &= 0 \\
x_{10} + 1 &= 0
\end{aligned}$$

$$\begin{aligned}
x_{11} + 1 &= 0 \\
x_{12} + 2x_{19} + 1 &= 0 \\
4x_{13} + 5x_{18} + 3x_{19} + 2 &= 0 \\
4x_{14} + 5x_{18} - x_{19} - 2 &= 0 \\
4x_{15} - 3x_{18} - x_{19} - 2 &= 0 \\
2x_{16} + 3x_{18} + x_{19} &= 0 \\
x_{17} + 1 &= 0 \\
3x_{18}x_{19} + 4x_{18} + x_{19}^2 + 6x_{19} &= 0
\end{aligned}$$

$\mathfrak{m}_{3B}(5, 14)$

m3B514 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_7] &= e_{12} \\
[e_2, e_8] &= 3e_{13} & [e_2, e_{13}] &= e_{14} \\
[e_3, e_6] &= -e_{12} & [e_3, e_7] &= -2e_{13} \\
[e_3, e_{12}] &= \alpha_{3,12}^{14}e_{14} & [e_4, e_5] &= e_{12} \\
[e_4, e_6] &= e_{13} & [e_4, e_{11}] &= \alpha_{4,11}^{14}e_{14} \\
[e_5, e_{10}] &= \alpha_{5,10}^{14}e_{14} & [e_6, e_9] &= \alpha_{6,9}^{14}e_{14} \\
[e_7, e_8] &= \alpha_{7,8}^{14}e_{14}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & &= 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & &= 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & &= 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & &= 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & &= 0 \\
(e_2, e_3, e_7) : & -\alpha_{3,12}^{14} - 2 & &= 0 \\
(e_2, e_4, e_6) : & \text{no solutions} & & \\
(e_3, e_4, e_5) : & \alpha_{3,12}^{14} & &= 0
\end{aligned}$$

There are no solutions.

$\mathfrak{m}_{5B}(5, 14)$

m5B514 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_7] = 5e_{12} \\
[e_2, e_8] = 10e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = -e_{10} & [e_3, e_5] = -e_{11} \\
[e_3, e_6] = -3e_{12} & [e_3, e_7] = -5e_{13} \\
[e_3, e_{12}] = -e_{14} & [e_4, e_5] = 2e_{12} \\
[e_4, e_6] = 2e_{13} & [e_4, e_{11}] = e_{14} \\
[e_5, e_{10}] = -e_{14} & [e_6, e_9] = e_{14} \\
[e_7, e_8] = -e_{14} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_7] = \alpha_{2,7}^{12} e_{12} \\
[e_2, e_8] = \alpha_{2,8}^{13} e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = -e_{10} & [e_3, e_5] = -e_{11} \\
[e_3, e_6] = \alpha_{3,6}^{12} e_{12} & [e_3, e_7] = \alpha_{3,7}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^{12} e_{12} \\
[e_4, e_6] = \alpha_{4,6}^{13} e_{13} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{12} - \alpha_{3,6}^{12} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{12} - \alpha_{4,5}^{12} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_7) : & -\alpha_{2,7}^{12} \alpha_{3,12}^{14} + \alpha_{3,7}^{13} & = 0 \\
(e_2, e_4, e_6) : & -2\alpha_{4,11}^{14} + \alpha_{4,6}^{13} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,12}^{14} \alpha_{4,5}^{12} + \alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{4,5}^{12} &= 2 \\
\alpha_{2,7}^{12} &= 5 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{3,7}^{13} &= -5 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{2,8}^{13} &= 10 \\
\alpha_{3,6}^{12} &= -3 \\
\alpha_{4,6}^{13} &= 2
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{4,5}^{12} &\rightarrow x_1 \\
\alpha_{2,7}^{12} &\rightarrow x_2
\end{aligned}$$

$$\alpha_{6,9}^{14} \rightarrow x_3$$

$$\alpha_{7,8}^{14} \rightarrow x_4$$

$$\alpha_{3,7}^{13} \rightarrow x_5$$

$$\alpha_{3,12}^{14} \rightarrow x_6$$

$$\alpha_{4,11}^{14} \rightarrow x_7$$

$$\alpha_{5,10}^{14} \rightarrow x_8$$

$$\alpha_{2,8}^{13} \rightarrow x_9$$

$$\alpha_{3,6}^{12} \rightarrow x_{10}$$

$$\alpha_{4,6}^{13} \rightarrow x_{11}$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_{10} - x_2 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 - x_{10} - 1 \quad = 0$$

$$(e_1, e_2, e_7) : \quad x_2 - x_5 - x_9 \quad = 0$$

$$(e_1, e_3, e_6) : \quad x_{10} - x_{11} - x_5 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_1 - x_{11} \quad = 0$$

$$(e_1, e_2, e_{12}) : \quad -x_6 - 1 \quad = 0$$

$$(e_1, e_3, e_{11}) : \quad -x_6 - x_7 \quad = 0$$

$$(e_1, e_4, e_{10}) : \quad -x_7 - x_8 \quad = 0$$

$$(e_1, e_5, e_9) : \quad -x_3 - x_8 \quad = 0$$

$$(e_1, e_6, e_8) : \quad -x_3 - x_4 \quad = 0$$

$$(e_2, e_3, e_7) : \quad -x_2 x_6 + x_5 \quad = 0$$

$$(e_2, e_4, e_6) : \quad x_{11} - 2x_7 \quad = 0$$

$$(e_3, e_4, e_5) : \quad x_1 x_6 + x_7 - x_8 \quad = 0$$

Groebner basis (11 variables, 11 linear, 0 nonlinear)

$$x_1 - 2 = 0$$

$$x_2 - 5 = 0$$

$$x_3 - 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 + 5 = 0$$

$$x_6 + 1 = 0$$



$$x_7 - 1 = 0$$

$$x_8 + 1 = 0$$

$$x_9 - 10 = 0$$

$$x_{10} + 3 = 0$$

$$x_{11} - 2 = 0$$

Solution 1:

$$x_1 = 2$$

$$x_2 = 5$$

$$x_3 = 1$$

$$x_4 = -1$$

$$x_5 = -5$$

$$x_6 = -1$$

$$x_7 = 1$$

$$x_8 = -1$$

$$x_9 = 10$$

$$x_{10} = -3$$

$$x_{11} = 2$$

$\mathfrak{m}_{7B}(5, 14)$

m7B514 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_5] = \alpha_{2,5}^{10} e_{10} \\
[e_2, e_6] = \alpha_{2,6}^{11} e_{11} & [e_2, e_7] = \alpha_{2,7}^{12} e_{12} \\
[e_2, e_8] = \alpha_{2,8}^{13} e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = \alpha_{3,4}^{10} e_{10} & [e_3, e_5] = \alpha_{3,5}^{11} e_{11} \\
[e_3, e_6] = \alpha_{3,6}^{12} e_{12} & [e_3, e_7] = \alpha_{3,7}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^{12} e_{12} \\
[e_4, e_6] = \alpha_{4,6}^{13} e_{13} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{11} - \alpha_{2,7}^{12} - \alpha_{3,6}^{12} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{11} - \alpha_{3,6}^{12} - \alpha_{4,5}^{12} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_7) : & -\alpha_{2,7}^{12}\alpha_{3,12}^{14} + \alpha_{3,7}^{13} + \alpha_{7,8}^{14} & = 0 \\
(e_2, e_4, e_6) : & -\alpha_{2,6}^{11}\alpha_{4,11}^{14} + \alpha_{4,6}^{13} + \alpha_{6,9}^{14} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,12}^{14}\alpha_{4,5}^{12} + \alpha_{3,4}^{10}\alpha_{5,10}^{14} - \alpha_{3,5}^{11}\alpha_{4,11}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{2,7}^{12} \rightarrow x_1$$

$$\alpha_{4,5}^{12} \rightarrow x_2$$

$$\alpha_{6,9}^{14} \rightarrow x_3$$

$$\alpha_{7,8}^{14} \rightarrow x_4$$

$$\alpha_{3,7}^{13} \rightarrow x_5$$

$$\alpha_{3,12}^{14} \rightarrow x_6$$

$$\alpha_{4,11}^{14} \rightarrow x_7$$

$$\alpha_{3,4}^{10} \rightarrow x_8$$

$$\alpha_{5,10}^{14} \rightarrow x_9$$

$$\alpha_{2,6}^{11} \rightarrow x_{10}$$

$$\alpha_{3,5}^{11} \rightarrow x_{11}$$

$$\alpha_{2,5}^{10} \rightarrow x_{12}$$

$$\alpha_{2,8}^{13} \rightarrow x_{13}$$

$$\alpha_{3,6}^{12} \rightarrow x_{14}$$

$$\alpha_{4,6}^{13} \rightarrow x_{15}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{12} - x_8 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{10} - x_{11} + x_{12} & = 0 \\
(e_1, e_3, e_4) : & -x_{11} + x_8 & = 0 \\
(e_1, e_2, e_6) : & -x_1 + x_{10} - x_{14} & = 0 \\
(e_1, e_3, e_5) : & x_{11} - x_{14} - x_2 & = 0 \\
(e_1, e_2, e_7) : & x_1 - x_{13} - x_5 & = 0 \\
(e_1, e_3, e_6) : & x_{14} - x_{15} - x_5 & = 0 \\
(e_1, e_4, e_5) : & -x_{15} + x_2 & = 0 \\
(e_1, e_2, e_{12}) : & -x_6 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_6 - x_7 & = 0 \\
(e_1, e_4, e_{10}) : & -x_7 - x_9 & = 0 \\
(e_1, e_5, e_9) : & -x_3 - x_9 & = 0 \\
(e_1, e_6, e_8) : & -x_3 - x_4 & = 0 \\
(e_2, e_3, e_7) : & -x_1 x_6 + x_4 + x_5 & = 0 \\
(e_2, e_4, e_6) : & -x_{10} x_7 + x_{15} + x_3 & = 0 \\
(e_3, e_4, e_5) : & -x_{11} x_7 + x_2 x_6 + x_8 x_9 & = 0
\end{array}$$

Groebner basis (15 variables, 14 linear, 0 nonlinear)

$$2x_1 - 5x_{15} - 2 = 0$$

$$-x_{15} + x_2 = 0$$

$$x_3 - 1 = 0$$

$$x_4 + 1 = 0$$

$$5x_{15} + 2x_5 = 0$$

$$x_6 + 1 = 0$$

$$x_7 - 1 = 0$$

$$x_{15} + 2x_8 = 0$$

$$\begin{aligned}
x_9 + 1 &= 0 \\
x_{10} - x_{15} - 1 &= 0 \\
2x_{11} + x_{15} &= 0 \\
2x_{12} - x_{15} - 2 &= 0 \\
x_{13} - 5x_{15} - 1 &= 0 \\
2x_{14} + 3x_{15} &= 0
\end{aligned}$$

$\mathfrak{m}_{2B}(6, 14)$

m2B614 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_7] &= e_{13} \\
[e_2, e_{13}] &= e_{14} & [e_3, e_6] &= -e_{13} \\
[e_3, e_{12}] &= \alpha_{3,12}^{14} e_{14} & [e_4, e_5] &= e_{13} \\
[e_4, e_{11}] &= \alpha_{4,11}^{14} e_{14} & [e_5, e_{10}] &= \alpha_{5,10}^{14} e_{14} \\
[e_6, e_9] &= \alpha_{6,9}^{14} e_{14} & [e_7, e_8] &= \alpha_{7,8}^{14} e_{14}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{12}) : & \quad -\alpha_{3,12}^{14} - 1 & &= 0 \\
(e_1, e_3, e_{11}) : & \quad -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & &= 0 \\
(e_1, e_4, e_{10}) : & \quad -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & &= 0 \\
(e_1, e_5, e_9) : & \quad -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & &= 0 \\
(e_1, e_6, e_8) : & \quad -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & &= 0 \\
(e_2, e_3, e_6) : & \quad \text{no solutions} \\
(e_2, e_4, e_5) : & \quad \text{no solutions}
\end{aligned}$$

There are no solutions.

$\mathfrak{m}_{4B}(6, 14)$

m4B614 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{11} \\
[e_2, e_6] = 2e_{12} & [e_2, e_7] = 4e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = -e_{11} \\
[e_3, e_5] = -e_{12} & [e_3, e_6] = -2e_{13} \\
[e_3, e_{12}] = -e_{14} & [e_4, e_5] = e_{13} \\
[e_4, e_{11}] = e_{14} & [e_5, e_{10}] = -e_{14} \\
[e_6, e_9] = e_{14} & [e_7, e_8] = -e_{14}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{11} \\
[e_2, e_6] = 2e_{12} & [e_2, e_7] = \alpha_{2,7}^{13}e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = -e_{11} \\
[e_3, e_5] = -e_{12} & [e_3, e_6] = \alpha_{3,6}^{13}e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14}e_{14} & [e_4, e_5] = \alpha_{4,5}^{13}e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14}e_{14} & [e_5, e_{10}] = \alpha_{5,10}^{14}e_{14} \\
[e_6, e_9] = \alpha_{6,9}^{14}e_{14} & [e_7, e_8] = \alpha_{7,8}^{14}e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{13} - \alpha_{3,6}^{13} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{13} - \alpha_{4,5}^{13} - 1 & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_6) : & -2\alpha_{3,12}^{14} + \alpha_{3,6}^{13} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{4,11}^{14} + \alpha_{4,5}^{13} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{6,9}^{14} &= 1 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{4,5}^{13} &= 1 \\
\alpha_{2,7}^{13} &= 4 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{3,6}^{13} &= -2 \\
\alpha_{3,12}^{14} &= -1
\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}
\alpha_{6,9}^{14} &\rightarrow x_1 \\
\alpha_{7,8}^{14} &\rightarrow x_2 \\
\alpha_{4,5}^{13} &\rightarrow x_3 \\
\alpha_{2,7}^{13} &\rightarrow x_4 \\
\alpha_{4,11}^{14} &\rightarrow x_5 \\
\alpha_{5,10}^{14} &\rightarrow x_6 \\
\alpha_{3,6}^{13} &\rightarrow x_7
\end{aligned}$$

$$\alpha_{3,12}^{14} \rightarrow x_8$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_4 - x_7 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_3 - x_7 - 1 & = 0 \\
(e_1, e_2, e_{12}) : & -x_8 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_5 - x_8 & = 0 \\
(e_1, e_4, e_{10}) : & -x_5 - x_6 & = 0 \\
(e_1, e_5, e_9) : & -x_1 - x_6 & = 0 \\
(e_1, e_6, e_8) : & -x_1 - x_2 & = 0 \\
(e_2, e_3, e_6) : & x_7 - 2x_8 & = 0 \\
(e_2, e_4, e_5) : & x_3 - x_5 & = 0
\end{array}$$

Groebner basis (8 variables, 8 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - 1 = 0 \\
x_2 + 1 = 0 \\
x_3 - 1 = 0 \\
x_4 - 4 = 0 \\
x_5 - 1 = 0 \\
x_6 + 1 = 0 \\
x_7 + 2 = 0 \\
x_8 + 1 = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = 1 \\
x_2 = -1 \\
x_3 = 1 \\
x_4 = 4 \\
x_5 = 1 \\
x_6 = -1 \\
x_7 = -2 \\
x_8 = -1
\end{array}$$



$\mathfrak{m}_{6B}(6, 14)$

m6B614 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_9 \\
[e_2, e_4] = e_{10} & [e_2, e_5] = \alpha_{2,5}^{11} e_{11} \\
[e_2, e_6] = \alpha_{2,6}^{12} e_{12} & [e_2, e_7] = \alpha_{2,7}^{13} e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = \alpha_{3,4}^{11} e_{11} \\
[e_3, e_5] = \alpha_{3,5}^{12} e_{12} & [e_3, e_6] = \alpha_{3,6}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^{13} e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} \\
[e_6, e_9] = \alpha_{6,9}^{14} e_{14} & [e_7, e_8] = \alpha_{7,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{11} - \alpha_{2,6}^{12} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{11} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{12} - \alpha_{2,7}^{13} - \alpha_{3,6}^{13} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{12} - \alpha_{3,6}^{13} - \alpha_{4,5}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^{12} \alpha_{3,12}^{14} + \alpha_{3,6}^{13} + \alpha_{6,9}^{14} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^{11} \alpha_{4,11}^{14} + \alpha_{4,5}^{13} + \alpha_{5,10}^{14} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\alpha_{3,4}^{11} \rightarrow x_1$$

$$\alpha_{2,6}^{12} \rightarrow x_2$$

$$\alpha_{6,9}^{14} \rightarrow x_3$$

$$\alpha_{7,8}^{14} \rightarrow x_4$$

$$\alpha_{4,5}^{13} \rightarrow x_5$$

$$\alpha_{2,7}^{13} \rightarrow x_6$$

$$\alpha_{3,12}^{14} \rightarrow x_7$$

$$\alpha_{4,11}^{14} \rightarrow x_8$$

$$\alpha_{5,10}^{14} \rightarrow x_9$$

$$\alpha_{3,5}^{12} \rightarrow x_{10}$$

$$\alpha_{3,6}^{13} \rightarrow x_{11}$$

$$\alpha_{2,5}^{11} \rightarrow x_{12}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_{12} + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_{10} + x_{12} - x_2 \quad = 0$$

$$(e_1, e_3, e_4) : \quad x_1 - x_{10} \quad = 0$$

$$(e_1, e_2, e_6) : \quad -x_{11} + x_2 - x_6 \quad = 0$$

$$(e_1, e_3, e_5) : \quad x_{10} - x_{11} - x_5 \quad = 0$$

$$(e_1, e_2, e_{12}) : \quad -x_7 - 1 \quad = 0$$

$$(e_1, e_3, e_{11}) : \quad -x_7 - x_8 \quad = 0$$

$$(e_1, e_4, e_{10}) : \quad -x_8 - x_9 \quad = 0$$

$$(e_1, e_5, e_9) : \quad -x_3 - x_9 \quad = 0$$

$$(e_1, e_6, e_8) : \quad -x_3 - x_4 \quad = 0$$

$$(e_2, e_3, e_6) : \quad x_{11} - x_2 x_7 + x_3 \quad = 0$$

$$(e_2, e_4, e_5) : \quad -x_{12} x_8 + x_5 + x_9 \quad = 0$$

Groebner basis (12 variables, 11 linear, 0 nonlinear)

$$x_1 + x_{12} - 1 = 0$$

$$-2x_{12} + x_2 + 1 = 0$$

$$\begin{aligned}
x_3 - 1 &= 0 \\
x_4 + 1 &= 0 \\
-x_{12} + x_5 - 1 &= 0 \\
-4x_{12} + x_6 + 1 &= 0 \\
x_7 + 1 &= 0 \\
x_8 - 1 &= 0 \\
x_9 + 1 &= 0 \\
x_{10} + x_{12} - 1 &= 0 \\
x_{11} + 2x_{12} &= 0
\end{aligned}$$

$\mathfrak{m}_{3B}(7, 14)$

m3B714 (this line included for string searching purposes)

Solution 1

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_5] &= e_{12} \\
[e_2, e_6] &= 2e_{13} & [e_2, e_{13}] &= e_{14} \\
[e_3, e_4] &= -e_{12} & [e_3, e_5] &= -e_{13} \\
[e_3, e_{12}] &= -e_{14} & [e_4, e_{11}] &= e_{14} \\
[e_5, e_{10}] &= -e_{14} & [e_6, e_9] &= e_{14} \\
[e_7, e_8] &= -e_{14} & &
\end{aligned}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{12} \\
[e_2, e_6] = 2e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = -e_{12} & [e_3, e_5] = -e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{3,12}^{14} - 1 & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{6,9}^{14} = 1 \\
\alpha_{7,8}^{14} = -1 \\
\alpha_{4,11}^{14} = 1 \\
\alpha_{5,10}^{14} = -1 \\
\alpha_{3,12}^{14} = -1
\end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{array}{l}
\alpha_{6,9}^{14} \rightarrow x_1 \\
\alpha_{7,8}^{14} \rightarrow x_2
\end{array}$$

$$\alpha_{4,11}^{14} \rightarrow x_3$$

$$\alpha_{5,10}^{14} \rightarrow x_4$$

$$\alpha_{3,12}^{14} \rightarrow x_5$$

Jacobi Tests

$$(e_1, e_2, e_{12}) : \quad -x_5 - 1 \quad = 0$$

$$(e_1, e_3, e_{11}) : \quad -x_3 - x_5 \quad = 0$$

$$(e_1, e_4, e_{10}) : \quad -x_3 - x_4 \quad = 0$$

$$(e_1, e_5, e_9) : \quad -x_1 - x_4 \quad = 0$$

$$(e_1, e_6, e_8) : \quad -x_1 - x_2 \quad = 0$$

$$(e_2, e_3, e_5) : \quad -x_5 - 1 \quad = 0$$

Groebner basis (5 variables, 5 linear, 0 nonlinear)

$$x_1 - 1 = 0$$

$$x_2 + 1 = 0$$

$$x_3 - 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 + 1 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = -1$$

$$x_3 = 1$$

$$x_4 = -1$$

$$x_5 = -1$$

$\mathfrak{m}_{5B}(7, 14)$

m5B714 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{10} \\
[e_2, e_4] = e_{11} & [e_2, e_5] = \alpha_{2,5}^{12} e_{12} \\
[e_2, e_6] = \alpha_{2,6}^{13} e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = \alpha_{3,4}^{12} e_{12} & [e_3, e_5] = \alpha_{3,5}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{12} - \alpha_{3,4}^{12} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{12} - \alpha_{2,6}^{13} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{12} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^{12} \alpha_{3,12}^{14} + \alpha_{3,5}^{13} + \alpha_{5,10}^{14} & = 0
\end{array}$$

Infinite number of solutions.

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{3,5}^{13} \rightarrow x_1 \\
\alpha_{6,9}^{14} \rightarrow x_2 \\
\alpha_{7,8}^{14} \rightarrow x_3 \\
\alpha_{2,5}^{12} \rightarrow x_4 \\
\alpha_{2,6}^{13} \rightarrow x_5
\end{array}$$

$$\alpha_{4,11}^{14} \rightarrow x_6$$

$$\alpha_{5,10}^{14} \rightarrow x_7$$

$$\alpha_{3,4}^{12} \rightarrow x_8$$

$$\alpha_{3,12}^{14} \rightarrow x_9$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_4 - x_8 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_1 + x_4 - x_5 \quad = 0$$

$$(e_1, e_3, e_4) : \quad -x_1 + x_8 \quad = 0$$

$$(e_1, e_2, e_{12}) : \quad -x_9 - 1 \quad = 0$$

$$(e_1, e_3, e_{11}) : \quad -x_6 - x_9 \quad = 0$$

$$(e_1, e_4, e_{10}) : \quad -x_6 - x_7 \quad = 0$$

$$(e_1, e_5, e_9) : \quad -x_2 - x_7 \quad = 0$$

$$(e_1, e_6, e_8) : \quad -x_2 - x_3 \quad = 0$$

$$(e_2, e_3, e_5) : \quad x_1 - x_4 x_9 + x_7 \quad = 0$$

Groebner basis (9 variables, 8 linear, 0 nonlinear)

$$x_1 - x_8 = 0$$

$$x_2 - 1 = 0$$

$$x_3 + 1 = 0$$

$$x_4 + x_8 - 1 = 0$$

$$x_5 + 2x_8 - 1 = 0$$

$$x_6 - 1 = 0$$

$$x_7 + 1 = 0$$

$$x_9 + 1 = 0$$

$\mathfrak{m}_{2B}(8, 14)$

m2B814 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = -e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_4) : & \text{no solutions} & 
\end{array}$$

There are no solutions.

$\mathfrak{m}_{4B}(8, 14)$

m4B814 (this line included for string searching purposes)



Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{11} \\
[e_2, e_4] = e_{12} & [e_2, e_5] = 3e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = -2e_{13} \\
[e_3, e_{12}] = -e_{14} & [e_4, e_{11}] = e_{14} \\
[e_5, e_{10}] = -e_{14} & [e_6, e_9] = e_{14} \\
[e_7, e_8] = -e_{14} & 
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{11} \\
[e_2, e_4] = e_{12} & [e_2, e_5] = \alpha_{2,5}^{13} e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = \alpha_{3,4}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{13} - \alpha_{3,4}^{13} + 1 & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{3,12}^{14} + \alpha_{3,4}^{13} + \alpha_{4,11}^{14} & = 0
\end{array}$$

Solution 1:

$$\begin{aligned}\alpha_{6,9}^{14} &= 1 \\ \alpha_{3,4}^{13} &= -2 \\ \alpha_{7,8}^{14} &= -1 \\ \alpha_{2,5}^{13} &= 3 \\ \alpha_{4,11}^{14} &= 1 \\ \alpha_{5,10}^{14} &= -1 \\ \alpha_{3,12}^{14} &= -1\end{aligned}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{aligned}\alpha_{6,9}^{14} &\rightarrow x_1 \\ \alpha_{3,4}^{13} &\rightarrow x_2 \\ \alpha_{7,8}^{14} &\rightarrow x_3 \\ \alpha_{2,5}^{13} &\rightarrow x_4 \\ \alpha_{4,11}^{14} &\rightarrow x_5 \\ \alpha_{5,10}^{14} &\rightarrow x_6 \\ \alpha_{3,12}^{14} &\rightarrow x_7\end{aligned}$$

Jacobi Tests

$$\begin{aligned}(e_1, e_2, e_4) : & \quad -x_2 - x_4 + 1 &= 0 \\ (e_1, e_2, e_{12}) : & \quad -x_7 - 1 &= 0 \\ (e_1, e_3, e_{11}) : & \quad -x_5 - x_7 &= 0 \\ (e_1, e_4, e_{10}) : & \quad -x_5 - x_6 &= 0 \\ (e_1, e_5, e_9) : & \quad -x_1 - x_6 &= 0 \\ (e_1, e_6, e_8) : & \quad -x_1 - x_3 &= 0 \\ (e_2, e_3, e_4) : & \quad x_2 + x_5 - x_7 &= 0\end{aligned}$$

Groebner basis (7 variables, 7 linear, 0 nonlinear)

$$\begin{aligned}x_1 - 1 &= 0 \\ x_2 + 2 &= 0\end{aligned}$$

$$x_3 + 1 = 0$$

$$x_4 - 3 = 0$$

$$x_5 - 1 = 0$$

$$x_6 + 1 = 0$$

$$x_7 + 1 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = -2$$

$$x_3 = -1$$

$$x_4 = 3$$

$$x_5 = 1$$

$$x_6 = -1$$

$$x_7 = -1$$

$\mathfrak{m}_{3B}(9, 14)$

m3B914 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_2, e_4] = e_{13}$$

$$[e_3, e_{12}] = -e_{14}$$

$$[e_5, e_{10}] = -e_{14}$$

$$[e_7, e_8] = -e_{14}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_2, e_3] = e_{12}$$

$$[e_2, e_{13}] = e_{14}$$

$$[e_4, e_{11}] = e_{14}$$

$$[e_6, e_9] = e_{14}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{12} \\
[e_2, e_4] = e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} & 
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{6,9}^{14} = 1 \\
\alpha_{7,8}^{14} = -1 \\
\alpha_{4,11}^{14} = 1 \\
\alpha_{5,10}^{14} = -1 \\
\alpha_{3,12}^{14} = -1
\end{array}$$

*How the solution(s) were or were not found:*  
Change variables

$$\begin{array}{l}
\alpha_{6,9}^{14} \rightarrow x_1 \\
\alpha_{7,8}^{14} \rightarrow x_2 \\
\alpha_{4,11}^{14} \rightarrow x_3 \\
\alpha_{5,10}^{14} \rightarrow x_4
\end{array}$$

$$\alpha_{3,12}^{14} \rightarrow x_5$$

Jacobi Tests

$$\begin{array}{lll} (e_1, e_2, e_{12}) : & -x_5 - 1 & = 0 \\ (e_1, e_3, e_{11}) : & -x_3 - x_5 & = 0 \\ (e_1, e_4, e_{10}) : & -x_3 - x_4 & = 0 \\ (e_1, e_5, e_9) : & -x_1 - x_4 & = 0 \\ (e_1, e_6, e_8) : & -x_1 - x_2 & = 0 \end{array}$$

Groebner basis (5 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l} x_1 - 1 = 0 \\ x_2 + 1 = 0 \\ x_3 - 1 = 0 \\ x_4 + 1 = 0 \\ x_5 + 1 = 0 \end{array}$$

Solution 1:

$$\begin{array}{l} x_1 = 1 \\ x_2 = -1 \\ x_3 = 1 \\ x_4 = -1 \\ x_5 = -1 \end{array}$$

$\mathfrak{m}_{2B}(10, 14)$

m2B1014 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{13} \\ [e_2, e_{13}] = e_{14} & [e_3, e_{12}] = -e_{14} \\ [e_4, e_{11}] = e_{14} & [e_5, e_{10}] = -e_{14} \\ [e_6, e_9] = e_{14} & [e_7, e_8] = -e_{14} \end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} \\
[e_6, e_9] = \alpha_{6,9}^{14} e_{14} & [e_7, e_8] = \alpha_{7,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{6,9}^{14} = 1 \\
\alpha_{7,8}^{14} = -1 \\
\alpha_{4,11}^{14} = 1 \\
\alpha_{5,10}^{14} = -1 \\
\alpha_{3,12}^{14} = -1
\end{array}$$

*How the solution(s) were or were not found:*

Change variables

$$\begin{array}{l}
\alpha_{6,9}^{14} \rightarrow x_1 \\
\alpha_{7,8}^{14} \rightarrow x_2 \\
\alpha_{4,11}^{14} \rightarrow x_3 \\
\alpha_{5,10}^{14} \rightarrow x_4
\end{array}$$

$$\alpha_{3,12}^{14} \rightarrow x_5$$

Jacobi Tests

$$\begin{array}{lll} (e_1, e_2, e_{12}) : & -x_5 - 1 & = 0 \\ (e_1, e_3, e_{11}) : & -x_3 - x_5 & = 0 \\ (e_1, e_4, e_{10}) : & -x_3 - x_4 & = 0 \\ (e_1, e_5, e_9) : & -x_1 - x_4 & = 0 \\ (e_1, e_6, e_8) : & -x_1 - x_2 & = 0 \end{array}$$

Groebner basis (5 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l} x_1 - 1 = 0 \\ x_2 + 1 = 0 \\ x_3 - 1 = 0 \\ x_4 + 1 = 0 \\ x_5 + 1 = 0 \end{array}$$

Solution 1:

$$\begin{array}{l} x_1 = 1 \\ x_2 = -1 \\ x_3 = 1 \\ x_4 = -1 \\ x_5 = -1 \end{array}$$