Instructions for running FashionMNIST experiments

File overview:

- README_FashionMNIST.md this readme file for FashionMNIST.
- LeNet LeNet for FashionMNIST.
 - o tensorlayer our provided tensorlayer package.
 - Quant_LeNet_FashionMNIST.py the training script for LeNet with optional quantization precision k on FashionMNIST.
 - Spiking_LeNet_FashionMNIST.py the evaluation script for spiking LeNet with optional quantization precision *k* on FashionMNIST.
 - FP32_LeNet_FashionMNIST.py the training script for LeNet with full precision (float32) on FashionMNIST.
 - spiking_ulils.py the functions of spiking convolution and linear.
 - figs visualization folder for SNN performance.
 - accuracy_speed.py the accuracy versus speed script for spiking LeNet with different quantization precisions on FashionMNIST.
 - sops.py the computing operations script for spiking LeNet with different quantization precisions on FashionMNIST.
 - sparsity.py the spike sparsity script for spiking LeNet with different quantization precisions on FashionMNIST.
- MLP MLP for FashionMNIST.
 - tensorlayer our provided tensorlayer package.
 - Quant_MLP_FashionMNIST.py the training script for MLP with optional quantization precision k
 on FashionMNIST.
 - Spiking_MLP_FashionMNIST.py the evaluation script for spiking MLP with optional quantization precision k on FashionMNIST.
 - FP32_MLP_FashionMNIST.py the training script for MLP with full precision (float32) on FashionMNIST.
 - o figs visualization folder for SNN performance.
 - accuracy_speed.py the accuracy versus speed script for spiking MLP with different quantization precisions on FashionMNIST.
 - sops.py the computing operations script for spiking MLP with different quantization precisions on FashionMNIST.
 - sparsity.py the spike sparsity script for spiking MLP with different quantization precisions on FashionMNIST.

ANN Training

Before running:

Please note your default dataset folder will be ./data

Run the code:

for example (training, k=0, LeNet, FashionMNIST):

```
$ python Quant_LeNet_FashionMNIST.py --k 0 --resume False --mode 'training'
```

finally, it will generate the corresponding model files including: checkpoint,

```
model_fashion_mnist_advanced.ckpt.data-00000-of-00001,
model_fashion_mnist_advanced.ckpt.index, model_fashion_mnist_advanced.ckpt.meta and
model_fashion_mnist.npz.
```

ANN Inference

Run the code:

for example ((inference, k=0, LeNet, FashionMNIST)):

```
$ python Quant_LeNet_FashionMNIST.py --k 0 --resume True --mode 'inference'
```

Then, it will print the corresponding ANN test accuracy.

SNN inference

Run the code:

for example (inference, k=0, spiking LeNet, FashionMNIST):

```
$ python $ python Spiking_LeNet_FashionMNIST.py --k 0
```

Then, it will generate the corresponding log files including: accuracy.txt, sop_num.txt, spike_collect.txt and spike_num.txt in figs/k0/.

Visualization

Accuracy versus speed:

```
$ cd figs
$ python accuracy_speed.py
```

Firing sparsity:

```
$ python sparsity.py
```

Computing operations:

\$ python sops.py


Results


Our proposed spiking LeNet and MLP achieve the following performances on FashionMNIST:

MLP: 400-400


LeNet: 32C5-P2-64C5-P2-1024

Accuracy versus speed:







Firing sparsity:



Computing operations:





Notes

- We do not consider the synaptic operations in the input encoding layer and the spike outputs in the last classification layer (membrane potential accumulation instead) for both original ANN counterparts and converted SNNs.
- We also provide some scripts for visualization in ./figs, please move SNN_accuracy.txt, sop_num.txt, spike_collect.txt and spike_num.txt to this folder and directly run the scripts.

More question:

- There might be a little difference of results for multiple training repetitions, because of the randomization.
- Please feel free to reach out here or email: xxx@xxx, if you have any questions or difficulties. I'm happy to help guide you.