


Appendix U

Interaction analysis for exclusive vs log value price

The interaction test between exclusive vs log value price predictors suggests no statistically significant interaction effect. The F-test yielded an F-value of 4.345, with a corresponding p-value of 0.037. We fail to reject the null hypothesis at a significance level of $\alpha = 0.01$, indicating no significant interaction effect between these two predictors on log love. Therefore, the regression lines for exclusive vs log value price are parallel across different levels of these predictors.

Interaction plot for exclusive vs log value price

```
```{r}
ggplot(data = sephoraData, aes(y = log_love, x = log_value_price, color =
exclusive)) +
 geom_point() +
 geom_smooth(se = FALSE, method = "lm") +
 theme_minimal()
```
```



Analysis of variance

```

```{r}
inter_model1 <- lm(log_love ~ log_value_price*exclusive, data = sephoraData)
anova_model1 <- anova(inter_model1)
kbl(anova_model1) %>%
kable_classic_2(full_width = F)
```

```

| | Df | Sum Sq | Mean Sq | F value | Pr(>F) |
|-----------------------------|-----|---------|---------|---------|--------|
| Log value price | 1 | 100.30 | 100.30 | 42.09 | 0.00 |
| exclusive | 1 | 17.44 | 17.44 | 7.32 | 0.01 |
| Log value price * exclusive | 1 | 10.35 | 10.35 | 4.35 | 0.04 |
| Residuals | 996 | 2373.39 | 2.38 | NA | NA |

F-test Analysis

```

```{r}
F_start <- round(qf(.99, anova_model1$Df[3], anova_model1$Df[4]), 3)
```

```

$$H_0 : \beta_1 = 0$$

$$H_A : \beta_1 \neq 0$$

$$\alpha = 0.05$$

$$\text{Reject if } F^* > F(0.99, 1, 996) = 6.66$$

$$F^* = 4.345$$

$$P_{value} = 0.037$$

From the ANOVA output, we have $F^* = 4.345$, we fail to reject H_0 and conclude that the interaction terms should be dropped from the model. The p-value associated with this test is 0.037.