


Erik's Covid-19 Chart Pack

Data updated 2020-07-13 20:09:35. World data are from Worldometers. National and state-level mortality, case, and testing data are from Johns-Hopkins University. County and city-level mortality and case data are from the New York Times. Most data presented in this report were accessed through APIs provided by The COVID Tracking Project and NovelCOVID API.

World Data

There have been 13,033,817 confirmed Covid-19 cases and 571,250 deaths worldwide.

Deaths



Cases







Table 1: Top Countries by Total Cases

Country	Cases	Deaths	New Cases	New Deaths
USA	3,413,995	137,782	58,349	380
Brazil	1,866,176	72,151	25,364	659
India	879,466	23,187	29,108	500
Russia	727,162	11,335	6,615	130
Peru	326,326	11,870	3,616	188
Chile	315,041	6,979	3,012	98
Spain	302,352	28,405	682	1
Mexico	295,268	34,730	6,094	539
UK	289,603	44,819	650	21
South Africa	276,242	4,079	12,058	108
Iran	257,303	12,829	2,186	194
Pakistan	248,872	5,197	2,521	74
Italy	243,061	34,954	234	9
Saudi Arabia	232,259	2,223	2,779	42
Turkey	212,993	5,363	1,012	19
Germany	199,950	9,134	138	0
Bangladesh	183,795	2,352	2,666	47
France	172,089	30,011	668	3
Colombia	150,445	5,307	5,083	188
Canada	107,590	8,783	243	10



National Data



There have been 3,350,326 confirmed Covid-19 cases and 128,004 deaths in the United States.

Table 2: U.S. Deaths and Cases over the Last Two Weeks


Date	Cases	Deaths	New Cases	New Deaths
2020-07-13	3,350,326	128,004	58,357	327
2020-07-12	3,291,969	127,677	60,978	476
2020-07-11	3,230,991	127,201	63,007	757
2020-07-10	3,167,984	126,444	66,645	854
2020-07-09	3,101,339	125,590	58,836	867
2020-07-08	3,042,503	124,723	62,147	897
2020-07-07	2,980,356	123,826	51,766	922
2020-07-06	2,928,590	122,904	47,430	242
2020-07-05	2,881,160	122,662	42,602	209
2020-07-04	2,838,558	122,453	52,091	306
2020-07-03	2,786,467	122,147	56,575	597
2020-07-02	2,729,892	121,550	54,956	697
2020-07-01	2,674,936	120,853	53,007	701
2020-06-30	2,621,929	120,152	44,349	596

Deaths


Because the effects of the virus can take several weeks to manifest in patients, deaths are a lagging indicator of contagion, but they may be a more reliable than case counts, which are a function of both the prevalence of the disease and the rate of testing. The case mortality rate is a very crude indicator of lethality because a large numbers of non-lethal cases are likely never detected. A declining case mortality rate is indicative of more widespread testing.




Daily Case Mortality Rate



One-Week Change in Daily Deaths







Cases

Reported cases are a function of both the spread of the disease and the prevalence of testing.



Active Cases



New Cases




One-Week Change in Daily Cases




Testing


Widespread testing is necessary for managing the spread of the disease. The following charts show how testing in the United States has changed over time. When the supply of available tests is limited, they are typically only used for patients whose symptoms suggest they are likely to have contracted the virus. A high positive test rate indicates that testing capacity is constrained.



Positive Test Rate



One-Week Change in Daily Tests




State Data


This section summarizes state-level data. Most data are reported for the largest 15 states by population, which account for NaN percent of the total U.S. population.

Deaths


Deaths by State





New Deaths by State




7-Day Change in Daily Deaths






Cases


Cases by State





New Cases by State




7-Day Change in Daily Cases








Testing

Tests by State




New Tests by State





Interpretation of differences in case rates across states is complicated by the fact that those states that do more thorough testing will invariably uncover more cases. A lower positive test rate is an indication that a state is doing more comprehensive testing since, when testing is rationed, only those individuals who are more likely to test positive are typically tested. The following chart compares the one-week increase in detected cases to the number of tests administered by each state relative to population. The states of greatest current concern are those with both a large increase in detected cases and a relatively small increase in tests. These states lie in the upper-left of the chart.

Tests vs. Cases by State




Local Data

The following charts and tables present mortality, case, and testing data for the Washington DC metropolitan area and adjacent states.


Table 3: Latest Local Data

State	Cases	Deaths	New Cases	New Deaths
DC	10,906	568	59	0
MD	73,527	3,325	418	6
VA	71,642	1,968	972	2


Deaths





New Deaths




One-Week Change in Daily Deaths







Cases





New Cases




One-Week Change in Daily Cases






Testing



New Tests



Positive Test Rate

