

$$W + Q = \Delta U = mc\Delta T$$

Week 3 covers sections of chapter 14 in the textbook. Topics include:

- First Law of Thermodynamics
- thermodynamic processes and cycles
- efficiency
- heat engines vs heat pumps

$$\frac{\text{1st Law}}{\Delta U = Q + W} \quad \left. \vphantom{\frac{\text{1st Law}}{\Delta U = Q + W}} \right\} \text{Conservation of energy}$$

$$\uparrow$$
  
 change in internal energy of a system  $\rightarrow$  proportional to temperature


1. On a cold day, you rub your hands together to warm them up. If you press your hands together with a force of 5 N and the coefficient of friction between your hands is  $\mu = 0.45$  and your hands move an average distance of 12 cm, then how much has the internal energy of your hands changed?
2. Express the first law of thermodynamics as a statement about power and the rate of energy change instead of the total energy changes.
3. When you exercise, you do work on something else. What does this mean about the sign of the work done on you? When you exercise, your body gives off heat to the surroundings (through evaporation mostly, but also some radiation and convection). what does this mean about the sign of the heat flow from you? If you do work at a rate of 200 W and you radiate heat at a rate of 800 W, the what is the rate of internal energy change of your body? If you exercise for 30 minutes, then how much has your internal energy changed? How many bowls of cornflakes is this?

4. In the notes I claim that Work = Pressure  $\times$   $\Delta$ Volume. Show clearly how the units here work out to be equal.

$$\begin{aligned} W &= \vec{F} \cdot \vec{\Delta x} \\ &= [N] \cdot [m] \\ &= [\text{Joule}] \end{aligned}$$

$$\begin{aligned} W &= -p \cdot \Delta V \\ &= [Pa] \cdot [m^3] \\ &= \left[ \frac{N}{m^2} \right] \cdot [m^3] \\ &= [N \cdot m] \\ &= [\text{Joule}] \end{aligned}$$

5. 14 kJ of heat flow into a gas cylinder with a piston and the internal energy of the gas increases by 42 kJ. How is this possible? Did the volume get bigger or smaller?




$$\Delta U = Q + W$$

$$42 \text{ kJ} = 14 \text{ kJ} + W$$


$$W = 28 \text{ kJ}$$

$W = -p \Delta V$   
 formula only  
 applies to constant  
pressure




6. Rank the thermodynamic processes represented in the figure below in order of the work done from least to greatest. Rank positive work as higher than negative work.

$W = -p\Delta V$   
 only "true" for constant pressure



most negative work done on the gas  $\rightarrow$  most positive work done on the gas  
 A, E, D, C, B

7. A monatomic ideal gas initially at room temperature ( $20^\circ\text{C}$ ) undergoes an isobaric expansion from an initial volume of 1 L to 2 L at a pressure of 2 atm. Then the gas goes through an isochoric process where the pressure lowers to 1 atm. Draw a PV diagram of this process, and then calculate the total work done on the gas in these two processes.



$P = 2 \text{ atm} = 2 \cdot 10^5 \text{ Pa}$   
 $\Delta V = 2 \text{ L} - 1 \text{ L} = 1 \text{ L} = 0.001 \text{ m}^3$   
 $W = -p\Delta V$   
 $= -(2 \cdot 10^5 \text{ Pa})(0.001 \text{ m}^3)$   
 $= -200 \text{ J}$

1<sup>st</sup> isobaric

$\Delta U = Q + W$

$\frac{3}{2}nR\Delta T = Q + (-p\Delta V)$

$Q = \frac{3}{2}nR\Delta T + p\Delta V$

$pV_2 = nRT_2$

$-pV_1 = nRT_1$

$p\Delta V = nR\Delta T$

$Q = \frac{3}{2}p\Delta V + p\Delta V$

$Q = \frac{5}{2}p\Delta V = 500 \text{ J}$

$Q = n(\frac{5}{2})R\Delta T$

2<sup>nd</sup> isochoric

$\Delta U = Q + W$

$\frac{3}{2}nR\Delta T = Q$

$p_2V = nRT_2$


$-p_1V = nRT_1$

$V\Delta P = nR\Delta T$

$Q = \frac{3}{2}V\Delta P = \frac{3}{2}(0.002 \text{ m}^3)(1 \cdot 10^5 \text{ Pa} - 2 \cdot 10^5 \text{ Pa})$

$= -300 \text{ J}$


8. A monatomic ideal gas initially at room temperature ( $20^\circ\text{C}$ ) undergoes an isochoric process where the pressure changed from 2 atm to 1 atm. Then the gas goes through an isobaric expansion from an initial volume of 1 L to 2 L. Draw a PV diagram of this process, and then calculate the total work done on the gas in these two processes.



$W = -(1 \cdot 10^5 \text{ Pa})(0.001 \text{ m}^3)$

$W = -100 \text{ J}$

9. Sketch a PV diagram of a thermodynamic cycle that contains an two isothermal ~~expansions~~ <sup>processes</sup> and and two isochoric processes. First do this as a heat engine, then do it as a refrigerator. Specify for each step, when heat is going in or out, and when work is being done on the gas or on the surroundings.



$$PV = nRT$$


$$P = \frac{nRT}{V}$$

$$\rightarrow \Delta U = Q + W$$


for a complete cycle

$$\Delta U = 0 = Q_{\text{net}} + W_{\text{net}}$$


$$W_{\text{net}} = -Q_{\text{net}}$$



10. The following PV diagram is a wrong representation of the Otto Cycle, which is a model of a gasoline engine. What are the problems in the diagram below.



11. Rank the following cycles by the net work done by the system onto the surroundings from least to greatest. Rank positive work on the surroundings as higher than negative work (which would be done on the engine like in a heat pump). Which of these are heat engines and which are heat pumps?



most  $\ominus$  work  
done on  
surroundings

most  $\oplus$  work  
done on  
surroundings

C = D, A, B, E

work done on the gas  
most  $\ominus$

E, B, A, C = D

A. isochoric  
 $\Delta U = Q + W$   
 $W = 0$   
 $\Delta U = Q$   
 $\frac{3}{2}V \cdot \Delta P = Q = \frac{3}{2}(0.2 \text{ m}^3)(+3 \cdot 10^5 \text{ Pa})$   
 $Q = 9 \cdot 10^4 \text{ J}$


B. isobaric  
 $\Delta U = Q + W$   
 $Q = \frac{5}{2}P\Delta V$   
 $Q = 6 \cdot 10^5 \text{ J}$

$W = -P\Delta V$   
 $W = -(4 \cdot 10^5 \text{ Pa})(+0.6)$   
 $W = -2.4 \cdot 10^5 \text{ J}$

C. isochoric  
 $W = 0$   
 $Q = -3.6 \cdot 10^5 \text{ J}$

D. isobaric  
 $W = 6 \cdot 10^4 \text{ J}$   
 $Q = -1.5 \cdot 10^5 \text{ J}$   
 $Q = \frac{5}{2}P\Delta V$

12. A heat engine operates with two isobaric processes and two isochoric processes. The pressure varies from 1 atm and 4 atm and the volume varies from 0.200 m<sup>3</sup> to 0.800 m<sup>3</sup>. Draw a PV diagram and specify the directions of these transitions. How much work is done by the engine in one cycle? What is the net heat flow into the engine per cycle? What is the heat in and the heat out? What is the efficiency of this engine?



Area =  $1.8 \cdot 10^5 \text{ J}$   
 $W_{\text{NET, gas}} = -1.8 \cdot 10^5 \text{ J}$

$Q_{\text{NET, gas}} = 1.8 \cdot 10^5 \text{ J}$

$W_{\text{NET, surr}} = +1.8 \cdot 10^5 \text{ J}$

$e = \frac{\text{what we get}}{\text{what we pay for}}$

$e = \frac{W_{\text{NET, surr}}}{Q_{\text{in}}}$

$Q_{\text{in}} = 6.9 \cdot 10^5 \text{ J}$

$Q_{\text{out}} = -5.1 \cdot 10^5 \text{ J}$

$$e = \frac{1.8 \cdot 10^5 \text{ J}}{6.9 \cdot 10^5 \text{ J}} = 0.26$$

26%

13. What is the difference between a heat pump and an air conditioner?

14. The definition of efficiency from the notes is:

$$e = \frac{W_{out}}{Q_{in}}$$

Also from the first law of thermo, we had:

$$Q_{in} = W_{out} + Q_{out}$$

Combine these two equations to get an expression for efficiency only in terms of heat in and out (*Hint: substitute for Work.*)

15. Follow up on the previous problem. Heat engines can operate at many different efficiencies depending on the cycles and how much heat goes in and out, but there is a cycle that represents an ideal heat engine that is the best efficiency possible. It is called the *Carnot Cycle*. The details of this cycle are not important but the fundamental take away is that the heat that comes in ( $Q_{in}$ ) comes from a source that is at temperature  $T_H$ , and the heat that goes out ( $Q_{out}$ ) goes to a temperature of the surroundings at  $T_C$ . For a heat engine that operates between these temperatures (like the Carnot cycle) the ratio of the Heat out and in is equal to the ratio of the temperatures:

$$\frac{Q_{out}}{Q_{in}} = \frac{T_C}{T_H}$$

This is a long lead up to the task of use this proportion to find an expression for the efficiency of an ideal heat engine in terms of the temperatures between which the engine

operates. (*Hint: Make a substitution in the equation from the answer to the previous problem.*)

16. In the engine of a car, suppose the combustion of gasoline and air that takes place produces temperatures that are around  $3000^{\circ}\text{C}$  while the exhaust gas exits the engine at a temperature of around  $1000^{\circ}\text{C}$ . Forget about the actual cycle that a gasoline engine undergoes, if this were an ideal process what is the efficiency that this engine can achieve. If you would improve the design to the extent that the exhaust gasses left the engine at room temperature and it still operated as an ideal heat engine, then what would the efficiency be?

17.

fish Q:

If the pressure on a fish increases from 1.10 atm to 1.20 atm, its swim bladder decreases in volume from 8.24 mL to 7.32 mL while the temperature of the air inside remains constant. How much work is done on the air in the bladder?

0.1087 ± 2% J

isothermal  
 $P_1 V_1 = N k_B T$   
 $P_2 V_2 = N k_B T$   
 $P V = N k_B T$   
 $W = N k_B T \ln \left( \frac{V_i}{V_f} \right)$   
 $W = P V \ln \left( \frac{V_i}{V_f} \right)$   
 [P] [m³]

8.24 mL  
 $8.24 \cdot 10^{-6} \text{ m}^3$

$W = 1.1 \times 10^5 \cdot 8.24 \cdot 10^{-6} \ln \left( \frac{8.24 \times 10^{-6}}{7.32 \times 10^{-6}} \right)$

$W = 0.1073$

efficiency


$e = \frac{W_{\text{NET}}}{Q_{\text{in}}}$

$W_{\text{NET}} = Q_{\text{NET}} = Q_{\text{in}} + Q_{\text{out}}$

find this

# 8

An ideal monatomic gas is taken through the cycle in the  $PV$  diagram.



where  $V_1 = 1.50$ ,  $V_2 = 3.00$ ,  $P_1 = 98.0$  kPa and  $P_2 = 230$  kPa.