

Search the blog


[Research Threat intelligence Microsoft Defender Threat actors](#)

10 min read

Volt Typhoon targets US critical infrastructure with living-off-the-land techniques

By [Microsoft Threat Intelligence](#)

May 24, 2023



Microsoft Defender XDR

Living off the land

State-sponsored threat actor

Typhoon

Microsoft has uncovered stealthy and targeted malicious activity focused on post-compromise credential access and network system discovery aimed at critical infrastructure organizations in the United States. The attack is carried out by Volt Typhoon, a state-sponsored actor based in China that typically focuses on espionage and information gathering. Microsoft assesses with moderate confidence that this Volt Typhoon campaign is pursuing development of capabilities that could disrupt critical communications infrastructure between the United States and Asia region during future crises.

Volt Typhoon has been active since mid-2021 and has targeted critical infrastructure organizations in Guam and elsewhere in the United States. In this campaign, the affected organizations span the communications, manufacturing, utility, transportation, construction, maritime, government, information technology, and education sectors. Observed behavior suggests that the threat actor intends to perform espionage and maintain access without being detected for as long as possible. Microsoft is choosing to highlight this Volt Typhoon activity at this time because of our significant concern around the potential for further impact to our customers. Although our visibility into these threats has given us the ability to deploy detections to our customers, the lack of visibility into other parts of the actor's activity compelled us to drive broader community awareness and further investigations and protections across the security ecosystem.

To achieve their objective, the threat actor puts strong emphasis on stealth in this campaign, relying almost exclusively on [living-off-the-land techniques](#) and hands-on-keyboard activity. They issue commands via the command line to (1) collect data, including credentials from local and network systems, (2) put the data into an archive file to stage it for exfiltration, and then (3) use the stolen valid credentials to maintain persistence. In addition, Volt Typhoon tries to blend into normal network activity by routing traffic through compromised small office and home office (SOHO) network equipment, including routers, firewalls, and VPN hardware. They have also been observed using custom versions of open-source tools to establish a command and control (C2) channel over proxy to further stay under the radar.

In this blog post, we share information on Volt Typhoon, their campaign targeting critical infrastructure providers, and their tactics for achieving and maintaining unauthorized access to target networks. Because this activity relies on valid accounts and living-off-the-land binaries (LOLBins), detecting and mitigating this attack could be challenging. Compromised accounts must be closed or changed. At the end of this blog post, we share more mitigation steps and best practices, as well as provide details on how

Microsoft 365 Defender detects malicious and suspicious activity to protect organizations from such stealthy attacks. The National Security Agency (NSA) has also published a [Cybersecurity Advisory \[PDF\]](#) which contains a hunting guide for the tactics, techniques, and procedures (TTPs) discussed in this blog.

As with any observed nation-state actor activity, Microsoft has directly notified targeted or compromised customers, providing them with important information needed to secure their environments. To learn about Microsoft's approach to threat actor tracking, read [Microsoft shifts to a new threat actor naming taxonomy](#).

□

Figure 1. Volt Typhoon attack diagram

Initial access

Volt Typhoon achieves initial access to targeted organizations through internet-facing Fortinet FortiGuard devices. Microsoft continues to investigate Volt Typhoon's methods for gaining access to these devices.

The threat actor attempts to leverage any privileges afforded by the Fortinet device, extracts credentials to an Active Directory account used by the device, and then attempts to authenticate to other devices on the network with those credentials.

Volt Typhoon proxies all its network traffic to its targets through compromised SOHO network edge devices (including routers). Microsoft has confirmed that many of the devices, which include those manufactured by ASUS, Cisco, D-Link, NETGEAR, and Zyxel, allow the owner to expose HTTP or SSH management interfaces to the internet. Owners of network edge devices should ensure that management interfaces are not exposed to the public internet in order to reduce their attack surface. By proxying through these devices, Volt Typhoon enhances the stealth of their operations and lowers overhead costs for acquiring infrastructure.

Post-compromise activity

Once Volt Typhoon gains access to a target environment, they begin conducting hands-on-keyboard activity via the command line. Some of these commands appear to be exploratory or experimental, as the operators adjust and repeat them multiple times.

Volt Typhoon rarely uses malware in their post-compromise activity. Instead, they rely on living-off-the-land commands to find information on the system, discover additional devices on the network, and exfiltrate data. We describe their activities in the following sections, including the most impactful actions that relate to credential access.

Credential access

If the account that Volt Typhoon compromises from the Fortinet device has privileged access, they use that account to perform the following credential access activities.

Microsoft has observed Volt Typhoon attempting to dump credentials [through the Local Security Authority Subsystem Service \(LSASS\)](#). The LSASS process memory space contains hashes for the current user's [operating system \(OS\) credentials](#).



Figure 2. Volt Typhoon command to dump LSASS process memory, encoded in Base64

□

Figure 3. Decoded Base64 of Volt Typhoon command to dump LSASS process memory

Volt Typhoon also frequently attempts to use the command-line tool *Ntdsutil.exe* to create installation media from domain controllers, either remotely or locally. These media are intended to be used in the [installation of new domain controllers](#). The files in the installation media contain usernames and password hashes that the threat actors can crack offline, giving them valid domain account credentials that they could use to regain access to a compromised organization if they lose access.

□

Figure 4. Volt Typhoon command to remotely create domain controller installation media

□

Figure 5. Volt Typhoon command to locally create domain controller installation media

Discovery

Microsoft has observed Volt Typhoon discovering system information, including file system types; drive names, size, and free space; running processes; and open networks. They also attempt to discover other systems on the compromised network using PowerShell, Windows Management Instrumentation Command-line (WMIC), and the *ping* command. In a small number of cases, the threat actors run system checks to determine if they are operating within a virtualized environment.

Collection

In addition to operating system and domain credentials, Volt Typhoon dumps information from local web browser applications. Microsoft has also observed the threat actors staging collected data in password-protected archives.

Command and control

In most cases, Volt Typhoon accesses compromised systems by signing in with valid credentials, the same way authorized users do. However, in a small number of cases, Microsoft has observed Volt Typhoon operators creating proxies on compromised systems to facilitate access. They accomplish this with the built-in [netsh portproxy](#) command.



Figure 6. Volt Typhoon commands creating and later deleting a port proxy on a compromised system

In rare cases, they also use custom versions of open-source tools Impacket and Fast Reverse Proxy (FRP) to establish a C2 channel over proxy.

Compromised organizations will observe C2 access in the form of successful sign-ins from unusual IP addresses. The same user account used for these sign-ins may be linked to command-line activity conducting further credential access. Microsoft will continue to monitor Volt Typhoon and track changes in their activity and tooling.

Mitigation and protection guidance

Mitigating risk from adversaries like Volt Typhoon that rely on valid accounts and living-off-the-land binaries (LOLBins) is particularly challenging. Detecting activity that uses normal sign-in channels and system binaries requires behavioral monitoring. Remediation requires closing or changing credentials for compromised accounts. Suspected compromised accounts or affected systems should be investigated:

- Identify LSASS dumping and domain controller installation media creation to identify affected accounts.
- Examine the activity of compromised accounts for any malicious actions or exposed data.
- Close or change credentials for all compromised accounts. Depending on the level of collection activity, many accounts may be affected.

Defending against this campaign

- Mitigate the risk of compromised valid accounts by enforcing strong multi-factor authentication (MFA) policies using hardware security keys or Microsoft Authenticator. Passwordless sign-in, password expiration rules, and deactivating unused accounts can also help mitigate risk from this access method.
- Reduce the attack surface. Microsoft customers can turn on the following [attack surface reduction](#) rules to block or audit some observed activity associated with this threat:
 - [Block credential stealing](#) from the Windows local security authority subsystem (lsass.exe). [Block process creations](#) originating from PSEXEC and WMI commands. Some organizations may experience compatibility issues with this rule on certain server systems but should deploy it to other systems to prevent lateral movement originating from PsExec and WMI.
 - [Block execution](#) of potentially obfuscated scripts.
- Harden the LSASS process by enabling [Protective Process Light \(PPL\) for LSASS](#) on Windows 11 devices. New, enterprise-joined Windows 11 (22H2 update) installs have this feature enabled by default. In addition, enable [Windows Defender Credential Guard](#), which is also turned on by default for organizations using the Enterprise edition of Windows 11.
- Turn on [cloud-delivered protection](#) in Microsoft Defender Antivirus to cover rapidly evolving attacker tools, techniques, and behaviors such as those exhibited by Volt Typhoon.
- Run [endpoint detection and response \(EDR\) in block mode](#) so that Microsoft Defender for Endpoint can block malicious artifacts, even when your non-Microsoft antivirus does not detect the threat, or when Microsoft Defender Antivirus is

running in passive mode. EDR in block mode works behind the scenes to remediate malicious artifacts that are detected post-compromise.

Detection details and hunting queries

Microsoft Defender Antivirus

Microsoft Defender Antivirus detects attempted post-compromise activity. Note, however, that these alerts can also be triggered by threat activity unrelated to Volt Typhoon. Turn on cloud-delivered protection to cover rapidly evolving attacker tools and techniques. Cloud-based machine learning protections block most new and unknown threats.

- Behavior:Win32/SuspNtdsUtilUsage.A
- Behavior:Win32/SuspPowershellExec.E
- Behavior:Win32/SuspRemoteCmdCommandParent.A
- Behavior:Win32/UNCFilePathOperation
- Behavior:Win32/VSSAmsiCaller.A
- Behavior:Win32/WinrsCommand.A
- Behavior:Win32/WmiSuspProcExec.J!se
- Behavior:Win32/WmicRemote.A
- Behavior:Win32/WmiprvseRemoteProc.B

Microsoft Defender for Endpoint

Microsoft Defender for Endpoint alerts with the following titles can indicate possible presence of Volt Typhoon activity.

- Volt Typhoon threat actor detected

The following alerts may also be associated with Volt Typhoon activity. Note, however, that these alerts can also be triggered by threat activity unrelated to Volt Typhoon.

- A machine was configured to forward traffic to a non-local address
- Ntdsutil collecting Active Directory information
- Password hashes dumped from LSASS memory
- Suspicious use of wmic.exe to execute code
- Impacket toolkit

Hunting queries

Microsoft 365 Defender

Volt Typhoon's post-compromise activity usually includes distinctive commands. Searching for these can help to determine the scope and impact of an incident.

Find commands creating domain controller installation media


This query can identify domain controller installation media creation commands similar to those used by Volt Typhoon.

```
DeviceProcessEvents
| where ProcessCommandLine has_all ("ntdsutil", "create full", "pro")
```

Find commands establishing internal proxies

This query can identify commands that establish internal proxies similar to those used by Volt Typhoon.

```
DeviceProcessEvents
| where ProcessCommandLine has_all ("portproxy", "netsh", "wmic", "process call create", "v4tov4")
```



Find detections of custom FRP executables

This query can identify alerts on files that match the SHA-256 hashes of known Volt Typhoon custom FRP binaries.

```
AlertEvidence
| where SHA256 in
( 'baeffeb5fdef2f42a752c65c2d2a52e84fb57efc906d981f89dd518c314e231c',
'b4f7c5e3f14fb57be8b5f020377b993618b6e3532a4e1eb1eae9976d4130cc74',
'4b0c4170601d6e922cf23b1caf096bba2fade3dfcf92f0ab895a5f0b9a310349',
'c0fc29a52ec3202f71f6378d9f7f9a8a3a10eb19acb8765152d758aded98c76d',
'd6ab36cb58c6c8c3527e788fc9239d8dcc97468b6999cf9ccd8a815c8b4a80af',
'9dd101caee49c692e5df193b236f8d52a07a2030eed9bd858ed3aaccb406401a',
'450437d49a7e5530c6fb04df2e56c3ab1553ada3712fab02bd1eeb1f1adbc267',
'93ce3b6d2a18829c0212542751b309dacbdc8c1d950611efe2319aa715f3a066',
'7939f67375e6b14dfa45ec70356e91823d12f28bbd84278992b99e0d2c12ace5',
'389a497f27e1dd7484325e8e02bbdf656d53d5cf2601514e9b8d8974befddf61',
'c4b185dbca490a7f93bc96eefb9a597684fdf532d5a04aa4d9b4d4b1552c283b',
'e453e6efc5a002709057d8648dbe9998a49b9a12291dee390bb61c98a58b6e95',
'6036390a2c81301a23c9452288e39cb34e577483d121711b6ba6230b29a3c9ff',
'cd69e8a25a07318b153e01bba74a1ae60f8fc28eb3d56078f448461400baa984',
'17506c2246551d401c43726bdaec800f8d41595d01311cf38a19140ad32da2f4',
'8fa3e8fdbaa6ab5a9c44720de4514f19182adc0c9c6001c19cf159b79c0ae9c2',
'd17317e1d5716b09cee904b8463a203dc6900d78ee2053276cc948e4f41c8295',
'472ccfb865c81704562ea95870f60c08ef00bcd2ca1d7f09352398c05be5d05d',
'3e9fc13fab3f8d8120bd01604ee50ff65a40121955a4150a6d2c007d34807642' )
```

Microsoft Sentinel

Below are some suggested queries to assist Microsoft Sentinel customers in identifying Volt Typhoon activity in their environment:

- [LSASS process memory dumping](#)
- [Potential Impacket execution](#)
- [Domain controller installation media creation commands similar to those used by Volt Typhoon](#)
- [Commands that set up internal proxies resembling the ones employed by Volt Typhoon](#)

Microsoft customers can use the TI Mapping analytics (a series of analytics all prefixed with 'TI map') to automatically match the malicious hash indicators (related to the custom Fast Reverse Proxy binaries) mentioned in this blog post. These analytics are part of the Threat Intelligence solution and can be installed from the Microsoft Sentinel Content Hub if not currently deployed. More details on the Content Hub can be found here: <https://learn.microsoft.com/azure/sentinel/sentinel-solutions-deploy>.

Indicators of compromise (IOCs)

The below list provides IOCs observed during our investigation. We encourage our customers to investigate these indicators in their environments and implement detections and protection to identify past related activity and prevent future attacks against their systems.

Volt Typhoon custom FRP executable (SHA-256):

- baeffeb5fdef2f42a752c65c2d2a52e84fb57efc906d981f89dd518c314e231c
- b4f7c5e3f14fb57be8b5f020377b993618b6e3532a4e1eb1eae9976d4130cc74
- 4b0c4170601d6e922cf23b1caf096bba2fade3dfcf92f0ab895a5f0b9a310349
- c0fc29a52ec3202f71f6378d9f7f9a8a3a10eb19acb8765152d758aded98c76d
- d6ab36cb58c6c8c3527e788fc9239d8dcc97468b6999cf9ccd8a815c8b4a80af
- 9dd101caee49c692e5df193b236f8d52a07a2030eed9bd858ed3aaccb406401a
- 450437d49a7e5530c6fb04df2e56c3ab1553ada3712fab02bd1eeb1f1adbc267
- 93ce3b6d2a18829c0212542751b309dacbdc8c1d950611efe2319aa715f3a066
- 7939f67375e6b14dfa45ec70356e91823d12f28bbd84278992b99e0d2c12ace5
- 389a497f27e1dd7484325e8e02bbdf656d53d5cf2601514e9b8d8974befddf61
- c4b185dbca490a7f93bc96eefb9a597684fdf532d5a04aa4d9b4d4b1552c283b
- e453e6efc5a002709057d8648dbe9998a49b9a12291dee390bb61c98a58b6e95
- 6036390a2c81301a23c9452288e39cb34e577483d121711b6ba6230b29a3c9ff
- cd69e8a25a07318b153e01bba74a1ae60f8fc28eb3d56078f448461400baa984
- 17506c2246551d401c43726bdaec800f8d41595d01311cf38a19140ad32da2f4
- 8fa3e8fdbaa6ab5a9c44720de4514f19182adc0c9c6001c19cf159b79c0ae9c2
- d17317e1d5716b09cee904b8463a203dc6900d78ee2053276cc948e4f41c8295

- 472ccfb865c81704562ea95870f60c08ef00bcd2ca1d7f09352398c05be5d05d
- 3e9fc13fab3f8d8120bd01604ee50ff65a40121955a4150a6d2c007d34807642

Related Posts



[Research](#)

[Threat intelligence](#)

[Microsoft Copilot for Security](#)

[Threat actors](#)

Feb 14

13 min read

Staying ahead of threat actors in the age of AI > >

Microsoft, in collaboration with OpenAI, is publishing research on emerging threats in the age of AI, focusing on identified activity associated with known threat actors Forest Blizzard, Emerald Sleet, Crimson Sandstorm, and others. The observed activity includes prompt-injections, attempted misuse of large language models (LLM), and fraud.

[Photo of business woman and man in separate glass elevators.](#)

[Research](#)

[Threat intelligence](#)

[Microsoft Defender](#)

[Threat actors](#)

Dec 7

23 min read

Star Blizzard increases sophistication and evasion in ongoing attacks > >

Microsoft Threat Intelligence continues to track and disrupt malicious activity attributed to a Russian state-sponsored actor we track as Star Blizzard, who has improved their detection evasion capabilities since 2022 while remaining focused on email credential theft against targets.

Developers on-the-go, meeting up in the lobby. Male and female developers collaborating outside the office.

[Research](#)

[Threat intelligence](#)

[Threat actors](#)

Nov 9

6 min read

Microsoft shares threat intelligence at CYBERWARCON 2023 > >

At the CYBERWARCON 2023 conference, Microsoft and LinkedIn analysts are presenting several sessions detailing analysis across multiple sets of threat actors and related activity, demonstrating Microsoft Threat Intelligence's ongoing efforts to track threat actors, protect customers, and share information with the wider security community.

[Research](#)

[Threat intelligence](#)

[Microsoft Defender XDR](#)

[Vulnerabilities and exploits](#)

Oct 18

10 min read

Multiple North Korean threat actors exploiting the TeamCity CVE-2023-42793 vulnerability > >

Since early October 2023, Microsoft has observed North Korean nation-state threat actors Diamond Sleet and Onyx Sleet exploiting the JetBrains TeamCity CVE-2023-42793 remote-code execution vulnerability. Given supply chain attacks carried out by these threat actors in the past, Microsoft assesses that this activity poses a particularly high risk to organizations who are affected.

Get started with Microsoft Security

Microsoft is a leader in cybersecurity, and we embrace our responsibility to make the world a safer place.

[Learn more](#)

Connect with us on social



What's new

Surface Laptop Studio 2

[Surface Laptop Go 3](#)

[Surface Pro 9](#)

[Surface Laptop 5](#)

[Microsoft Copilot](#)

[Copilot in Windows](#)

[Explore Microsoft products](#)

[Windows 11 apps](#)

Microsoft Store

[Account profile](#)

[Download Center](#)

[Microsoft Store support](#)

[Returns](#)

[Order tracking](#)

[Certified Refurbished](#)

[Microsoft Store Promise](#)

[Flexible Payments](#)

Education

[Microsoft in education](#)

[Devices for education](#)

[Microsoft Teams for Education](#)

[Microsoft 365 Education](#)

[How to buy for your school](#)

[Educator training and development](#)

[Deals for students and parents](#)

[Azure for students](#)

Business

[Microsoft Cloud](#)

[Microsoft Security](#)

[Dynamics 365](#)

[Microsoft 365](#)

[Microsoft Power Platform](#)

[Microsoft Teams](#)

[Copilot for Microsoft 365](#)

[Small Business](#)

Developer & IT

[Azure](#)

[Developer Center](#)

[Documentation](#)

[Microsoft Learn](#)

[Microsoft Tech Community](#)

[Azure Marketplace](#)

[AppSource](#)

[Visual Studio](#)

Company

[Careers](#)

[About Microsoft](#)

[Company news](#)

[Privacy at Microsoft](#)

[Investors](#)

[Diversity and inclusion](#)

[Accessibility](#)

[Sustainability](#)



[English \(United States\)](#)



[Your Privacy Choices](#)

[Consumer Health Privacy](#)

[Sitemap](#) [Contact Microsoft](#) [Privacy](#) [Terms of use](#) [Trademarks](#) [Safety & eco](#) [Recycling](#) [About our ads](#) [© Microsoft 2024](#)