

## D - Voice - Laryngeal Cancer

Record ID

---

### 1. Gold Standard Diagnosis

Did the patient get a laryngoscopy/stroboscopy confirming the presence of a suspicious laryngeal lesion?

- ☐ Yes  
☐ No  
☐ Not certain

Does the patient have laryngeal cancer confirmed by biopsy/pathology report?

- ☐ Yes  
☐ No  
☐ Not certain

Did the patient undergo other types of scans? (Select all that apply).

- ☐ CT of the neck  
☐ CT of the chest  
☐ MRI of the neck  
☐ PET-CT  
☐ Ultrasound of the neck

### 2. Disease Subtype

Which laryngeal structures are/were involved? (Select all that apply).

- ☐ Right vocal fold  
☐ Left vocal fold  
☐ Both vocal folds  
☐ Anterior commissure  
☐ Ventricular folds (right or left)  
☐ Subglottal areas

### 3. Etiology

Check any risk factors of this patient in relation to their laryngeal cancer. (Select all that apply).

- ☐ Smoking  
☐ Alcohol  
☐ Family history  
☐ Human Papilloma Virus (HPV)  
☐ Exposure to other harmful substances

Please specify:

---

### 4. Disease Severity

What is the T stage of the cancer based on the AJCC Classification?

- ☐ Tis (carcinoma in situ)  
☐ T1a  
☐ T1b  
☐ T2  
☐ T3  
☐ T4a  
☐ T4b  
☐ Unknown yet

Please see the table for reference:

What is the N stage of the cancer based on the AJCC Classification?

- ☐ N0  
☐ N1  
☐ N2a  
☐ N2b  
☐ N2c  
☐ N3  
☐ Unknown yet

Please see Table for reference:

What is the M stage of the cancer based on the AJCC Classification?


- ☐ M0: no distant metastasis  
☐ M1: Any distant metastasis

What is the degree of dysphonia?

Clinician places slider between 0 and 100; indicates C or I. "Indicate the nature.." and Additional features responses are free text. Comments about resonance: Indicate normal or Other, if other then free text

Legend: C- Consistent I = Intermittent  
MI = Mildly Deviant  
MO = Moderately Deviant  
SE = Severely Deviant


Overall Severity

MI MO SE  
  
(Place a mark on the scale above)

Overall Severity

☐ Consistent ☐ Intermittent


Roughness

MI MO SE  
  
(Place a mark on the scale above)

Roughness

☐ Consistent ☐ Intermittent


Breathiness

MI MO SE  
  
(Place a mark on the scale above)

Breathiness

☐ Consistent ☐ Intermittent


Strain

MI MO SE  
  
(Place a mark on the scale above)

Strain

☐ Consistent ☐ Intermittent

Pitch

MI MO SE  
  
(Place a mark on the scale above)


Pitch  
(Indicate the nature of the abnormality):

\_\_\_\_\_

Pitch

☐ Consistent ☐ Intermittent

Loudness

MI MO SE  
  
(Place a mark on the scale above)

Loudness  
(Indicate the nature of the abnormality): \_\_\_\_\_

Loudness ☐ Consistent ☐ Intermittent

Comments about resonance ☐ Normal ☐ Other

Please specify \_\_\_\_\_

Additional Features  
(for example, diplophonia, fry, falsetto, asthenia, aphonia, pitch instability, tremor, wet/gurgly, or other relevant terms): \_\_\_\_\_

Is the cancer causing stridor at rest? ☐ No, the patient does not have stridor  
☐ Yes, mild stridor  
☐ Yes, moderate stridor  
☐ Yes, severe stridor

## 5. Treatment obtained

Has the patient undergone any treatment for their condition? ☐ Yes  
☐ No

Select all that apply: ☐ Radiation  
☐ Chemotherapy  
☐ Immunotherapy  
☐ Surgery  
☐ Voice/Speech therapy  
☐ Other

Surgery ☐ Endoscopic laser  
☐ Partial laryngectomy

Other, please specify \_\_\_\_\_