

D - Voice - Laryngeal Cancer

Please complete the survey below.

Thank you!

1. Gold Standard Diagnosis

Does the participant have Laryngeal Cancer?

- ☐ Yes
☐ No
☐ Not certain

How was this confirmed? Check all that apply

- ☐ Laryngoscopy/Stroboscopy
☐ Biopsy/Pathology Report

Did the participant undergo other types of scans?
(Select all that apply).

- ☐ CT of the neck
☐ CT of the chest
☐ MRI of the neck
☐ PET-CT
☐ Ultrasound of the neck

2. Disease Subtype

Which laryngeal structures are/were involved?
(Select all that apply).

- ☐ Right vocal fold
☐ Left vocal fold
☐ Both vocal folds
☐ Anterior commissure
☐ Ventricular folds (right or left)
☐ Subglottal areas

3. Etiology

Check any risk factors of this participant in relation
to their laryngeal cancer.
(Select all that apply).

- ☐ Smoking
☐ Alcohol
☐ Family history
☐ Human Papilloma Virus (HPV)
☐ Exposure to other harmful substances

Please specify:

4. Disease Severity

What is the T stage of the cancer based on the AJCC
Classification?

- ☐ Tis (carcinoma in situ)
☐ T1a
☐ T1b
☐ T2
☐ T3
☐ T4a
☐ T4b
☐ Unknown yet

Please see the table for reference:

What is the N stage of the cancer based on the AJCC Classification?

- ☐ N0
☐ N1
☐ N2a
☐ N2b
☐ N2c
☐ N3
☐ Unknown yet

Please see Table for reference:

What is the M stage of the cancer based on the AJCC Classification?

- ☐ M0: no distant metastasis
☐ M1: Any distant metastasis


What is the degree of dysphonia?

Clinician places slider between 0 and 100; indicates C or I. "Indicate the nature.." and Additional features responses are free text. Comments about resonance: Indicate normal or Other, if other then free text

Legend: C- Consistent I = Intermittent
 MI = Mildly Deviant
 MO = Moderately Deviant
 SE = Severely Deviant

Overall Severity

MI MO SE



(Place a mark on the scale above)

Overall Severity

- ☐ Consistent ☐ Intermittent

Roughness

MI MO SE



(Place a mark on the scale above)

Roughness

- ☐ Consistent ☐ Intermittent

Breathiness

MI MO SE



(Place a mark on the scale above)

Breathiness

- ☐ Consistent ☐ Intermittent

Strain

MI MO SE




(Place a mark on the scale above)

Strain

- ☐ Consistent ☐ Intermittent

Pitch

MI MO SE



(Place a mark on the scale above)

Pitch
(Indicate the nature of the abnormality):

Pitch

- ☐ Consistent ☐ Intermittent

Loudness

MI MO SE



(Place a mark on the scale above)

Loudness
(Indicate the nature of the abnormality): _____

Loudness ☐ Consistent ☐ Intermittent

Comments about resonance ☐ Normal ☐ Other

Please specify _____

Additional Features
(for example, diplophonia, fry, falsetto, asthenia, aphonia, pitch instability, tremor, wet/gurgly, or other relevant terms): _____

Is the cancer causing stridor at rest? ☐ No, the patient does not have stridor
☐ Yes, mild stridor
☐ Yes, moderate stridor
☐ Yes, severe stridor

5. Treatment obtained

Has the participant undergone any treatment for their condition? ☐ Yes
☐ No

Select all that apply: ☐ Radiation
☐ Chemotherapy
☐ Immunotherapy
☐ Surgery
☐ Voice/Speech therapy
☐ Other

Surgery ☐ Endoscopic laser
☐ Partial laryngectomy

Other, please specify _____

Deprecated Fields

[DEPRECATED]
Does the participant have laryngeal cancer confirmed by biopsy/pathology report? ☐ Yes
☐ No
☐ Not certain

[DEPRECATED]
Did the participant get a laryngoscopy/stroboscopy confirming the presence of a suspicious laryngeal lesion? ☐ Yes
☐ No
☐ Not certain