Table SX. Model summaries for intercept-only models for species within cat prey range. Model estimates ± 95% CIs and test statistics are reported along with sample sizes and residual unexplained heterogeneity (I^2), decomposed by hierarchical model levels (article and observation). The effect size used is given in the heading of each model (SMD=standardized mean difference or Hedges' g; Zr=correlation coefficient; lnOR=log odds ratio).

Term	Estimate	Test statistics	Sample size	Residual heterogeneity
Abundance with/without cats | SMD				
overall	-0.43 ±[-1.24, 0.37]	$t_8 = -1.24, p = 0.25$	$N_{articles} = 9$ $N_{species} = 12$ $N_{observations} = 14$	$I^2_{total} = 60.1$ $I^2_{article} = 60.1$ $I^2_{obs} = 0$
Abundance before-after eradication | SMD				
overall	-1.15 ±[-12.46, 10.16]	$t_1 = -1.29, p = 0.42$	$N_{articles} = 2$ $N_{species} = 2$ $N_{observations} = 3$	$I^2_{total} = 62.6$ $I^2_{article} = 62.6$ $I^2_{obs} = 0$
Abundance on islands with/without cats | lnOR				
overall	0.03 ±[-1.7, 1.76]	$t_5 = 0.04, p = 0.97$	$N_{articles} = 6$ $N_{species} = 10$ $N_{observations} = 10$	$I^2_{total} = 42.1$ $I^2_{article} = 42.1$ $I^2_{obs} = 0$
Abundance spatial association | Zr				
overall	0.1 ±[-1.25, 1.45]	$t_3 = 0.24, p = 0.83$	$N_{articles} = 4$ $N_{species} = 2$ $N_{observations} = 4$	$I^2_{total} = 67.3$ $I^2_{article} = 33.6$ $I^2_{obs} = 34$
Abundance temporal association | Zr				
overall	0.1 ±[-0.37, 0.57]	$t_{10} = 0.47, p = 0.65$	$N_{articles} = 11$ $N_{species} = 12$ $N_{observations} = 18$	$I^2_{total} = 85$ $I^2_{article} = 56.6$ $I^2_{obs} = 28$
Reproduction with/without cats | lnOR				
overall	-0.34 ±[-3.44, 2.77]	$t_2 = -0.47, p = 0.69$	$N_{articles} = 3$ $N_{species} = 3$ $N_{observations} = 5$	$I^2_{total} = 64.5$ $I^2_{article} = 31.3$ $I^2_{obs} = 33$
Reproduction before-after eradication | SMD				
overall	0.16 ±[-5.48, 5.8]	$t_1 = 0.37, p = 0.78$	$N_{articles} = 2$ $N_{species} = 3$ $N_{observations} = 3$	$I^2_{total} = 52.3$ $I^2_{article} = 52.3$ $I^2_{obs} = 0$
Reproduction temporal association | Zr				

Table SX. Model summaries for intercept-only models for species within cat prey range. Model estimates ± 95% CIs and test statistics are reported along with sample sizes and residual unexplained heterogeneity (I^2), decomposed by hierarchical model levels (article and observation). The effect size used is given in the heading of each model (SMD=standardized mean difference or Hedges' g; Zr=correlation coefficient; lnOR=log odds ratio).

Term	Estimate	Test statistics	Sample size	Residual heterogeneity
overall	0.09 ±[-0.62, 0.8]	$t_3 = 0.41, p = 0.71$	$N_{articles} = 1$ $N_{species} = 1$ $N_{observations} = 4$	$I^2_{total} = 0$ $I^2_{article} = NA$ $I^2_{obs} = NA$