

Table SX. Model summaries for the relationship between body mass and cat effects on prey abundance. Model estimates $\pm$ 95% CIs and test statistics are reported along with sample sizes and residual unexplained heterogeneity (I^2), decomposed by hierarchical model levels (article and observation). The effect size used is given in the heading of each model (SMD=standardized mean difference or Hedges' g; Zr=correlation coefficient; lnOR=log odds ratio).

Term	Estimate	Test statistics
Abundance with/without cats SMD		
$N_{articles} = 10; N_{species} = 13; N_{observations} = 15$		
$I^2_{total} = 59.2; I^2_{article} = 59.2; I^2_{obs} = 0$		
intercept	-0.12 $\pm$ [-2.45, 2.21]	$t_8 = -0.12, p = 0.91$
Mass (g, log10)	-0.15 $\pm$ [-1.11, 0.81]	$t_{13} = -0.34, p = 0.74$
Abundance on islands with/without cats lnOR		
$N_{articles} = 7; N_{species} = 11; N_{observations} = 11$		
$I^2_{total} = 42.1; I^2_{article} = 42.1; I^2_{obs} = 0$		
intercept	0.63 $\pm$ [-4.32, 5.58]	$t_5 = 0.33, p = 0.76$
Mass (g, log10)	-0.34 $\pm$ [-2.15, 1.48]	$t_9 = -0.42, p = 0.69$
Abundance temporal association Zr		
$N_{articles} = 11; N_{species} = 13; N_{observations} = 19$		
$I^2_{total} = 86.4; I^2_{article} = 62.3; I^2_{obs} = 24$		
intercept	-0.1 $\pm$ [-3.9, 3.7]	$t_9 = -0.06, p = 0.95$
Mass (g, log10)	0.06 $\pm$ [-1.16, 1.27]	$t_{17} = 0.1, p = 0.92$