
CAP 276: DATA COMMUNICATION AND NETWORKING LABORATORY

PRACTICAL_CLASS_1.

HOW TO DOWNLOAD CISCO PACKET TRACER:

PROCESS: -


- © Open any browser and search official website of Netacad.
- Click on first link "cisco packet tracer-Networking simulation Tool.



HOW TO INSTALL CISCO PACKET TRACER:

Then will redirect to 2nd page.

Then scroll down.Click on download.





PRACTICAL CLASS 2.


HOW TO CONNECT PEAR TO PEAR PC IN CISCO PACKET TRACER:

PROCESS: -

- Open Cisco Packet Tracer.
- Select computer icon. —
- Again, select any pc as you need.
- Click on working area.
- Click on connection wire.
- Select Copper Cross-Over wire.
- Click on 1st PC then opened properties box.
- Click on fast Ethernet0.
- Draw the mouse pointer and click on 2nd pc.
- Again, opened properties box
- Then click on fast ethernet0.
- Click on 1st PC then a dialog box open.-
- Click on Desktop tab.
- Click on IP Configuration.
- Select Static radio button.
- Enter IP address.
- Press Enter key and close window.
- Again, click on 2nd PC then a dialog box open.
- Click on Desktop tab.
- Click on IP Configuration.
- Select Static radio button.
- Enter another IP address.
- Press Enter key and close window.
- Rename both PC name with IP address.
- Click on 1st PC then a dialog box open.
- Click on Desktop tab.
- Click on Command Prompt.
- Type "ping space 2nd PC IP address.
- Press Enter key.
- Successful connect and sent. –








PRACTICAL_CLASS_3.


How to connect Hub to more than one PC.

PROCESS: -


- Open Cisco Packet Tracer.
- Click on Hubs option.
- Select Hub- PT. ___
- Draw the working blank area.
- Again, click on PC icons.
- Select PC as you need._
- Draw the PC in working area.
- Traw the PC in working area
- Click on connection wire.
- Select Automatically Choose Connection Type wire.
- Select wire. (Ctrl + left click). -
- Click on Hub.
- And click on 1nd pc.
- Again, click on Hub.
- And click on 2nd PC.
- Again, click on Hub.
- And click on 3rd PC.
- Generate IP address in PC. (See process for generate IP address 1st project).
- Select PDU message box.
- Click on any one PC.
- Again, click on another PC. (For connect two or more PC in Single HUB).
- click on Simulation icon. -
- Then a dialog box open.
- Click on Play button.



Before send PDU.



After send PDU PC_1 to PC_3



Finally Result sent PC_1 to PC_3



PRACTICAL_CLASS_3.

0 PT-Switch PF-Ermory 24PS 3650 1E 2000 PT-Bridge 2950-24 2950T

How to connect Switch to more than one PC.

PROCESS: -



Click on Switch option.

Select Switch- PT. —

Draw the working blank area.

Again, click on PC icons.

Select PC as you need...

Draw the PC in working area.

Click on connection wire.

Select Automatically Choose Connection Type wire.—

Click wire. (Ctrl + left click).

Click on Switch.

And click on 1nd pc.

Again, click on Switch.

And click on 2nd PC.

Again, click on Switch.

And click on 3rd PC.

Generate IP address in PC. (See process for generate IP address 1st project).

Select PDU message box.


Click on any one PC.

Again, click on another PC. (For connect two or more PC in Single Switch).


Click on Simulation icon.

Then a dialog box open.


Click on Play button.



Before send PDU.



After send PDU PC_1 to PC_3



Finally Result sent PC_1 to PC_3





❖ How to connect Switch to more than one PC. PROCESS: -

