How do
LATEX?

Eric Krause

Why
LATEX?

Getting

Formatting

Math Mode

_ . .

Wiode

Grapine

Floats

_

BibTex

Conclusion

How do LATEX?

 $\verb|https://github.com/ekrause/LaTeX-Presentation||$

Eric Krause

Portland State University M.S. ECE, 2013

February 19, 2014

Why use L⁴TEX?

How do LATEX?

Eric Krause

Why LATEX?

Started

Formatting

Math Mode

Tabular

Graphic

T . . .

RibTes

- High quality output
- Unparalleled math/equation typesetting
- Powerful bibliography management
- Handles massive documents with ease
- Free and OS agnostic
- You get to use your favorite text editor
- Highly extensible
- Focus on content, not formatting

Don't use LaTeX if...

How do
IATEX?

Eric Krause

Why LATEX?

Started

- -----

Math Mode

Tabular

Graphics

Floats

BibTex

- Never used a computer before
- Can't spare a few hours of practice in exchange for a life changing skill
- Never need to create documents (why are you here?)
- Afraid of the command line
- Weak, lazy, other personal flaws

Downloading and Using LATEX

How do LATEX?

Eric Krause

Why LAT_EX

Getting

Formatting

Math Mode

Tabular

Graphic

-

T

BibTex

Conclusion

Downloading

- Linux: Check your software repository.
 - sudo apt-get install texlive-full
- OS X: MacTex
 - http://www.tug.org/mactex/
 - brew install pdflatex
- Windows: MiKTeX
 - http://miktex.org/

Compiling [command line]

lacktriangledown pdflatex -file-line-error -interaction=nonstopmode yourfile.tex

Compiling [GUI]

- Click buttons and/or mash keyboard.
- If that doesn't work, try touching the screen or using voice commands.



Hello LATEX!

```
How do
IATEX?
```

Eric Krause

```
Getting
```

Started

16 \end{document}

Source

```
1 \documentclass{article}
3 % this is a comment
4 \title{Cat gifs as Art}
5 \author{Eric Krause}
6 \date{September 2012}
8 \begin{document}
9
10 % generate title block
11 \maketitle
13 % let's add some content
14 Hello world!
```

Output

Cat gifs as Art

Eric Krause

September 2012

Hello world!

1

Function Syntax

How do LATEX?

Eric Krause

Why LATEX

Getting Started

Formatting

.

Math Mode


Tabular

Graphic

Float

_ -----

BibTex



Spaces and Escaped Characters

How do LATEX?

Eric Krause

Why LATEX?

Getting

Formatting

Math Mode

Tabular

Graphic

Floats

Listing

BibTex

- Additional spaces between words are ignored.
- Manually add spaces by escaping a space '\'
- Line break: (no indent) two backslashes '\\',
- Paragraph break (indent) two newlines ('Enter' twice)

	Unescaped Function	To Print, Type:
\	escape character, command identifier	\textbackslash
{ }	group and separate commands	$\setminus \{ \text{ and } \setminus \}$
%	begin a line comment	\%
\$	enter/leave math mode	\\$
_	for subscripts (math mode)	\-
^	for superscripts (math mode)	\textasciicircum
&	designate columns in tables	\&
#	reference arguments in functions	\#
~	insert unbreakable space	\textasciitilde

Common Text Formatting

How do LATEX?

Eric Krause

Formatting

Source

```
1 Formatting: \\
2 \textbf{Bold Text}\\
3 \textit{Italic Text}\\
4 \emph{Emphasized Text}\\
5 (\textit{emph is \emph{
     smarter } than textit }) \\
6 \underline{Underlined Text}\\
7 \texttt{Monospace Text}\\
```

Output

Formatting:

Bold Text

Italic Text

Emphasized Text

(emph is smarter than textit)

Underlined Text

Monospace Text

Sections and Subsections

How do LATEX?

Eric Krause

Why
IATEX?

Getting

Formatting

Math Mode

Tabular

Mode

Graphics

r mats

BibTex

Conclusion

Source

- 1 \section{Vegetables}
- 2 Words.
- 3 \section{Fruits}
- 4 Section \thesection\ text.
- $5 \setminus subsection{Apples}$
- 6 More text.
- 7 \subsubsection{Braeburn}
- 8 Moar txt.
- 9 \section {Gourds}
- 10 wat.
- 11 \section*{Appendix}
- 12 Bees?

Output

1 Vegetables

Words.

2 Fruits

Section 2 text.

2.1 Apples

More text.

2.1.1 Braeburn

Moar txt.

3 Gourds

wat.

Appendix

Bees?

Lists

How do LATEX?

Eric Krause

w ny LAT_EX?

Getting Started

Formatting

Math Mode

Mode

Graphics

Floats

BibTex

Conclus

Source

\item[thing B] words

16 \end{ description }

1 The three types of lists:\\\

Output

The three types of lists:

Itemize:

- these are bulleted
- as such

Enumerate:

- 1. these are numbered
- 2. as you might expect

Description:

item A text

item B words

Formatting Miscellanea

How do LATEX?

Eric Krause

Why LATEX:

Getting

Formatting

Math Mode

Widell Wiede

Tabular

Graphic

Float

Listing

BibTex

Conclusion

```
Quotes:
Backtick (`) for open quote, single quote (´) for close
quote. 'single' or "double"
```

Centering

```
\begin{center}
%centered text
\end{center}
```

Verbatim

```
\begin{verbatim}
    %won't be parsed by LaTeX
    %great for console output
\end{verbatim}
```

Math Mode

How do LATEX?

Eric Krause

Why LAT_EX

Getting Started

Formatting

Math Mode

Tabular

~ ...

Listing

BibTex

Conclusion

- http://en.wikibooks.org/wiki/LaTeX/Mathematics
- Begin and end <u>inline</u> equations:
 - \$ math goes here \$
- Begin and end <u>display</u> equations:

```
\begin{equation}
    math goes here
\end{equation}
```

- The only symbols accessed directly from the keyboard:
 - + = ! / () [] <> | ' :

The rest are all commands!

- Spaces are ignored entirely in equations.
- How to remember them all? Don't! Use **Detexify**!
 - http://detexify.kirelabs.org/classify.html

Math Mode Examples

How do LATEX?

Eric Krause

Why LAT_EX?

Getting

Formatting

Math Mode

Tabular

G 1:

Listing

D;hTo:

B1b.Lex

Conclusio

Output:

Inline math mode:

I think
$$x(t) = a_0 + \sum_{n=1}^{\infty} [a_n cos(n\omega_0 t) + b_n sin(n\omega_0 t)] = \sum_{n=-\infty}^{+\infty} c_n e^{jn\omega_0 t}$$
 is a Fourier series or something.

Display math mode:

$$\frac{Dies}{Wafer} = \frac{\pi \cdot (Wafer\ Diameter/2)^2}{DieArea} - \frac{\pi \cdot Wafer\ Diameter}{\sqrt{2 \cdot Die\ Area}} \tag{1}$$

Use display math mode for centered, numbered equations like equation 1 that you can refer to later.

Source:

10 \end{document}

```
1 \noindent \textbf{Inline math mode:}\\
2 I think $x(t)=a_0 + \sum\limits_{n=1}^{\line{1}} {\ infty}[a_n cos(n\omega_0 t) + b_n sin(n\omega_0 t)] = \sum\limits_{n=-\infty}^{\line{1}} + \infty}
c_n e^{jn\omega_0 t}$ is a Fourier series or something.\\

3 \noindent \textbf{Display math mode:}\\
5 \begin{equation}
6 \label{eq:dies}
7 \dfrac{Dies}{Wafer} = \dfrac {\pi \cdot (Wafer\ Diameter/2)^2}{Die Area}
Area} - \dfrac {\pi \cdot Wafer\ Diameter} {\sqrt{2 \cdot Die \Area}}
8 \end{equation}
9 Use display math mode for centered, numbered equations like
```

equation \ref{eq:dies} that you can refer to later.

Using the Tabular Environment

How do LATEX?

Eric Krause

Why LATEX

Getting Started

Formatting

Math Mode

Tabular

Mode

Grapine

- ----

BibTes

- **Begin tabular mode** specifying the number of columns, alignment, and vertical lines.
- **2 Input table rows** indicating separations between cells, specifying when to begin a new row, and where to include horizontal lines.
- 3 End tabular mode

Beginning A Tabular Environment

How do LATEX?

Eric Krause

Getting

Formatting

Math Mode

Tabular

Mode

Graphics

Floats

BibTex

Conclusion

Started using the following command:

```
\begin{tabular}[]{column specification}
```

- The environment we are starting is tabular.
- The type, location, and alignment of columns and vertical lines is given using the column specification
 - l left-aligned column
 - c center-aligned column
 - r right-aligned column
 - p{width} paragraph column, must specify width.
 - \blacksquare | vertical line (|| = double, ||| = triple ...)

Adding Contents

How do LATEX?

Eric Krause

Why IATEX?

Getting Started

Formatting

Math Mode

Tabular

Mode

Grapine

rioats

BibTex

G 1

Conclusio

- Once in a tabular environment, table contents, separations between cells, and newlines are entered.
 - & column separator
 - \\ start new row
 - \hline horizontal line
 - \newline start new line in cell (paragraph cells only)

Sample Table:

Tabular Example

How do LATEX?

Eric Krause

Why LATEX

Getting

Formattin

Math Mode

Tabular

Mode

Grapine

Lintin

BibTes

Conclusion

Output:

	-Tubes	-Sphere	-Net	-Web
Blogo-	x			X
E-		x	x	
Inter-		x		
Web	x	x		x

Importing Graphics

How do LATEX?

Eric Krause

Why LATEX?

Getting Started

Formatting

Math Mode

To beeless

Graphics

Floats

_ ____

BibTex

- \usepackage{graphicx}
- Once graphicx is included, images are imported using:

```
\includegraphics[options]{image name}
```

- Useful optional parameters:
 - width=xx manual width
 - height=xx manual height
 - angle=xx used to rotate image
 - scale=xx manual scaling
- \blacksquare [width=\textwidth] % full-page width
- [width=.5\textwidth] % half-page width

Includegraphics Example

How do LATEX?

Eric Krause

IATEX?

Getting Started

Formatting

Math Mod

Tabular

Graphics

Floats

D;hTow

Conclusion

Source

- 1 \documentclass { article }
- 2 \usepackage{graphicx}
- 3 \begin{document}
- 4 \includegraphics [width=2in]
 - { .. / Resources / cat . jpg}
- 6 \end{document}

Output



Floats

How do LATEX?

Eric Krause

IATEX

Started

Formatting

Math Mode

Tabular

Graphics

Floats

_ ____

BibTes

- A container that cannot be broken across multiple pages
- IATEX defines figure and table floats
- Floats (should) have captions and references.
- Floats are automatically arranged by L^AT_EX , however you can manually specify placement

Float Placement

```
How do LATEX?
```

Eric Krause

Why LAT_EX

Getting Started

Formatting

7/1-41- 7/1-1

WIGHT WOOL

Mode

Graphic

Floats

BibTex

Conclusion

Format:

```
\begin{figure} [placement specifier]
    \label {fig:cat}
    \caption { this is a photo of a cat }
%... figure contents ...
\end{figure}
```

■ To get number of the float:

 \ref{name}

- Placement Specifiers:
 - h --- Place the float (approximately) here
 - **t** --- Position at the top of the page.
 - **b** --- Position at the bottom of the page.
 - **p** --- Put on a special page for floats only.
 - ! --- Modifier. Override internal parameters LaTeX uses for determining "good" float positions.

Floats Example

```
How do
           Source
 IATEX?
Eric Krause
          1 \begin{figure}[h!]
             \centering
            \label{fig:astrocat}
            \caption{An awesome cat}
             \includegraphics [width=1in]
                 {cat.jpg}
         6 \end{figure}
           \begin{table}[h!]
             \begin{center}
         9
                \begin{tabular}{| lcr |}
              \hline
         11
               1 & 2 & 3 \\
Floats
               4 & 5 & 6 \\
         13
               7 & 8 & 9 \\
         14
               \ hline
               \end{tabular}
             \end{center}
             \caption{A simple table}
         18
```

Output



Figure 1: An awesome cat

1 2 3 4 5 6 7 8 9

Table 1: A simple table

Listings

How do LATEX?

Eric Krause

Why IATEX?

Getting

Formatting

Math Mode

Tabular

Graphic

•

Listings

BibTex

Conclusion

- \usepackage{listings}
- Made specifically for listing source code.
- Syntax highlighting for all common languages.
- (Bad) Write/paste code into LATEX document:

```
\begin{lstlisting}[options]
Paste your code here
\end{lstlisting}
```

■ (Good) Reference original source file:

```
\lstinputlisting[options]{filepath}
```

http://en.wikibooks.org/wiki/LaTeX/Source_ Code_Listings#Settings

Preferred Listing Settings

```
How do
            Source
 IATEX?
Eric Krause
          1 \usepackage{listings}
          2 \usepackage [usenames, dvipsnames] {color}
          3 \begin{document}
          4
          5 \lstinputlisting[
              language=
                                  Python.
              basicstyle=
                                  \footnotesize.
              breaklines=
                                  true.
              commentstyle= \color{ForestGreen},
          9
              keywordstyle= \bf\color{RoyalBlue}.
              stringstyle=
                               \it\color{Plum},
          11
              numbers=
                                 left,
              showstringspaces= false,
              numberstyle=
                                 \tiny\color{Gray},
          14
Listings
              frame=
                                  single,
              morekeywords=
                                  {shuffle},
          16
         17
              caption=
                                  Python Bogosort
              \[\langle \.. / Resources / bogo . py\rangle
          18
```

Listings Example

How do LATEX?

Eric Krause

Why LAT_EX?

Getting

Formatting

Math Mod

m. 1 . 1.

~ ..

Listings

BibTex

Conclusion

Output

Listing 1: Python Bogosort

```
def bogo(x):
1
        count = 0
3
        while not inorder(x):
4
            # if sorted, randomly shuffle
5
            shuffle(x)
6
            count = count + 1
       # once sorted, return!
        print "Sorted! Attempts: " +
10
            count
        return x
11
```

Footnotes and Citations

How do LATEX?

Eric Krause

Why LATEX

Getting Started

Formatting

Math Mode

Tabular

Graphics

Grapino

Listing

BibTex

Conclusion

Two main options for citations:

- Footnotes: quick and easy, but not for citing sources.
- BibTeX: robust, automated bibliography management.

Footnotes can be easily created $inline^1$

\footnote{text to put at bottom of page}

Using BibTeX takes a couple more steps...

Bibliographies with BibTEX

```
How do LATEX?
```

Eric Krause

Why LATEX

Getting Started

Formatting

Math Mode

Tabular

Graphic

•

Listing

BibTex

Conclusion

```
■ Create a bibliography (.bib) file
```

```
1 @article{Meyer 2000,
2    author = "Bernd Meyer",
3    title = "A constraint-based framework for
        diagrammatic reasoning",
4    journal = "Applied Artificial Intelligence",
5    volume = "14",
6    issue = "4",
7    pages = "327--344",
8    year = 2000
9 }
```

2 Cite source:

```
\sim \text{cite}\{\text{Meyer }2000\}
```

3 Include at end of document:

```
\bibliography{bibfilename}
\bibliographystyle{plain}
```

4 Compile (with BibTfX)



Compiling with BibTeX

How do LATEX?

Eric Krause

IATEX?

Started

Formatting

Math Mode

Tabular

Graphics

-

r mat

BibTex

Conclusion

- Recommended method, according to www.bibtex.org
 - 1. pdflatex mydocument
 - 2. bibtex mybib
 - 3. pdflatex mydocument
 - 1. pdflatex mydocument
- Don't like that?

http://users.phys.psu.edu/~collins/latexmk/

BibTFXDemo

How do LATEX?

Eric Krause

W ny LATEX?

Started

Formatting

Math Mode

Wode

Graphic

Float

Listing

BibTex

Conclusion

BIBTeXcitations are widely used in academics and available for free from ACM digital library, IEEE Xplore, and other libraries.

- ACM demo
- IEEE Xplore Demo

Example bibliography and cited document:

- bibliography
- cited document
- final output

Additional Resources

How do LATEX?

Eric Krause

Why LATEX?

Getting Started

Formatting

Math Mode

Tabular

Graphic

Grapino

Listing

BibTex

- All example code listed in this presentation (anything with line numbers) located in Examples/
- Many additional examples (omitted from presentation) located in Appendix/
 - Custom sizing
 - Algorithms
 - Defining new functions
 - Custom header files
- The source code from this presentation
- First places to go for help:
 - http://detexify.kirelabs.org/
 - http://en.wikibooks.org/wiki/LaTeX
 - http://tex.stackexchange.com/
 - http://lmgtfy.com/?q=listings+latex

Questions?

How do LATEX?

Eric Krause

Why

Getting

Formattin

Moth Mod

WIGGII WIOGO

Tabular

Graphic

.

_ -----

D.1 m



Presented By:

How do LATEX?

Eric Krause

Why IATEX

Getting

Formattin

Math Mode

Graphic

Listing

BibTe:

Conclusion



Eric Krause
PSU ECE Alumni
eric@sauerkrause.org
http://www.sauerkrause.org



Cody Gabriel

Eta Kappa Nu (HKN)

Iota Theta (PSU Chapter)

cwg2@pdx.edu

This presentation and source code available at: https://github.com/ekrause/LaTeX-Presentation