

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

How do L^AT_EX?

<https://github.com/ekrause/LaTeX-Presentation>

Eric Krause

Portland State University
M.S. ECE, 2013

February 3, 2014

Why use L^AT_EX?

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

- High quality output
- Unparalleled math/equation typesetting
- Powerful bibliography management
- Handles massive documents with ease
- Free and OS agnostic
- You get to use your favorite text editor
- Highly extensible
- **Focus on content, not formatting**

Don't use LaTeX if...

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

- Never used a computer before
- Can't spare a few hours of practice in exchange for a life changing skill
- Never need to create documents (why are you here?)
- Afraid of the command line
- Weak, lazy, other personal flaws

Downloading and Using L^AT_EX

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

Downloading

- **Linux** Check your software repository.
 - `sudo apt-get install texlive-full`
- **OS X** MacTeX
 - `http://www.tug.org/mactex/`
 - `brew install pdflatex`
- **Windows** ProTeXt
 - `http://www.tug.org/protext/`

Compiling [command line]

- `pdflatex -file-line-error -interaction=nonstopmode yourfile.tex`

Compiling [GUI]

- Click buttons and/or mash keyboard.
- If that doesn't work, try touching the screen or using voice commands.

Hello L^AT_EX!

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

Source

```
1 \documentclass{article}
2
3 % this is a comment
4 \title{Cat gifs as Art}
5 \author{Eric Krause}
6 \date{September 2012}
7
8 \begin{document}
9
10 % generate title block
11 \maketitle
12
13 % let's add some content
14 Hello world!
15
16 \end{document}
```

Output

Cat gifs as Art

Eric Krause

September 2012

Hello world!

Function Syntax

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

```
\includegraphics[width=1in]{~/picture.png}
```

"\" indicates
this is a
function

Name of the
function

Optional
parameter
override

Argument 1

Spaces and Escaped Characters

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

- Additional spaces between words are ignored.
- Manually add spaces by escaping a space ‘\ ’
- Line break: (no indent) two backslashes ‘\\’
- Paragraph break (indent) two newlines (‘Enter’ twice)

	Unescaped Function	To Print, Type:
\	escape character, command identifier	\textbackslash
{ }	group and separate commands	\{ and \}
%	begin a line comment	\%
\$	enter/leave math mode	\\$
_	for subscripts (math mode)	_
^	for superscripts (math mode)	\textasciicircum
&	designate columns in tables	\&
#	reference arguments in functions	\#
~	insert unbreakable space	\textasciitilde

Common Text Formatting

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

Source

```
1 Formatting:\\
2 \textbf{Bold Text}\\
3 \textit{Italic Text}\\
4 \emph{Emphasized Text}\\
5 (\textit{emph is emph
   smarter} than textit)\\
6 \underline{Underlined Text}\\
7 \texttt{Monospace Text}
```

Output

Formatting:
Bold Text
Italic Text
Emphasized Text
(*emph is smarter than textit*)
Underlined Text
Monospace Text

Sections and Subsections

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

Source

```
1 \section{Vegetables}
2 Words.
3 \section{Fruits}
4 Section \thesection\ text.
5 \subsection{Apples}
6 More text.
7 \subsubsection{Braeburn}
8 Moar txt.
9 \section{Gourds}
10 wat.
11 \section*{Appendix}
12 Bees?
```

Output

1 Vegetables

Words.

2 Fruits

Section 2 text.

2.1 Apples

More text.

2.1.1 Braeburn

Moar txt.

3 Gourds

wat.

Appendix

Bees?

Lists

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

Source

```
1 The three types of lists:\\\\
2 Itemize:
3 \begin{itemize}
4   \item these are bulleted
5   \item as such
6 \end{itemize}
7 Enumerate:
8 \begin{enumerate}
9   \item these are numbered
10  \item as you might expect
11 \end{enumerate}
12 Description:
13 \begin{description}
14   \item[thing A] text
15   \item[thing B] words
16 \end{description}
```

Output

The three types of lists:

Itemize:

- these are bulleted
- as such

Enumerate:

1. these are numbered
2. as you might expect

Description:

item A text

item B words

Formatting Miscellanea

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

■ Quotes:

Backtick (```) for open quote, single quote (`'`) for close quote. ‘single’ or “double”

■ Centering

```
\begin{center}  
    %centered text  
\end{center}
```

■ Verbatim

```
\begin{verbatim}  
    %won't be parsed by LaTeX  
    %great for console output  
\end{verbatim}
```

Math Mode

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

- TODO: link to the latex math page.

- Begin and end inline equations:

$\$$ math goes here $\$$

- Begin and end display equations:

```
\begin{equation}
    math goes here
\end{equation}
```

- The only symbols accessed directly from the keyboard:

- $+ - = ! / () [] < > | ' :$

The rest are all commands!

- Spaces are ignored entirely in equations.

- How to remember them all? Don't! Use **Dextrify!**

- <http://detexify.kirelabs.org/classify.html>

Math Mode Examples

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

Output:

Inline math mode:

I think $x(t) = a_0 + \sum_{n=1}^{\infty} [a_n \cos(n\omega_0 t) + b_n \sin(n\omega_0 t)] = \sum_{n=-\infty}^{+\infty} c_n e^{jn\omega_0 t}$ is a Fourier series or something.

Display math mode:

$$\frac{Dies}{Wafer} = \frac{\pi \cdot (Wafer \ Diameter/2)^2}{DieArea} - \frac{\pi \cdot Wafer \ Diameter}{\sqrt{2} \cdot Die \ Area} \quad (1)$$

Use display math mode for centered, numbered equations like equation 1 that you can refer to later.

Source:

```
1 \noindent \textbf{Inline math mode:}\\
2 I think $x(t)=a_0 + \sum\limits_{n=1}^{\infty} [a_n \cos(n\omega_0 t) + b_n \sin(n\omega_0 t)] = \sum\limits_{n=-\infty}^{+\infty} c_n e^{jn\omega_0 t}$ is a Fourier series or something.\\
3
4 \noindent \textbf{Display math mode:}\\
5 \begin{equation}
6 \label{eq:dies}
7 \dfrac{Dies}{Wafer} = \dfrac {\pi \cdot (Wafer \ Diameter/2)^2}{Die
   Area} - \dfrac {\pi \cdot Wafer \ Diameter}{\sqrt{2} \cdot Die
   Die \ Area}}
8 \end{equation}
9 Use display math mode for centered, numbered equations like
   equation \ref{eq:dies} that you can refer to later.
10 \end{document}
```

Using the Tabular Environment

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

- 1 **Begin tabular mode** specifying the number of columns, alignment, and vertical lines.
- 2 **Input table rows** indicating separations between cells, specifying when to begin a new row, and where to include horizontal lines.
- 3 **End tabular mode**

Beginning A Tabular Environment

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTex

Conclusion

Started using the following command:

```
\begin{tabular}[ ]{column specification}
```

- The environment we are starting is **tabular**.
- The type, location, and alignment of columns and vertical lines is given using the **column specification**
 - l — left-aligned column
 - c — center-aligned column
 - r — right-aligned column
 - p{width} — paragraph column, must specify width.
 - | — vertical line (|| = double, ||| = triple ...)

Adding Contents

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

- Once in a tabular environment, table contents, separations between cells, and newlines are entered.
 - `&` — column separator
 - `\\` — start new row
 - `\hline` — horizontal line
 - `\newline` — start new line in cell (paragraph cells only)

Sample Table:

```
1 \begin{tabular}{|l||l|c|r|p{1in}||}\hline
2      & -Tubes & & -Sphere & & -Net & & -Web & \\\hline
3 Blog- & & x & & & & & x & \\
4 E- & & & & x & & x & & \\
5 Inter- & & & & x & & & & \\
6 Web & & x & & x & & & x & \\\hline
7 \end{tabular}
```


Tabular Example

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

Output:

	-Tubes	-Sphere	-Net	-Web
Blogo-	x			x
E-		x	x	
Inter-		x		
Web	x	x		x

Importing Graphics

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

- `\usepackage{graphicx}`
- Once `graphicx` is included, images are imported using:
`\includegraphics[options]{image name}`
- Useful optional parameters:
 - `width=xx` — manual width
 - `height=xx` — manual height
 - `angle=xx` — used to rotate image
 - `scale=xx` — manual scaling
- `[width=\textwidth]` *% full-page width*
- `[width=.5\textwidth]` *% half-page width*

Includegraphics Example

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

Source

```
1 \documentclass{article}  
2 \usepackage{graphicx}  
3 \begin{document}  
4 \includegraphics[width=2in]  
   {cat.jpg}  
5  
6 \end{document}
```

Output



Floats

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

- A container that cannot be broken across multiple pages
- L^AT_EX defines **figure** and **table** floats
- Floats (should) have captions and references.
- Floats are automatically arranged by L^AT_EX , however you can manually specify placement

Float Placement

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

Format:

```
\begin{figure} [placement specifier]
  \label {fig:cat}
  \caption { this is a photo of a cat }
  %... figure contents ...
\end{figure}
```

- To get number of the float:

```
\ref{name}
```

- Placement Specifiers:

- h --- Place the float (approximately) here
- t --- Position at the top of the page.
- b --- Position at the bottom of the page.
- p --- Put on a special page for floats only.
- ! --- Modifier. Override internal parameters LaTeX uses for determining "good" float positions.

Floats Example

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTex

Conclusion

Source

```
1 \begin{figure}[h!]  
2   \centering  
3   \label{fig:astrocat}  
4   \caption{An awesome cat}  
5   \includegraphics[width=1in]  
     {cat.jpg}  
6 \end{figure}  
7  
8 \begin{table}[h!]  
9   \begin{center}  
10    \begin{tabular}{|| lcr ||}  
11      \hline  
12        1 & 2 & 3 \\\br/>13        4 & 5 & 6 \\\br/>14        7 & 8 & 9 \\\br/>15      \hline  
16    \end{tabular}  
17  \end{center}  
18  \caption{A simple table}
```

Output



Figure 1: An awesome cat

1	2	3
4	5	6
7	8	9

Table 1: A simple table

Listings

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

- `\usepackage{listings}`
- Made specifically for listing source code.
- Syntax highlighting for all common languages.
- (Bad) Write/paste code into L^AT_EX document:

```
\begin{lstlisting}[options]  
    Paste your code here  
\end{lstlisting}
```

- (Good) Reference original source file:
`\lstinputlisting[options]{filepath}`
- http://en.wikibooks.org/wiki/LaTeX/Source_Code_Listings#Settings

Preferred Listing Settings

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

Source

```
1 \usepackage{listings}
2 \usepackage[usenames,dvipsnames]{color}
3 \begin{document}
4
5 \lstinputlisting[
6     language=           Python,
7     basicstyle=         \footnotesize,
8     breaklines=         true,
9     commentstyle=       \color{ForestGreen},
10    keywordstyle=       \bf\color{RoyalBlue},
11    stringstyle=        \it\color{Plum},
12    numbers=            left,
13    showstringspaces=   false,
14    numberstyle=        \tiny\color{Gray},
15    frame=              single,
16    morekeywords=       {shuffle},
17    caption=            Python Bogosort
18 ]{bogo.py}
```


Listings Example

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

Output

Listing 1: Python Bogosort

```
1  def bogo(x):  
2      count = 0  
3  
4      while not inorder(x):  
5          # if sorted, randomly shuffle  
6          shuffle(x)  
7          count = count + 1  
8  
9      # once sorted, return!  
10     print "Sorted! Attempts: " +  
11         count  
12     return x
```

Bibliographies with BibTeX

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

1 Create a bibliography (.bib) file

```
1 @article{Meyer2000,  
2   author = "Bernd Meyer",  
3   title  = "A constraint-based framework for  
           diagrammatic reasoning",  
4   journal = "Applied Artificial Intelligence",  
5   volume = "14",  
6   issue  = "4",  
7   pages  = "327--344",  
8   year   = 2000  
9 }
```

2 Cite source:

```
~\cite{Meyer2000}
```

3 Include at end of document:

```
\bibliography{bibfilename}  
\bibliographystyle{plain}
```

4 Compile (with BibTeX)

Compiling with BibTeX

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

- Recommended method, according to www.bibtex.org

1. `pdflatex mydocument`
2. `bibtex mybib`
3. `pdflatex mydocument`
4. `pdflatex mydocument`

- Don't like that?

<http://users.phys.psu.edu/~collins/latexmk/>

BibTeX Demo

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

BibTeX citations are widely used in academics and available for free from ACM digital library, IEEE Xplore, and other libraries.

- ACM demo
- IEEE Xplore Demo

Example bibliography and cited document:

- bibliography
- cited document
- final output

Additional Resources

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTeX

Conclusion

- All example code listed in this presentation (anything with line numbers) located in Examples/
- Many additional examples (omitted from presentation) located in Appendix/
 - Custom sizing
 - Algorithms
 - Defining new functions
 - Custom header files
- The source code from this presentation
- First places to go for help:
 - <http://detexify.kirelabs.org/>
 - <http://en.wikibooks.org/wiki/LaTeX>
 - <http://tex.stackexchange.com/>
 - <http://lmgty.com/?q=listings+latex>

Questions?

How do
L^AT_EX?

Eric Krause

Why
L^AT_EX?

Getting
Started

Formatting

Math Mode

Tabular
Mode

Graphics

Floats

Code
Listings

BibTex

Conclusion

