PROJECT 10073 RECORD CARD

25 Sep 63 3. DATE-TIME GROUP Local CMT_26/01307 5. PHOTOS CYOS CYOS	2. LOCATION Herkimer, New York 4. TYPE OF OBSERVATION Q Ground-Visual D Ground-Radar D Air-Visual D Air-Intercept Rada 5. SOURCE civilian		000 000 000	Was Balloon Probably Balloon Possibly Balloon Was Aircraft Probably Aircraft Possibly Aircraft Possibly Aircraft Probably Astronomical Probably Astronomical Possibly Astronomical
30 mins	a. NUMBER OF OBJECTS	stationary	000	Insufficient Data for Evaluation Unknown
Round flashing lights observed on two occasions. Observed as colored lights. Sighted at about two degrees above the horizon to the North. Observed for 30 mins. Did not note manner of disappearance. Also observed through BX. Sighting at night. Subsidence inversion at 3,000. Aurora in area.		Description ind sighting.	ica	tes probable Aurora

ATIC FORM 329 (REV 25 SEP 52)

DEPARTMENT OF THE AIR FORCE

Page 1 of 4

AF IN: 14839 (27 Sep 63) G/at 0 M 1 N G

ACTION: :NIN-9

INFO : SAF-OS-3, XOP-1, XOPX-4, DIA-25, DIA-CIIC-2 (49

SIIB BO46

ZCHQC915ZCGFA812

RR RUEAHO

DE RUEAGF 429A 26/2310Z

ZMR

R 261930Z

FM 2856ABWG GRIFFISS AFB NY

TO RUWGALE/ADC ENT AFB COLO

RUEAKN/26AIRDIV STEWART AFB NY

TO RUCDSQ/FTD WPAFB OHIO

RUEAHQ/CSAF

RUEAHO/OSAF WASH DC

BT

UNCLAS ROBBS 50235

FOR AFCIN AND SAFOI. UFO A. DESCREIPTION OF OBJECT

- (2 OCCASIONS)
- (1) ROUND
- (2) PEA
- (3) RED-GREEN (FLASHING)
- (4) ONE.
- (5) N/A
- (6) COLORED LIGHTS
- (7) MONE

PAGE 2 RUEAGF 429A UNCLAS

INCLASSIBLE MESSAGE

- (S) NONE
- (9) NONE
- B. DESCRIPTIONS OF COURSE OF OBJECT
- (1) UNKNOWN
- (2) 2" ABOVE HORIZON, NORTH OF HERKINER, NEW YORK
- (3) UNKNOWN
- (4) UNKNOWN
- (5) UNKNOWN
- (6) 30 MINUTES
- C. MANNER OF OBSERVATION
- (1) GROUND
- (2) BINOCULARS
- (3) N/A
- D. DATE AND TIME OF SIGHTING
- (1) 0130Z
- (2) NIGHT
- E. LOCATION OF OBSERVER
- (1) 4 MILES MORTH OF HERKIMER, N.Y.
- (2) UNKOWN
- (3) ONE MILE EAST OF WKTV TOWER, FAIRFIELD, N.Y.

PAGE 3 RUEAGF 429A UNCLAS

INCOMING

UNCLASSIFIED MESSATA

F. IDENTIFYING INFORMATION ON OBSERVER

(1) AGE 46, AGE 46, CIVILIAN,

FARMER, RELIABILITY UNKNOWN

(2) N/A

G. WEATHER AND WINDS

(1) CLEAR

(2) 6,000 V/5

10,000 300/10

16,000 330/15

20,000 300/20

50,000 340,20

80,000 NOT AVAILABLE

(3) CEILING, NONE

(4) VISIBILITY, 10 MILES

(5) AMOUNT OF CLOUD COVER, NONE

(6) THUNDERSTORM IN AREA, NEGATIVE

(7) TEMPERATURE GRANIENT, SUBSIDENCE INVERSION BASE 3000

H. POSSIBLE REASON, AURORA

I. NONE

J. NONE

AF IN : 14839 (27 Sep 63) DEPARTMENT OF THE AIR FORCE

PAGE 4 RUEAGF 429A UNCLASWK. VERIFICATION GLEARANCE IDENTIFICATION BRANCHE ENFORCEMENT DIVISION. AN INQUIRY MADE TO RELAY AND SCATTER BRANCH ROME AIR DEVELOPMENT CENTER, GAFB, REVEALED THAT THE PROBABLE IDENTIFICATION OF UFO AS ECHO NBR 1 WHICH MADE VISIBLE PASSES IN THIS AREA DURING TIME AND DATE OBSERVED BY OBSERVER. 1. NONE.

BT

NNNN

Auroras in September

Lar west as California, numerous obscivers report a spectacular auroral espins on the night of September 22.23, losser auroras were seen by several amagins on the preceding and following nights.

innimum of its current cycle, major autoral outbursts should be rare. During mid-September, however, a large and comments sunspot group shown on the taking mage) was visible, even to the manded we. Solar activity associated with this group probably caused the recent spectacle.

During the course of their developcent, the September northern lights presented a wide variety of structural forms: nonvegeneous and raved arcs, draperies, oright patches, and coronas which formed at the magnetic zenith. The pictures on these pages represent several dates, Sepnonber 21, 22, and 24.

On the first evening, Robert A. Yajko botographed the display from his home it Leechburg. Pennsylvania. The arc pictured above was predominantly white introlor, although traces of green appeared scasionally. At 11:12 p.m. Eastern standard time, after about two hours of relative inactivity, rays began to stream from all parts of the arc. They were short, however, and none reached as high as Polaris. At 2 o'clock the next morning the display was still impressive.

Although the sky was partially cloudy over New Bedford, Massachusetts, on Sunday evening, the 22nd. Rev. Kenneth J. Delano reports:

The aurora was first seen at 8:35 p.m. 181 as a bright raved glow in the east. I hen nomed a homogeneous are which the hest from east to west and attained a localit of 60 degrees above the northern bottom.

"At 8:35 the aurora was at its brighnest, its form changing into a pink rayed are bloom base was 35 degrees above the morthern horizon. Bundles of rass rose had the are and extended 10 degrees past the remith, looking like a picker fence in the tky. These bundles, each a degree a two water shummered as their color and original originalists varied.

a 43 greatest activity took place 14

some 72 degrees above the southern horizon. Its greenish-white rays were bright, and covered all of the sky that was free of clouds. Soon the aurora was flaming, and waves of light moved from horizon to corona. Shorsly thereafter, activity began to subside."

A homogeneous are re-

corded by Robert A.

Yajko on September

21st at 9:55 p.m., EST.

He used a Praktiflex

camera and Plus X film


exposed two minutes.

A similar sequence is described by Jack H. Green, who found the constellations obliterated during the brightest stages. This Wankesha, Wisconsin, amateur reports that at about 9.45 p.m. Central standard time the aurora reached its peak intensity, covering the northern sky and extending past the tenith into Aquartus. Greenish-white streaks arched up-

ward, converging at a knot a few degrees south of the renish. Brilliant waves of light, sometimes several a second, sped apward from the north into the knot; a few of the waves continued even farther south.

Contrast these events with the relatively quiet northern lights seen at 7:50 p.m. Pacific standard time from the University of California's radio astronomy observatory at Hat Creek, in the northern part of the state. There, W Scharlach noted that the general coloration was a delicate blue-white, but milky white predominated toward the northeast, and a pink patch was seen north of this area. Dim outlines of auroral draperies were visible, but the display appeared generally structureless. Two shafts of light rose from the horizon somewhat west of north.

David D. Meisel reports that the September 22mi aurora had a distinctly



When I be on this one-minute expense at 8-22 pan, EST, September 24th," comments Thomas & Maynes of Littleton, New Hampshire, "the height cohumes at the right was below the murisess or a heaten for wavelike morage, how ever, number carries


constant of the particles and the second of the second of

Begroung from Pustmerch, Frm & and Walter A. Fethelman thought the the looked mornas He reports that tages or looses extended that from the s to how appeared the senith and would were we were closeflike mentionless tentures persisted for a long time. Occasional exeral area were seen, as many as at once. At 8:50 p.m. EST the main turks, up and intense green rays apred. Most of them moved westwird. ... some had an eastward direction. The that began to the down at always 8:55 after a corona formed overtead. a a new are developed in the north. at 10 50 it too became presselv g much like the one seen either that 11112

regard observers describe another of less spectacular display of northern callon September 13-14. Reverend and states that the aurora gradually frened until 8:00 p.m. Its base was a and portions higher in the sky whether into a "Y." During the next is of northern lights seen at 9 o'clock athering baze.

reports of the aurora or the large or from the following observers. An isk indicates that pictures were sufe-

F. Coon, Albany, N. Y., D. Dibble, ev. N. Y.; R. Dudley, Mexandria, I. W. Dunkle, Cambridge, Mass., Evans, Hampton, Va.: H. Flaig,



Silhouetted chouds crease a dramatic effect in this September 22nd picture by Thomas P. Pope of Milwaukee. Wisconsin. He set the lens of his Rolleicord camera at 1/3.5 for a 20-second exposure on Royal-X Pan film.

Scratte is. N. J.; R. G. Gore: Culpeper, Va.: W. G. Ingraham, Levittown. Pa.: K. I. Kochler. Bordentown, N. J.; R. Lozar, LaGrange Park, Ill.; E. Lusby and J. Lindstrom, Charlotteswille, Va.: M. A. Nelson, Oxford, Ohior T. R. Sprecher, Ephrata, Pa.

MARTIAN ATMOSPHERE

A controversy of several years duration concerning the Martian atmosphere now appears to have been settled by Hyron Spinrad, an astrophysicist on the staif of Jet Propulsion Laborators

at Georgetown dollege Observatory proposed that to my beenomenant Mara suchas have, a chief chouch and polar caps, could be explained in terms of coo easides of alreagen. Sitrogen donable (NO₂) is a got that at low temperatures is trainlormed into nurogen terroxide (N₂O₂), a white solid. Dr. Kiess group presented spectroscopic evidence for the occurrence of NO₂, on Mars.


Recemiy, in the Publications of the Astronomical Society of the Pacific, Dr. Spinrad polifits out that the Georgesown workers used "marginally small equipment." He has collected high-dispersion spectrograms of Mars takenswith large telesiones at Dominion Astrophysical, Muemt Wilson, and Kitt Peak observatories.

When these spectra were compared with Dra Riess' high-resolution laboratory spectrograms, they showed no evidence of nitrogen dioxide bands. Dr. Spinrad conductes shar Martian NO₂, if any, would form less than a millimeter layer at one atmosphere pressure.



At El Paso, Texas. R.

B. Minton, Jr., obtained this picture of a large sunspot group. He took the 1/200-second exposure at 10 a.m. Mountain standard time, September 20th. A. 4j-inch reflector was used with a neutral-density filter, transmitting only two percent of the sain a light. The filter was Kodak contact-process.



F. W. Scanlon of Rochester, New York, photographed the brilliant auroral corona at the left. Deneb is the star 14 inches from the left and 4 inch from the top. A compact grouping of stars near bottom center is the constellation Delphinus. The second picture is from an original color transparency by Ian C. McLennan, director of the Queen Elizabeth Planetarium at Edmonton, Alberta.

September Aurora Sequel

SPECTAGULAR is the word for these unusual photographs of the northern lights. Both were taken in Canada on September 22, 1963, near maximum activity of the several-day display described on page 256 in last month's issue.

F. W. Scanlon was near Thorold, On-

tario, when he filmed the corona (shown at left) about 9:20 p.m. Eastern standard time. He wrote:


"The sky was divided in two by the dark area in the picture. Bands of whitish light moved from horizon to corona in about 1/25 second. When they met at


the zenith, an explosion of red, green, and blue colors occurred. The colors were noticed for about two minutes. The corona remained nearly the same shape, but its brightness pulsated and increased with the passage of each light wave."

Ian C. McLennan was approaching Regina, Saskatchewan, from the north when he noticed "a hazy cloudlike form high in the southeastern sky. The sun had just set, and within moments the yellow-

green cloud blossomed into a shaft of streamers which later formed into a wide arch. The spectacle reached its peak when a pearly-white ray moved toward the sunset glow. It fused with the twilight colors—a remarkable indication of the intrinsic brilliance of the display."

The two maps on the facing page were drawn by Carl W. Gartlein of Cornell University. Ithaca. New York, from visual observations of the aurora collected by his IGY data center.





The zone of observed auroral activity on September 22nd is plotted for 7 to 10 p.m. Eastern standard time on the left map, and for 10 p.m. to 1 a.m. on the other. The area spread westward as darkness came over the United States. Carl A. Gartlein comments that geomagnetic disturbances lessened during this six-hour interval. Parallel curves indicate the expected auroral southern limit, as forecast by Dr. Gartlein from observations during past disturbances of similar intensity. These maps are adapted from "Newsletter 74" of the IGY center for visual auroral data at Cornell University.

--- -- P----- P------ INCO