PROJECT 10073 RECORD

	T
1. DATE - TIME GROUP	2. LOCATION
30 October 64 30/060	Egz Beavercreek, Ohio
3. SOURCE	10. CONCLUSION
Civilian	MOON DOG
4. NUMBER OF OBJECTS	
One	
5. LENGTH OF OBSERVATION	11. BRIEF SUMMARY AND ANALYSIS
15 Minut es	Object appearing as a light color of rainbow. Bright night,
6. TYPE OF OBSERVATION	stars visible. Fuzzy. Stationary, changed in brightness, flashed or flickered. Some fog. Did not observe disappearance
Ground-Visual	No sound. Did not move in front of or behind anything while
7. COURSE	under deservation. Estimated elevation 30 deg. Unable to determine direction of sighting.
Stationary	
8. PHOTOS	Observer did not see light disappear. No direction. Noon just
O Yes	below horizon in East. Paraselenae occuring at 22 deg when the
XXNo	moon is at the horizon. Possible that this rare phenomena of a
9. PHYSICAL EVIDENCE	ascension 10h.29.40. Declination: plus 14: 38.03.
XX No	. Doubling on Longe December of the plant of the party of

THE RESERVE THE PARTY OF THE PA

The state of the s

FORM
FTD SEP 63 0-329 (TDE) Previous editions of this form may be used.

DEARBORN OBSERVATORY NORTHWESTERN UNIVERSITY EVANSTON, ILLINOIS

25 November 1964

Sergeant David Moody
Foreign Technology Division
Box 9494
Wright-Patterson Air Force Base
Dayton, Ohio

Dear Dave:

Thanks for your letter of November 19. I've looked over the October cases, and I must say that I have never seen a more ordinary or prosaic bunch of cases for a long while. The Beaver Creek sighting is almost certainly what you say it is, and although we don't have proof, I think the moon-dog explanation fits all the limited data we have. I would classify that as possibly moondog, or even more strongly, probably moondog.

Now that you have the Echo schedules, you can be more positive about satellite identification. Incidentally, I have just been invited to teach at Harvard next summer, and so I will be very close to the source of supply of Echo predictions, and I can make sure that they keep flowing.

I would like to get more data on the Brynfield, Massachusetts, 28 October, 64 case. It might be worth a phone call on my part, but in the meantime, wouldn't it be a good idea to send her a questionnaire form, just to see what happens.

The same things goes for the Fort Jones-Mt. Shasta, 30 October 64 case. This observer might turn out to be reliable. After all, aren't all pilots reliable??

Also, could I see the original data for the 1 October, Hillsboro, Oregon case, the 23 October, Oakwood, Ohio case, and the 24 October, Atlantic case, or have you classified these as super-secret?


What about Major Q's plans for coming to Chicago in December? My classes are over on Friday the 11th so I will be free the week of the 14th with the exception of one short exam I have to give. If you and the Major can't make it to Chicago, then it might be a good time for me to make a visit since I have not been able to make one this month. On the other hand, there is no point to making th visit unless there is some business to attend to, but there usually is. I may be dropping by Columbus the next time I come to Dayton to check a few things with the Dean there.

In the meantime, have a very good Thanksgiving, and, as the Major always says, "keep in touch."

Cordially,

Allen

JAH: krf



3. oct Tw/wFo

U.S. AIR FORCE TECHNICAL INFORMATION


This questionnaire has been prepared so that you can give the U.S. Air Force as much information as possible concerning the unidentified aerial phenomenon that you have observed. Please try to answer as many questions as you possibly can. The information that you give will be used for research purposes. Your name will not be used in connection with any statements, conclusions, or publications without your permission. We request this personal information so that if it is deemed necessary, we may contact you for further details.


1. When did you see the object?	2. Time of day: 0/00 Minutes
	Proti de
30 007 64	(Circle One): A.M. or P.M.
Day Month Year	
3. Time Zone:	
(Circle One): a. Eastern b. Central	(Circle One): a. Daylight Saying
b. Central c. Mountain	(b) Standard
d. Pacific	
e. Other	
	City or Town State or County
5. How long was object in sight? (Total Duration)	Hours Seconds
a. Certain c. N	lot very sure
	ust a quess
5.1 How was time in sight determined?	
	- Cartain C
5.2 Was object in sight continuously? Yes 1	_ No
6. What was the condition of the sky?	
DAY NIC	SHT
	right
b. Cloudy b. C	Cloudy
7. IF you saw the object during DAYLIGHT, where was the	ne SUN located as you looked at the object?
(Circle One): a. In front of you A//. d. T	o your left
b. In back of you	lverhead
c. To your right	on't remember

8	.1 STARS (Circle One):	8.2 MO	ON (Circle	One):		
	a. None		Bright mo			
	6 A few		Dull moon	Control Contro		
	c. Many			ght - pitch	dark	
113.5	d. Don't remember	AD	Don't rem		The second second second	
						Supplied to
9. W	that were the weather conditions at	the time you saw th	e object?	SH SAN LAS	an bornset ti	The state of the s
C	LOUDS (Circle One):	WEATH	ER (Circle)ne):		
	. Clear sky	a. Dry		THE DE LANGE		
540	. Hazy		mist, or lig	ht rain		
	. Scattered clouds		rate or hear			
				y rain		
d	. Thick or heavy clouds	d. Snow	t remember			
2010	dorgh't Know	e. Don	1 remember			
0. T	he object appeared: (Circle One):					
	. Solid A	s a light on't remember				
a.	The state of the s					
	. Transparent 6. D	on't remember				
b.	it appeared as a light, was it bright	ter than the brighte c. About the s	ame	Circle One):		
1. If	it appeared as a light, was it bright Brighter b. Dimmer 1.1 Compare brightness to some co	ter then the brighte c. About the s d. Don't know	ame	Circle One):		
1. If	it appeared as a light, was it bright. Brighter b. Dimmer	ter then the brighte c. About the s d. Don't know	ame	Circle One):		
b. c.	it appeared as a light, was it bright Brighter b. Dimmer 1.1 Compare brightness to some co	ter then the brighte c. About the s d. Don't know	ame	Circle One):		
1. If	it appeared as a light, was it bright Brighter b. Dimmer 1.1 Compare brightness to some compare bri	c. About the s d. Don't know mmon object:	ame			
1. If	it appeared as a light, was it bright Brighter b. Dimmer 1.1 Compare brightness to some compared by the edges of the object were: (Circle One): Fuzzy or blurred by Like a bright st	d de la	ame			
b. c. 1. If	it appeared as a light, was it bright Brighter b. Dimmer 1.1 Compare brightness to some compared to be adject were: (Circle One): Fuzzy or blurred b. Like a bright story continued to the	d ar	ame			
b. c. 1. If	it appeared as a light, was it bright Brighter b. Dimmer 1.1 Compare brightness to some compared by the edges of the object were: (Circle One): Fuzzy or blurred by Like a bright st	d ar	ame			
2. Ti	it appeared as a light, was it bright Brighter b. Dimmer 1.1 Compare brightness to some compared to be adject were: (Circle One): Fuzzy or blurred b. Like a bright story continued to the	d ar	e. Othe		ch question)	
1. If	it appeared as a light, was it bright Brighter b. Dimmer 1.1 Compare brightness to some compare brightness to some compare brightness to some compare brightness to some compared by the edges of the object were: (Circle One): Fuzzy or blurred by Like a bright story constituted by Don't remember by the object:	d ar	e. Othe	e One for a	ch question)	
1. If	it appeared as a light, was it bright Brighter b. Dimmer 1.1 Compare brightness to some compared to some	d de	e. Othe	e One for a		
1. If	it appeared as a light, was it bright Brighter b. Dimmer 1.1 Compare brightness to some compare brightness to some compare brightness to some compare brightness to some compared by the edges of the object were: (Circle One): Fuzzy or blurred by Like a bright story constituted by Don't remember by the object:	d ar ay at any time?	e. Othe	o One for a	och question) Don't know	
2. Ti	it appeared as a light, was it bright Brighter b. Dimmer 1.1 Compare brightness to some compart by the edges of the object were: (Circle One): Fuzzy or blurred b. Like a bright st c. Sharply outlined d. Don't remember id the object: a. Appear to stand still at any tim b. Suddenly speed up and rush away	d ar ay at any time?	e. Other	e One for a	och question) Don't know Don't know	
1. If	it appeared as a light, was it bright Brighter b. Dimmer I.1 Compare brightness to some compared to some compared to stand still at any time b. Suddenly speed up and rush aware. Break up into parts or explode?	d ar ay at any time?	e. Other	e One for a	ch question) Don't know Don't know Don't know	
1. If	it appeared as a light, was it bright Brighter b. Dimmer I.1 Compare brightness to some compared to some compared to stand still at any time b. Suddenly speed up and rush aware. Break up into parts or explode? d. Give off smoke?	d ar ay at any time?	o. Other	e One for a	Don't know Don't know Don't know Don't know Don't know	
2. Ti	it appeared as a light, was it bright Brighter b. Dimmer I.1 Compare brightness to some compare brightness to some compared by the edges of the object were: (Circle One): A Fuzzy or blurre b. Like a bright st c. Sharply autlined d. Don't remember id the object: a. Appear to stand still at any time b. Suddenly speed up and rush away c. Break up into parts or explode? d. Give off smoke? e. Change brightness?	d ar ay at any time?	e. Other	o One for a No	Don't know	

14. Did the	object disapped	r while you	were watch	ing it? If so, how?		
	No					
15. Did the	object move bet	ind somethi	ng at any t	ime, particularly a c	loud?	
	cle One): oved behind;	Yes	(No)	Don't Know.	IF you answere	d YES, then tell what
16. Did the	object move in	ront of some	thing at ar	ny time, particularly	a cloud?	A ARREL STUTE LA
W. M. (800)	cle One):	Yes	No	Don't Know.	IF you answere	todw Het nedt ,23Y b
a. Sour	and the second section	28.780		rain 600		
much of sighting	the object is co	vered by the	head of th	e match. If you had en covered by the m	performed this experi	on object and note how ment at the time of the
of the o	bject that you sa	w such as w	rings, protr		pecially exhaust trails	our sketch any details or vapor trails.
1	V/A					

27. In the following sketch, imagine that you are at the point shown. Place an "A" on the curved line to show how high the object was above the horizon (skyline) when you first saw it. Place a "B" on the same curved line to show how high the object was above the horizon (skyline) when you last saw it. Place an "A" on the compass when you first saw it. Place a "B" on the compass where you last saw the object.





28. Draw a picture that will show the motion that the object or objects made. Place an "A" at the beginning of the path, a "B" at the end of the path, and show any changes in direction during the course.

29. IF there was MORE THAN ONE object, then how many were there?

Draw a picture of how they were arranged, and put an arrow to show the direction that they were traveling.

N/A

object was?
it was?
23. Were you (Circle One)
- 1- 4- bustance constant of a star?
a. In the business section of a city? (5) In the residential section of a city?
c. In open countryside?
d. Near an oirfield?
e. Flying over a city?
f. Flying over open country?
g. Other
e. South f. Southwest h. Northwest sper hour. the object?
f. Southwest h. Northwest s per hour.
f. Southwest h. Northwest s per hour. the object?
f. Southwest h. Northwest per hour. the object?
f. Southwest b. Northwest the object? inoculars Yes

30. Have you ever seen this, on Never	or a similar object before. If so give date or date	es and location.
31.1 IF you answered YES 31.2 Please list their name	at the time you saw the object? (Circle One) S, did they see the object too? (Circle One) nes and addresses: Rd. Reaver creek, Ohio	No No
32. Please give the following	information about yourself;	
NAME	ame Eine	Middle Name
ADDRESS	reet	Zone State
TELEPHONE NUMBER	AGE 30_ SE	x x
Indicate any additional info	ormation about yourself, including any special ex	xperience, which might be pertinent.
have Se	en Satellites	
33. When and to whom did you i	report that you had seen the object?	
	Month Year	

•	Date you completed this questionnaire:	Doy	Month	- 61/ Year	
	Information which you feel pertinent and questionnaire or a narrative explanation		vered in the spe	cific points of the	
	None				terminated to
		1	The self selection is not in		
	No.				

the screen itself, or by other thermometers placed in the screen. Errors of parallax in reading a rain measure are also important, and they occur whenever an observer places his eye either above or below the level of the water surface in the rain measure.

Parameter.—A quantity related to one or more variables in such a way that it remains constant for any specified set of values of the variable or variables, e.g. in STATISTICS, MEAN, STANDARD DEVIATION.

Paranthelia.—A mock sun at the same elevation as the sun and in an azimuth greater than 90° from the sun may be called a paranthelian. White paranthelia at 120° from the sun are fairly common. Paranthelia at about 140° from the sun have been recorded on rare occasions.

Paraselenae or mock moons, analogous to mock suns, have been observed occasionally. No measurements are available but it may be presumed that mock moons will be at the same elevation as the moon and that the angular distance will vary like that between sun and mock sun, being 22° when the luminary is on the horizon and 25° when the luminary is at an elevation of 30°.

Parhelia.—Images of the sun, coloured or white. The mock suns seen most frequently are at the same elevation as the sun and coloured with red nearest the sun. When the sun is near the horizon the distance is equalto the radius of the ordinary halo, i.e. 22°. When the sun is higher the distance is greater so that if halo and mock sun are both seen the mock sun is outside the halo. White mock suns are to be seen in the azimuth 120° from the sun. Bright patches seen at the top and bottom of the halo of 22° at the points of contact of the tangent arcs, are sometimes referred to as mock suns

Pentad.—A period of five days. Five-day means are frequently used in meteorological work, as five days form an exact sub division (/3rd) of the ordinary year, an advantage not possessed by the week.

Percolation.—The downward passage of surface water through the soil. Part of the rain which falls on the land surface re-evaporates, part runs off into streams and rivers to the sea, while part percolates through the soil. Measurements of the amount of rain water which percolates through certain depths of soil have been published in the annual volumes of British Rainfall. Usually the gauge consists of a cubic yard of natural earth inserted in a metal container and sunk in the hole formed by removing this earth. The rain water which percolates through is drained off and measured daily at 9h., access to the receiver being obtained by means of a trap door at the side of the gauge. The results are usually published as a depth in hundredths or thousandths of an inch of water. See Evaporation.

Periodical.—Recurring at regular intervals, like the position of the bob of a simple pendulum. The most obvious periodical variations in the atmosphere are associated with the alternation of night and day, and the alternation of winter and summer, corresponding respectively with the day and the year. Strictly speaking a variation is not to be called periodical unless the interval between successive maxima and successive minima is constant, and so the sunspot variation should not strictly be described as periodical, since the interval between successive maxima or minima varies from about 8 years to about 16 years.

Periodicity.—A periodical variation. A vast amount of labour has been devoted by meteorologists to the search for periodical variations other than those whose periods are the day or the year, by the use, at some stage or other of the work, of the methods of HARMONIC ANALYSIS. It is thus implied that a periodicity as normally treated, shall be at least approximately of the nature of a harmonic oscillation, capable of being represented by a simple sine curve. A periodicity requires for its complete determination the length of the period, the amplitude (i.e. half the total range) of the variation, and

the time of occurrence of the m in forecasting, the square of its of the square of the STANDARD D

Periodogram.-A diagram us investigation of hidden period variations from day to day or usually the existence of any pe Schuster's method of finding th are thus masked by apparently trial periods T, and evaluating th is drawn with Rs as ordinate ar obtained shows a number of per of the curve. The values of T to be the most likely periods. Ra and T rather than R and T. of R and T. If the original n with standard deviation o, the $4\sigma^2/(n-1)$. Schuster has shown of R2 should exceed x times 402/ used to test the reality of periods requires considerable care.

Persistence.—In meteorology same type to continue over a lo persistent anticyclone. E. V. I the persistence of wet or fine we through which similar conditions after one day without rain, the is .57, but after ten successive Similarly, after one rain-day, the ten successive rain-days it is .76

Personal Equation.—An exp might or should be applied to consequence of an unconscious t low. The tendency is usually ne a given instrument. A familiar The observer is directed to hole with the eye, but it is difficult i is correctly secured. Some obser in readings which are too low, o

Phenology.—The study of the All natural phenomena are inclusive migration, and so on, but often the time at which certain trees a each year, and to the dates of insects.

A phenological report is publ Society, in which the phenological over the British Isles are bryear under review.

A "bioclimatic law" has been United States Weather Bureau. vations made in the eastern United regression (according to season) rate of four days for each degree 400 ft. of altitude. The law applies in so far as changes of latit

[&]quot;The persistence of wet and dr

p. 153.