Simbolo del sistema

```
:\Users\user>git
  Warriuseregit
sage: git [vv | -vorxion] [-h | -+balp] [-C epatho] [-C enamos-cvalues]
[-exe-path[-cystho]] [--htal-path] [--nam-path] [--info-path]
[-p | paginate | P | no pager | no realize objects | bare|
[-git-dir-spatho] [--sund-tree-spatho] [--nam-spates-commes)
[--super-prefix-spatho] [--config-env-cnamos-cenvaco]
ccommands [carges]
These are common Git commands used in various situations:
 tart a working area (see also: git help totorial)
                  Clone a repository into a new directory
Create an empty Git repository or reinitialize an existing one
  ork on the current change (see also; git help everyday)
add Add File contents to the index
   w Move or remome a file, a directory, or a symlink restore Restore working tree files
rm Remove files from the working tree and from the index
  canino the history and state (see also: git help revisions)
bisect. Use binary search to find the commit that introduced a bug
diff. Show changes between commits, commit and working tree, etc
   grep
log
                       Print lines matching a pattern
Show commit logs
                      Show various lypes of objects
Show the working tree status
   branch List, create, or delete branches commit Hecord changes to the repository
                      Join two or more development histories together
Reapply committee on top of another base tip
Neset current HEAD to the specified state
    rebase
                       Create, list, delete or verify a tag object signed with GPG
                  Download objects and refs from another repository
Fetch from and integrate with another repository or a local branch
Update remote refs along with associated objects
    fetch
'git help -m' and 'git help -g' list available subcommands and some
concept guides. See 'git help (commands' or 'git help (concepts'
to read about a specific subcummand or concept.
See 'git help git' for an overview of the system.
  \Users\user>
  MINGW64:/c/Users/user
Hola OOP 1234
```