

X857/77/11

Physics Relationships sheet

THURSDAY, 25 APRIL 9:00 AM – 12:00 NOON





# Relationships required for Physics Advanced Higher

	•
$v = \frac{ds}{dt}$	$E_{k(rotational)} = \frac{1}{2}I\omega^2$
$a = \frac{dv}{dt} = \frac{d^2s}{dt^2}$	$E_P = E_{k(translational)} + E_{k(rotational)}$
v = u + at	$F = \frac{GMm}{r^2}$
$s = ut + \frac{1}{2}at^2$	$F = \frac{GMm}{r^2} = \frac{mv^2}{r} = mr\omega^2 = mr\left(\frac{2\pi}{T}\right)^2$
$v^2 = u^2 + 2as$	$V = -\frac{GM}{r}$
$\omega = \frac{d\theta}{dt}$	$E_P = Vm = -\frac{GMm}{r}$
$\alpha = \frac{d\omega}{dt} = \frac{d^2\theta}{dt^2}$	$v_{esc} = \sqrt{\frac{2GM}{r}}$
$\omega = \omega_o + \alpha t$	
$\omega^2 = \omega_o^2 + 2\alpha\theta$	$r_{Schwarzschild} = \frac{2GM}{c^2}$
$\theta = \omega_o t + \frac{1}{2} \alpha t^2$ $s = r\theta$	$b = \frac{L}{4\pi d^2}$
$v = r\omega$	$\frac{P}{A} = \sigma T^4$
$a_t = r\alpha$	$L = 4\pi r^2 \sigma T^4$
$\omega = \frac{2\pi}{T}$	E = hf
$\omega = 2\pi f$	$mvr = \frac{nh}{2\pi}$
$a_r = \frac{v^2}{r} = r\omega^2$	<del></del>
$F = \frac{mv^2}{r} = mr\omega^2$	$\lambda = \frac{h}{p}$
$I = \sum mr^2$	$\Delta x  \Delta p_x \ge \frac{h}{4\pi}$
$\tau = Fr$	$\Delta E \ \Delta t \ge \frac{h}{4\pi}$
$ au = I \alpha$	F = qvB
$L = mvr = mr^2\omega$	$mv^2$

 $L = I\omega$ 

$$\omega = 2\tau$$

F = -kv

$$\omega = 2\pi f = \frac{2\pi}{T}$$

$$a = \frac{d^2y}{dt^2} = -\omega^2 y$$

$$y = A\cos\omega t$$
 or  $y = A\sin\omega t$ 

$$v = \pm \omega \sqrt{\left(A^2 - y^2\right)}$$

$$E_k = \frac{1}{2}m\omega^2 \left(A^2 - y^2\right)$$

$$E_P = \frac{1}{2}m\omega^2 y^2$$

$$E = kA^2$$

$$y = A\sin 2\pi \left( ft - \frac{x}{\lambda} \right)$$

$$\phi = \frac{2\pi x}{\lambda}$$

 $opd = n \times gpd$ 

$$opd = m\lambda$$
 or  $\left(m + \frac{1}{2}\right)\lambda$  where  $m = 0,1,2...$ 

$$\Delta x = \frac{\lambda l}{2d}$$

$$d = \frac{\lambda}{4n}$$

$$\Delta x = \frac{\lambda D}{d}$$

$$n = \tan i_P$$

$$F = \frac{Q_1 Q_2}{4\pi\varepsilon_o r^2}$$

$$V = \frac{Q}{4\pi\varepsilon_o r}$$

$$E = \frac{Q}{4\pi\varepsilon_o r^2}$$

$$F = QE$$

$$V = Ed$$

$$W = QV$$

$$E_k = \frac{1}{2}mv^2$$

$$B = \frac{\mu_o I}{2\pi r}$$

$$F = IlB\sin\theta$$

$$F = qvB$$

$$\tau = RC$$

$$X_C = \frac{V}{I}$$

$$X_C = \frac{1}{2\pi fC}$$

$$\varepsilon = -L \frac{dI}{dt}$$

$$E = \frac{1}{2}LI^2$$

$$X_L = \frac{V}{I}$$

$$X_L = 2\pi f L$$

$$c = \frac{1}{\sqrt{\varepsilon_o \mu_o}}$$

$$\Delta W = \sqrt{\Delta X^2 + \Delta Y^2 + \Delta Z^2}$$

$$\frac{\Delta W}{W} = \sqrt{\left(\frac{\Delta X}{X}\right)^2 + \left(\frac{\Delta Y}{Y}\right)^2 + \left(\frac{\Delta Z}{Z}\right)^2}$$

$$\left(\frac{\Delta W^n}{W^n}\right) = n\left(\frac{\Delta W}{W}\right)$$

$$d = \overline{v}t$$

$$s = \overline{v}t$$

$$v = u + at$$

$$s = ut + \frac{1}{2}at^{2}$$

$$v^{2} = u^{2} + 2as$$

$$s = \frac{1}{2}(u + v)t$$

$$W = mg$$

$$F = ma$$

$$E_{W} = Fd$$

$$E_{P} = mgh$$

$$E_{K} = \frac{1}{2}mv^{2}$$

$$P = \frac{E}{t}$$

$$p = mv$$

$$Ft = mv - mu$$

$$F = G\frac{Mm}{r^{2}}$$

$$t' = \frac{t}{\sqrt{1 - (v/c)^{2}}}$$

$$t' = t\sqrt{1 - (v/c)^{2}}$$

 $z = \frac{v}{c}$ 

 $v = H_0 d$ 

$$W = QV$$

$$E = mc^{2}$$

$$E = mc^{2}$$

$$E = hf$$

$$Q = It$$

$$E_{K} = hf - hf_{0}$$

$$V = IR$$

$$E_{2} - E_{1} = hf$$

$$V = IV = I^{2}R = \frac{V^{2}}{R}$$

$$T = \frac{1}{f}$$

$$R_{T} = R_{1} + R_{2} + \dots$$

$$V = f\lambda$$

$$d \sin \theta = m\lambda$$

$$I = \frac{\sin \theta_{1}}{\sin \theta_{2}}$$

$$\frac{\sin \theta_{1}}{\sin \theta_{2}} = \frac{\lambda_{1}}{\lambda_{2}} = \frac{v_{1}}{v_{2}}$$

$$\sin \theta_{c} = \frac{1}{n}$$

$$I = \frac{k}{d^{2}}$$

$$I = \frac{P}{A}$$

$$V = IR$$

$$P = IV = I^{2}R = \frac{V^{2}}{R}$$

$$R_{T} = R_{1} + R_{2} + \dots$$

$$E = V + Ir$$

$$V_{1} = \left(\frac{R_{1}}{R_{1} + R_{2}}\right)V_{S}$$

$$\frac{V_{1}}{R_{2}} = \frac{R_{1}}{R_{2}}$$

$$C = \frac{Q}{V}$$

$$E = \frac{1}{2}QV = \frac{1}{2}CV^{2} = \frac{1}{2}\frac{Q^{2}}{C}$$

path difference =  $m\lambda$  or  $\left(m+\frac{1}{2}\right)\lambda$  where m=0,1,2...

 $random\ uncertainty\ =\ \frac{max.\ value\ -\ min.\ value}{number\ of\ values}$ 

## Additional relationships

### Circle

circumference =  $2\pi r$ 

area =  $\pi r^2$ 

# Sphere

area =  $4\pi r^2$ 

volume =  $\frac{4}{3}\pi r^3$ 

### Trigonometry

 $\sin \theta = \frac{\text{opposite}}{\text{hypotenuse}}$ 

 $\cos \theta = \frac{\text{adjacent}}{\text{hypotenuse}}$ 

 $\tan \theta = \frac{\text{opposite}}{\text{adjacent}}$ 

 $\sin^2 \theta + \cos^2 \theta = 1$ 

### Moment of inertia

point mass

 $I = mr^2$ 

rod about centre

 $I = \frac{1}{12} m l^2$ 

rod about end

 $I = \frac{1}{3}ml^2$ 

disc about centre

 $I = \frac{1}{2}mr^2$ 

sphere about centre

 $I = \frac{2}{5}mr^2$ 

### Table of standard derivatives

f(x)	f'(x)
sin ax	a cos ax
cos ax	$-a\sin ax$

# Table of standard integrals

f(x)	$\int f(x)dx$
sin ax	$-\frac{1}{a}\cos ax + C$
cos ax	$\frac{1}{a}\sin ax + C$

# Electron arrangements of elements

			1				_							_						7	
		87 <b>Fr</b> 2,8,18,32, 18,8,1 Francium	55 <b>Cs</b> 2,8,18,18, 8,1 Caesium	Rubidium	<b>Rb</b> 2,8,18,8,1	37	Potassium	2,8,8,1	<b>X</b>	19	Sodium	2,8,1	Z <sub>a</sub> -	Lithium	2,1	<u></u>	ω	1 Hydrogen	エユ	3	Group 1
	Lan	88 <b>Ra</b> 2,8,18,32, 18,8,2 Radium	56 <b>Ba</b> 2,8,18,18, 8,2 Barium	Strontium	<b>Sr</b> 2,8,18,8,2	38	Calcium	2,8,8,2	Ca	20	Magnesium	2,8,2	Mg.	Beryllium 12	2,2	Be	4	(2)			Group 2
Actinides	Lanthanides	89 <b>Ac</b> 2,8,18,32, 18,9,2 Actinium	57 <b>La</b> 2,8,18,18, 9,2 Lanthanum	Yttrium	<b>Y</b> 2,8,18,9,2	39	Scandium	2,8,9,2	Sc	21	(3)										
89 <b>Ac</b> 2,8,18,32, 18,9,2 Actinium	57 <b>La</b> 2,8,18, 18,9,2 Lanthanum	104 <b>Rf</b> 2,8,18,32, 32,10,2 Rutherfordium	72 <b>Hf</b> 2,8,18,32, 10,2 Hafnium	Zirconium	2,8,18,	40	Titanium	2,8,10,2	<b>∄</b>	22	(4)								Key		
90 <b>Th</b> 2,8,18,32, 18,10,2 Thorium	58 <b>Ce</b> 2,8,18, 20,8,2 Cerium	105 <b>Db</b> 2,8,18,32, 32,11,2 Dubnium	73 <b>Ta</b> 2,8,18, 32,11,2 Tantalum	Niobium	2,8,18,	41	Vanadium	2,8,11,2	<	23	(5)						Flectro	<u>!</u>	Ato		
91 <b>Pa</b> 2,8,18,32, 20,9,2 Protactinium	59 <b>Pr</b> 2,8,18,21, 8,2 Praseodymium	106 <b>Sg</b> 2,8,18,32, 32,12,2 Seaborgium	74 W 2,8,18,32, 12,2 Tungsten	Molybdenum	<b>Mo</b> 2,8,18,13,	42	Chromium	2,8,13,1	ָר	24	(6)					Name	Electron arrangement	Symbol	Atomic number		
92 <b>U</b> 2,8,18,32, 21,9,2 Uranium	60 <b>Nd</b> 2,8,18,22, 8,2 Neodymium	107 <b>Bh</b> 2,8,18,32, 32,13,2 Bohrium	75 <b>Re</b> 2,8,18,32, 13,2 Rhenium	Technetium	<b>Tc</b> 2,8,18,13,	43	Manganese	2,8,13,2	Mn	25	Э	9	Transition elements				ement		ber		מומופרי
93 <b>Np</b> 2,8,18,32, 22,9,2 Neptunium	61 <b>Pm</b> 2,8,18,23, 8,2 Promethium	108 <b>Hs</b> 2,8,18,32, 32,14,2 Hassium	76 <b>Os</b> 2,8,18,32, 14,2 Osmium	Ruthenium	<b>Ru</b> 2,8,18,15,	4	lron	2,8,14,2	Fe	26	(8)		element								בעינוסון מוומווציוויבווט סו כעבוויבווט
94 <b>Pu</b> 2,8,18,32, 24,8,2 Plutonium	62 <b>Sm</b> 2,8,18,24, 8,2 Samarium	109 <b>Mt</b> 2,8,18,32, 32,15,2 Meitnerium	77 <b>Ir</b> 2,8,18,32, 15,2 Iridium	Rhodium	<b>Rh</b> 2,8,18,16, 1	45	Cobalt	2,8,15,2	Co	27	(9)	,	,								
95 <b>Am</b> 2,8,18,32, 25,8,2 Americium	63 <b>Eu</b> 2,8,18,25, 8,2 Europium	110 <b>Ds</b> 2,8,18,32, 32,17,1 Darmstadtium	78 <b>Pt</b> 2,8,18,32, 17,1 Platinum	Palladium	2,8,18, 18.0	46	Nickel	2,8,16,2	<b>Z</b> . ∣	28	(10)										·
96 <b>Cm</b> 2,8,18,32, 25,9,2 Curium	64 <b>Gd</b> 2,8,18,25, 9,2 Gadolinium	111 <b>Rg</b> 2,8,18,32, 32,18,1 Roentgenium	79 <b>Au</b> 2,8,18, 32,18,1 Gold	Silver	2,8,18,	47	Copper	2,8,18,1	Cu	29	(11)										
97 <b>Bk</b> 2,8,18,32, 27,8,2 Berkelium	65 <b>Tb</b> 2,8,18,27, 8,2 Terbium	110 111 112  Ds Rg Cn 2,8,18,32, 2,8,18,32, 2,8,18,32, 32,17,1 32,18,1 32,18,2  Darmstadtium Roentgenium Copernicium	80 <b>Hg</b> 2,8,18, 32,18,2 Mercury	Cadmium	2,8,18,	48	Zinc	2,8,18,2	Zn	30	(12)										
98 <b>Cf</b> 2,8,18,32, 28,8,2 Californium	66 <b>Dy</b> 2,8,18,28, 8,2 Dysprosium		81 <b>T(</b> 2,8,18, 32,18,3 Thallium	Indium	2,8,18, 18.3	49	Gallium	2,8,18,3	Ga	<u>ω</u>	Aluminium	2,8,3	≥ 5	Boron	2,3	В	5	(13)			Group 3
99 <b>Es</b> 2,8,18,32, 29,8,2 Einsteinium	67 <b>Ho</b> 2,8,18,29, 8,2 Holmium		82 <b>Pb</b> 2,8,18, 32,18,4 Lead		Sn 2,8,18,	50	Germanium	3 2,8,18,4	Ge	32		2,8,4	S: ±	Carbon	2,4	C	6	(14)			3 Group 4
100 <b>Fm</b> 2,8,18,32, 30,8,2 Fermium	68 <b>Er</b> 2,8,18,30, 8,2 Erbium		83 <b>Bi</b> 2,8,18, 4 32,18,5 8ismuth		, 2,8,18,	51	ım Arsenic	4 2,8,18,5	As		무	2,8,5	<b>v</b> 5	Z	2,5	z	7	(15)			4 Group 5
101 <b>Md</b> 2,8,18,32, 31,8,2 Mendelevium	69 <b>Tm</b> 2,8,18,31, 8,2 Thulium		84 <b>Po</b> 2,8,18, 32,18,6 h Polonium	<u> </u>	<b>Te</b> 2,8,18,	52	Selenium	5 2,8,18,6	Se	34		2,8,6	s c	9	2,6	0	8	(16)			5 Group 6
102 <b>No</b> 2,8,18,32, 32,8,2 Nobelium	70 <b>Yb</b> 2,8,18,32, 8,2 Ytterbium		85 <b>At</b> 2,8,18, 6 32,18,7 n Astatine		, 2,8,18, 18.7	53	n Bromine	6 2,8,18,7	Ф.	35		2,8,7	Ω <del>;</del>	FL.	2,7	П	9	(17)			6 Group 7
103 <b>Lr</b> 2,8,18,32, 32,9,2 Lawrencium	71 <b>Lu</b> 2,8,18,32, 9,2 Lutetium		86 <b>Rn</b> 2,8,18, 7 32,18,8 e Radon		2,8,18,	54	e Krypton	7 2,8,18,8	<u>주</u>	36		2,8,8	<b>≯</b> ā	7	2,8	Ne	10	Helium	He	(18)	7 Group 0
								∞													0

[BLANK PAGE]

DO NOT WRITE ON THIS PAGE

[BLANK PAGE]

DO NOT WRITE ON THIS PAGE