

Creating GUI Using Python/Tk

ELECTGON
www.electgon.com
contact@electgon.com

01.05.2017




Contents

1	Plain GUI	3
2	Simple Text	3
3	Add Background color to the text	4
4	Change Position of the text	5
5	Text Anchor	5
6	Fit in Window Size	6
7	Change Text Font	7
8	Add Button	8
9	Add Frames	9
10	Assign Widgets into the Frames	10
11	Change Frame Style	11
12	Add Scrollbar	12
13	Button Interaction	14
14	Add Treeview	15
15	Add Data to Treeview	17
16	Window with multiple Tabs	19
17	References	21

This guide will show how to create GUI using Python Tk extension. Guide flow will be using a script example and showing the resulting GUI.


1 Plain GUI

```
import tkinter
DemoWindow = tkinter.Tk()
DemoWindow.mainloop()
```



2 Simple Text

```
import tkinter
DemoWindow = tkinter.Tk()
TextArea = tkinter.Label(DemoWindow, text="Hello World", padx
    =10, pady=300)
TextArea.pack()
DemoWindow.mainloop()
```



A widget is simply a piece of the graphical display. There are a numerous types of widgets:

- Buttons, Labels, Entry boxes are all examples of low-level widgets.
- Frames are a special type of widget that is capable of holding other widgets.
- A Toplevel widget corresponds to a window


3 Add Background color to the text

```
import tkinter
DemoWindow = tkinter.Tk()
TextArea = tkinter.Label(DemoWindow, text="Hello World",
    background="green")
TextArea.pack()
DemoWindow.mainloop()
```



4 Change Position of the text

```
import tkinter
DemoWindow = tkinter.Tk()
TextArea = tkinter.Label(DemoWindow, text="Hello World",
    background="green")
TextArea.pack(side="bottom")
# other possible values: top, bottom, left, right
DemoWindow.mainloop()
```




5 Text Anchor

```
import tkinter
DemoWindow = tkinter.Tk()

TextArea = tkinter.Label(DemoWindow, text="Hello World",
    background="green", anchor="w", width=20)
TextArea2 = tkinter.Label(DemoWindow, text="Read This",
    background="#6699ff", anchor="center", width=20)
TextArea3 = tkinter.Label(DemoWindow, text="Text", background="
    red", anchor="e", width=20)

TextArea.pack(side="top")
TextArea2.pack(side="top")
TextArea3.pack(side="top")
```

```
DemoWindow.mainloop()
```



You can anchor to any of the following directions:

- n - North (top center)
- ne - Northeast (top right)
- e - East (middle right)
- se - Southeast (bottom right)
- s - South (bottom center)
- sw - Southwest (bottom left)
- w - West (middle left)
- nw - Northwest (top left)
- center - centered in the middle

6 Fit in Window Size

```
import tkinter
```

```
DemoWindow = tkinter.Tk()
```


```
TextArea = tkinter.Label(DemoWindow, text="Hello World",  
                          background="green", anchor="w", width=20)
```

```
TextArea2 = tkinter.Label(DemoWindow, text="Read This",  
                          background="#6699ff", anchor="center", width=20)
```


```
TextArea3 = tkinter.Label(DemoWindow, text="Text", background="red", anchor="e", width=20)

TextArea.pack(side="top")
TextArea2.pack(side="top", expand="yes", fill="both")
TextArea3.pack(side="top")

DemoWindow.mainloop()
```



then when we resize window



7 Change Text Font

```
import tkinter

DemoWindow = tkinter.Tk()

TextArea = tkinter.Label(DemoWindow, text="Hello World",
    background="green", font=('Helvetica', 32))
```

```
TextArea2 = tkinter.Label(DemoWindow, text="Read This",
                           background="#6699ff", font=('Times', 48, 'bold italic'))

TextArea.pack(side="top")
TextArea2.pack(side="top", expand="yes", fill="both")
DemoWindow.mainloop()
```



8 Add Button

```
import tkinter
DemoWindow = tkinter.Tk()

def WelcomeMsg():
    print('Welcome User')

TextArea = tkinter.Label(DemoWindow, text="Hello World",
                          background="green", font=('Helvetica', 18))
TextArea2 = tkinter.Label(DemoWindow, text="Read This",
                           background="#6699ff", font=('Times', 18, 'bold italic'))
Button01 = tkinter.Button(DemoWindow, text="Button", command=
                           WelcomeMsg)

TextArea.pack(side="top")
TextArea2.pack(side="top")
Button01.pack()

DemoWindow.mainloop()
```




9 Add Frames

```
import tkinter
DemoWindow = tkinter.Tk()

def WelcomeMsg():
    print('Welcome User')

TextArea = tkinter.Label(DemoWindow, text="Hello World",
    background="green", font=('Helvetica', 18))
TextArea2 = tkinter.Label(DemoWindow, text="Read This",
    background="#6699ff", font=('Times', 18, 'bold italic'))
Button01= tkinter.Button(DemoWindow, text="Button", command=
    WelcomeMsg)
Frame01 = tkinter.Frame(DemoWindow, background="yellow", height
    =20, width=20)
Frame02 = tkinter.Frame(DemoWindow, background="orange", height
    =20, width=40)

TextArea.pack()
TextArea2.pack()
Button01.pack()
Frame01.pack(expand="yes", fill="x")
Frame02.pack(expand="yes", fill="y")

DemoWindow.mainloop()
```



10 Assign Widgets into the Frames

```
import tkinter
DemoWindow = tkinter.Tk()

def WelcomeMsg():
    print('Welcome User')

Frame01 = tkinter.Frame(DemoWindow, background="yellow", height=20, width=20)
Frame02 = tkinter.Frame(DemoWindow, background="orange", height=20, width=40)
TextArea = tkinter.Label(Frame01, text="Hello World", background="green", font=('Helvetica', 18))
TextArea2 = tkinter.Label(Frame01, text="Read This", background="#6699ff", font=('Times', 18, 'bold italic'))
Button01 = tkinter.Button(Frame02, text="Button", command=WelcomeMsg)

TextArea.pack()
TextArea2.pack()
Button01.pack()
```

```
Frame01.pack(expand="yes", fill="both")
Frame02.pack(expand="yes", fill="both")

DemoWindow.mainloop()
```



11 Change Frame Style

```
import tkinter
DemoWindow = tkinter.Tk()

def WelcomeMsg():
    print('Welcome User')

Frame01 = tkinter.Frame(DemoWindow, background="yellow", height
    =20, width=20)
Frame02 = tkinter.Frame(DemoWindow, background="orange", height
    =20, width=40)
Frame03 = tkinter.Frame(DemoWindow, background="white", height
    =100, width=150, relief="ridge", borderwidth=5)
TextArea = tkinter.Label(Frame01, text="Hello World", background
    ="green", font=('Helvetica', 18))
TextArea2 = tkinter.Label(Frame01, text="Read This", background=
    "#6699ff", font=('Times', 18, 'bold italic'))
```


```

Button01= tkinter.Button(Frame02, text="Button", command=
    WelcomeMsg)

TextArea.pack()
TextArea2.pack()
Button01.pack()
Frame01.pack(expand="yes", fill="both")
Frame02.pack(expand="yes", fill="both")
Frame03.pack()

DemoWindow.mainloop()

```



Possible relief styles



source <http://infohost.nmt.edu/>

12 Add Scrollbar

```

import tkinter
DemoWindow = tkinter.Tk()

def WelcomeMsg():

```


```
print( 'Welcome User ' )

Frame01 = tkinter.Frame(DemoWindow, background="yellow", height
    =20, width=20)
Frame02 = tkinter.Frame(DemoWindow, background="orange", height
    =20, width=40)
Frame03 = tkinter.Frame(DemoWindow, background="white", height
    =100, width=150, relief="ridge", borderwidth=5)
TextArea = tkinter.Label(Frame01, text="Hello World", background
    ="green", font=( 'Helvetica ', 18))
TextArea2 = tkinter.Label(Frame01, text="Read This", background=
    "#6699ff", font=( 'Times ', 18, 'bold italic '))
Button01= tkinter.Button(Frame02, text="Button", command=
    WelcomeMsg)

ScrlBar = tkinter.Scrollbar(Frame03)
ListedText = tkinter.Listbox(Frame03, relief="sunken")
ScrlBar.config(command=ListedText.yview)
ListedText.config(yscrollcommand=ScrlBar.set)
ListedText.insert(0, "Displayed Text")

TextArea.pack()
TextArea2.pack()
Button01.pack()
Frame01.pack(expand="yes", fill="both")
Frame02.pack(expand="yes", fill="both")
Frame03.pack(expand="yes", fill="both")
ScrlBar.pack(side="right", fill="y")
ListedText.pack(side="left", expand="yes", fill="both")

DemoWindow.mainloop()
```



13 Button Interaction

```
import tkinter
DemoWindow = tkinter.Tk()

global LineInTurn LineInTurn=0
Frame01 = tkinter.Frame(DemoWindow, background="yellow", height
    =20, width=20)
Frame02 = tkinter.Frame(DemoWindow, background="orange", height
    =20, width=40)
Frame03 = tkinter.Frame(DemoWindow, background="white", height
    =100, width=150, relief="ridge", borderwidth=5)
TextArea = tkinter.Label(Frame01, text="Hello World", background
    ="green", font=('Helvetica', 18))
TextArea2 = tkinter.Label(Frame01, text="Read This", background=
    "#6699ff", font=('Times', 18, 'bold italic'))
ScrlBar = tkinter.Scrollbar(Frame03)
ListedText = tkinter.Listbox(Frame03, relief="sunken")
ScrlBar.config(command=ListedText.yview)
ListedText.config(yscrollcommand=ScrlBar.set)
ListedText.insert(0, "Displayed Text")

def WelcomeMsg():
```

```


global LineInTurn
LineInTurn = LineInTurn+1
ListedText.insert(LineInTurn, ('You pressed {} times'.format
    (LineInTurn)))

Button01= tkinter.Button(Frame02, text="Button", command=
    WelcomeMsg)

TextArea.pack()
TextArea2.pack()
Button01.pack()
Frame01.pack(expand="yes", fill="both")
Frame02.pack(expand="yes", fill="both")
Frame03.pack(expand="yes", fill="both")
ScrlBar.pack(side="right", fill="y")
ListedText.pack(side="left", expand="yes", fill="both")

DemoWindow.mainloop()

```



14 Add Treeview

```

import tkinter
from tkinter import ttk

```

```
DemoWindow = tkinter.Tk()
global LineInTurn LineInTurn=0
Frame01 = tkinter.Frame(DemoWindow, background="yellow", height
    =20, width=20)
Frame02 = tkinter.Frame(DemoWindow, background="orange", height
    =20, width=40)
Frame03 = tkinter.Frame(DemoWindow, background="white", height
    =100, width=150, relief="ridge", borderwidth=5)
TextArea = tkinter.Label(Frame01, text="Hello World", background
    ="green", font=('Helvetica', 18))
TextArea2 = tkinter.Label(Frame01, text="Read This", background=
    "#6699ff", font=('Times', 18, 'bold italic'))

def DisplayResults():
    ScrlBar = ttk.Scrollbar(Frame03)
    ResultTree = ttk.Treeview(Frame03)
    ScrlBar.config(command=ResultTree.yview)
    ResultTree.configure(columns=("one", "two"))
    ResultTree.column('#0', width=40)
    ResultTree.column("one", width=200)
    ResultTree.column("two", width=200)
    ResultTree.heading('#0', text="No")
    ResultTree.heading("one", text="Column 01")
    ResultTree.heading("two", text="Column 02")
    ResultTree.pack(side="left", expand="yes", fill="both")
    ScrlBar.pack(side="right", fill="y")

Button01= tkinter.Button(Frame02, text="Button", command=
    DisplayResults)

TextArea.pack()
TextArea2.pack()
Button01.pack()
Frame01.pack(expand="yes", fill="both")
Frame02.pack(expand="yes", fill="both")
Frame03.pack(expand="yes", fill="both")

DemoWindow.mainloop()
```




15 Add Data to Treeview

```
import tkinter
from tkinter import ttk

DemoWindow = tkinter.Tk()

global LineInTurn LineInTurn=0

Frame01 = tkinter.Frame(DemoWindow, background="yellow", height
    =20, width=20)
Frame02 = tkinter.Frame(DemoWindow, background="orange", height
    =20, width=40)
Frame03 = tkinter.Frame(DemoWindow, background="white", height
    =100, width=150, relief="ridge", borderwidth=5)
TextArea = tkinter.Label(Frame01, text="Hello World", background
    ="green", font=('Helvetica', 18))
TextArea2 = tkinter.Label(Frame01, text="Read This", background=
    "#6699ff", font=('Times', 18, 'bold italic'))


def DisplayResults():
    ScrBar = ttk.Scrollbar(Frame03)
    ResultTree = ttk.Treeview(Frame03)
    ScrBar.config(command=ResultTree.yview)
    ResultTree.config(columns=("one", "two"))
    ResultTree.column('#0', width=100)
```

```
ResultTree.column("one", width=200)
ResultTree.column("two", width=200)
ResultTree.heading('#0', text="No")
ResultTree.heading("one", text="Column 01")
ResultTree.heading("two", text="Column 02")
ResultTree.pack(side="left", expand="yes", fill="both")
ScrlBar.pack(side="right", fill="y")
SalesGroup=ResultTree.insert("", 0, text="Sales Team")
DevGroup=ResultTree.insert("", 1, text="Devlop Team")
ResultTree.insert(SalesGroup, "end", text="Person1", values=
    ("Name1", "Age1"))
ResultTree.insert(SalesGroup, "end", text="Person2", values=
    ("Name2", "Age2"))
ResultTree.insert(SalesGroup, "end", text="Person3", values=
    ("Name3", "Age3"))
ResultTree.insert(DevGroup, "end", text="Person1", values=(
    "Name1", "Age1"))
ResultTree.insert(DevGroup, "end", text="Person2", values=(
    "Name2", "Age2"))
ResultTree.insert(DevGroup, "end", text="Person3", values=(
    "Name3", "Age3"))

Button01= tkinter.Button(Frame02, text="Button", command=
    DisplayResults)

TextArea.pack()
TextArea2.pack()
Button01.pack()
Frame01.pack(expand="yes", fill="both")
Frame02.pack(expand="yes", fill="both")
Frame03.pack(expand="yes", fill="both")

DemoWindow.mainloop()
```



16 Window with multiple Tabs

```
import tkinter
from tkinter import ttk

DemoWindow = tkinter.Tk()

global LineInTurn LineInTurn=0

TabbedWindow = ttk.Notebook(DemoWindow)
FirstTab = ttk.Frame(TabbedWindow, height=200, width=200)
SecondTab = ttk.Frame(TabbedWindow, height=200, width=200)
TabbedWindow.add(FirstTab, text='one')
TabbedWindow.add(SecondTab, text='two')
Frame01 = tkinter.Frame(FirstTab, background="yellow", height=20, width=20)
Frame02 = tkinter.Frame(FirstTab, background="orange", height=20, width=40)
Frame03 = tkinter.Frame(FirstTab, background="white", height=100, width=150, relief="ridge", borderwidth=5)
TextArea = tkinter.Label(Frame01, text="Hello World", background="green", font=('Helvetica', 18))
TextArea2 = tkinter.Label(Frame01, text="Read This", background="#6699ff", font=('Times', 18, 'bold italic'))
```

```

CanvasOnj = tkinter.Canvas(SecondTab, height=10, width=20,
    relief="sunken")
CanvasOnj.pack(expand="yes", fill="both")
CanvasOnj.create_text(20, 30, anchor='w', font="Courier", text="
    Text is added as an example")

def DisplayResults():
    ScrlBar = ttk.Scrollbar(Frame03)
    ResultTree = ttk.Treeview(Frame03)
    ScrlBar.config(command=ResultTree.yview)
    ResultTree.configure(columns=("one", "two"))
    ResultTree.column('#0', width=100)
    ResultTree.column("one", width=200)
    ResultTree.column("two", width=200)
    ResultTree.heading('#0', text="No")
    ResultTree.heading("one", text="Column 01")
    ResultTree.heading("two", text="Column 02")
    ResultTree.pack(side="left", expand="yes", fill="both")
    ScrlBar.pack(side="right", fill="y")
    SalesGroup=ResultTree.insert("", 0, text="Sales Team")
    DevGroup=ResultTree.insert("", 1, text="Devlop Team")
    ResultTree.insert(SalesGroup, "end", text="Person1", values
        =("Name1", "Age1"))
    ResultTree.insert(SalesGroup, "end", text="Person2", values
        =("Name2", "Age2"))
    ResultTree.insert(SalesGroup, "end", text="Person3", values
        =("Name3", "Age3"))
    ResultTree.insert(DevGroup, "end", text="Person1", values=("
        Name1", "Age1"))
    ResultTree.insert(DevGroup, "end", text="Person2", values=("
        Name2", "Age2"))
    ResultTree.insert(DevGroup, "end", text="Person3", values=("
        Name3", "Age3"))

Button01= tkinter.Button(Frame02, text="Button", command=
    DisplayResults)

TabbedWindow.pack()
TextArea.pack()
TextArea2.pack()
Button01.pack()
Frame01.pack(expand="yes", fill="both")


```

```

Frame02.pack(expand="yes", fill="both")
Frame03.pack(expand="yes", fill="both")

DemoWindow.mainloop()

```



17 References

- <http://userpages.umbc.edu/~dhood2/courses/cmsc433/spring2010/?section=Notes&topic=Python>
- <http://knowpapa.com/ttk-treeview/>
- <http://infohost.nmt.edu/tcc/help/pubs/tkinter/web/relief.html>
- <http://pyinmyeye.blogspot.de/2012/07/tkinter-tree-demo.html>
- <http://www.tkdcs.com/tutorial/widgets.html>

All reference were taken on 01.05.2017