
## Category Theory

eyeS 2025-03-23


## **Basic Definitions**

Category theory deals with the generalization of structures, it starts with the observation that many properties of mathematical systems can be unified and simplified by a presentation with diagram of arrows [pg 1]. Each arrow  $f: X \to Y$  represents a function; that is, a set X, a set Y, and a rule  $x \mapsto fx$  which assigns to each element  $x \in X$  an element  $fx \in Y$ ; whenever possible we write fx and not f(x). A typical diagram of sets and functions looks like:



This diagram is commutative when h is  $h = g \circ f$ , where  $g \circ f$  is the usual composite function  $g \circ f$ :  $X \to Z$ . The same diagram can be applied to other mathematical structures, like "category" of all spaces, the letters X, Y and Z represents topological spaces, while f, g, h stand for continuous maps. The same can be used for "category" of all groups e.g.

Many properties of mathematical construction can be represented by the universal properties of diagram. Consider the cartesian product  $X \times Y$  of two sets. The projections  $\langle x, y \rangle \mapsto x, \langle x, y \rangle \mapsto y$  of the product are function  $p: X \times Y \to X, q: X \times Y \to Y$ . Any function  $h: W \to X \times Y$  from a third set W is uniquely determined by its composites  $p \circ h$  and  $q \circ h$ . Conversly, given W and two functions f, g as in the diagram below, there is a unique function h which makes the diagram commute, namely,  $hw = \langle fw, gw \rangle$  for each  $w \in W$ :



Thus, given X and Y, < p, q > is "universal" among pairs of functions from some set to X and Y, because any other such pair < f, g > factors uniquely (via h) through the pair < p, q >

What he means with "uniquely determined"? I'm not understanding the use of hw = < fw, gw >, should this mean a composition?