## Problem sheet 1

## QUANTITATIVE METHODS

**Preparation**: Read chapters 2 and 3 of Grolemund's *Hands-On Programming with R* and chapters 3–5 of Wickham and Grolemund's *R for Data Science*. Try to type in all the commands yourself, replicate the examples whenever possible, and look at the exercises.

A. You roll three dice and record the sum of the number of eyes on each die.

- 1. Use the expand.grid() function in R to create a data frame S that shows all possible outcomes of the experiment (the sample space).
- 2. Note that expand.grid() has automatically created three variables called Var1, Var2, and Var3. Create a new variable called Value that records the sum of Var1, Var2, and Var3.
- 3. Assuming the dice are fair, calculate the probability that the sum of eyes is equal to 12.
- 4. Now assume each die is biased, with a probability of rolling a 6 equal to  $\frac{3}{8}$  and the probability of all other outcomes equal to  $\frac{1}{8}$ . Create a vector called Prob that records these probabilities. Then assign these probabilities to the relevant entries in S by creating three new variables named Prob1, Prob2, and Prob3 (corresponding to Var1, Var2, and Var3).
- 5. Calculate the updated probability that the sum of eyes is equal to 12.

B.¹ Download the following CSV files and save them in your working directory: Kenya.csv, Sweden.csv, and World.csv. These files contain the following variables:

- \* country: abbreviated country name.
- \* period: period during which data are collected.
- \* age: age group.
- \* births: number of children (in thousands) born to women in each age group.
- \* deaths: number of deaths (in thousands).
- \* py.men: person-years for men (in thousands).
- \* py.women: person-years for women (in thousands).

<sup>&</sup>lt;sup>1</sup>This exercise draws on Exercise 1.5.2 in Imai's *Quantitative Social Science: An Introduction*, Chapter 1. The relevant materials are also available here.

The data are collected for a period of 5 years, where *person-year* is a measure of the time contribution of each person during the period. For example, a person who lives through the entire 5-year period contributes 5 person-years, whereas a person who dies after 2 years contributes only 2 person-years.

- 1. Read each data set into R using either read.csv() or tidyverse::read\_csv().
- 2. Use the functions summary(), glimpse(), head(), and tail() to inspect each data set. You can also look directly at the data via print() or by double-clicking on the data frame in the Environment tab in RStudio.
- 3. The age-specific fertility rate (ASFR) within an age range [x, x + n), where x is the starting age and n is the width of the age range (in years), is defined as

$$\mathrm{ASFR}_{[x,\;x+n)} = \frac{\mathrm{number\;of\;births\;to\;women\;aged}\;[x,\;x+n)}{\mathrm{number\;of\;person-years\;lived\;by\;women\;aged}\;[x,\;x+n)}.$$

Create a function called asfr() that computes the ASFR for each age group. Calculate the ASFR for Kenya, Sweden, and the whole world separately for each of the two time periods in the data.

4. Using the ASFR, the *total fertility rate* (TFR) is defined as the average number of children given birth to by women who live through their entire reproductive age:

$$TFR = 5 \times (ASFR_{[15, 19)} + ASFR_{[20, 24)} + \cdots + ASFR_{[45, 49)}).$$

We multiply the sum by 5 because each woman spends five years in each age range, during which time her annual fertility rate is the ASFR. Create a function tfr() to compute the TFR for Kenya, Sweden, and the whole world separately for each of the two time periods in the data. Briefly summarise your principal findings.

5. Now calculate the age-specific death rate (ASDR), which is defined as

$$ASDR_{[x, x+n)} = \frac{\text{number of deaths amongst people aged } [x, x+n)}{\text{number of person-years of people aged } [x, x+n)}.$$

Create a function called asdr() to calculate the ASDR seperately by geography, age group, and time period.

6. Use ggplot() to visualise the the ASFR and the ASDR by geography, age group, and time period. Briefly summarise your principal findings.

Deadline: Submit a tidy and annotated R script via email by 2PM on Wednesday 21 October.