(wafer2,0,8,-1,-1,1,1) Characteristics


• Cell Size: 10um

Times Accessed: 44

Last Measurement: 2022/April/03 at 02:06:25PM

Summary

Cycle #	Set Icc (μA)	Set Voltage (V)	R_on (Ω)	R2
1	35.0	4.90	268.69	1.000
2	35.0	4.90	274.27	1.000
3	35.0	3.00	510.61	1.000
4	35.0	4.45	673.37	1.000
5	40.0	3.60	750.59	1.000
6	45.0	3.70	426.16	1.000
7	50.0	3.85	690.75	1.000
8	55.0	3.75	393.53	1.000
9	60.0	3.65	683.58	1.000
10	65.0	3.45	694.76	1.000
11	70.0	3.85	397.61	1.000
12	75.0	3.40	688.05	1.000
13	80.0	3.30	401.91	1.000
14	30.0	3.00	408.94	1.000
15	25.0	2.75	406.93	1.000
16	20.0	3.30	411.57	1.000
17	15.0	2.80	729.75	1.000
18	10.0	2.40	784.61	1.000
19	5.0	2.85	363.50	1.000
20	35.0	3.15	207.09	1.000
21	35.0	3.15	208.09	1.000



• Time: 12:42:45PM


• **lcc:** 10.5mA

Voltage Range: 0V → -5V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.839 V/s*

• **Cycle:** 1

Resistance: 268.69 Ω
Linear Fit R2: 1.000

Did not reset



form

• Time: 12:45:28PM


• **Icc:** 35.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 1

• Set Voltage: 4.90 V

Formed 4.95V



• Time: 12:46:52PM


• **lcc:** 10.5mA

Voltage Range: 0V → -5V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.839 V/s*

• **Cycle:** 2

Resistance: 274.27 Ω
Linear Fit R2: 1.000

Did reset (also good)



• **Time:** 12:49:27PM


• **Icc**: 35.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 3

• Set Voltage: 3.00 V

set at 3.05V



• Time: 12:50:03PM

• **Icc:** 10.5mA


Voltage Range: 0V → -5V
Target Ramp Rate: 1V/s

• True Ramp Rate: -0.743 V/s*

• **Cycle:** 3

Resistance: 510.61 Ω
Linear Fit R2: 1.000

Did reset



• **Time:** 12:50:31PM


• **Icc**: 35.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• Cycle: 4

• Set Voltage: 4.45 V

set at 4.5V



• Time: 12:51:05PM


• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.693 V/s*

• Cycle: 4

Resistance: 673.37 Ω
Linear Fit R2: 1.000

REset



• Time: 12:52:21PM


• **Icc**: 40.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 5

• Set Voltage: 3.60 V

set at 3.7V




• Time: 12:52:44PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.676 V/s*

• **Cycle:** 5

Resistance: 750.59 Ω
Linear Fit R2: 1.000



• Time: 12:53:28PM


• **Icc:** 45.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 6

• Set Voltage: 3.70 V

set at 3.75V




• Time: 12:53:53PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.776 V/s*

• **Cycle**: 6

Resistance: 426.16 Ω
Linear Fit R2: 1.000



• **Time:** 12:54:47PM


• **Icc:** 50.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• Cycle: 7

• Set Voltage: 3.85 V

set at 3.85V




• Time: 12:55:18PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.685 V/s*

• Cycle: 7

Resistance: 690.75 Ω
Linear Fit R2: 1.000



• Time: 12:55:55PM


• **Icc:** 55.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle**: 8

• Set Voltage: 3.75 V

set at 3.8V




• Time: 12:56:35PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.788 V/s*

• **Cycle:** 8

Resistance: 393.53 Ω
Linear Fit R2: 1.000



• Time: 12:57:23PM


• **Icc**: 60.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle**: 9

• Set Voltage: 3.65 V

set at 3.7V




• Time: 12:57:43PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.693 V/s*

• **Cycle:** 9

Resistance: 683.58 Ω
Linear Fit R2: 1.000



• **Time:** 12:58:53PM


• **Icc:** 65.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 10

• Set Voltage: 3.45 V

set at 3.5V




• Time: 12:59:13PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.685 V/s*

• **Cycle:** 10

Resistance: 694.76 Ω
Linear Fit R2: 1.000



• Time: 01:00:09PM


• **Icc:** 70.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• Cycle: 11

• Set Voltage: 3.85 V

set at 3.9V




• Time: 01:00:36PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.788 V/s*

• Cycle: 11

Resistance: 397.61 Ω
Linear Fit R2: 1.000



• Time: 01:01:21PM


• **Icc:** 75.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 12

• Set Voltage: 3.40 V

set at 3.45V




• Time: 01:01:44PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.694 V/s*

• **Cycle:** 12

Resistance: 688.05 Ω
Linear Fit R2: 1.000



• Time: 01:02:21PM


• **Icc**: 80.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 13

• Set Voltage: 3.30 V

set at 3.35V




• Time: 01:02:52PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.788 V/s*

• **Cycle:** 13

Resistance: 401.91 Ω
Linear Fit R2: 1.000



• Time: 01:03:30PM


• **Icc**: 30.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• Cycle: 14

• Set Voltage: 3.00 V

set at 3.05V



• Time: 01:03:56PM


• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.788 V/s*

·

• Cycle: 14

Resistance: 408.94 Ω
Linear Fit R2: 1.000



• Time: 01:04:36PM


• **Icc**: 25.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 15

• Set Voltage: 2.75 V

set at 2.8V




• Time: 01:04:59PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.788 V/s*

• **Cycle:** 15

Resistance: 406.93 Ω
Linear Fit R2: 1.000



• **Time:** 01:06:37PM


• **Icc**: 20.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle**: 16

• Set Voltage: 3.30 V

set at 3.35V




• Time: 01:06:58PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.776 V/s*

• **Cycle**: 16

Resistance: 411.57 Ω
Linear Fit R2: 1.000



• **Time:** 01:07:43PM


• **Icc:** 15.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• Cycle: 17

• Set Voltage: 2.80 V

set at 2.85V




• Time: 01:08:11PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.676 V/s*

• Cycle: 17

Resistance: 729.75 Ω
Linear Fit R2: 1.000



• Time: 01:08:59PM


• **Icc:** 10.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 18

• Set Voltage: 2.40 V

set at 2.45V




• Time: 01:09:25PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.658 V/s*

• **Cycle:** 18

Resistance: 784.61 Ω
Linear Fit R2: 1.000



• **Time:** 01:10:09PM


• **lcc**: 5.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• **Cycle:** 19

• Set Voltage: 2.85 V

set at 2.9V




• Time: 01:10:37PM

• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.800 V/s*

• **Cycle:** 19

Resistance: 363.50 Ω
Linear Fit R2: 1.000



• Time: 01:12:16PM


• **Icc**: 35.0uA

Voltage Range: 0V → 5V
Target Ramp Rate: 1V/s
True Ramp Rate: 1.069 V/s*

• Cycle: 20

• Set Voltage: 3.15 V

set at 3.2V



• Time: 02:06:02PM


• **Icc:** 8.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.839 V/s*

• Cycle: 20

Resistance: 207.09 Ω
Linear Fit R2: 1.000

No set, Ohmic slope



• Time: 02:06:25PM

• **Icc:** 10.0mA

Voltage Range: 0V → -4V
Target Ramp Rate: 1V/s
True Ramp Rate: -0.839 V/s*

• **Cycle:** 21

Resistance: 208.09 Ω
Linear Fit R2: 1.000
GND probe, won't reset

