

Summer of Nix 2021

A Program Report

Matthias Meschede

The Summer of Nix 2021 was a large coordinated effort to reproducibly package Open Source software to make it readily available and usable by anyone. The program brought together independent developers and community enthusiasts for two months to write build-configure-run instructions for many Open Source tools with the next-gen reproducibility-first package manager Nix. This report outlines the wider context, the development of the idea, organizational details and design, as well as concrete outcome and feedback of the participants. It is thought to be an interesting read for the funding organizations, future organizers and participants alike.

1 Context

1.1 Free and Open Source Software in a complexity crisis

The Internet should be open, decentralized, and privacy-respecting, built on top of a tissue of Free and Open Source Software (FOSS) that allows anyone to build new and innovative applications in a decentralized network of equally important nodes uncontrolled by few giants. This vision, pursued by many community and political actors,¹ but at best partial reality right now, ultimately derives from the fundamental idea of a participative society of sovereign citizens.

But, a tissue of Free and Open Software comes with complexity that tightly controlled ecosystems can often avoid. FOSS is thus often notoriously difficult to install, configure and run—a natural consequence of the enormous diversity of approaches that thousands of self-thinking developers without centralized organization come up with.

These developers use their favorite programming languages, dependencies, operating systems, distribution formats and platforms, and their software often needs to be compiled from source because of this diversity. This diversity is a *feature* of an open ecosystem which greatly fosters innovation and resilience. But it comes at the price that freely and openly available software is often difficult to actually set up and run. The cost of setting up a FOSS ecosystem, is thus often higher than paying for an out-of-the box, fully integrated but opaque solution. This problem has been recognized for a long time in computer science circles.²

¹ European Commission, “The European Commission’s Open Source Strategy for 2020-2023,” n.d., https://ec.europa.eu/info/sites/default/files/en_ec_open_source_strategy_2020-2023.pdf.

² YouTube, “Linus Torvalds on Why Desktop Linux Sucks,” n.d., <https://youtu.be/Pz11B7nB9Kc>; Roberto Di Cosmo et al., “The Mancoosi Project,” n.d., <https://www.mancoosi.org/>.

The package manager Nix³ is an emerging technical solution to manage FOSS complexity, and as such, a central component to make any Open Source strategy a success. Making FOSS easily available via Nix is thus the “raison d’être” of the *Summer of Nix* program that this report is about.

1.2 Organizations and their interest in the Summer of Nix

Four institutions with different interests teamed up to realize the *Summer of Nix*:

The **European Commission**⁴ (EC) is the initial *source of funding* for Summer of Nix via their Next Generation Internet (NGI) initiative. The goal of this initiative is to “shape the development and evolution of the Internet into an Internet of Humans. An Internet that responds to people’s fundamental needs, including trust, security, and inclusion, while reflecting the values and the norms all citizens enjoy in Europe.”⁵ NGI is a huge program funding a large variety of projects and subprograms with 312 million Euro between 2018 and 2022.

The **NLNet Foundation**⁶ (NLNet) is an independent foundation, largely aligned with the above stated mission of the EC’s NGI initiative, and funding independent software for a long time. NLNet has been charged, via the ECs cascading grant mechanism, to *distribute* parts of the NGI funds, specifically from a subprogram called NGI Zero⁷ that “provides grants to individual researchers and developers as well as small teams to work on important new ideas and technologies that contribute to the establishment of the Next Generation Internet.” and within this grant from an initiative called PET⁸ that focuses on privacy and trust enhancing technology. With this framework, NLNet has funded plenty of FOSS solutions that all have to deal with the above outlined challenge to reliably build and deploy them in a diverse FOSS ecosystem. Looking for a technical solution, NLNet has chosen Nix as their preferred packaging strategy because of its unique reproducibility guarantees and features such as composability that allow to realize their, and NGIs wider vision. This is how parts of the funds became available to package NGIs software with Nix. NLNet has approached the NixOS Foundation to help them with this packaging effort.

The **NixOS Foundation**’s⁹ mission is “to support the infrastructure and development of the NixOS project as a whole.” It’s scope of action is limited to essential tasks in the Nix ecosystem—because of limited resources, but also because Nix is managed to a large extent by a vibrant and self-organizing community. Being approach with funding for Nix packaging by NLNet was of course a welcome opportunity for them to enlarge and improve the Nix ecosystem. Before the idea of Summer of Nix was born, the NixOS Foundation worked with individual contractors on this packaging work. They had therefore already set up infrastructure such as a continuous integration server, and a basic task lists before Summer of Nix. But the NixOS Foundation lacked the manpower to drive

³“Nix: A Safe and Policy-Free System for Software Deployment.” n.d.; Nixos Community, “NixOS Website,” n.d., <https://nixos.org/guides/how-nix-works.html>.

⁴European Commission, “What the European Commission Does,” n.d., https://ec.europa.eu/info/about-european-commission/what-european-commission-does_en.

⁵The Next Generation Internet website, “About the NGI Initiative,” n.d., <https://www.ngi.eu/about/>.

⁶NLNet, “Foundation Website,” n.d., <https://nlnet.nl/>.

⁷The Next Generation Internet website, “About Ngio,” n.d., <https://www.ngi.eu/ngi-projects/ngi-zero/>.

⁸The NLNet website, “About PET,” n.d., <https://nlnet.nl/PET/>.

⁹NixOS Foundation, “Mission Statement,” n.d., <https://github.com/NixOS/nixos-foundation>.

the program forward more actively. This is why the idea of a collaboration with Tweag came up. The NixOS Foundation was the *administrating organization* of the Summer of Nix, handling contracts, payments, IT infrastructure and more, but could stay largely out of program design and daily management.

The final actor, **Tweag**,¹⁰ is a software consultancy and one of the principal enterprise user and contributor to Nix. Tweag sponsored project management, free of charge, to actually *design, organize and run* the Summer of Nix. Tweag's interest are to improve and give visibility to Nix, and to foster and participate in a lively community around it.

2 Designing and running Summer of Nix

This section is written for those interested in the organization behind Summer of Nix, the program constraints, the reasons why made certain choices, and also what organization means concretely. If you are interested in the outcome only, you might want to skip ahead.

2.1 The idea emerges

The initial idea, to run a large, concentrated community program in the summer, came up as a reaction on feedback from the Nix community about the already existing packaging effort with individual developers working independently through the large number of NLNet projects. The existing effort was not advancing as well as it should have, and it appeared not appealing enough to attract enough applications:

Many community members felt unqualified to work professionally with an emerging technology that thus far had been mostly their hobby, or they felt that there might not be enough support and time to learn the required skills during the program. The entry barrier to applying for a packaging job was therefore quite high.

Another aspect was that packaging, although it can actually be a very interesting and worthwhile task, is not an attractive goal *in itself* for independent developers. This was reinforced by the fact that many of the NLNet tools to package are still experimental, in prototype stage or alpha stage, without gigantic user base and sometimes no regular maintenance. Finally, although the program was decently funded, it was also not the place to get rich over night.

The main challenge therefore was to design a program that is more attractive, and fulfilling, taking into account the non-monetarian interests *of the participating developers* as much as those of the funding organizations to find the famous win-win situation.

A few of the principles of the program emerged quite naturally from these thoughts. Participants should explicitly have time to **work, learn and meet**. Coding should not happen in isolation but in groups with discussions, feedback about the work. Participants should not only learn but also teach their peers. The program thus became much more than a simple coding gig, and we hoped that it would be a lot more attractive for participants.

One direct consequence of realizing a project in the above spirit, open for beginners, with a lot more freedom for each participant to learn, teach, experiment

¹⁰Tweag, "Company Website," n.d., <https://tweag.io>.

and meet while applying their creativity, ideas and newly generated knowledge to useful work, was that we needed to go away from a professional software engineer's salary to stay within our given budget and to deliver the expected outcome for the allocated money. We decided to align it roughly to Google's Summer of Code rates instead.

Another challenge was that we had only very limited organizers available to work on the program: Even I, as the principal organizer, was by far not able to work full time on this project, although my employer Tweag generously supported me as they could. In addition to me, we had a small group of largely volunteer organizers that were a bit on-and-off depending on their time. It was thus clear from the beginning that, if we wanted to run a program with an emphasis on community and team work, we needed further organizational help, maybe in the form of a few selected people who would be experienced with Nix and willing to coordinate teams. The idea of "mentors" was born.

The limited amount of dedicated time on the organizational side was probably the most constraining factor throughout the program, exacerbated by the fact that we were running it without experience and no prior infrastructure from scratch. This was clear to everyone from the beginning, but no situation is ever perfect, and we saw a good chance to deliver something decent within the constraints.

2.2 Fixing the basics: compensation and time frame

The general idea was thus clear, but at this time, we had no idea how many applicants to expect, and also not how to put it in practice. Initially we guessed to maybe receive 10-15 applications of which certainly a few would drop out. Running the program with a team of about 5-10 people seemed realistic. Without any additional data, we made a final decision on the compensation, the time frame from August 2nd to October 15th, and also the mentor role.

Compensation was fixed to a flat base rate of 2750 Euro per participant for 8 weeks of full time work within the EU, as a gesture to the entity who ultimately funded this project, and otherwise adjusted for purchasing power based on a list from Google's Summer of Code in lack of a better resource. We considered worldwide equal pay as well, and arguments for and against came up, but ultimately we decided to adjust it, mainly because this was recommended by the European Commission and others who had more experience than us with the implications of one over the other. It is still unclear to me whether this was/is a fair choice or not. Participants from EU countries with lower purchasing power certainly made the best deal because of the flat rate, which corresponded to the rather high one at the NLNet Foundation's seat in the Netherlands. Payments themselves to all corners of the world were to be handled by the NixOS Foundation and NLNet, most experienced with this type of situation. One additional thought about compensation is that we didn't fix it based on the available budget but rather on a rough idea of what was expected to be delivered for the money. With the above compensation, a participant would have to deliver on average roughly three packages over the eight-week period—a number that we expected to vary hugely because the software to be packaged was so diverse. Still this seemed to be a good rough guideline for us to see how a more freely organized community event fairs economically in direct comparison with independent developers, and without taking any of its further benefits besides packaging into account.

The time frame from August 2nd to October 15th was also not easy to decide. We wanted to get university breaks across a variety of countries but didn't really

have the data to take an optimal choice at this moment because we didn't know where participants would be applying from. One thought that came up was that the Southern Hemisphere was (as unfortunately so often), a bit disadvantaged by the fact that this was in their winter break and even just by the name of the event. Although there is certainly some truth to this, we weren't able to find a better solution for everyone within the limited time we had. For participants, we designed the program for 8 weeks, 320 hours, a bit similar to Google Summer of Code, so that actual work could be accomplished, leaving flexibility within the absolute time frame to take vacation or start earlier or later while at the same time making sure that there was enough overlap to actually work in a team. The stipend was to be paid in two chunks, after working the first 160 hours and then the second 160 hours. We expected to see more tangible outcome in the form of packages and other code contributions the second half of the program—something which turned out not to be true.

The mentor arrangement was a bit different. For the mentors, we kept the original rate that independent NNet packagers received, about 50 Euro/hour. This meant that we couldn't possibly employ them full time over the duration. We thought therefore to design it for about 8 hours per week, and a total of 100 hours over the program. We hoped to be able to better compensate the mentors better for the added responsibility they had with this stipend. I'll defer more thoughts about this to later in this report.

2.3 Announcement and interviews

These basic decisions were enough to announce the program on the NixOS discourse¹¹ and see who would apply. We didn't want to design the program before knowing who would actually participate. The response to this announcement was overwhelming and much more than the 10-15 applications we expected. In total, we received **94 participant applications and in addition about 10 for mentoring**. Applications were handled over email only because we tried to avoid sign-ups and reduce the barrier to participation as much as possible. Also email seemed more personal, especially when expecting maximum 15 applications anyway. But, given the high number of applications email became an overhead, although we half automated it, and getting applications in a more structured form might have simplified things.

In the application email, we asked a few simple questions to the applicants: Who are you? Why are you interested in this program? What are you able to do with in Nix? What would you like to learn? When are you available? What time zone? Specific requirements? Optional CV. These questions turned out to be very useful to quickly assess the goals of the applicants. But we also decided, before knowing how many applications we would receive, to have short 15-30 minute interviews with everyone without exception to get a personal connection and also to answer potential questions. We thus did over 100 interviews in about one month with a little team of four volunteers who were doing this besides their work. Again, in hindsight this was maybe not worth it and quite exhausting, but it also gave the program a very personal, respectful and warm touch. As interviewers we got a much better feeling for the Nix community, the wishes and goals of the applying participants, and therefore ultimately the program that we were going to run. During these interviews it became clear that we had a lot of enthusiastic, extremely nice and very knowledgeable people applying.

¹¹The NixOS discourse, "The Summer of Nix—Learn Nix While Doing Useful, Paid Work," n.d., <https://discourse.nixos.org/t/the-summer-of-nix-learn-nix-while-doing-useful-paid-work/12225>.

2.4 Selection process and team building

The sheer amount and the high quality of the application was extremely motivating and made us want to turn forward time to get started, but it also brought us in the unpleasant situation of having to select and pick one good person over another—something we had hoped wouldn't happen anyway.

Ultimately we had a limited number seats in the program because of our budget, and once we saw the number of applications, we realized that we needed several teams to provide for the support structure that we wanted to achieve with this program. We decided to go with **five developers plus one mentor as basic team structure**.

Furthermore, since the program was specifically *not* about just delivering code as quick as possible, but also about learning together and meeting other like-minded people, we didn't want to simply sort by "Nix skill" in whatever subjective definition and fill up the teams in order. In contrast, team **diversity** seemed to be highly desirable to actually make a fun program in the work-learn-meet spirit outlined above, naturally generating opportunities to learn from and have interesting conversations with each other.

Unfortunately team diversity in all aspects wasn't easily achievable: A first decision that we felt forced to take was to have timezone-homogeneous teams that weren't spread over more than **± 3 hours of time zone difference**, ideally less. Meetings and synchronous communication with more than three people spread over America, Europe and Asia, which we thought was *the* essential part of the team idea, just seemed too hard to organize otherwise. We thus focused on geographical diversity *across* but not within teams. This lead us to reserve 15 spots (3 teams) for Central European/African time zones, 10 spots (2 teams) for American time zones and 5 spots (1 team) for East European, Middle East and 5 spots (1 team) Eastern Asian time zones [we didn't have applicants from other parts of the world]. Although this distribution is biased toward European/African time zones, something normal because the funding came from there, this choice of numbers was mostly imposed by the number of applications from each region because by far most of them came from Europe. But, paradoxically it still gave a significantly higher chance to non-Europeans to participate, although there were less overall slots for them. Non-Europeans, here strictly refers to place of living at the time of the program, and some of those non-Europeans were Expat-Europeans. So, although we did have quite a range of continents and cultures present, we definitely didn't have anything globally representative, not even if one would focus on tech-savvy regions only.

Another failure, as unfortunately so often in the tech world, was to achieve gender diversity. The only two (very strong) female applications weren't enough to even consider forming somewhat gender diverse teams.

All this meant that we were left with building teams that were diverse along the axes of **seniority** and **nix skill**. We did this in a way which I'll call, for the lack of a better term, compartmentalized randomness: building on a 3×3 matrix of seniority and nix skill a random queue of applicants. The process was certainly not objective as basically any application process, but I think we were guided by reasonable principles. It meant in the end that senior Nix experts did have the highest chance to participate, simply because there weren't as many of them, but it also gave a fair chance to others.

We maybe could have considered additional axes to build the teams. For example, grouping people who were interested in similar technology, but this seemed to become too complicated under the other constraints and also a bit premature because we didn't go through the actual work yet in detail and hadn't

thought about how to actually distribute it among the teams. Perhaps, rather than searching for ways to optimize teams further upfront, an additional mechanism to adapt and improve them during the program would have been something useful—but also potentially dangerous if done maladroit.

In any case, we have built seven teams of five with this process, meaning that we would have **35 participants and 7 (+1) mentors**. The additional mentor was reserved for additional tasks, and it would become clear later what those were. The total number of participants and mentors also determined the overall budget that we would need, which was higher than originally anticipated and meant that we were eating into money reserved for later, but it felt like a good investment since the application quality was so high.

2.5 Timeline, issue organization, events and start

Everything that has been described so far, from the first idea to the end of the selection process, happened in a relatively short time period: It began end of January with a first mention of the idea in an email on January 22nd. In one of the oldest of about 500 Summer of Nix related email threads in my in-box (excluding auto-generated notifications) from February 6th it says: “we could have 4 participants FT for 5 weeks including budget for the mentors. This is probably the most challenging but also most rewarding endeavor and would need to be organized quickly if it is for this summer.” The NixOS discourse announcement post came out on March 21st, and we reached the end of the selection process on May 16th after 100+ applications. There was really not a lot of time for planning afterwards, because after about one month of downtime, we had to start preparing work and events for 35 developers and 8 mentors to avoid major confusion.

As first preparatory measure, we started regular meetings with the mentors to onboard them gradually on the program so that they would know what was coming and even already start influencing it. The first question to answer was what we would be working on exactly and how work would be distributed. As mentioned earlier, we had one huge asset in this program that helped in this regard:

Thanks to prior work from the NLNet and NixOS Foundations, we already had a written list of relatively independent work items, basically the 200+ NLNet projects to package, prepared as a long issue list on GitHub. Certainly, some information was missing in those issues, there were duplicates and some of them were simply not tractable, but overall this list was a treasure trove, and we would have had trouble to get ready in time without it.

Initially we thought about going through the issue list upfront, tag and distribute it to the teams, e.g. by technology. But we quickly realized that we simply didn’t have the time to do this before the program started and that the list was too large to deal with it sequentially. We therefore opted for a different method which I’ll call **assign-and-trade** here: The full issue list was randomly divided by the number of teams, seven, labelling every issue with a team label. Coincidentally the full list had quite precisely seven pages on GitHub which means that splitting and labelling was really easy to do. This distribution was definitely not optimal but rather just a random starting point: It surely meant that some teams would have more difficult issues than others, some teams would be missing the required skills to tackle an assigned issue, or they simply wouldn’t be interested in it. This is why we introduced a trading mechanism so that teams could flag interest in an issue they liked or put issues on out for trade that they didn’t want to work on.

As further preparation, we also wrote a little, step-by-step packaging work flow to get everyone started quickly. This work flow also defined a few standards and roughly went like this: As developer you would look through the issues assigned to your team via filtering by GitHub label. Once you'd find an interesting one, you would assign yourself to it. An issue corresponds roughly to an independent NLNet project. The first step after assignment was to find out what it was about exactly, and what could actually be packaged. Once this had been done, you'd start packaging by forking the original repository to the Nix-Nix GitHub organization, adding the Nix build instructions directly to it. Once ready there were several paths to continue: a PR to the original source repository (that is why we initially thought forking was a good idea), a PR to nixpkgs, Nix's official package repository, or simply leaving it as independent build instructions on the nix-nix organization in an independent repository. Participants would work through this workflow alone but ask their mentor or other team members for help and support.

A question that came up was when those build instructions were considered "done." As with most software work, one can deliver more or less complete and high quality solutions depending on the goals. We worried a bit about quality in general, because often developers are satisfied if something works for *themselves* but not necessarily for somebody else. Although Nix gives certain guarantees about reproducibility, it can't guarantee that something is complete and documented enough so that it's usable. To drive quality high on the last meters of packaging, we decided to ask the 8th mentor to explicitly focus on this, to test the packages, give feedback and raise the bar a bit. We hoped that this would allow the mentors to concentrate on working with their team as much as possible without having to switch too much into the role of a counter-player themselves.

With the issue assignment strategy and the basic work flow, we felt ready to get started, but we were also scared to actually do so. Having 43 participants and mentors all begin at once without any test seemed audacious. The fear was not that our upfront preparation and game plan would work out perfectly, it was always thought more as a guideline for smart individuals, and with the little time that we had to organize the program we didn't hope to get anywhere close to perfection. But we feared to have missed something major that would block and demotivate the smartest participants from the beginning. Fortunately, two participants and their team mentor were willing to get started already in July, one month before the actual start date on August 2nd, to try what we had come up with. They started to package the first repositories, started to flag up problems and got used to the program.

Another aspect that I didn't mention so far was our plan to organize a presentation schedule for Summer of Nix—inviting core members of the community to talk about what they know best: their own work. For time reasons, we weren't able to organize this much in advance and thus decided to go for a more interactive and flexible approach. I thus only organized a kickoff meeting on Monday 2nd of August, and the first technical presentation, by the inventor of Nix Eelco Dolstra, up front and add others on the fly during the program.

2.6 Tooling

During the preparation phase, we also had to make decisions which tools we should use to organize this event. **Simplicity** over fanciness was probably our major guideline here. In addition, we tried to use **FOSS tools** because it corresponded to the overall spirit of the program and because they were often

quicker and easier to use because no further budget and sign-ups were required. But we also decided to be **pragmatic** and use commercial tools whenever they were providing us with a clearly simpler and more robust solution.

Some of the FOSS tools we used (none of them self-hosted) were:

- Cryptpad for collaborative text documents and sheets. Cryptpad was quite feature complete and a good choice for collaborative writing and sheet calculations for organization. In our case, it competed with Google Docs which was probably better known by many and directly integrated with Google Drive. The latter was definitely an advantage for us, which is why we didn't fully move to Cryptpad.
- BigBlueButton for webinar-style presentations. BigBlueButton was great, we used an instance hosted by the TU Delft for this event. Other hosted instances seemed to be difficult to find. Especially the shared-notes and recording features of BigBlueButton were nice to make the presentations somewhat interactive.
- Jitsi for face-to-face video conferencing worked very well. No complaints. The fact that no-one had to sign up anywhere was a big plus, especially to later on organize the hiring event.
- Matrix for synchronous chat worked well also. The user experience of its main client Element (formerly Riot) is sometimes not as polished as in commercial tools like discord or slack but in general it did what it was supposed to do. The "Space" feature of Matrix, basically just a set of channels, was very nice to integrate open community channels with our private event channels. We had a very simple set up with few general chat rooms and then a single private one for each team.

Coincidentally, all of these project had received NLNet funding, and we worked on improving packaging for all of them during the program. Some of the commercial tools we used were:

- Hellosign for signatures
- GitHub for the issue list, program documentation, discussion board and the actual source code
- Google Drive and Google Docs to store administrative documents

During the project, we also worked on FOSS alternatives to these, so that in principle we could have run the full program FOSS-style. However, as I mentioned earlier, we had limited resources to set this up and needed to budget well what to spend our energy for. In addition to these tools, we used *a lot* of simple Email for administrative purposes, to send out .ics calendar invitations and more, in cases where we could have used an external tool. This was nice in some way because everyone knows email and because it was possible to automate it to some degree—but for the size of the project it was probably a stretch and some more structured approaches could have helped.

2.7 The program runs

The strange thing about bigger projects from the perspective of the organizer is that the start doesn't really feel like the start because so much of the work seems to have already happened, and as soon as it starts rolling down the hill, it's much harder to influence where it'll end up. But it paid out to have clear, built-in day-to-day mechanisms for feedback, guidance, and decision-making, via the mentors who were admittedly dropped into a situation with quite some responsibility, little time for preparation and tight time budget (mentors were

officially only available one day per week for coordination). The mentors handled the major part of the organizational work load from day to day, guiding, organizing and resolving as much as possible directly with their teams.

In this decentralized situation, maybe common but still something to get used to, no-one had an oversight over the whole program. Work was distributed and trust-based and everyone had just their own limited perspective. Participants knew most about the packages they were working on, mentors had a larger vision of their team activities and also the issue list, organizers were busy organizing. We also didn't have effective reporting mechanisms in place. Our global issue list captured only a small part of what was going on. In addition, participants filled out time sheets with weekly granularity, but we didn't have the time to read those until after the event. Other than that, organizers and mentors exchanged in weekly meetings and via matrix.

Participants were mostly working on packages, learning and talking to each other autonomously. Organized events set a certain rhythm for the participants throughout the week: typically a team meeting (although this was left to each team to decide), and about every second week on Wednesday at least one centrally organized presentation, in two editions to cover all time zones. These presentations were given by invited speakers, some of them participating themselves in the program, others not, about in-depth but basic Nix topics more than about the newest and craziest ideas (for those who know Nix, we talked about Nix Flakes, Nix modules, the Nix RFC process, the nixpkgs release cycle, poetry2nix, dream2nix, EU Open Source politics). We also had a time slot on Tuesdays for participant presentations which was used from time to time. More happened of course behind the scenes, proposed by various participants, and in the different teams. Later in the program we sent out a list randomly assigning one or two meetings with someone from another team every week to foster cross-team communication.

It is difficult to describe what happened exactly without diving into the details. The program ran in this manner more or less autonomously. I was even able to hand over coordination for 2 weeks to go on a vacation after a very intense half-year, and the program went through without bigger accidents, although of course problems came up and, as was to be expected, many things could be improved *even under the same program constraints* if we were to repeat this program. But some only became clear *after* the program when we asked for detailed feedback which I cover in a later section of this report.

2.8 The hiring event

Before the program even started, an idea that seemed very valuable to pursue, even at the expense of having less time for organization of the main program, materialized:

I am a consultant at Tweag and often talk to companies using and adopting Nix. Similar to other emerging technologies, Nix is often a blessing and curse at the same time for them. Obviously an emerging technology solves previously unsolved problems, but it also often doesn't come with a job market that is as vibrant as for other tools. Immediately after the interview phase, I felt that companies could have great interest in meeting the candidates who applied for Summer of Nix, and I thought that the same was also true for many applicants, often considering Nix more as a hobby of theirs but not as something they might be able to find a job with. The idea to connect Summer of Nix applicants (even those who we didn't have spots for in the program) with companies adopting

Nix was natural, but it meant further organization at a moment when we had little capacity.

Still, I took the decision that this was worth pursuing simply because it felt like this event would complete Summer of Nix: The hiring event provided a great point of motivation and direction. Summer of Nix would be about giving talented community members an opportunity and guidance to make the jump into the professional life, giving them the experience of delivering paid work but in a protected and freer environment. However, the decision to also organize the hiring event came at the cost that I had less time to spend on the main event and needed to fully trust that our team structure would work out OK. Also, we reduced the hiring event to the essential—a no-fuzz moment of connecting one side with the other in the most efficient and direct way. This was born out of necessity, but it probably became a feature because such an event saved precious time for the participating companies and candidates as well.

We thus compiled a list of more than 60 companies which we heard from different sources had been using Nix. Many of them are small to medium enterprises, but some are also very large, and we reached out to them. Of those 60 companies, 13 decided to actively participate in the hiring event. With these companies, spread mostly over North America and Europe, and participants across the globe, another challenge were time zones. We tried to duplicate every event within Summer of Nix to cover all time zones, but for this hiring event, we decided to go for a unique slot this time from roughly 5pm (UTC+2) – 8pm (UTC+2). There is no single slot available that covers West-Coast US to far-eastern Japanese time zones and this one was picked at the expense of Japan, for whom the event unfortunately was very late. But we felt we had no choice here.

The hiring event was structured in two big sections: First every company would give a short lightning presentation about themselves, then company representatives would go into on breakout rooms, their virtual booth, each and participants would move through these booths to have direct conversations with them. To make this an interesting event for everyone, we had to make sure that participant load in the booths was evenly spread, so that no company was alone or flooded with the majority of participants at the same time. We decided to build a schedule leaving some free space for flexibility. While the total duration of the event was constraint by time zones, an open variable was meeting length. Longer but fewer time slots would mean more participants per meeting, whereas shorter but more time slots could mean a 1-on-1 interview for everyone. We ultimately decided *against* 1-on-1 meetings, because we didn't want to create an interview situation but rather an active and open conversation. But we also wanted to avoid webinar style one-directional situation with too many participants. We thus thought there might be an optimum somewhere between 2 and 5 participants per booth per slot. It turned out that with this number, the total number of participants in the hiring event, and the total duration of it, slots needed to be about 15 minutes long.

To build the schedule, we first asked participants and companies for their preferences. The rest was then essentially filling up a matrix of meeting slots × participants × companies, considering time zones, participant and company preferences at the same time (It would be absolutely great to write an online or command line tool for this). With some little helper scripts but also a ton of manual intervention, we came up with schedules.

In terms of tooling, we decided against any commercial solution and ran it entirely with the open video conferencing solutions BigBlueButton for the lightning presentations, and Jitsi for the booth breakout rooms.

The event itself was quite a success, and seems to have run relatively smoothly with few accidents. More feedback later in the feedback session.

3 Contributions

During the program I and others knew that everyone was doing something. We got a glimpse of each others work through daily meetings, chats and other means of communication. However, a larger perspective of what we have achieved as a group was very difficult to get until after the event. This section tries to provide some insight into this.

3.1 Code contributions — summary statistics

It would be so comfortable to simply go through our issue list and check what had been closed. For several reasons this wasn't as easy. So before actually looking at the Figure, let's consider that:

The close state of an issue is often difficult to define. There are lots of 90%-done cases that aren't captured by closed issues. We tried to avoid this as much as possible but obviously couldn't do it entirely, and a lot of valuable work, such as packaged dependencies or working component packages, is within this group. We also had a "ready-for-review" label as additional issue state, but since our review team was probably under-staffed, we didn't manage to bring all of them all the way to closed. Also, issue granularity isn't fixed and issues are broken into smaller sub-issues that are then more easily closed. Still, considering these limitations, the issue list activity is an important indicator and fig. 1 shows the number of created and closed issues as a function of time, as well as the number of issues flagged as "ready to review" that we ended up with.




Figure 1: Number of newly created and closed issues in our central issue list as a function of time.

The figure shows that most issues were created (orange line) automatically in two big chunks, mid-2020 a year before starting Summer of Nix when the original packaging project with independent developers working as contractors started. The issues were created from an internal project database that NL-Net maintains of each of the projects they support with grants. The number of

issues grew further during the program, because some of these auto-generated issues were broken up into sub-issues and a few new projects were added directly by NLNet.

Issues were closed (blue line) for a variety of reasons, primarily because the work had been done but also for a number of other reasons. For example, some issues were duplicates, others referred to hardware-only projects without anything to package, others were intractable for other reasons. Issues that remained in “ready for review” state (green marker) at the end of the program are also shown. In absolute numbers, we have started with about 230 open issues at the start of the program of which a bit over 10 were already closed by prior packaging efforts. We ended up with a total number of 276 issues of which 101 were closed and 27 flagged as “ready for review.”

As discussed above, the number of issues alone doesn’t give a good idea of the work involved because their size and difficulty varied drastically, even if they were valid packaging requests. Some involved simply bumping a version on nixpkgs because the associated project had already been packaged there, others involved profound work, for example bootstrapping, mobile NixOS, work on tooling to tackle badly supported language ecosystems, but also simply small but difficult-to-package programs and others with many unpackaged dependencies that also had to be delivered. Work on such issues could easily have taken the time of a single packager over the whole program’s time frame and more.

An interesting number, although equally treacherous, is the number of issues closed or flagged as “ready to review” *on average per participant*. It was about 3.4, above our expected rate of 3. Again, this number is really only a gross approximation of work, and it doesn’t capture any of the additional non-NGI packages, bug fixes, improved documentation and tooling and other contributions that came out of it. It also doesn’t capture the quality of the contributions.




Figure 2: Number of repositories in the ngi-nix GitHub organization as a function of time.

Another, similarly limited but still interesting, perspective of the code-contributions done during Summer of Nix is the number of repositories under the ngi-nix GitHub organization. Every tool to be reproducibly packaged went under its own repository, although there were exceptions such as upstream nixpkgs contributions. fig. 2 shows that the number of repositories went up drastically once the program started, and a lot of new ones were created over

the course of the program. All in all there are now about 180 repositories, many public but also some private, in the organization holding NLNet projects reproducibly packaged to varying degree. Not all of this work had been finished, and some was adjacent work and not directly an NGI package, which is why this number is higher than the number of issues closed or flagged for review.




Figure 3: Number of contributions for different upstream channels.

Besides GitHub, another source of information are the time sheets that program participants had filled out during the program. We asked participants to list their contributions in there. Although it was a tedious job, we gathered every reported contribution, a whopping number of 199 repositories, upstream PRs or relevant issues to various channels in structured form from these time sheets (The full list is in the end of this report). Fig. fig. 3 summarizes *where* those contributions went: most are repositories on NGI, filled with Nix package descriptions for the respective tools, then a lot of contributions, NGI packages, dependencies of them, bug fixes or improvements to documentation, went directly to nixpkgs, Nix’ official software library. And finally others to the wider Nix ecosystem or to upstream repositories.

Most contributions the Nix community outside of nixpkgs were bug fixes on the so-called 2nix helper tools to reproducibly package various programming language ecosystems. But also new and very interesting tools were initiated like dream2nix, static analyzer, contributions to documentation that hopefully simplify future packaging efforts, and two RFCs were written with suggestions to evolve the Nix ecosystem.

3.2 Contribution list

3.2.1 Namecoin package

<https://www.namecoin.org/>

Namecoin is a key/value pair registration and transfer system based on the Bitcoin technology. Bitcoin frees money – Namecoin frees DNS, identities, and other technologies.

- <https://github.com/ngi-nix/namecoin-core/pull/1/files>

3.2.2 Kazarma

<https://gitlab.com/kazarma/kazarma/>

A bridge between Matrix and Activity pub.

- <https://github.com/ngi-nix/kazarma/pull/1>

3.2.3 Lemmy

<https://join-lemmy.org/>

Lemmy is similar to sites like Reddit, Lobste.rs, or Hacker News. You subscribe to communities you're interested in, post links and discussions, then vote and comment on them.

- <https://github.com/ngi-nix/lemmy-ui/tree/flakes>
- <https://github.com/ngi-nix/lemmy/tree/flakes>
- <https://github.com/NixOS/nixpkgs/pull/137186>
- <https://github.com/NixOS/nixpkgs/pull/139174>

3.2.4 PeerTube

<https://joinpeertube.org/>

Free software to take back control of your videos

- <https://github.com/NixOS/nixpkgs/pull/119110#issuecomment-961536164>
- <https://github.com/Chocoboxxx/PeerTube/issues/4393>
- <https://github.com/Chocoboxxx/PeerTube/issues/4394>

3.2.5 Hyperspace

<https://www.hyperhyperspace.org/>

Make all data local. Communicate only through data sync

- <https://github.com/ngi-nix/hyperspace/pull/1>
- <https://github.com/hypercore-protocol/cli/issues/51>

3.2.6 GnuNet

<https://www.gnunet.org/en/index.html>

A network protocol stack for building secure, distributed, and privacy-preserving applications.

- <https://github.com/NixOS/nixpkgs/pull/136365>

3.2.7 Interpeer

<https://interpeer.io/>

A secure and efficient peer-to-peer networking stack that will empower a human centric internet, circumventing the protocols of the past.

- <https://github.com/ngi-nix/channeler>
- <https://github.com/ngi-nix/packeteer>
- <https://github.com/ngi-nix/liberate>

3.2.8 KiwiIRC

<https://kiwiirc.com/>

Makes Web IRC easy. A hand-crafted IRC client that you can enjoy. Designed to be used easily and freely.

- <https://github.com/kiwiirc/kiwiirc/pull/1605>

3.2.9 TCN

<https://github.com/TCNCoalition/TCN>

Specification and reference implementation of the TCN Protocol for decentralized, privacy-preserving contact tracing.

- <https://github.com/ngi-nix/TCN>

3.2.10 Corteza

<https://github.com/cortezaproject/corteza-server>

Corteza is the only 100% free, open-source, standardized and enterprise-grade Low-code platform.

- <https://github.com/cortezaproject/corteza-server/pull/253>

3.2.11 Blink

<https://icanblink.com/>

A state of the art, easy to use SIP client, a protocol for real-time sessions such as voice, video and messaging appls.

- <https://github.com/ngi-nix/blink>

3.2.12 Castopod

<https://podlibre.org/tag/castopod-host/>

An open-source server made for podcasters who want engage and interact with their audience.

- <https://github.com/ngi-nix/castopod-host>

3.2.13 Jitsi ecosystem

<https://jitsi.org/>

Completely free video conferencing

- <https://github.com/NixOS/nixpkgs/pull/137202>
- <https://github.com/NixOS/nixpkgs/pull/139948>
- <https://github.com/jitsi/jibri/issues/441>

3.2.14 Liberaforms

<https://liberaforms.org/en>

Makes it easy to create and manage forms that respect the digital rights of the people who use it.

- <https://github.com/ngi-nix/liberaforms>
- <https://gitlab.com/liberaforms/liberaforms/-/issues/126>
- https://gitlab.com/liberaforms/liberaforms/-/merge_requests/221

3.2.15 Etesync

<https://www.etesync.com/>

Secure, end-to-end encrypted, and privacy respecting sync for your contacts, calendars, tasks and notes.

- <https://github.com/NixOS/nixpkgs/pull/133536>
- <https://github.com/ngi-nix/libetebase>
- <https://github.com/ngi-nix/etebase-rs>
- <https://github.com/ngi-nix/libetebase>
- <https://github.com/ngi-nix/etebase-java>
- <https://github.com/NixOS/nixpkgs/pull/134343>

3.2.16 liboqs

<https://openquantumsafe.org/>

An open source C library for quantum-safe cryptographic algorithms

- <https://github.com/ngi-nix/liboqs>

3.2.17 Milagro

<https://github.com/apache/incubator-milagro>

A set of crypto libraries and core security infrastructure applications, built for decentralized networks yet suitable for enterprises.

- <https://github.com/ngi-nix/incubator-milagro>

3.2.18 Software Heritage

<https://www.softwareheritage.org/>

- <https://github.com/ngi-nix/sw-h-environment/pull/1>

3.2.19 DiffPrivacyInference

<https://github.com/DiffMu/DiffPrivacyInference.jl>

A type checker which can automatically analyze Julia programs with respect to differential privacy guarantees.

- <https://github.com/ngi-nix/DiffPrivacyInference/>

3.2.20 Kaidan

<https://www.kaidan.im/>

A user-friendly and modern chat app for every device. It uses the open communication protocol XMPP (Jabber).

- <https://github.com/NixOS/nixpkgs/pull/136916>

3.2.21 Weblate

<https://weblate.org/en/>

A web based translation tool, used by over 2,500 libre software projects and companies in over 165 countries.

- <https://github.com/ngi-nix/weblate>
- <https://github.com/WeblateOrg/weblate/issues/6679>

3.2.22 LibreSOC

<https://libre-soc.org/>

With Libre-SOC, you can take complex algorithms usually intended for power hungry servers with big fat GPUs, and run them on tiny devices like smart-watches, cellphones, and pocket drones without changing your code at all.

- <https://github.com/ngi-nix/libresoc-soc/pull/1>
- <https://git.libre-soc.org/?p=soc.git;a=commit;h=506c93ac12aa4d52db5ba>

3.2.23 Coriolis

<http://coriolis.lip6.fr/>

A complete toolchain for vlsi design. It provides a vhdl compiler and simulator, logic synthesiser, automatic place & route and portable cmos library.

- https://gitlab.lip6.fr/vlsi-eda/coriolis/-/merge_requests/8

3.2.24 Meta Press

<https://www.meta-press.es/>

Decentralized search engine & automatized press reviews

- <https://github.com/ngi-nix/meta-press>

3.2.25 OpenFoodFacts

<https://world.openfoodfacts.org/>

A food products database made by everyone, for everyone. You can use it to make better food choices, and as it is open data, anyone can re-use it for any purpose.

- <https://github.com/ngi-nix/openfoodfacts-server/tree/ngi-nix>

3.2.26 Nyxt

<https://nyxt.atlas.engineer/>

Power-browser that ships with tens of features that allow you to quickly analyze, navigate, and extract information from the Internet.

- <https://github.com/ngi-nix/nyxt>

3.2.27 ForgeFed

<https://forgefed.peers.community/>

An upcoming federation protocol for enabling interoperability between version control services.

- <https://github.com/ngi-nix/mcfi>
- <https://github.com/ngi-nix/forgefed>

3.2.28 CVEHound

<https://github.com/evdenis/cvehound>

A tool for checking linux sources for known CVEs (Common Vulnerabilities and Exposures).

- <https://github.com/ngi-nix/cvehound/>

3.2.29 trackingthetrackers

<https://nlnet.nl/project/F-Droid-Trackers/>

A free software, community app store on Android that has been working since 2010 to make all forms of tracking and advertising visible to users.

- <https://github.com/ngi-nix/trackingthetrackers-apk-api>
- <https://github.com/ngi-nix/trackingthetrackers-scripts>
- <https://github.com/ngi-nix/trackingthetrackers-etl>
- <https://github.com/ngi-nix/trackingthetrackers-classifier>
- <https://github.com/ngi-nix/trackingthetrackers-extracted-features>

3.2.30 movim

<https://nlnet.nl/project/Movim-OMEMO/>

A web platform that delivers social and IM features on top of the mature XMPP standard (aka Jabber)

- <https://github.com/ngi-nix/movim>

3.2.31 url-frontier

<https://github.com/crawler-commons/url-frontier>

A web crawler-neutral API

- <https://github.com/ngi-nix/url-frontier>

3.2.32 Katzenpost

<https://katzenpost.mixnetworks.org/>

Mix network protocol libraries. What is a mix network? It is an anonymous communications system.

- <https://github.com/ngi-nix/katzenpost>

3.2.33 Variation Graph

<https://github.com/vgteam/vg>

Tools for working with genome variation graphs

- https://github.com/ngi-nix/magic_rb-vg

3.2.34 Xemu for MEGA65 Phone

<https://github.com/lgblgblgb/xemu>

Emulations of mainly 8 bit machines, including the Commodore LCD, Commodore 65, and the MEGA65 as well.

- <https://github.com/ngi-nix/xemu>

3.2.35 rebuilderd

<https://rebuilderd.com/>

Independent verification of binary packages - reproducible builds

- <https://github.com/ngi-nix/rebuilderd>

3.2.36 ricochet

<https://github.com/blueprint-freespeech/ricochet-refresh>

Anonymous peer-to-peer instant messaging

- <https://github.com/ngi-nix/ricochet>

3.2.37 poliscoops

<https://github.com/openstate/poliscoops>

An interactive online platform that allows journalists and citizens to stay informed, and keep up to date with the growing group of political parties and politicians relevant to them.

- <https://github.com/ngi-nix/poliscoops-flake>

3.2.38 GoatCounter

<https://www.goatcounter.com/>

Easy web analytics. No tracking of personal data.

- https://github.com/ngi-nix/magic_rb-goatcounter

3.2.39 Simple Bandwidth Scanner (OnBaSca)

<https://tpo.pages.torproject.net/network-health/sbws/README.html>

Tor bandwidth scanner

- <https://github.com/ngi-nix/sbws-flake>

3.2.40 NetFilter

<https://www.netfilter.org/>

Provides packet filtering software for the Linux 2.4.x and later kernel series. The netfilter project is commonly associated with iptables and its successor nftables.

- <https://github.com/NixOS/nixpkgs/pull/140994>

3.2.41 Bitcoin Transactions

<https://peersm.com/wallet>

Javascript implementation of the Bitcoin protocol for any Bitcoin based coins, on server and inside browsers

- <https://github.com/ngi-nix/bitcoin-transactions>

3.2.42 Anastasis

<https://anastasis.lu/en/>

A key recovery system that allows the user to securely deposit shares of a core secret with an open set of escrow providers, to recover it if the secret is lost

- <https://github.com/ngi-nix/anastasis>
- <https://github.com/ngi-nix/anastasis-gtk>

3.2.43 GNU Taler

<https://taler.net/en/>

A payment system that makes privacy-friendly online transactions fast and easy

- <https://github.com/NixOS/nixpkgs/pull/140477>

3.2.44 Arpa2

<http://arpa2.net/>

Tools to repopulate a decentralised global internet that offers security and privacy by design.

- <https://github.com/ngi-nix/arpa2>
- <https://github.com/NixOS/nixpkgs/pull/134965>
- <https://github.com/NixOS/nixpkgs/pull/134332>

3.2.45 P2Pcollab

<https://p2pcollab.net/>

Protocols for peer-to-peer collaboration.

- <https://github.com/ngi-nix/p2pcollab>
- <https://github.com/p2pcollab/ocaml-noise-socket/issues/4>
- <https://github.com/p2pcollab/ocaml-blip/pull/1>
- <https://github.com/p2pcollab/ocaml-urps/pull/2>
- <https://github.com/p2pcollab/ocaml-fsq/issues/2>
- <https://github.com/p2pcollab/ocaml-sunnyhash/pull/2>
- <https://github.com/ngi-nix/bloomf/tree/flake-only>

3.2.46 CWE checker

https://github.com/fkie-cad/cwe_checker

A security checker written in Rust using Ghidra

- https://github.com/ngi-nix/cwe_checker/tree/flake-only
- https://github.com/fkie-cad/cwe_checker/pull/234

3.2.47 Manyverse

<https://www.manyver.se/>

A social network off the grid.

- <https://github.com/ngi-nix/manyverse/tree/nix/napalm-mazurel-2>

3.2.48 EEZ ecosystem

<https://www.envox.eu/>

The modular BB3 (Bench Box 3) test & measurement solution which in combination with the cross-platform EEZ Studio offers an appealing open source feature packed framework for automating everyday testing and development tasks suitable for makers, hobbyists, students and professionals.

- <https://github.com/ngi-nix/studio/tree/flake-only>

3.2.49 DNSSEC

<https://github.com/NLnetLabs/dnssec-ceremony-tools/>

DNSSEC provides trust in the DNS by guaranteeing the authenticity and integrity of DNS responses.

- <https://github.com/ngi-nix/dnssec-ceremony-tools/tree/flake>

3.2.50 URLExtract

<https://github.com/lipoja/URLExtract>

URLExtract is python class for collecting (extracting) URLs from given text based on locating TLD.

- <https://github.com/NixOS/nixpkgs/pull/139814>

3.2.51 Owncast

<https://owncast.online/>

A self-hosted live video and web chat server for use with existing popular broadcasting software.

- <https://github.com/ngi-nix/owncast/tree/cleanup>
- <https://github.com/ngi-nix/owncast-admin/tree/flake>

3.2.52 BigBlueButton

<https://bigbluebutton.org/>

A global teaching platform. It was developed in a school, not in a boardroom. Making it the only virtual classroom built from the ground up, just for teachers.

- <https://github.com/ngi-nix/bbb4nix/tree/flake>

3.2.53 Briar

<https://briarproject.org/>

A secure messaging app designed for activists, journalists and civil society groups. Instead of using a central server, encrypted messages are synchronized directly between the users' devices, protecting users and their relationships from surveillance.

- <https://github.com/ngi-nix/briar>

3.2.54 elRepo.io

<https://elrepo.io/>

Resilient, human-centered, distributed content sharing and discovery.

- <https://github.com/ngi-nix/elRepo.io>

3.2.55 IMSI Pseudonymization

<https://osmocom.org/>

Open Source Mobile Communications

- <https://github.com/ngi-nix/imsi-pseudo>

3.2.56 Conversations

<https://conversations.im/>

An Android client for the federated, provider independent network of instant messaging servers that use the Extensible messaging and Presence Protocol (XMPP).

- <https://github.com/ngi-nix/Conversations-1/tree/flake-only>

3.2.57 Reowulf

<https://reowolf.net/>

Replace a decades-old application programming interface (BSD-style sockets) for communication on the Internet. In this project, a novel programming interface is implemented at the systems level that is interoperable with existing Internet applications.

- <https://github.com/ngi-nix/reowolf>

3.2.58 Mailpile

<https://www.mailpile.is/>

Mailpile is an e-mail client! Mailpile is a search engine and a personal webmail server. Mailpile is an easy way to encrypt your e-mail. Mailpile is software you run yourself, on your own computer.

- <https://github.com/NixOS/nixpkgs/pull/135543>

3.2.59 mobile-nixos

<https://github.com/NixOS/mobile-nixos>

Mobile NixOS is a superset on top of NixOS Linux, Nixpkgs and Nix, aiming to abstract away the differences between mobile devices. In four words “NixOS, on your phone.”

- <https://github.com/NixOS/mobile-nixos/pull/404>

3.2.60 OSX-KVM

<https://github.com/foxlet/macOS-Simple-KVM>

Tools to set up a quick macOS VM in QEMU, accelerated by KVM.

- <https://github.com/ngi-nix/OSX-KVM>

3.2.61 Waasabi

<https://waasabi.org/>

Open source framework for custom live streaming events and conferences.

- <https://github.com/ngi-nix/waasabi>

3.2.62 Wireguard

<https://www.wireguard.com/>

An extremely simple yet fast and modern VPN that utilizes state-of-the-art cryptography. It aims to be faster, simpler, leaner, and more useful than IPsec, while avoiding the massive headache.

- <https://github.com/NixOS/nixpkgs/pull/133763>

3.2.63 SearX

<https://searx.me/>

Privacy-respecting metasearch engine

- <https://github.com/ngi-nix/searx-thegreenopenweb>
- <https://github.com/ngi-nix/tgwf-searx-plugins/tree/nix-flake>

3.2.64 PCB-rnd

<http://repo.hu/projects/pcb-rnd/>

Is a free/open source, flexible, modular Printed Circuit Board editor.

- <https://github.com/ngi-nix/pcb-rnd/pull/2>

3.2.65 Noise Explorer

<https://noiseexplorer.com/>

An online engine for reasoning about Noise Protocol Framework (revision 34) Handshake Patterns.

- <https://github.com/ngi-nix/noiseExplorer>

3.2.66 Universal Resolver

<https://danubetech.com/>

Resolve any DID on any blockchain, DLT, or other decentralized network.

- <https://github.com/ngi-nix/universal-resolver>

3.2.67 IRMA

<https://irma.app/>

Everyone can freely download the IRMA app (Android and iOS and F-droid) and fill it with their own data. For instance, store your email address and possibly mobile number as attribute in your IRMA app.

- <https://github.com/ngi-nix/irmago-server>
- <https://github.com/ngi-nix/IRMAseal>

3.2.68 Delta Chat

<https://delta.chat/en/>

Delta Chat is like Telegram or Whatsapp but without the tracking or central control. Delta Chat does not need your phone number. Check out our privacy statement.

- <https://github.com/ngi-nix/deltabot>

3.2.69 IPFS and IPFS Search

<https://ipfs-search.com/#/>

A Free and Open Source (FOSS) search engine for directories, documents, videos, music on the Interplanetary Filesystem (IPFS)

- <https://github.com/ngi-nix/ipfs-search>
- <https://github.com/NixOS/nixpkgs/pull/135850>
- <https://github.com/NixOS/nixpkgs/pull/135867>
- <https://github.com/NixOS/nixpkgs/pull/136137>
- <https://github.com/NixOS/nixpkgs/pull/136143>
- <https://github.com/NixOS/nixpkgs/pull/136170>
- <https://github.com/NixOS/nixpkgs/pull/136255>
- <https://github.com/NixOS/nixpkgs/pull/136261>
- <https://github.com/NixOS/nixpkgs/pull/137070>

3.2.70 Meilisearch

<https://www.meilisearch.com/>

Powerful, fast, and an easy to use search engine

- <https://github.com/NixOS/nixpkgs/pull/136353>
- <https://github.com/NixOS/nixpkgs/pull/137612>
- <https://github.com/NixOS/nixpkgs/pull/137078>
- <https://github.com/NixOS/nixpkgs/pull/138778>

3.2.71 Cryptpad

<https://cryptpad.fr/>

End-to-end encrypted and open-source collaborative documents.

- <https://github.com/NixOS/nixpkgs/pull/133202>
- <https://github.com/NixOS/nixpkgs/issues/128154>

3.2.72 Sonar

<https://arso.xyz/>

We're developing tools to make it easy to share media collaboratively without relying on centralized services.

- <https://github.com/ngi-nix/sonar-1>
- <https://github.com/ngi-nix/sonar-tantivy/pull/1>

3.2.73 Webshell

<https://wiki.ljudmila.org/WebShell>

A free, open-source, private and secure alternative to commercial cloud storage and web-based software. It's a web desktop which can be self-hosted on your server to provide access to your files and apps from the web.

- <https://github.com/ngi-nix/webshell>

3.2.74 Misskey

<https://join.misskey.page/en-US/>

A decentralized and open source microblogging platform

- <https://github.com/ngi-nix/misskey/tree/flake>

3.2.75 EgilSCIM

<https://github.com/Sambruk/EgilSCIM>

The EGIL SCIM client implements the EGIL profile of the SS 12000 standard. It reads information about students, groups etc. from LDAP and sends updates to a SCIM server.

- <https://github.com/Sambruk/EgilSCIM/pull/118>
- <https://github.com/Sambruk/EgilSCIM/pull/121>
- <https://github.com/Sambruk/EgilSCIM/pull/122>
- <https://github.com/Sambruk/EgilSCIM/pull/123>
- <https://github.com/ngi-nix/EgilSCIM/tree/flake-only>

3.2.76 Other flakes on the ngi organization

Mostly dependencies of NGI projects

- <https://github.com/ngi-nix/pymilter>
- <https://github.com/ngi-nix/pgp-milter>
- <https://github.com/ngi-nix/libspng>
- <https://github.com/ngi-nix/tika>

3.2.77 2nix tooling

Contributions to various 2nix tools.

- <https://github.com/svanderburg/composer2nix/pull/24>
- <https://github.com/svanderburg/composer2nix/issues/21#issuecomment-9393>
- <https://github.com/nix-community/napalm/pull/35>
- <https://github.com/svanderburg/node2nix/pull/261>
- <https://github.com/nix-community/npmlock2nix/pull/93>
- <https://github.com/nix-community/npmlock2nix/pull/94>
- <https://github.com/nix-community/npmlock2nix/pull/108>,
- <https://github.com/nix-community/npmlock2nix/pull/110>,
- <https://github.com/nix-community/npmlock2nix/pull/111>,
- <https://github.com/nix-community/npmlock2nix/pull/115>
- <https://github.com/nix-community/poetry2nix/pull/368>
- <https://github.com/fzakaria/mvn2nix/issues/40>
- <https://github.com/nix-community/naersk/issues/187>
- <https://github.com/nix-community/naersk/issues/188>
- <https://github.com/rvl/bower2nix/pull/21>
- <https://github.com/nix-community/dream2nix>

3.2.78 Flake templates

Nix flake templates

- <https://github.com/ngi-nix/flakes-templates/pull/1>
- <https://github.com/NixOS/templates/pull/7>
- <https://github.com/ngi-nix/nixos-modules-flake-template/blob/main/fla>

3.2.79 Other nixpkgs contributions

<https://github.com/NixOS/nixpkgs>

Docs, broken, version bumps, adding dependencies

- <https://github.com/NixOS/nixpkgs/pull/126758>
- <https://github.com/NixOS/nixpkgs/pull/127724>
- <https://github.com/NixOS/nixpkgs/pull/130419>
- <https://github.com/NixOS/nixpkgs/pull/132287#pullrequestreview-736233>
- <https://github.com/NixOS/nixpkgs/pull/132906>
- <https://github.com/NixOS/nixpkgs/pull/133354>
- <https://github.com/NixOS/nixpkgs/pull/133593>
- <https://github.com/NixOS/nixpkgs/pull/136274>
- <https://github.com/NixOS/nixpkgs/pull/133753>
- <https://github.com/NixOS/nixpkgs/pull/134110>
- <https://github.com/NixOS/nixpkgs/pull/134384>
- <https://github.com/NixOS/nixpkgs/pull/134657>
- <https://github.com/NixOS/nixpkgs/pull/135573>
- <https://github.com/NixOS/nixpkgs/pull/135730#pullrequestreview-739660>
- <https://github.com/NixOS/nixpkgs/pull/136476>
- <https://github.com/NixOS/nixpkgs/pull/136524>
- <https://github.com/NixOS/nixpkgs/pull/136632>
- <https://github.com/NixOS/nixpkgs/pull/136637>
- <https://github.com/NixOS/nixpkgs/pull/136703>
- <https://github.com/NixOS/nixpkgs/pull/138016>
- <https://github.com/NixOS/nixpkgs/pull/138587>
- <https://github.com/NixOS/nixpkgs/pull/138591>
- <https://github.com/NixOS/nixpkgs/pull/138707>
- <https://github.com/NixOS/nixpkgs/pull/138750>
- <https://github.com/NixOS/nixpkgs/pull/140208>
- <https://github.com/NixOS/nixpkgs/pull/141822>
- <https://github.com/NixOS/nixpkgs/pull/142393>
- <https://github.com/NixOS/nixpkgs/pull/144547>
- <https://github.com/NixOS/nixpkgs/pull/144314>

3.2.80 Other Nix contributions

- <https://github.com/NixOS/nix/pull/5364>
- <https://github.com/NixOS/nixos-search/pull/360>
- <https://github.com/nprindle/nix-parse/pull/4>
- <https://github.com/NixOS/rfcs/pull/99>
- <https://github.com/NixOS/rfcs/pull/100>
- <https://github.com/nix-community/home-manager/issues/2251>

- <https://github.com/seppeljordan/nix-prefetch-github/issues/40>
- <https://github.com/NixOS/nix/issues/5169>
- <https://github.com/NixOS/nix/pull/5286>
- <https://github.com/NixOS/nix/pull/5163#issuecomment-924488262>
- <https://github.com/Mic92/nixos-shell/pull/41>

3.2.81 Other

Other upstream contributions

- <https://github.com/bytefury/crater/issues/578>
- <https://github.com/bytefury/crater/pull/579>
- <https://github.com/YosysHQ/prjtrellis/pull/178>
- <https://github.com/unbit/uwsgi-docs/pull/499>
- <https://github.com/celery/celery/pull/6988>
- <https://github.com/electron/electron/issues/31121>
- <https://github.com/Mazurel/android2nix>

3.3 No-code contributions

In addition to just participating, one participant ran a Nix camp where one could hack on-site together. Another wrote a blog post for the Summer of Nix website. Yet another participant helped to record all video sessions (which turned out to be great learning material but unfortunately not produced to become public).

3.4 Outcome for the participants

If it's hard to evaluate the code-contributions of the program, it is even more difficult to say what the outcome was for individual participants. Some greatly enjoyed the program, became first-time maintainers on nixpkgs. Others got hired either by the project teams they worked on, or through the hiring event. Some didn't enjoy it as much and probably didn't take out a lot. I don't have exact numbers and had not even a vague idea here.

Directly from the time sheets, we could see that in total four participant dropped out—two of those before the program started. Not everyone finished the program fully either. The participant contract was designed to deliver 320 hours in two chunks of 160 hours. Basically everyone delivered the full chunk on the first half, but 5 participants finished the second part only partially for various reasons. This means that we initially had 31 participants working and a fewer at the end of the program.

4 Feedback

We organized four open feedback sessions after Summer of Nix to gather thoughts about the program from the perspective of participants and mentors—ultimately the core groups of the program.

The overall experience was diverse, mostly positive, but also different from person to person and team to team. Some wider aspects of the program were universally seen as positive, and their absence regretted where it didn't work out:

- Participants universally appreciated in particular the **team experience, active communication and not working alone**. Some teams faired much better here than others, providing lively discussions, a weekly rhythm and a good support structure. But even in these teams, moments when participants, in particular those with less Nix experience, had to work alone on a package were seen as difficult. Other teams were much quieter and therefore the participants had a harder time. Similarly, from the mentor perspective a quieter team with star-shaped communication meant more work for the mentor because they were the principal fall-back point. The same theme, either appreciation of good support communication or the lack of it, came up in various aspects: Participants felt lost and mentors said that some were blocked for a long time without asking for help. It is no wonder, that all participants appreciated pair programming sessions that we later-on in the programming organized via two random, cross-team pairings per week, and regretted the lack of those in the beginning of the program. To summarize, it seems team work sometimes went very well, sometimes not. We weren't bad but there is certainly room for improvement here.
- The centrally organized presentations about the fundamentals of Nix by core developers with an interactive Q&A session attached were mentioned as highlights of the program. This was certainly not only due to the quality content but also due to the fact that this was a moment of community and also something that, similar to regular team meetings, gave a certain rhythm to the program. **Rhythm and structure** was a central aspect of the feedback in general. It seems we were definitely on the lower end, and more rhythm and structure would have been appreciated. Presentations, team meetings, and then later-on cross-team pairing sessions were all appreciated. In addition it was mentioned that motivation tapered off towards the end of the program, which might have been less if there were events like a closing ceremony (e.g. final presentations were proposed) to work towards. A mentor mentioned that the first week was super busy, so that they were barely able to work on day job and after a while the team got bored and work tapered off.
- Work distribution was another central aspect that generated some frustration: although the general assign-and-trade approach worked fine, some larger package families, that is packages from a similar programming language or software ecosystem, were spread across teams. It took a while to all bring them to the same people to tackle them jointly. And with the GitHub issue list alone it was difficult to see who worked on what and when. Furthermore, some participants would have liked to specialize on packaging software written in specific programming languages and we had no notion of that in our work distribution. On the other hand, I had the impression that some also enjoyed peaking into diverse and new technology. Probably a common denominator was that there was a perceived lack of ecosystem-oriented communication beyond the team boundaries, such as a simple Matrix channel to discuss Javascript packaging—so that every one has **an opportunity to follow their tech interests**..
- Another aspect related to motivation were the actual packages we worked on. Some of them, such as Jitsi, BigBlueButton, Arpa2 are very big, well-known tools, but sometimes demotivating because big and difficult to package. Inversely, others were small, prototype-like tools without regular maintenance where the question why we were spending time on them came up. Many felt that it would be worth to investing more time in central projects for the Nix community that simplify packaging in general. This became in particular clear when similar questions came up over and over

from different participants. It was frustrating not to work on improving those directly. We somewhat allowed this, if it directly or indirectly helped for Nix packages and if someone had already worked on many “official” packages, but we didn’t encourage it either because we were bound by the goals of the funding grant. **A clear answer to why we are working on something** would be appreciated.

- Some participants spend a significant amount of time on no-Nix and no-code tasks, chasing upstream/maintainers and so on. Few actually liked this part of the work and would have appreciated contacting project upstream maintainers beforehand to get cleaner task descriptions, or support with communication skills and what someone called “software archaeology.” Some packages were also just not possible to package, e.g. hardware related, and it was puzzling for some to be assigned to do something which isn’t possible. **Clearer task descriptions** would have been great.
- we had no “formal” roles in Summer of Nix, besides participants, mentors and admin. However, some participants did take initiative and responsibility to organize things such as recording all presentations and distributing them, hosting code & chat sessions and more. Some were sliding in these roles and would have appreciated a more structured role distribution to know clearly what their tasks would be.
- Some aspects of the packaging workflow and work organization weren’t ideal. E.g. the choice between external and internal flakes and between separate repositories or a big monorepo.

Then a few points about Nix came up:

- The Nix documentation was universally seen as difficult to read on many points
- Mediocre support for various ecosystems and bugs, and lack of documentation, templates and tutorials on how to use the various lang2nix tools. Simply finding and picking the right tool was a challenge as well because there is no unified place for this and there are many competing tools out there. Specific ecosystems that were mentioned are: Racket, Java, Android and Javascript apps.
- flakes restrictions were not a problem because it was part of the learning experience

Also some mentoring suggestions:

- Expect lots of similar questions: how to do overlays, how to do X. Also on ecosystems on tooling. Explain common themes such as lang2nix, services, nixos-container, modules, caches/hydra to participants.
- Get people to communicate. Ideally in issues but some feel it’s very permanent and thus don’t use it. Matrix is less overhead, easier, less formal and might be necessary to jump start working.
- Some are afraid to ask for help. Foster a culture of open exchange, organize a regular checkin with yesterday, today, blockers.
- Explain programming vs packaging skills: communication and archaeology.
- Show and help how to “sell” Nix adoption to upstream

Concrete ideas for a future edition:

- The introduction system (having a suggestion of 2 people to meet per week) was amazing, if possible it should start at the beginning. This is one way that you can find other people that might help you when you get stuck.

- If some people become long time members of the Nix community that's success.
- Clearer rules about the general and the off-topic channels in the chat. Many participants were in there and the rooms were flooded by messages.
- External communication in the form of blog posts would be great and also motivating. We only had a single post there and didn't encourage this much.
- Assign multiple people per package. It was amazing to collaborate with others on packages.
- Get common compute resources, e.g. from a cloud provider, and actually have the service running on our own servers would be great.
- Facilitator for pairing meetings would be great because when meetings happened they were great.
- Move to external flake and monorepo, or a metaflake.
- Have an official internal documentation/timesheet page per participant
- Have both, teams (time zones) and cross-team communities of interest (language/ecosystem)
- Better upfront issue and team assignment.
- Use automatic ryantm-style update PRs or CI
 - eg: <https://github.com/DeterminateSystems/update-flake-lock>
- Make use of the content/experiences that we make during the program. E.g. publish the presentations and produce quality content for the community.
- Staggered beginning to handle the workload in the beginning.
- Build better onboarding material, similar to the Rustlang book, but for Nix.
- Permanent Jitsi channel to drop in
- Every participant could give half an hour to explain sometime for other participants on any topic so that they have to learn about it and that there is more exchange cross-teams.
- Officially work on upstream documentation.
- Part of Summer of Nix could be about getting the commit bit for nixpkgs.
- Summer of Nix could prepare participants for a NixCon conference talk.
- Work outside of NGI would be interesting. Summer of Nix should be more than NGI. Companies could submit projects to this event. Call for projects?
- Organizing marketing with an aesthetic dimension could also be interesting. Community manager could organize some polls or games. If too many diverse people are working on documentation, writing blog posts etc, new users can be lost quickly due to different styles and so on.
- Have a follow up period with a second stipend to *write*. Provide professional support with that.
- One "tech mentor" per programming language. The mentors were really helpful and knowledgeable, I felt that our problem were very programming language specific (e.g.: I'm getting this weird error with some javascript package, what do I do). Having a mentor of reference with experience in a particular area of the eco-system would be quite helpful. Potentially there could be the Java mentor, the Javascript mentor (if such a person exists)... One of the most frustrating points was getting stuck of course, and having somebody who experienced particular problems would be very helpful. Note that I think the mentors did a great job, this could just be the cherry on the cake.
- Take interest into account when making teams. Some people have an affinity/experience for some a programming language, trying to make teams that are interested in the same area (i.e. the rust team) could lead to synergies (people sharing useful informations they found about a certain thing) and more resilience to frustration (I like rust so I will work harder to make

this work). Of course some teams might be more crowded than others, but that could be another criteria to select participants (e.g.: we don't have space in the rust team unfortunately, but would you be interested in joining the javascript team). Note that you could have a team interested in rust, but within the team some people are experienced with python and so you could give them a python and rust package. It will also improve the willingness to maintain a package in the long-term in case someone is interested in the technologies. The teams were formed by geography, I'm not sure it's so important, as long as time zones overlap by 4 hours during the day, I would think it's enough to have all the required meetings.

- Another, more basic nixos-module presentation. The nixos-module presentation was truly on another level. However it dealt with abstract informations around the nixos-modules. I feel there needs to be a "boring" presentation that goes through some existing modules and explains what is happening (e.g.:systemd has a require attribute that does... In this module you can see how to initialise a database). All those informations can be of course found in nixpkgs, but a detail of the most common "tricks" might go a long way.
- Pre-screening the packages for unmaintained ones. It was a little confusing to see unmaintained packages in issues. Pre screening for only the relevant packages might improve the motivation of the participants. Getting stuck on a maintained package is one thing. Getting stuck on something that feels it will never be used anyway reduces motivation significantly.
- Organise a pre-packaging effort to help upstream projects be "cleaner" to package.
- New participant role community manager: someone who animates Summer of Nix community organizing discussions, polls, games.
- New participant role pairing partner: experienced Nixer available for pairing.
- New role web-master: someone who administers an open website on a repo where everyone can contribute. Move website to static site generator.

5 Budget

We delivered Summer of Nix slightly under budget because of a few dropouts and some who decided to volunteer and leave the money in the original pool. The anticipated budget for all of this work was 131755€. The final amount will very likely be 107700€, including mentor and participant stipends as well as extra costs for material and organization.

6 Conclusions

Overall, I am quite happy with how the overall program turned out. We knew that we had quite tight time constraints but we had probably a unique opportunity this year with pre-existing budget to realize an event like this. Under these constraints, now after gathering the data I am amazed about what we have accomplished:

We delivered more than expected although not everyone finished the program.

It seemed to have been a fun event for the participants. Much of the feedback can be traced back to a lack of time on the organizational side, and the fact that we were designing this program from scratch, and that everyone was new in their respective roles. There was little concern about the general idea and set up of the program. The principal goals of the program, **learn, meet, deliver** seem to be appreciated as well as working with FOSS software.

Independent of the work output, a measure of success for the Summer of Nix is whether we can bring new long term members to the community—maybe even professionally, and certainly we succeeded with some in this regard as well.

A future edition should therefore focus on improving the implementation and organization of the program and focus to make most out of everyone's time. I think there is good general alignment on what could be improved. The main bottleneck here are the organizational capacities that we have to actually realize these ideas under budget and other constraints. Distributed decision making will be central to achieve this.

All in all, I am really grateful to have been given the chance to organize this program by my direct employer Tweag, the NixOS and NLNet Foundations and ultimately the European Commission, but then especially all the participants, mentors and volunteered who actually ran this program in the end and who achieved an amazing amount of contributions.

I hope that together we were able to make a small contribution to the FOSS universe and that we can continue to doing so in a variety of forms.

References

- "Nix: A Safe and Policy-Free System for Software Deployment." n.d.
- European Commission. "The European Commission's Open Source Strategy for 2020-2023," n.d. https://ec.europa.eu/info/sites/default/files/en_ec_open_source_strategy_2020-2023.pdf.
- . "What the European Commission Does," n.d. https://ec.europa.eu/info/about-european-commission/what-european-commission-does_en.
- Nixos Community. "NixOS Website," n.d. <https://nixos.org/guides/how-nix-works.html>.
- NixOS Foundation. "Mission Statement," n.d. <https://github.com/NixOS/nixos-foundation>.
- NLNet. "Foundation Website," n.d. <https://nlnet.nl/>.
- Roberto Di Cosmo et al. "The Mancoosi Project," n.d. <https://www.mancoosi.org/>.
- The Next Generation Internet website. "About Ngi0," n.d. <https://www.ngi.eu/ngi-projects/ngi-zero/>.
- . "About the NGI Initiative," n.d. <https://www.ngi.eu/about/>.
- The NixOS discourse. "The Summer of Nix—Learn Nix While Doing Useful, Paid Work," n.d. <https://discourse.nixos.org/t/the-summer-of-nix-learn-nix-while-doing-useful-paid-work/12225>.
- The NLNet website. "About PET," n.d. <https://nlnet.nl/PET/>.
- Tweag. "Company Website," n.d. <https://tweag.io>.
- YouTube. "Linus Torvalds on Why Desktop Linux Sucks," n.d. <https://youtu.be/Pz11B7nB9Kc>.