

CHEM 1032  
Spring 2023  
**UNIT ASSESSMENT 1.**

SECTION: \_\_\_\_\_

NAME: Key

TUID: 

--	--	--	--	--	--	--	--	--

**Before the Unit Assessment begins, read the rest of this page, and follow the instructions.**

---

**!!! Do not turn this page until given the signal to begin !!!**

---

**Put away everything besides pencil(s) and a scientific calculator.**

- Non-programmable (scientific) calculators are permitted. Graphing calculators **are not permitted** (such as these models: TI-83, TI-84, TI-89, Casio FX-9750).
- Any other electronic devices - including cell phones, smart phones, and smart watches - **are not permitted**. If you are not sure what is permitted, ask *before* the exam begins.

**When you are told to begin work**, open the booklet and read the directions.

A periodic table and other useful information can be found on the next page.

**Grading.** Each question is graded by your instructor using the scale below.

***1 - Excellent***

- The student demonstrates a deep understanding of concepts and problem-solving techniques.
- Calculations are clear and legibly written.
- Any mistakes are minor or careless errors that do not indicate a major conceptual misunderstanding.

***0.5 - Fair***

- The student demonstrates a partial understanding of concepts and techniques.
- Calculations are clear and legibly written but contain errors.
  - The student may have started out correctly but gone on a tangent or not finished the problem.
  - The student may have used pattern matching to answer a different, more familiar question instead.

***0 - Unsatisfactory/Incomplete***

- The student did not demonstrate an understanding of the problem or has minimal understanding.
- Calculations are unclear, missing, or incomplete.
  - The student may have written some appropriate formulas or diagrams, but nothing further.
  - The student may have done something entirely wrong.
  - The student may have written almost nothing or nothing at all.

**Unit Assessment Time: 50 minutes.**

**It is to your advantage to answer every question.**

---

**!!! Do not turn this page until given the signal to begin !!!**

---

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
1 H 1.008																	2 He 4.0026	
3 Li 6.94	4 Be 9.0122											5 B 10.81	6 C 12.011	7 N 14.007	8 O 15.999	9 F 18.998	10 Ne 20.180	
11 Na 22.990	12 Mg 24.305											13 Al 26.982	14 Si 28.085	15 P 30.974	16 S 32.06	17 Cl 35.45	18 Ar 39.948	
19 K 39.098	20 Ca 40.078(4)	21 Sc 44.956	22 Ti 47.867	23 V 50.942	24 Cr 51.996	25 Mn 54.938	26 Fe 55.845(2)	27 Co 58.933	28 Ni 58.693	29 Cu 63.546(3)	30 Zn 65.38(2)	31 Ga 69.723	32 Ge 72.630(6)	33 As 74.922	34 Se 78.971(8)	35 Br 79.904	36 Kr 83.798(2)	
37 Rb 85.468	38 Sr 87.62	39 Y 88.906	40 Zr 91.224(2)	41 Nb 92.906(2)	42 Mo 95.95	43 Tc	44 Ru 101.07(2)	45 Rh 102.91	46 Pd 106.42	47 Ag 107.87	48 Cd 112.41	49 In 114.82	50 Sn 118.71	51 Sb 121.76	52 Te 127.60(3)	53 I 126.90	54 Xe 131.29	
55 Cs 132.91	56 Ba 137.33	57-70 *	71 Lu 174.97	72 Hf 178.48(2)	73 Ta 180.95	74 W 183.84	75 Re 186.21	76 Os 190.23(2)	77 Ir 192.22	78 Pt 195.08	79 Au 196.97	80 Hg 200.59	81 Tl 204.38	82 Pb 207.2	83 Bi 208.98	84 Po	85 At	86 Rn
87 Fr	88 Ra	89-102 **	103 Lr	104 Rf	105 Db	106 Sg	107 Bh	108 Hs	109 Mt	110 Ds	111 Rg	112 Cn	113 Nh	114 Fl	115 Mc	116 Lv	117 Ts	118 Og

57 <b>La</b> 138.91	58 <b>Ce</b> 140.12	59 <b>Pr</b> 140.91	60 <b>Nd</b> 144.24	61 <b>Pm</b> [144.91]	62 <b>Sm</b> 150.36(2)	63 <b>Eu</b> 151.96	64 <b>Gd</b> 157.25(3)	65 <b>Tb</b> 158.93	66 <b>Dy</b> 162.50	67 <b>Ho</b> 164.93	68 <b>Er</b> 167.26	69 <b>Tm</b> 168.93	70 <b>Yb</b> 173.05
89 <b>Ac</b> [227.03]	90 <b>Th</b> 232.04	91 <b>Pa</b> 231.04	92 <b>U</b> 238.03	93 <b>Np</b>	94 <b>Pu</b>	95 <b>Am</b>	96 <b>Cm</b>	97 <b>Bk</b>	98 <b>Cf</b>	99 <b>Es</b>	100 <b>Fm</b>	101 <b>Md</b>	102 <b>No</b>

### Units:

amu	<i>atomic mass unit</i>
atm	<i>atmosphere</i>
g	<i>gram</i>
h	<i>hour</i>
J	<i>joule</i>
K	<i>kelvin</i>
mmHg	<i>unit of pressure</i>
M	<i>molarity</i>
K	<i>kelvin</i>
L	<i>liter</i>
mol	<i>mole</i>
s	<i>second</i>

### Symbols:

<i>H</i>	<i>enthalpy</i>
<i>v</i>	<i>frequency</i>
<i>M</i>	<i>molar mass</i>
mol	<i>mole</i>
<i>P</i>	<i>pressure</i>
<i>t</i>	<i>time</i>
<i>T</i>	<i>temperature</i>
<i>V</i>	<i>volume</i>

### Constants:

$N_A$	<i>Avogadro's number</i>
<i>R</i>	<i>ideal gas constant</i>

### SI (Metric) Prefixes:

c	<i>centi-</i>
d	<i>deci-</i>
k	<i>kilo-</i>
m	<i>milli-</i>


---

**!!!! FOR CREDIT, BE CLEAR AND WRITE LEGIBLY !!!!**


---

Coffee is an aqueous solution made by extracting molecules from ground coffee beans into water. This most commonly occurs using hot water, making a cup of coffee in a few minutes, or cold water, making a cup of coffee overnight.


In addition to the caffeine molecules we all know and love, some of the other common molecules in coffee are shown below...



Quinic Acid  
192.17 g/mol



Dimethyl disulfide  
94.19 g/mol



Acetoin  
88.11 g/mol

**Part I – Multiple Choice Questions (1 pt each)**

*Excellent Answer = 1 pt*

*Fair Answer = 0.5 pts*

*Unsatisfactory Answer = 0 pts*

- C 1. Which molecule above would you expect to have the lowest surface tension?

- 1/2 credit*
- A. Quinic acid
  - B. Acetoin
  - C. Dimethyl disulfide
  - D. All three molecules have similar surface tension

- B 2. All of the molecules above have dispersion forces. The best reason to explain this is...

- A. all of the molecules contain electronegative elements, which attract electrons.
- B. all of the molecules contain electrons, which are constantly moving.
- C. all of the molecules contain hydrogen atoms, which like to give up electrons.
- D. Not all molecules above have dispersion forces.

- B 3. If we assume a 200.0 mL cup of coffee has 0.100 mol of dimethyl disulfide and 0.200 mol of acetoin, what would be the vapor pressure of the solution at 20.0 °C? Remember coffee is an aqueous solution; assume a density of 1.00 g/mL.

- 1/2 credit*
- A. 17.54 mmHg
  - B. 17.08 mmHg
  - C. 16.22 mmHg
  - D. 0.46 mmHg

*see other version*

- C 4. When sucrose ( $C_{12}H_{22}O_{11}$ ) is added to a cup of coffee, the enthalpy of mixing ( $\Delta H_{\text{mix}}$ ) is...

- 1/2 credit*
- A. endothermic, IMF are broken between the sucrose molecules.
  - B. endothermic, IMF are formed between the sucrose molecules.
  - C. exothermic, IMF are formed between the sucrose and water molecules.
  - D. exothermic, IMF are broken between the sucrose and water molecules.
-

- C 5. A pure 25.5 g sample of quinic acid requires 9142 J of heat to vaporize at 25 °C. Determine the  $\Delta H_{\text{vap}}$  at this temperature.

- A. 0.36 kJ/mol  
B. 14.3 kJ/mol  
C. 68.9 kJ/mol  
D. 358 kJ/mol

see other version

**Part II – Open Answer Questions – See Page 1 for full grading details**

Excellent Answer = 1 pt

Fair Answer = 0.5 pts

Unsatisfactory Answer = 0 pts

6. Acetoin has an enthalpy of vaporization of 48.7 kJ/mol. If the substance has a vapor pressure of 1.74 mmHg at 20 °C, what is the vapor pressure at 55 °C?

Show your work here.....

$$\ln\left(\frac{P_2}{1.74 \text{ mmHg}}\right) = \frac{48.7 \text{ kJ/mol} \cdot 1000 \text{ J/kJ}}{8.314 \text{ J/mol} \cdot \text{K}} \left( \frac{1}{293 \text{ K}} - \frac{1}{328 \text{ K}} \right)$$

$$\ln\left(\frac{P_2}{1.74 \text{ mmHg}}\right) = 5857 \text{ K} (0.000364 \text{ K}^{-1})$$

$$e^{\ln\left(\frac{P_2}{1.74 \text{ mmHg}}\right)} = e^{2.133} \quad \frac{P_2}{1.74 \text{ mmHg}} = 8.441 \quad P_2 = 14.7 \text{ mmHg}$$

WRITE THE VAPOR PRESSURE HERE →

14.7 mmHg

7. Would you expect coffee to have a lower or higher boiling point than pure water? Explain and support with a drawing what is occurring on a molecular level in the coffee.

Explain your answer here.....

see other version

CIRCLE AN ANSWER →

LOWER BP

or

HIGHER BP

8. Sparkling coffee is iced coffee which contains dissolved  $\text{CO}_2$ . If the concentration of  $\text{CO}_2$  in the liquid is 0.125 M before the can is opened, what is the pressure of  $\text{CO}_2$  in the can? Would you characterize the solution as unsaturated, saturated, or super saturated? Why?

Show your work here...

$$0.125 \text{ M} = (0.037 \text{ M/atm}) (P)$$

$$3.38 \text{ atm} = P$$

Circle one..

Unsaturated




Saturated

Supersaturated

Explain...

see other version

9. The melting points of the three molecules of interest are  $-85$ ,  $15$ ,  $168$   $^{\circ}\text{C}$ . Assign the melting to points to the three molecules and explain your answer.



Melting Point...

Melting Point...

Melting Point...

Explain your assignments here....

see other version

10. Coffee beans are made of polar and nonpolar compounds. When made, about 90% of the polar molecules make it into the cup of coffee you drink, while only 10% of the nonpolar molecules do. First, explain this observation using intermolecular forces and then explain why hot coffee brews faster than cold coffee.

Explain your answer here...

see other version

---

## END OF EXAM

**!!! DON'T FORGET TO CHECK YOUR WORK !!!!**

### Useful information:

$$1 \text{ atm} = 760 \text{ mmHg} = 101.3 \text{ kPa}$$

$$R = 8.314 \frac{\text{J}}{\text{mol} \cdot \text{K}} = 0.08206 \frac{\text{L} \cdot \text{atm}}{\text{mol} \cdot \text{K}}$$

$$0^\circ\text{C} = 273 \text{ K}$$

$$\ln\left(\frac{P_2}{P_1}\right) = \frac{\Delta H_{\text{vap}}}{R} \left(\frac{1}{T_1} - \frac{1}{T_2}\right)$$

$$S_{\text{gas}} = k_{\text{H}} P_{\text{gas}}$$

$$X_{\text{solvent}} + iX_{\text{solute}} = 1$$

$$P_{\text{solution}} = X_{\text{solvent}} P_{\text{solvent}}^{\circ}$$

$$\Delta T_{\text{f}} = (i)(m)(K_{\text{f}})$$

$$\Delta T_{\text{b}} = (i)(m)(K_{\text{b}})$$

$$K_{\text{f}} \text{ H}_2\text{O} = 1.84^\circ\text{C/m}$$

$$K_{\text{b}} \text{ H}_2\text{O} = 0.512^\circ\text{C/m}$$

H<sub>2</sub>O normal boiling point: 100 °C

H<sub>2</sub>O normal freezing point: 0 °C

H<sub>2</sub>O vapor pressure at room temp (20 °C): 17.54 mmHg

CO<sub>2</sub> *k*<sub>H</sub> at 20 °C is 0.037 M/atm

---

**USE THIS PAGE FOR SCRAP. IT WILL NOT BE GRADED.**

---

**USE THIS PAGE FOR SCRAP. IT WILL NOT BE GRADED.**

---



