

Parcel Summary

Transport	Location	Activity	Grade	Quantity	ETA	Supply Contract Window	Inspector	Inspection Requirements
AMARANT (9260407)	ROTTERDAM FOR OR- DERS (Netherlands)	Load	FAME	5,985 Cubic metres @ 15 Deg C	22 Mar 2021	n/a	Saybolt	Quality / Quantity / Time log
AMARANT (9260407)	PORT- JEROME RE- FINERY, FRANCE (France)	Discharge	FAME	5,985 Cubic metres @ 15 Deg C	24 Mar 2021	24 Mar 2021 - 26 Mar 2021	SGS Oil, Gas & Chemicals	Quality / Quantity / Time log

Region: EAME
Operator: THEJUS HARI (thejus.hari@exxonmobil.com)
Phone:
Mobile:

Other Reference:
Business Group: MTO PRODUCTS
Desk: Biofuels
Nomination Type: Marine

Revision Comment: GREENERGY CHANGED TO GUNVOR

Documentary Instructions:

LOAD: AMARANT (9260407) - ROTTERDAM FOR ORDERS (NETHERLANDS)

Inspector: Saybolt	Inspection Status: Accepted
Hub: Europe/Africa/Russia/ME (International Desk Rotterdam)	Created On: 01 Apr 2021 by Thejus Hari
Coordinator: Chahida Benkoula (int-desk.saynl@corelab.com)	Last Modified: 01 Apr 2021 by Thejus Hari
Local Office: Saybolt Netherlands Amsterdam (saybolt.amsterdam@corelab.com)	

INSPECTION REQUIREMENTS: QUALITY / QUANTITY / TIME LOG

Voyage Parcel External Reference Number: 5360401-10	Contract Number:
Grade: FAME	Parcel Ref:
ETA: 22 Mar 2021	Destination:
ETD:	Source Location:
Supply Contract Window Start: n/a	Supplier:
Supply Contract Window End: n/a	Receiver:
Total Nominated Quantity: 5,985 Cubic metres @ 15 Deg C	Delivery Terms: DES (Delivered Ex Ship)
Transport / Voyage Number / Quantity / Tolerance: AMARANT (9260407) / 5,985 Cubic metres @ 15 Deg C	Mother Vessel:

Email Quantity Results To:

fawley.scheduler.distillate@exxonmobil.com, jcoord@exxonmobil.com, marinesuperintendents@exxonmobil.com, jettysl.uk@exxonmobil.com, prodco@exxonmobil.com, labs1@exxonmobil.com, Fawleyprodco@exxonmobil.com, DS-RS-FAWLEY-LAB-JET-SIGNATORIES@exxonmobil.com, joris.betjes@exxonmobil.com, Gmtobrus-sels.biofuels@exxonmobil.com

Email Quality Results To:

fawley.scheduler.distillate@exxonmobil.com, jcoord@exxonmobil.com, marinesuperintendents@exxonmobil.com, jettysl.uk@exxonmobil.com, prodco@exxonmobil.com, labs1@exxonmobil.com, Fawleyprodco@exxonmobil.com, DS-RS-FAWLEY-LAB-JET-SIGNATORIES@exxonmobil.com, joris.betjes@exxonmobil.com, Gmtobrus-sels.biofuels@exxonmobil.com

Load / Discharge Instructions:

Activities provided by the Inspection Company under this nomination shall be performed in accordance with the ExxonMobil Global Inspection Contract (GIC), effective July 2014 to June 2019. SPECIAL INSTRUCTIONS: In case of quality on shoretank, quality certificate(s) must be available and on spec before vessel can start loading. Notify nominator if test methods deviate from Quality Specifications Notify nominator if any Quality Specification value exceeds min / max value Notify nominator if contamination or homogeneity checks per vessel composite fail In case the analysis results meet the specification, please indicate on the Certificate of Quality "Results are within specification" In case the analysis results do not meet the specification, please indicate on the Certificate of Quality "Results are outside specification" Please provide daily updates using the below template to complete distribution list: Email Subject: "Vessel Name - ID # - Load Inspection Daily Update" 1. Indicate shore tank(s) and date/time of sampling 2. ETA (date and time) of testing results from shore/ship tank(s) sample(s) 3. ETA (date and time) when Certificate of Quality will be issued 4. Comparison of Quality Specifications - showing test, test method, test result, and min/max values 5. ETA (date and time) of vessel to berth and Berth No. 6.

ETA (date and time) to commence / complete loading 7. ETA (date and time) of vessel to depart berth SAMPLING REQUIREMENTS - Following samples to be drawn as is appropriate: - Jetty head just before commencing loading from first shore tank: 2x2L, 1 set for retaining and 1 set for master - Jetty head just before commencing loading from additional tanks: 2x2L, 1 set for retaining and 1 set for master - Jetty head just before completion of loading: 2x2L, 1 set for retaining and 1 set for master - Each shore tank: 2x2L, 1 set for retaining and 1 set for master - First foot composite sample: 2x2L, 1 set for retaining and 1 set for master - Ship's composite sample : 2x2L, 1 set for retaining and 1 set for master Samples must be sealed and signed by the Master; seal number shall be recorded in Sample Receipt Report. One sample set to be placed onboard the vessel for the receivers at the disport. One sample set to be retained by load independent inspector for three months.

Parcel Comments:

SUMMER QUALITY

Quality Inspection Instructions:

SET 1

Description:

Sample Location: Ship Tanks VolumeMetric Composite

Quality Test Comments:

Inspector confirms to handle the attached quality spec as the master document for this inspection nomination, the Navarik slate is for reporting purposes only.

		RO = Report Only		Req. = Required				
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Appearance	[OTHER] Visual					No	Yes	
Color	[OTHER] Visual			g/l		No	Yes	
Density at 15C	[ISO] ISO 12185, [EN] EN ISO 3675			g/cm³		No	Yes	
Kinematic Viscosity at 40°C	[ISO] ISO 3104			mm²/s		No	Yes	
Flash Point	[EN] EN ISO 3679, [ISO] ISO 2719			°C		No	Yes	
Sulfur	[ISO] ISO 20846, [ISO] ISO 13032, [ISO] ISO 20884			mg/kg		No	Yes	
Ester Content	[EN] EN 14103			%m/m		No	Yes	
Linolenic Acid Methyl Ester	[EN] EN 14103			%m/m		No	Yes	
Polyunsaturated Methyl Ester	[EN] EN 15779			%m/m		No	Yes	
Methanol Content	[EN] EN 14110			%vol		No	Yes	
Monoglyceride	[EN] EN 14105			%m/m		No	Yes	
Diglyceride	[EN] EN 14105			%m/m		No	Yes	
Triglyceride	[EN] EN 14105			mass%		No	Yes	
Free Glycerol	[EN] EN 14105, [EN] EN 14106			%m/m		No	Yes	
Total Glycerol	[EN] EN 14105			%m/m		No	Yes	
Ash, Sulfated	[ISO] ISO 3987			%m/m		No	Yes	
Cetane Number	[ISO] ISO 5165					No	Yes	
Cloud Point	[EN] EN 23015			°C		No	Yes	
Pour Point	[ISO] ISO 3016			°C		No	Yes	
Cold Filter Plugging Point(CFPP)	[EN] EN 16329, [EN] EN 116			°C		No	Yes	
Oxidation Stability	[EN] EN 15751, [EN] EN 14112			hrs		No	Yes	
Water content	[ISO] ISO 12937			mg/kg		No	Yes	
Total Contamination, Particulate Matter	[EN] EN 12662			mg/kg		No	Yes	

Test	Methods	Min	Max	UOM	Typical	RO = Report Only	Req. = Required	Comment
						R.O.	Req.	
Copper Corrosion, 3 hr. @ 50 C	[ISO] ISO 2160					No	Yes	
Acid value	[EN] EN 14104			mg KOH/g		No	Yes	
Iodine Value	[EN] EN 16300, [EN] EN 14111			g/100g		No	Yes	
Sodium + Potassium	[EN] EN 14108, [EN] EN 14538, [EN] EN 14109			mg/kg		No	Yes	
Calcium + Magnesium	[EN] EN 14538			mg/kg		No	Yes	
Phosphorus	[EN] EN 14107, [EN] EN 16294			mg/kg		No	Yes	
BHT content	[OTHER] RW/MA/10017, [OTHER] SGS SPI 261			ppm		No	Yes	

Invoice Instructions:

Bill Invoice To	Item to Bill	Split	Contact / Comment
GUNVOR SA	Quantity only	50%	
	Slate: EMEA MTO Products Import UK FAME FNIP20001UK BHT	50%	
Esso Raffinage S.A.F. (Legal Entity: Esso Raffinage S.A.F. (1510))	Quantity only	50%	
0801 - ESSO PETROLEUM COMPANY LIMITED (Legal Entity: Esso Petroleum Company Ltd. (Esso UK) (0801))	Slate: EMEA MTO Products Import UK FAME FNIP20001UK BHT	50%	

DISCHARGE: AMARANT (9260407) - PORT-JEROME REFINERY, FRANCE (FRANCE)

Inspector: SGS Oil, Gas & Chemicals

Hub: HUB - London International Coordination

Coordinator: London VBO 01 (gb.navarik@sgs.com)

Local Office:

Inspection Status: Accepted

Created On: 01 Apr 2021 by Thejus Hari

Last Modified: 01 Apr 2021 by Thejus Hari

INSPECTION REQUIREMENTS: QUALITY / QUANTITY / TIME LOG

Voyage Parcel External Reference Number: 5360401-20

Grade: FAME

ETA: 24 Mar 2021

ETD:

Supply Contract Window Start: 24 Mar 2021

Supply Contract Window End: 26 Mar 2021

Total Nominated Quantity: 5,985 Cubic metres @ 15 Deg C

Transport / Voyage Number / Quantity / Tolerance: AMARANT (9260407) / 5,985 Cubic metres @ 15 Deg C

Contract Number:

Parcel Ref:

Destination:

Source Location:

Supplier:

Receiver:

Delivery Terms: DES (Delivered Ex Ship)

Mother Vessel:

Email Quantity Results To:

MATS.MTO@exxonmobil.com, france.coastalsupplyoperations@exxonmobil.com, France.ProductSupplyOperations@exxonmobil.com, Comm-Acct-FR-BSC@exxonmobil.com, groupe.eau@exxonmobil.com, martine.guille@exxonmobil.com, geraldine.bruas@exxonmobil.com, mickael.guerard@exxonmobil.com, sandrine.matis@exxonmobil.com, France.ExchangeSupplyOperations@exxonmobil.com, dominique.dauguet@exxonmobil.com, ate.pjg.terminal@exxonmobil.com, PJG-RC.Clean.Products@exxonmobil.com, gmtobrus-sels.biofuels@exxonmobil.com, sophie.bourdon@exxonmobil.com, corine.gregoris@exxonmobil.com

Email Quality Results To:

MATS.MTO@exxonmobil.com, france.coastalsupplyoperations@exxonmobil.com, France.ProductSupplyOperations@exxonmobil.com, Comm-Acct-FR-BSC@exxonmobil.com, groupe.eau@exxonmobil.com, martine.guille@exxonmobil.com, geraldine.bruas@exxonmobil.com, mickael.guerard@exxonmobil.com, sandrine.matis@exxonmobil.com, France.ExchangeSupplyOperations@exxonmobil.com, dominique.dauguet@exxonmobil.com, ate.pjg.terminal@exxonmobil.com, PJG-RC.Clean.Products@exxonmobil.com, gmtobrus-sels.biofuels@exxonmobil.com, sophie.bourdon@exxonmobil.com, corine.gregoris@exxonmobil.com

Load / Discharge Instructions:

Activities provided by the Inspection Company under this nomination shall be performed in accordance with the ExxonMobil Global Inspection Contract (GIC), effective July 2014 to June 2019. SPECIAL INSTRUCTIONS: In case of quality on shoretank, quality certificate(s) must be available and on spec before vessel can start loading. Notify nominator if test methods deviate from Quality Specifications Notify nominator if any Quality Specification value exceeds min / max value Notify nominator if contamination or homogeneity checks per vessel composite fail In case the analysis results meet the specification, please indicate on the Certificate of Quality "Results are within specification" In case the analysis results do not meet the specification, please indicate on the Certificate of Quality "Results are outside specification" Please provide daily updates using the below template to complete distribution list: Email Subject: "Vessel Name - ID # - Load Inspection Daily Update" 1. Indicate shore tank(s) and date/time of sampling 2. ETA (date and time) of testing results from shore/ship tank(s) sample(s) 3. ETA (date and time) when Certificate of Quality will be issued 4. Comparison of Quality Specifications - showing test, test method, test result, and min/max values 5. ETA (date and time) of vessel to berth and Berth No. 6. ETA (date and time) to commence / complete loading 7. ETA (date and time) of vessel to depart berth SAMPLING REQUIREMENTS - Following samples to be drawn as is appropriate: - Jetty head just before commencing loading from first shore tank: 2x2L, 1 set for retaining and 1 set for master - Jetty head just before commencing loading from additional tanks: 2x2L, 1 set for retaining and 1 set for master - Jetty head just before completion of loading: 2x2L, 1 set for retaining and 1 set for master - Each shore tank: 2x2L, 1 set for retaining and 1 set for master - First foot composite sample: 2x2L, 1 set for retaining and 1 set for master - Ship's composite sample : 2x2L, 1 set for retaining and 1 set for master Samples must be sealed and signed by the Master; seal number shall be recorded in Sample Receipt Report. One sample set to be placed onboard the vessel for the receivers at the disport. One sample set to be retained by load independent inspector for three months.

Parcel Comments:

SUMMER QUALITY

Quality Inspection Instructions:

SET 1

Description:

Sample Location: Ship Tanks VolumeMetric Composite

Quality Test Comments:

Please test following parameter on ship's composite before discharge.
Test methods as per EN14214 spec.
- Appearance
- Water
- Density

RO = Report Only

Req. = Required

Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Density at 15C	[ISO] ISO 3675, [ISO] ISO 12185			kg/m ³		No	Yes	
Water	[ASTM] ASTM D1533, [ISO] ISO 12937, [ASTM] ASTM D4928, [ASTM] ASTM D4377, [ASTM] ASTM D4006			mg/kg		No	Yes	
Appearance	[OTHER] Visual					No	Yes	

Invoice Instructions:

Bill Invoice To	Item to Bill	Split	Contact / Comment
GUNVOR SA	Quantity only	50%	
Esso S.A.F. (Societe Anonyme Francaise) - Esso France (Legal Entity: Esso S.A.F. (Societe Anonyme Francaise) - Esso France (0513))	Quantity only	50%	
	Slate: EMEA MTO Products Quality Comment: FAME Import France	100%	

Recipient List:

intdesk.saynl@corelab.com; saybolt.amsterdam@corelab.com; gb.navarik@sgs.com
France.ExchangeSupplyOperations@exxonmobil.com