

Parcel Summary

Transport	Location	Activity	Grade	Quantity	ETA	Supply Contract Window	Inspector	Inspection Requirements
PROPONTIS (9305623)	NOVOROSIYSK, RUSSIA - EQUITY (Russian Federa- tion)	Load	CPC BLEND	633,574 Barrels	26 Oct 2020	08 Oct 2020 - 09 Oct 2020	Saybolt	Quality / Quantity / Time log
PROPONTIS (9305623)	LE HAVRE, FRANCE (France)	Discharge	CPC BLEND	633,574 Barrels	26 Oct 2020	n/a	Intertek - Oil, Chemical and Agri	Quality / Quantity / Time log

TRIP: INTV007CRU-2010-0054

20E541479 VER 2 (ISSUED)

Region: EAME
Operator: INGRID CICCARDINI (ingrid.ciccardini@exxonmobil.com)
Phone:
Mobile:

Other Reference:
Business Group: MTO CRUDE
Desk: Crude
Nomination Type: Marine

Revision Comment: Removed EMKI from discharge

Documentary Instructions: n/a

LOAD: PROPONTIS (9305623) - NOVOROSSIYSK, RUSSIA - EQUITY (RUSSIAN FEDERATION)

Inspector: Saybolt
Hub: Europe/Africa/Russia/ME (International Desk Rotterdam)
Coordinator: Chahida Benkoula (int-desk.saynl@corelab.com)
Local Office: Saybolt Russia Novorossiysk (saybolt.novorossiysk@corelab.com)
Inspection Status: Accepted
Created On: 06 Oct 2020 by Ingrid Ciccardini
Last Modified: 30 Oct 2020 by Yuliya Zolotareva

INSPECTION REQUIREMENTS: QUALITY / QUANTITY / TIME LOG

Voyage Parcel External Reference Number: 5041841-10
Grade: CPC BLEND
ETA: 26 Oct 2020
ETD:
Supply Contract Window Start: 08 Oct 2020
Supply Contract Window End: 09 Oct 2020
Total Nominated Quantity: 633,574 Barrels
Transport / Voyage Number / Quantity / Tolerance: PROPONTIS (9305623) / 11/20 / 633,574 Barrels
Contract Number:
Parcel Ref:
Destination:
Source Location:
Supplier:
Receiver:
Delivery Terms: FOB (Free On Board)
Mother Vessel:

Quality Inspection Instructions:

SET 1

Description:
Sample Location: Shore In-Line Sample

		RO = Report Only		Req. = Required				
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
API Gravity at 60°F	[ASTM] ASTM D5002, [ASTM] ASTM D1298, [IP] IP 365			API@60°F		No	Yes	
Water	[ASTM] ASTM D4377, [ASTM] ASTM D4006, [ASTM] ASTM D4928			mg/kg		No	Yes	
Sediment Content	[ASTM] ASTM D473, [ASTM] ASTM D4807			%m		No	Yes	
Water Content	[IP] IP 386			mg/kg		No	Yes	
Sediment by Extraction	[IP] IP 14			%m		No	Yes	
Sulfur	[ASTM] ASTM D2622			g/kg		No	Yes	
Kinematic Viscosity at 40°C	[ASTM] ASTM D445			mm²/s		No	Yes	

SET 2

Description:
Sample Location: Vessel/Barge Composite

		RO = Report Only		Req. = Required				
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
API Gravity at 60°F	[ASTM] ASTM D1298, [ASTM] ASTM D5002, [IP] IP 365			API@60°F		No	Yes	
Water	[ASTM] ASTM D4928, [ASTM] ASTM D4377, [ASTM] ASTM D4006			mg/kg		No	Yes	

Test	Methods	Min	Max	UOM	Typical	RO = Report Only		Req. = Required	
						R.O.	Req.	Comment	
Sediment by Ex- traction	[IP] IP 14			%m		No	Yes		
Water Content	[IP] IP 386			mg/kg		No	Yes		
Sediment Con- tent	[ASTM] ASTM D4807, [ASTM] ASTM D473			%m		No	Yes		

SET 3

Description: RE-TEST LOAD SAMPLES - SITES DISCRETION TO EXCLUDE

Sample Location: As Per Standard Terminal Practice

Quality Test Comments:

IP 365/386/14 for Fawley only

Test	Methods	Min	Max	UOM	Typical	RO = Report Only		Req. = Required	
						R.O.	Req.	Comment	
API Gravity at 60°F	[ASTM] ASTM D5002, [ASTM] ASTM D1298, [IP] IP 365			API@60°F		No	Yes		
Water content	[IP] IP 386			mg/kg		No	Yes		
Sediment by Ex- traction	[IP] IP 14			%m		No	Yes		
Water	[ASTM] ASTM D4006, [ASTM] ASTM D4377, [ASTM] ASTM D4928			mg/kg		No	Yes		
Sediment Con- tent	[ASTM] ASTM D4807, [ASTM] ASTM D473			%m		No	Yes		

Invoice Instructions:

Bill Invoice To	Item to Bill	Split	Contact / Comment
4058 - EMSUS Exxon Mobil Sales And Supply LLC (Legal Entity: ExxonMobil Sales & Supply LLC (EMSS) (4058))	Quantity only	50%	
	Slate: *CRUDE DISCHARGE	50%	
	Slate: *CRUDE DISCHARGE	100%	
	Slate: *CRUDE DISCHARGE	100%	
EXXONMOBIL KAZAKHSTAN, INC.	Quantity only	50%	
	Slate: *CRUDE DISCHARGE	50%	
Esso S.A.F. (Societe Anonyme Francaise) - Esso France (Legal Entity: Esso S.A.F. (Societe Anonyme Francaise) - Esso France (0513))	Slate: *Crude dis-charge sulphur	100%	

DISCHARGE: PROPONTIS (9305623) - LE HAVRE, FRANCE (FRANCE)

Inspector: Intertek - Oil, Chemical and Agri
Hub: Intertek - Head Office
Coordinator: Maggie Chapman (Maggie.Chapman@intertek.com)
Local Office: Intertek Russia (Novo) (Operations.CBE-Novorossiysk@intertek.com)

Inspection Status: Accepted
Created On: 06 Oct 2020 by Ingrid Ciccardini
Last Modified: 30 Oct 2020 by Yuliya Zolotareva

INSPECTION REQUIREMENTS: QUALITY / QUANTITY / TIME LOG

Voyage Parcel External Reference Number: 5041841-20
Grade: CPC BLEND
ETA: 26 Oct 2020
ETD:
Supply Contract Window Start: n/a

Contract Number:
Parcel Ref:
Destination:
Source Location:

Supply Contract Window End: n/a
 Total Nominated Quantity: 633,574 Barrels
 Transport / Voyage Number / Quantity / Tolerance: PROPONTIS (9305623) / 633,574 Barrels

Supplier:
 Receiver:
 Delivery Terms:
 Mother Vessel:

Quality Inspection Instructions:

SET 1

Description:

Sample Location: Shore In-Line Sample

RO = Report Only										Req. = Required	
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment			
API Gravity at 60°F	[ASTM] ASTM D5002, [ASTM] ASTM D1298, [IP] IP 365			API@60°F		No	Yes				
Water	[ASTM] ASTM D4928, [ASTM] ASTM D4377, [ASTM] ASTM D4006			mg/kg		No	Yes				
Sediment Content	[ASTM] ASTM D4807, [ASTM] ASTM D473			%m		No	Yes				
Water Content	[IP] IP 386			mg/kg		No	Yes				
Sediment by Extrac- tion	[IP] IP 14			%m		No	Yes				
Sulfur	[ASTM] ASTM D2622			g/kg		No	Yes				
Kinematic Viscosity at 40°C	[ASTM] ASTM D445			mm²/s		No	Yes				

SET 2

Description:

Sample Location: Vessel/Barge Composite

					RO = Report Only	Req. = Required		
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
API Gravity at 60°F	[ASTM] ASTM D5002, [IP] IP 365, [ASTM] ASTM D1298			API@60°F		No	Yes	
Water	[ASTM] ASTM D4377, [ASTM] ASTM D4928, [ASTM] ASTM D4006			mg/kg		No	Yes	
Sediment by Ex- traction	[IP] IP 14			%m		No	Yes	
Water Content	[IP] IP 386			mg/kg		No	Yes	
Sediment Con- tent	[ASTM] ASTM D4807, [ASTM] ASTM D473			%m		No	Yes	

SET 3

Description: RE-TEST LOAD SAMPLES - SITES DISCRETION TO EXCLUDE

Sample Location: As Per Standard Terminal Practice

Quality Test Comments:

IP 365/386/14 for Fawley only

RO = Report Only										Req. = Required	
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment			
API Gravity at 60°F	[ASTM] ASTM D5002, [ASTM] ASTM D1298, [IP] IP 365			API@60°F		No	Yes				
Water content	[IP] IP 386			mg/kg		No	Yes				
Sediment by Ex- traction	[IP] IP 14			%m		No	Yes				
Water	[ASTM] ASTM D4006, [ASTM] ASTM D4377, [ASTM] ASTM D4928			mg/kg		No	Yes				

		RO = Report Only		Req. = Required					
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment	
Sediment Content	[ASTM] ASTM D4807, [ASTM] ASTM D473			%m		No	Yes		

Invoice Instructions:

Bill Invoice To	Item to Bill	Split	Contact / Comment
4058 - EMSUS Exxon Mobil Sales And Supply LLC (Legal Entity: ExxonMobil Sales & Supply LLC (EMSS) (4058))	Quantity only	100%	
	Slate: *CRUDE DISCHARGE	100%	
	Slate: *CRUDE DISCHARGE	100%	
	Slate: *CRUDE DISCHARGE	100%	
Esso S.A.F. (Societe Anonyme Francaise) - Esso France (Legal Entity: Esso S.A.F. (Societe Anonyme Francaise) - Esso France (0513))	Slate: *Crude discharge sulphur	100%	

NOMINATION COMMENTS

Additional Comments:

Activities provided by the Inspection Company under this nomination shall be performed in accordance with the ExxonMobil Global Inspection Contract (GIC), effective July 2014 to June 2019.

Recipient List:

intdesk.saynl@corelab.com; saybolt.novorossiysk@corelab.com; internationalcoordination@intertek.com; Operations.CBE-Novorossiysk@intertek.com; Maggie.Chapman@intertek.com
intl-eu@exxonmobil.com; intl-insp-invoices@exxonmobil.com; europe.crudeops@exxonmobil.com; MATS.MTO@exxonmobil.com; supply-pjg-crude-optimisation@exxonmobil.com; ;amir.mohammed@exxonmobil.com; pierrick.charoy@exxonmobil.com; do-minique.c.tiffay@exxonmobil.com

REPORT GENERATED 06 OCT 2020