



TRIP: USEBARGARO-2011-010

20E541259 VER 1 (ISSUED)

Parcel Summary

Transport	Location	Activity	Grade	Quantity	ETA	Supply Contract Window	Inspector	Inspection Requirement
KIRBY28721 (VS00025755), KIRBY29112 (VS00049702)	BEAUMONT REFINERY, TX (United States)	Load	AROM CON- CENTRATE VL BULK	52,000 Barrels	03 Oct 2020	n/a	Saybolt	Quality / Quantity / Time log
KIRBY28721 (VS00025755), KIRBY29112 (VS00049702)	BATON ROUGE RE- FINERY, LA (United States)	Discharge	AROM CON- CENTRATE VL BULK	52,000 Barrels	06 Oct 2020	n/a	COASTAL GULF	Quantity / Time log



TRIP: USEBARGARO-2011-010

20E541259 VER 1 (ISSUED)

Region: Americas
Operator: WENDY LAUWONG (wendy.m.lauwong@exxonmobil.com)
Phone:
Mobile:

Other Reference:
Business Group: CHEMICAL: AM AROMATICS
Desk: CHEM AM S&OP AROMATICS
Nomination Type: Marine

Documentary Instructions: n/a

LOAD: KIRBY28721 (VS00025755) / KIRBY29112 (VS00049702) - BEAUMONT REFINERY, TX (UNITED STATES)

Inspector: Saybolt	Inspection Status: Accepted
Hub: Americas North and South (International Desk Houston)	Created On: 02 Oct 2020 by Wendy Lauwong
Coordinator: Christopher Baiamonte (sayboltus.intdesk@corelab.com)	Last Modified: 02 Oct 2020 by Alvin Gardner
Local Office: Saybolt USA Port Neches, TX (Port Arthur, Beaumont, Nederland) (saybolt.portneches@corelab.com)	

INSPECTION REQUIREMENTS: QUALITY / QUANTITY / TIME LOG

Voyage Parcel External Reference Number: 5054187-10	Contract Number:
Grade: AROM CONCENTRATE VL BULK	Parcel Ref:
ETA: 03 Oct 2020	Destination:
ETD:	Source Location:
Supply Contract Window Start: n/a	Supplier:
Supply Contract Window End: n/a	Receiver:
Total Nominated Quantity: 52,000 Barrels	Delivery Terms: FCA (Free Carrier)
Transport / Voyage Number / Quantity / Tolerance: KIRBY28721 (VS00025755) / 26,000 Barrels load to max safe draft	Mother Vessel:
KIRBY29112 (VS00049702) / 26,000 Barrels load to max safe draft	

Email Quantity Results To:

aimee.l.duke@exxonmobil.com;
nicole.e.pfeiffer@exxonmobil.com;
MATS.MTO@exxonmobil.com;
Barrel.Temp@kirbycorp.com;
pmichem.babsc3@exxonmobil.com;
BMCP.PMI.CHEM.IS@exxonmobil.com;
DS-SRM-Inspection-reports-mailbox@exxonmobil.com;
emcc.oa.survey.reports@exxonmobil.com;
fred.j.turk@exxonmobil.com;
brcp.pmi.chem.is@exxonmobil.com;
maria.j.blanco@exxonmobil.com;
mats.mto-fairfax@exxonmobil.com;
wendy.m.lauwong@exxonmobil.com;

Email Quality Results To:

aimee.l.duke@exxonmobil.com;
nicole.e.pfeiffer@exxonmobil.com;
MATS.MTO@exxonmobil.com;
pmichem.babsc3@exxonmobil.com;
BMCP.PMI.CHEM.IS@exxonmobil.com;
DS-SRM-Inspection-reports-mailbox@exxonmobil.com;
emcc.oa.survey.reports@exxonmobil.com;
fred.j.turk@exxonmobil.com;
brcp.pmi.chem.is@exxonmobil.com;
maria.j.blanco@exxonmobil.com;
mats.mto-fairfax@exxonmobil.com;
joseph.c.mcdonald@exxonmobil.com;
wendy.m.lauwong@exxonmobil.com;

Load / Discharge Instructions:

This is a two barge tow nomination.
LOAD TO MAX DRAFT

Load inspector: Port Neches Saybolt
Disch inspector: Baton Rouge CGI

Please pull retain samples at LOAD.

Notes:

1. All samples to be kept for 90 days only unless otherwise stated.
2. Site-specific practices may require additional testing/retention of samples.

Plant Code for Inspection service:
USID @ LOAD CC-C023210734 USI5 @ DISCHARGE CC-C02123029
**THIS IS AN INTERCOMPANY SALE **
Material Codes: GEMS - 5007121 GOM - 90001007

Inspections must utilize Global Inspection Contract Rates (July 2019 - June 2026).

Pre-loading inspections are required and shall be performed by the inspection companies per API 17.8 Manual of Petroleum Measurement Standards

Inspection invoices are to be submitted into Navarik if nomination received via Navarik or by email to PMI.Chemicals.Inspection.Invoices@exxonmobil.com if nomination received via Outlook. Invoices submitted via Outlook must reference a valid EMCC Nomination Key.

Acceptance of inspection invoices submitted via Ariba, Basware, and the below mentioned shared mailboxes **will be discontinued** as of 22nd of July 2019. Please do not use these channels for submission:

emcc.oa.invoices@exxonmobil.com
emcc.int&syn.inspection.invoices@exxonmobil.com
intermed.invoices@exxonmobil.com

Please send a copy of the load report to the respective barge company email below that was used for this nomination:

Canal Barge: Afterhours@canalbarge.com
ACBL: acblloadingreports@bargeacbl.com
FMT: chris.develle@flmarine.com; dispatch@flmarine.com; billing@flmarine.com
Kirby: Barrel.Temp@kirbycorp.com

Quality Inspection Instructions:

SET 1

Description: 2 Foot Sample

Sample Location: Vessel First Foot

Quality Test Comments:

For AC/PyGas barges with Toluene, Raffinate, Benzene, AC, or PyGas as prior cargo:
No need to take 2 foot sample.

For AC/PyGas with different prior cargo than mentioned above:
Take 7 samples in quart-sized containers.
Send 6 samples to site lab.
Seal last sample and retain in inspector's lab.

For all other products:
Take 5 samples in quart-sized containers.
Send 4 samples to site lab.
Seal last sample and retain in inspector's lab.

RO = Report Only

Req. = Required

Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								

Test	Methods	Min	Max	UOM	Typical	RO = Report Only	Req. = Required	Comment
						R.O.	Req.	
Retain sample -90 days	[OTHER] n/a					No	No	

SET 2

Description: Final Composite Sample

Sample Location: Vessel/Barge Composite

Quality Test Comments:

For all tanks:

For AC:

Take 6 quart-sized samples and send to site lab.

Take one sample per tank, seal them, and retain in inspector's lab.

For all other products:

Take 4 quart-sized samples and send to site lab.

Take one sample (three samples for PyGas) per tank, seal them, and retain in inspector's lab.

RO = Report Only							Req. = Required	
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

Invoice Instructions:

Bill Invoice To	Item to Bill	Split	Contact / Comment
0102 ExxonMobil Chemical Company - U.S. (Div ExxonMobil Chemical Co) (Legal Entity: 0102 EM Chemical America (0102))	Quantity only	100%	
	Test: Retain sample -90 days	100%	
	Test: Retain sample -90 days	100%	

DISCHARGE: KIRBY28721 (VS00025755) / KIRBY29112 (VS00049702) - BATON ROUGE REFINERY, LA (UNITED STATES)

Inspector: COASTAL GULF
Hub: Coastal Gulf - Baton Rouge

Inspection Status: Accepted
Created On: 02 Oct 2020 by Wendy Lauwong
Last Modified: 02 Oct 2020 by Alvin Gardner

Coordinator: Jon Herrington (jherrington@coastalgulf.com)

Local Office:

INSPECTION REQUIREMENTS: QUANTITY / TIME LOG

Voyage Parcel External Reference Number: 5054187-20

Grade: AROM CONCENTRATE VL BULK

ETA: 06 Oct 2020

ETD:

Supply Contract Window Start: n/a

Supply Contract Window End: n/a

Total Nominated Quantity: 52,000 Barrels

Transport / Voyage Number / Quantity / Tolerance: KIRBY28721 (VS00025755) / 26,000 Barrels load to max safe draft
KIRBY29112 (VS00049702) / 26,000 Barrels load to max safe draft

Contract Number:

Parcel Ref:

Destination:

Source Location:

Supplier:

Receiver:

Delivery Terms:

Mother Vessel:

Email Quantity Results To:

aimee.l.duke@exxonmobil.com;
pmichem.babsc3@exxonmobil.com;
BMCP.PMI.CHEM.IS@exxonmobil.com;
DS-SRM-Inspection-reports-mailbox@exxonmobil.com;
emcc.oa.survey.reports@exxonmobil.com;

fred.j.turk@exxonmobil.com;
brcp.pmi.chem.is@exxonmobil.com;
marianela.valdatti@exxonmobil.com;
mats.mto-fairfax@exxonmobil.com;
wendy.m.lauwong@exxonmobil.com;

Email Quality Results To:

aimee.l.duke@exxonmobil.com;
pmichem.babsc3@exxonmobil.com;
BMCP.PMI.CHEM.IS@exxonmobil.com;
DS-SRM-Inspection-reports-mailbox@exxonmobil.com;
emcc.oa.survey.reports@exxonmobil.com;
fred.j.turk@exxonmobil.com;
brcp.pmi.chem.is@exxonmobil.com;
nerina.y.galban@exxonmobil.com;
marianela.valdatti@exxonmobil.com;
mats.mto-fairfax@exxonmobil.com;
monica.i.ortiz@exxonmobil.com;
wendy.m.lauwong@exxonmobil.com;

Load / Discharge Instructions:

This is a two barge tow nomination.
LOAD TO MAX DRAFT

Load inspector: Port Neches Saybolt
Disch inspector: Baton Rouge CGI

Please pull retain samples at LOAD.

Plant Code for Inspection service:
USID @ LOAD CC-C023210734 USI5 @ DISCHARGE CC-C02123029
**THIS IS AN INTERCOMPANY SALE **
Material Codes: GEMS - 5007121 GOM - 90001007

Inspections must utilize Global Inspection Contract Rates (July 2019 - June 2026).

Pre-loading inspections are required and shall be performed by the inspection companies per API 17.8 Manual of Petroleum Measurement Standards

Inspection invoices are to be submitted into Navarik if nomination received via Navarik or by email to PMI.Chemicals.Inspection.Invoices@exxonmobil.com if nomination received via Outlook. Invoices submitted via Outlook must reference a valid EMCC Nomination Key.

Acceptance of inspection invoices submitted via Ariba, Basware, and the below mentioned shared mailbox-es **will be discontinued** as of 22nd of July 2019. Please do not use these channels for submission:
emcc.oa.invoices@exxonmobil.com
emcc.int&syn.inspection.invoices@exxonmobil.com
intermed.invoices@exxonmobil.com

Invoice Instructions:

Bill Invoice To	Item to Bill	Split	Contact / Comment
0102 ExxonMobil Chemical Company - U.S. (Div ExxonMobil Chemical Co) (Legal Entity: 0102 EM Chemical America (0102))	Quantity only	100%	

Recipient List:

Sayboltus.Intdesk@corelab.com; saybolt.portneches@corelab.com; sayboltus.intdesk@corelab.com; batonrouge@coastalgulf.com; jherring-ton@coastalgulf.com
aimee.l.duke@exxonmobil.com;
nicole.e.pfeiffer@exxonmobil.com;
wendy.m.lauwong@exxonmobil.com;
MATS.MTO@exxonmobil.com;
BRRF.Marine.Super@exxonmobil.com;
adam.a.alburger@exxonmobil.com;
brcp.pmi.chem.is@exxonmobil.com;



TRIP: USEBARGARO-2011-010

20E541259 VER 1 (ISSUED)

BMCP.PMI.CHEM.IS@exxonmobil.com;
pmichem.babsc3@exxonmobil.com;
esteban.melonaro@exxonmobil.com;
harshit.h.ratanpara@exxonmobil.com;
joseph.c.mcdonald@exxonmobil.com;
anthony.bender@exxonmobil.com;
maria.j.blanco@exxonmobil.com;

REPORT GENERATED 02 OCT 2020