



ExxonMobil Oil Corporation

22777 Springwoods Village Parkway
Spring, TX 77389

Attention : **Scott Friedman**

MOVEMENT : Discharge
VESSEL : **WEB - 276 & 277**
LOCATION : PF&T - Mt. Airy, LA
File N° : GON-10111
DATE : 11/28/2020 - 12/01/2020
REFERENCE N° : 5141146-20

Contents

Voyage Analysis Report
Shore Tank Quantity
Vessel Quantity Report
Timelog
LOP/NAD

Dear Client,

Please find attached our Inspection Report No. GON-10111 corresponding to the Discharge operation of the captioned vessel, at place and date(s) shown above. The complete report is composed of individual field reports, which we believe are self-explanatory.

We trust that this report supplies the proper input needed so that we comply with your requirements. Should there be any points that need further clarification, please do not hesitate to contact us.

All Camin Cargo Control measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 98.3 et. seq. (Greenhouse Gas Mandatory Reporting Rule)

Yours Sincerely,

Camin Cargo Control

2137 S. Phillipe Ave. Gonzales, LA 70737
Phone: 225-307-0900
OpsGonzales@camincargo.com

www.camincargo.com



VOYAGE ANALYSIS REPORT N° GON-10111

VESSEL : WEB - 276 & 277
LOCATION : PF&T - Mt. Airy, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 28-NOV-2020
REFERENCE N° : 5141146-20

LOAD		Port	VCF		Voyage#	Gauge Date	
DISCHARGE		: PF&T - Mt. Airy, LA	6B			29-NOV-2020	
Barrels @ 60 °F	API @ 60 °F	TCV	FW	GSV	S&W	NSV	Reference
I. SHORE/SHORE COMPARISON-NOT AVAILABLE							
1. Loading Quantity							
2. Outturn	-2.8	36,824.35	0.00	36,824.35	0.00	36,824.35	
3. Difference							(2-1)
4. Difference %							(3/1*100)
Adjusted TCV Difference							(3-b+l)
II. VESSEL/SHORE COMPARISON AT LOADPORT-NOT AVAILABLE							
a. After Loading					Liquid	Non-Liquid	
b. OBQ							
c. Vessel Received							(a-b)
d. Difference							(c-1)
e. Difference %							(d/1*100)
f. Load Ratio							(c/1)
g. VEF							
h. Theoretical Shore							(c/g)
i. Theoretical Shore Diff.							(h-1)
j. Theoretical Shore Diff. %							(i/1*100)
III. VESSEL/SHORE COMPARISON AT DISPORT							
k. Before Discharge		37,798.32	0.00	37,798.32	Liquid	Non-Liquid	
l. ROB		772.84	0.00	772.84			
m. Vessel Delivered		37,025.48	0.00	37,025.48			(k-l)
n. Difference		-201.13	0.00	-201.13			(2-m)
o. Difference %		-0.55		-0.55			(n/2*100)
p. Discharge Ratio		1.00546					(m/2)
q. VEF		0.9991					
r. Theoretical Shore		37,058.83					(m/q)
s. Theoretical Shore Diff.		-234.48					(2-r)
t. Theoretical Shore Diff. %		-0.64					(s/2*100)
IV. VESSEL IN TRANSIT COMPARISON-NOT AVAILABLE							
u. In-Transit Diff.							(k-a)
v. In-Transit Diff. %					Liquid	Non-Liquid	(u/a*100)
w. OBQ/ROB Difference							(b-l)
Adjusted TCV Difference		S&W at Loadport		---	S&W at Disport		0.000 %

Calculated as per Chapter 17.5

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

2137 S. Phillipe Ave.
 Gonzales, LA 70737
 Office Phone: 225-307-0900
 Email: OpsGonzales@camincargo.com

**QUANTITY CERTIFICATE N° GON- 10111**

Based on Shore Measurements

VESSEL : WEB - 276 & 277
LOCATION : PF&T - Mt. Airy, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 28-NOV-2020
REFERENCE N° : 5141146-20

	Gauge	TOV	Water Gauge	Water Vol.	CTSh	Roof Corr.	GOV	Amb. Temp	Temp.	API	VCF	GSV	S&W	S&W Vol.	NSV	
Tank: 217		Ref. Height: 43-01 01/08					Gauge Date Open: 28-Nov 05:30				Gauge Date Close: 29-Nov 13:10					
	Ft-In (Inn.)	Bbls	Ft-In	Bbls	Factor	Bbls	Bbls	°F	°F	@ 60°F	6B	Bbls @ 60°F	%	@ 60°F	Bbls @ 60°F	
O	00-02 07/08	426.43	---	Nil	1.00000	---	426.43	63.0	60.0	0.3 (S)	1.00000	426.43	---	---	426.43	
C	06-00 03/04	16,171.33	---	Nil	1.00088	---	16,185.56	65.0	140.0	-2.7 (C)	0.97321	15,751.95	---	---	15,751.95	
		15,744.90		0			15,759.13					15,325.52				
													Line:	---		
													Adjustment:	---		
Tank: 215		Ref. Height: 41-00 01/02					Gauge Date Open: 28-Nov 06:00				Gauge Date Close: 29-Nov 12:30					
	Ft-In (Inn.)	Bbls	Ft-In	Bbls	Factor	Bbls	Bbls	°F	°F	@ 60°F	6B	Bbls @ 60°F	%	@ 60°F	Bbls @ 60°F	
O	29-00 01/04	73,485.89	---	Nil	1.00083	---	73,546.88	67.0	136.1	0.2 (S)	0.97379	71,619.22	---	---	71,619.22	
C	37-06 00/00	95,420.52	---	Nil	1.00079	---	95,495.90	66.0	132.8	-0.5 (C)	0.97510	93,118.05	---	---	93,118.05	
		21,934.63		0			21,949.02					21,498.83				
													Line:	---		
													Adjustment:	---		

S=Submitted / C=Calculated / T=Tested by CCC / W=Tested by Terminal/Refinery & Witnessed by CCC
 Totals computed using appropriate tables corresponding to Received API.

CSO/MCB - TOTAL QUANTITIES - RECEIVED

TCV, Barrels @ 60 °F	36,824.35	S&W	---		
Free Water Barrels	0.00		---		
	GSV		NSV	GSW	NSW
Barrels @ 60 °F	36,824.35		36,824.35	Long Tons - Air	6,323.023
Gallons @ 60 °F	1,546,622.70		1,546,622.70	Metric Tons - Air	6,424.488
API Gravity @ 60 °F (S)	-2.8			Short Tons - Air	7,081.786
Lb/Gal @ 60 °F	9.157741966			Kilograms - Air	6,424,488.0
				Pounds - Air	14,163,572.0

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.



VESSEL QUANTITY REPORT N° GON-10111

VESSEL : WEB - 276
LOCATION : PF&T - Mt. Airy, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 28-NOV-2020
REFERENCE N° : 5141146-20

Comp. No	Chart RH Ft-In	Phy GH Ft-In	Gauge Ft-In	TOV Bbls	Water Gauge	Water Bbls	Temp. °F	VCF 6B	GSV @ 60 °F Bbls
01P	15-05 00/00	15-04 01/02	05-05 03/04	3,458.98	----	Nil	128.3	0.97717	3,380.01
01S	15-04 03/04	15-04 03/04	05-05 01/04	3,470.49	----	Nil	127.7	0.97737	3,391.95
02P	15-05 00/00	15-04 01/02	06-04 03/04	3,188.26	----	Nil	128.1	0.97724	3,115.70
02S	15-05 00/00	15-04 01/02	06-02 03/04	3,264.87	----	Nil	128.3	0.97717	3,190.33
03P	15-05 00/00	15-04 03/04	06-06 01/02	3,110.83	----	Nil	127.6	0.97741	3,040.56
03S	15-05 00/00	15-04 03/04	06-05 01/02	3,160.92	----	Nil	127.9	0.97731	3,089.20
				19,654.35		Nil	128.0		19,207.75

Draft (Ft-in)	Fwd (P)	Fwd (S)	Aft (P)	Aft (S)	Trim	List
Before	10-00	10-00	10-00	10-00	00-00 00/00	0.00

Note:

No Trim Correction was applied.

VESSEL QUANTITIES

ARRIVAL

TCV, Barrels @ 60 °F	19,207.75
Free Water Barrels	0.00
GSV	
Barrels @ 60 °F	19,207.75
Gallons @ 60 °F	806,725.50
API Gravity @ 60 °F	-2.8 (S)
Lb/Gal @ 60 °F	9.157741966



VESSEL QUANTITY REPORT N° GON-10111

VESSEL : WEB - 276
LOCATION : PF&T - Mt. Airy, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 28-NOV-2020
REFERENCE N° : 5141146-20

Comp. No	Chart RH Ft-In	Phy GH Ft-In	Gauge Ft-In	TOV Bbls	Water Gauge	Water Bbls	Temp. °F	VCF 6B	GSV @ 60 °F Bbls
01P	15-05 00/00	15-03 03/04	15-04 00/00	26.58	----	Nil	60.0	1.00000	26.58
01S	15-04 03/04	15-03 03/04	15-03 01/04	34.62	----	Nil	60.0	1.00000	34.62
02P	15-05 00/00	15-05 01/02	15-02 01/02	68.92	----	Nil	60.0	1.00000	68.92
02S	15-05 00/00	15-03 01/04	15-01 01/04	104.02	----	Nil	60.0	1.00000	104.02
03P	15-05 00/00	15-03 00/00	15-01 01/02	96.27	----	Nil	60.0	1.00000	96.27
03S	15-05 00/00	15-02 03/04	15-01 03/04	89.22	----	Nil	60.0	1.00000	89.22
				419.63		Nil	60.0		419.63

Draft (Ft-in)	Fwd (P)	Fwd (S)	Aft (P)	Aft (S)	Trim	List
Before	10-00	10-00	10-00	10-00	00-00 00/00	0.00
After	02-00	02-00	02-00	02-00	00-00 00/00	0.00

Note:

No Trim Correction was applied.

VESSEL QUANTITIES	DEPARTURE	DELIVERED				
TCV, Barrels @ 60 °F	419.63	18,788.12	S&W	---		
Free Water Barrels	0.00	0.00		---		
	GSV	GSV	NSV		GSW	NSW
Barrels @ 60 °F	419.63	18,788.12	18,788.12	Long Tons - Air	3,226.064	3,226.064
Gallons @ 60 °F	17,624.46	789,101.04	789,101.04	Metric Tons - Air	3,277.833	3,277.833
API Gravity @ 60 °F	-2.8 (S)	-2.8 (S)		Short Tons - Air	3,613.192	3,613.192
Lb/Gal @ 60 °F	9.157741966	9.157741966		Kilograms - Air	3,277,833.0	3,277,833.0
				Pounds - Air	7,226,384.0	7,226,384.0

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

2137 S. Phillipe Ave.
 Gonzales, LA 70737
 Office Phone: 225-307-0900
 Email: OpsGonzales@camincargo.com



VESSEL QUANTITY REPORT N° GON-10111

VESSEL : WEB - 277
LOCATION : PF&T - Mt. Airy, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 28-NOV-2020
REFERENCE N° : 5141146-20

Comp. No	Chart RH Ft-In	Phy GH Ft-In	Gauge Ft-In	TOV Bbls	Water Gauge	Water Bbls	Temp. °F	VCF 6B	GSV @ 60 °F Bbls
01P	15-04 01/02	15-05 00/00	05-06 03/04	3,410.24	----	Nil	127.1	0.97757	3,333.75
01S	15-04 03/04	15-04 03/04	05-07 00/00	3,417.61	----	Nil	127.3	0.97751	3,340.75
02P	15-04 01/02	15-05 00/00	06-09 01/02	3,032.11	----	Nil	128.2	0.97720	2,962.98
02S	15-04 01/02	15-05 00/00	06-09 01/02	3,047.09	----	Nil	127.8	0.97734	2,978.04
03P	15-04 03/04	15-05 00/00	06-08 03/04	3,036.42	----	Nil	127.2	0.97754	2,968.22
03S	15-04 01/02	15-05 00/00	06-07 03/04	3,075.91	----	Nil	127.2	0.97754	3,006.83
				19,019.38		Nil	127.5		18,590.57

Draft (Ft-in)	Fwd (P)	Fwd (S)	Aft (P)	Aft (S)	Trim	List
Before	10-00	10-00	10-00	10-00	00-00 00/00	0.00

Note:

No Trim Correction was applied.

VESSEL QUANTITIES

ARRIVAL

TCV, Barrels @ 60 °F	18,590.57
Free Water Barrels	0.00
GSV	
Barrels @ 60 °F	18,590.57
Gallons @ 60 °F	780,803.94
API Gravity @ 60 °F	-2.8 (S)
Lb/Gal @ 60 °F	9.157741966



VESSEL QUANTITY REPORT N° GON-10111

VESSEL : WEB - 277
LOCATION : PF&T - Mt. Airy, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 28-NOV-2020
REFERENCE N° : 5141146-20

Comp. No	Chart RH Ft-In	Phy GH Ft-In	Gauge Ft-In	TOV Bbls	Water Gauge	Water Bbls	Temp. °F	VCF 6B	GSV @ 60 °F Bbls
01P	15-04 01/02	15-03 01/02	15-03 00/00	34.63	----	Nil	60.0	1.00000	34.63
01S	15-04 03/04	15-03 01/02	15-03 01/04	34.62	----	Nil	60.0	1.00000	34.62
02P	15-04 01/02	15-03 01/02	15-02 01/02	55.41	----	Nil	60.0	1.00000	55.41
02S	15-04 01/02	15-03 01/02	15-02 03/04	49.82	----	Nil	60.0	1.00000	49.82
03P	15-04 03/04	15-03 00/00	15-01 00/00	103.43	----	Nil	60.0	1.00000	103.43
03S	15-04 01/02	15-03 00/00	15-01 03/04	75.30	----	Nil	60.0	1.00000	75.30
				353.21		Nil	60.0		353.21

Draft (Ft-in)	Fwd (P)	Fwd (S)	Aft (P)	Aft (S)	Trim	List
Before	10-00	10-00	10-00	10-00	00-00 00/00	0.00
After	02-06	02-06	02-06	02-06	00-00 00/00	0.00

Note:

No Trim Correction was applied.

VESSEL QUANTITIES	DEPARTURE	DELIVERED				
TCV, Barrels @ 60 °F	353.21	18,237.36	S&W	---		
Free Water Barrels	0.00	0.00		---		
	GSV	GSV	NSV		GSW	NSW
Barrels @ 60 °F	353.21	18,237.36	18,237.36	Long Tons - Air	3,131.494	3,131.494
Gallons @ 60 °F	14,834.82	765,969.12	765,969.12	Metric Tons - Air	3,181.745	3,181.745
API Gravity @ 60 °F	-2.8 (S)	-2.8 (S)		Short Tons - Air	3,507.274	3,507.274
Lb/Gal @ 60 °F	9.157741966	9.157741966		Kilograms - Air	3,181,745.0	3,181,745.0
				Pounds - Air	7,014,548.0	7,014,548.0

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

2137 S. Phillipe Ave.
 Gonzales, LA 70737
 Office Phone: 225-307-0900
 Email: OpsGonzales@camincargo.com

EXXM00-31 / 551119 / December 2, 2020

**TIME LOG REPORT N° GON-10111**

VESSEL : WEB - 276 & 277
LOCATION : PF&T - Mt. Airy, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 28-NOV-2020
REFERENCE N° : 5141146-20

Date	Time	Description
28-NOV-2020	03:00	Inspector Notified
	05:00	Inspector Arrived
	05:30	Shore Tank 217 Gauged Open
	05:50	Barge(s) Arrived
	06:00	Shore Tank 215 Gauged Open
	06:15	Barge(s) Docked
	07:45	Inspector on Board
	07:50	Preliminary Inspection Commenced
	07:55	Hose(s) Connected
	08:50	Preliminary Inspection Completed
	08:51	Preliminary Calculations Commenced
	08:55	Preliminary Calculations Completed
	09:00	Discharge Commenced
	09:15	Inspector Departed
	20:10	Discharge Completed
	20:50	Final Inspection Commenced
	21:55	Final Inspection Completed
	21:55	Final Calculations Commenced
	22:30	Final Calculations Completed
	22:35	Hose(s) Disconnected
	22:55	Released
29-NOV-2020	12:30	Shore Tank 215 Gauged Close
	13:10	Shore Tank 217 Gauged Close
01-DEC-2020	00:56	Sent for/Awaiting Confirmation
	08:28	Received confirmation from the terminal

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

2137 S. Phillipe Ave.
Gonzales, LA 70737
Office Phone: 225-307-0900
Email: OpsGonzales@camincargo.com



LETTER OF PROTEST ° GON-10111

VESSEL : WEB - 276 & 277
LOCATION : PF&T - Mt. Airy, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 28-NOV-2020

TO : Terminal

REFERENCE : Vessel to Shore variance after Discharge

On Behalf of our Principals, we do hereby note the following Protest:

Barge to shore variance upon completion of operations

Shore tank 217 appearing to be stripped empty on the prior movement

We hereby reserve the right of our Principals to refer to this matter at a later date and to take such action as may be deemed necessary.

The signature below is for receipt only.

Respectfully,

Signature:
Print Name:
Position:
Date/Time:

Camin Cargo Control



LETTER OF PROTEST ° GON-10111

VESSEL : WEB - 276 & 277
LOCATION : PF&T - Mt. Airy, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 28-NOV-2020

TO : Terminal

REFERENCE : Line Displacement

On Behalf of our Principals, we do hereby note the following Protest:
TERMINAL DID NOT PERFORM LINE DISPLACEMENT

We hereby reserve the right of our Principals to refer to this matter at a later date and to take such action as may be deemed necessary.

The signature below is for receipt only.

Respectfully,

Signature:
Print Name:
Position:
Date/Time:

Camin Cargo Control



LETTER OF PROTEST ° GON-10111

VESSEL : WEB - 276 & 277
LOCATION : PF&T - Mt. Airy, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 28-NOV-2020

TO : Vessel

REFERENCE : VEF

On Behalf of our Principals, we do hereby note the following Protest:

- Unable to validate all the information found on the Navarik VEF
- Towing company unable to provide sequential port log for the subject tow
- VEF Factor is not available

We hereby reserve the right of our Principals to refer to this matter at a later date and to take such action as may be deemed necessary.

The signature below is for receipt only.

Respectfully,

Signature:
Print Name:
Position:
Date/Time:

Camin Cargo Control