



**ExxonMobil Oil Corporation**

22777 Springwoods Village Parkway  
Spring, TX 77389

**Attention** : **Allison Hellwig**

**MOVEMENT** : Load  
**VESSEL** : **WEB - 276 & 277**  
**LOCATION** : ExxonMobil - Baytown, TX  
**File N°** : BAY-1881  
**DATE** : 10/17/2020 - 10/20/2020  
**REFERENCE N°** : 5064008-10

**Contents**

Voyage Analysis Report  
Shore Tank Quantity  
Vessel Quantity Report  
Line Displacement  
Timelog  
LOP/NAD  
Analytical Report

Dear Client,

Please find attached our Inspection Report No. BAY-1881 corresponding to the Load operation of the captioned vessel, at place and date(s) shown above. The complete report is composed of individual field reports, which we believe are self-explanatory.

We trust that this report supplies the proper input needed so that we comply with your requirements. Should there be any points that need further clarification, please do not hesitate to contact us.

All Camin Cargo Control measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 98.3 et. seq. (Greenhouse Gas Mandatory Reporting Rule)

Yours Sincerely,

**Camin Cargo Control**

6118 Bayway Drive Baytown, TX 77520  
Phone: 832-982-2001  
opsbaytown@camincargo.com

[www.camincargo.com](http://www.camincargo.com)



## VOYAGE ANALYSIS REPORT N° BAY-1881

<b>VESSEL</b>	<b>: WEB - 276 &amp; 277</b>	<b>MOVEMENT</b>	<b>: Load</b>
<b>LOCATION</b>	<b>: ExxonMobil - Baytown, TX</b>	<b>JOB COMPLETED</b>	<b>: 17-OCT-2020</b>
<b>PRODUCT</b>	<b>: CSO</b>	<b>REFERENCE N°</b>	<b>: 5064008-10</b>

<b>LOAD</b>	<b>Port</b>	<b>VCF</b>	<b>Voyage#</b>	<b>Gauge Date</b>
	<b>: ExxonMobil - Baytown, TX</b>	<b>6B</b>	<b>N/A</b>	<b>17-OCT-2020</b>

Barrels @ 60 °F	API @ 60 °F	TCV	FW	GSV	S&W	NSV	Reference
-----------------	-------------	-----	----	-----	-----	-----	-----------

**I. SHORE/SHORE COMPARISON-NOT AVAILABLE**

1. Loading Quantity	-1.6	42,106.04	0.00	42,106.04	0.00	42,106.04	
2. Outturn							
3. Difference							(2-1)
4. Difference %							(3/1*100)
<b>Adjusted TCV Difference</b>							(3-b+l)

**II. VESSEL/SHORE COMPARISON AT LOADPORT**

a. After Loading	43,413.33	0.00	43,413.33	Liquid	Non-Liquid
b. OBQ	901.74	0.00	901.74	901.74	0.00
c. Vessel Received	42,511.59	0.00	42,511.59		
d. Difference	405.55	0.00	405.55		(a-b)
e. Difference %	0.96		0.96		(c-1)
f. Load Ratio	1.00963				(d/1*100)
g. VEF	1.0000				(c/1)
h. Theoretical Shore	42,511.59				(c/g)
i. Theoretical Shore Diff.	405.55				(h-1)
j. Theoretical Shore Diff. %	0.96				(i/1*100)

**III. VESSEL/SHORE COMPARISON AT DISPORT-NOT AVAILABLE**

k. Before Discharge		Liquid	Non-Liquid
l. ROB			
m. Vessel Delivered			(k-l)
n. Difference			(2-m)
o. Difference %			(n/2*100)
p. Discharge Ratio			(m/2)
q. VEF			
r. Theoretical Shore			(m/q)
s. Theoretical Shore Diff.			(2-r)
t. Theoretical Shore Diff. %			(s/2*100)

**IV. VESSEL IN TRANSIT COMPARISON-NOT AVAILABLE**

u. In-Transit Diff.			(k-a)
v. In-Transit Diff. %		Liquid	Non-Liquid (u/a*100)
w. OBQ/ROB Difference			(b-l)

<b>Adjusted TCV Difference</b>	<b>S&amp;W at Loadport</b>	<b>0.000 %</b>	<b>S&amp;W at Disport</b>	<b>---</b>
--------------------------------	----------------------------	----------------	---------------------------	------------

Calculated as per Chapter 17.5

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

6118 Bayway Drive  
 Baytown, TX 77520  
 Office Phone: 832-982-2001  
 Email: opsbaytown@camincargo.com

EXXM01-04 / 545489 / October 21, 2020

**QUANTITY CERTIFICATE N° BAY- 1881**

Based on Shore Measurements

**VESSEL** : WEB - 276 & 277  
**LOCATION** : ExxonMobil - Baytown, TX  
**PRODUCT** : CSO

**MOVEMENT** : Load  
**JOB COMPLETED** : 17-OCT-2020  
**REFERENCE N°** : 5064008-10

	Gauge	TOV	Water Gauge	Water Vol.	CTSh	Roof Corr.	GOV	Amb. Temp	Temp.	API	VCf	GSV	S&W	S&W Vol.	NSV
Tank: 1016		Ref. Height: 54-05 01/08				Gauge Date Open: 17-Oct 01:00				Gauge Date Close: 17-Oct 23:25					
	Ft-In (Inn.)	Bbls	Ft-In	Bbls	Factor	Bbls	Bbls	°F	°F	@ 60°F	6B	Bbls @ 60°F	%	@ 60°F	Bbls @ 60°F
O	36-08 07/08	98,851.09	0.000 00/00	0.00	1.00096	---	98,945.99	64.0	137.2	-1.6 (T)	0.97387	96,360.53	---	---	96,360.53
C	20-06 01/04	55,638.45	---	Nil	1.00094	---	55,690.75	77.0	136.2	-1.6 (T)	0.97421	54,254.49	---	---	54,254.49
		43,212.64		0			43,255.24					42,106.04			42,106.04
Line:													---		
Adjustment:													---		

S=Submitted / C=Calculated / T=Tested by CCC / W=Tested by Terminal/Refinery &amp; Witnessed by CCC

Totals computed using appropriate tables corresponding to Delivered API.

**CSO - TOTAL QUANTITIES - DELIVERED**

<b>TCV, Barrels @ 60 °F</b>	42,106.04	<b>S&amp;W</b>	---		
<b>Free Water Barrels</b>	0.00		---		
	<b>GSV</b>	<b>NSV</b>		<b>GSW</b>	<b>NSW</b>
<b>Barrels @ 60 °F</b>	42,106.04	42,106.04	<b>Long Tons - Air</b>	7,163.067	7,163.067
<b>Gallons @ 60 °F</b>	1,768,453.68	1,768,453.68	<b>Metric Tons - Air</b>	7,278.013	7,278.013
<b>API Gravity @ 60 °F (T)</b>	-1.6		<b>Short Tons - Air</b>	8,022.636	8,022.636
<b>Lb/Gal @ 60 °F</b>	9.073051421		<b>Kilograms - Air</b>	7,278,013.0	7,278,013.0
			<b>Pounds - Air</b>	16,045,271.0	16,045,271.0

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.



## VESSEL QUANTITY REPORT N° BAY-1881

VESSEL : WEB - 276

LOCATION : ExxonMobil - Baytown, TX

PRODUCT : CSO

MOVEMENT : Load

JOB COMPLETED : 17-OCT-2020

REFERENCE N° : 5064008-10

Comp. No	Chart RH Ft-In	Phy GH Ft-In	Gauge Ft-In	TOV Bbls	Water Gauge	Water Bbls	Temp. °F	VCF 6B	GSV @ 60 °F Bbls
01P	15-05 00/00	15-04 00/00	15-03 03/04	30.61	----	Nil	60.0	1.00000	30.61
01S	15-04 03/04	15-03 07/08	15-03 03/04	26.56	----	Nil	60.0	1.00000	26.56
02P	15-05 00/00	15-03 02/04	15-03 00/00	55.39	----	Nil	60.0	1.00000	55.39
02S	15-05 00/00	15-03 01/04	15-02 01/02	68.92	----	Nil	60.0	1.00000	68.92
03P	15-05 00/00	15-02 00/00	15-00 00/00	139.23	----	Nil	60.0	1.00000	139.23
03S	15-05 00/00	15-02 00/00	15-00 01/04	132.19	----	Nil	60.0	1.00000	132.19
				452.90		Nil	60.0		452.90

Draft (Ft-in)	Fwd (P)	Fwd (S)	Aft (P)	Aft (S)	Trim	List
Before	02-03	02-03	02-03	02-03	00-00 00/00	0.00

**Note:**

No Trim Correction was applied.

## VESSEL QUANTITIES

## ARRIVAL

TCV, Barrels @ 60 °F	452.90
Free Water Barrels	0.00
GSV	
Barrels @ 60 °F	452.90
Gallons @ 60 °F	19,021.80
API Gravity @ 60 °F	-1.5 (T)
Lb/Gal @ 60 °F	9.066064451



## VESSEL QUANTITY REPORT N° BAY-1881

VESSEL : WEB - 276

LOCATION : ExxonMobil - Baytown, TX

PRODUCT : CSO

MOVEMENT : Load

JOB COMPLETED : 17-OCT-2020

REFERENCE N° : 5064008-10

Comp. No	Chart RH Ft-In	Phy GH Ft-In	Gauge Ft-In	TOV Bbls	Water Gauge	Water Bbls	Temp. °F	VCF 6B	GSV @ 60 °F Bbls
01P	15-05 00/00	15-04 00/00	04-04 01/02	3,854.35	----	Nil	129.4	0.97650	3,763.77
01S	15-04 03/04	15-03 07/08	04-03 00/00	3,895.58	----	Nil	129.4	0.97650	3,804.03
02P	15-05 00/00	15-03 03/04	04-06 01/04	3,861.12	----	Nil	129.4	0.97650	3,770.38
02S	15-05 00/00	15-03 01/04	04-09 00/00	3,795.67	----	Nil	129.3	0.97654	3,706.62
03P	15-05 00/00	00-00 00/00	05-11 00/00	3,333.02	----	Nil	129.2	0.97657	3,254.93
03S	15-05 00/00	15-02 00/00	04-09 01/02	3,750.14	----	Nil	129.4	0.97650	3,662.01
				22,489.88		Nil	129.4		21,961.74

Draft (Ft-in)	Fwd (P)	Fwd (S)	Aft (P)	Aft (S)	Trim	List
Before	02-03	02-03	02-03	02-03	00-00 00/00	0.00
After	11-00	11-00	11-00	11-00	00-00 00/00	0.00

**Note:**

No Trim Correction was applied.

VESSEL QUANTITIES	DEPARTURE	RECEIVED				
TCV, Barrels @ 60 °F	21,961.74	21,508.84	S&W	---		
Free Water Barrels	0.00	0.00		---		
	GSV	GSV	NSV		GSW	NSW
Barrels @ 60 °F	21,961.74	21,508.84	21,508.84	Long Tons - Air	3,656.260	3,656.260
Gallons @ 60 °F	922,393.08	903,371.28	903,371.28	Metric Tons - Air	3,714.932	3,714.932
API Gravity @ 60 °F	-1.5 (T)	-1.5 (T)		Short Tons - Air	4,095.011	4,095.011
Lb/Gal @ 60 °F	9.066064451	9.066064451		Kilograms - Air	3,714,932.0	3,714,932.0
				Pounds - Air	8,190,022.0	8,190,022.0

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

6118 Bayway Drive  
 Baytown, TX 77520  
 Office Phone: 832-982-2001  
 Email: opsbaytown@camincargo.com

EXXM01-04 / 545489 / October 21, 2020



## VESSEL QUANTITY REPORT N° BAY-1881

VESSEL : WEB - 277

LOCATION : ExxonMobil - Baytown, TX

PRODUCT : CSO

MOVEMENT : Load

JOB COMPLETED : 17-OCT-2020

REFERENCE N° : 5064008-10

Comp. No	Chart	RH	Phy	GH	Gauge	TOV	Water	Water	Temp.	VCF	GSV @ 60 °F	
	Ft-In		Ft-In	Ft-In	Ft-In	Bbls	Gauge	Bbls	°F	6B	Bbls	
01P	15-04	01/02	15-03	03/04	15-03	01/02	26.58	----	Nil	60.0	1.00000	26.58
01S	15-04	03/04	15-03	07/08	15-03	03/04	26.57	----	Nil	60.0	1.00000	26.57
02P	15-04	01/02	15-03	01/02	15-02	00/00	68.94	----	Nil	60.0	1.00000	68.94
02S	15-04	01/02	15-03	03/04	15-02	01/02	55.40	----	Nil	60.0	1.00000	55.40
03P	15-04	03/04	15-01	01/04	14-11	01/02	146.43	----	Nil	60.0	1.00000	146.43
03S	15-04	01/02	15-01	00/00	15-00	00/00	124.92	----	Nil	60.0	1.00000	124.92
						448.84		Nil	60.0			448.84

Draft (Ft-in)	Fwd (P)	Fwd (S)	Aft (P)	Aft (S)	Trim	List
Before	02-03	02-03	02-03	02-03	00-00 00/00	0.00

**Note:**

No Trim Correction was applied.

## VESSEL QUANTITIES

## ARRIVAL

TCV, Barrels @ 60 °F	448.84
Free Water Barrels	0.00
GSV	
Barrels @ 60 °F	448.84
Gallons @ 60 °F	18,851.28
API Gravity @ 60 °F	-1.5 (T)
Lb/Gal @ 60 °F	9.066064451



## VESSEL QUANTITY REPORT N° BAY-1881

VESSEL : WEB - 277

LOCATION : ExxonMobil - Baytown, TX

PRODUCT : CSO

MOVEMENT : Load

JOB COMPLETED : 17-OCT-2020

REFERENCE N° : 5064008-10

Comp. No	Chart RH Ft-In	Phy GH Ft-In	Gauge Ft-In	TOV Bbls	Water Gauge	Water Bbls	Temp. °F	VCF 6B	GSV @ 60 °F Bbls
01P	15-04 01/02	15-03 03/04	04-06 03/04	3,767.89	----	Nil	129.0	0.97664	3,679.87
01S	15-04 03/04	15-03 07/08	04-04 01/04	3,857.53	----	Nil	129.1	0.97661	3,767.30
02P	15-04 01/02	15-03 01/02	04-06 01/04	3,847.25	----	Nil	129.0	0.97664	3,757.38
02S	15-04 01/02	15-03 03/04	04-07 01/02	3,824.36	----	Nil	129.2	0.97657	3,734.76
03P	15-04 03/04	15-01 01/04	05-10 01/02	3,340.05	----	Nil	129.1	0.97661	3,261.93
03S	15-04 01/02	15-01 00/00	05-11 01/04	3,328.20	----	Nil	129.1	0.97661	3,250.35
				21,965.28		Nil	129.1		21,451.59

Draft (Ft-in)	Fwd (P)	Fwd (S)	Aft (P)	Aft (S)	Trim	List
Before	02-03	02-03	02-03	02-03	00-00 00/00	0.00
After	11-00	11-00	11-00	11-00	00-00 00/00	0.00

**Note:**

No Trim Correction was applied.

VESSEL QUANTITIES	DEPARTURE	RECEIVED				
TCV, Barrels @ 60 °F	21,451.59	21,002.75	S&W	---		
Free Water Barrels	0.00	0.00		---		
	GSV	GSV	NSV		GSW	NSW
Barrels @ 60 °F	21,451.59	21,002.75	21,002.75	Long Tons - Air	3,570.230	3,570.230
Gallons @ 60 °F	900,966.78	882,115.50	882,115.50	Metric Tons - Air	3,627.522	3,627.522
API Gravity @ 60 °F	-1.5 (T)	-1.5 (T)		Short Tons - Air	3,998.658	3,998.658
Lb/Gal @ 60 °F	9.066064451	9.066064451		Kilograms - Air	3,627,522.0	3,627,522.0
				Pounds - Air	7,997,316.0	7,997,316.0

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

6118 Bayway Drive  
 Baytown, TX 77520  
 Office Phone: 832-982-2001  
 Email: opsbaytown@camincargo.com

EXXM01-04 / 545489 / October 21, 2020



## LINE DISPLACEMENT REPORT N° BAY-1881

VESSEL : WEB - 276 &amp; 277

LOCATION : ExxonMobil - Baytown, TX

PRODUCT : CSO

MOVEMENT : Load

JOB COMPLETED : 17-OCT-2020

REFERENCE N° : 5064008-10

Shore Tank		Observed Gauges	TOV	Temp.	API	VCF	TCV
Gauge Date: 17-OCT-2020		Ft-In (Inn.)	Bbls	°F	@ 60 °F	6B	Bbls @ 60 °F
1016	O	36-08 70/08	98,851.09	0.0	0.0	0.00000	0.00
	C	33-08 07/08	90,408.64				
			8,442.45				
Total			8,442.45				0.00

Shore Line	Length	Size	Nominal Capacity	Condition Before Displacement
	0 km	0"	8100.00 Bbls	Full

Vessel		Observed Gauges		TOV	Temp.	API	VCF	TCV
WEB - 276		Ft-In (Ull.)		Bbls	°F	@ 60 °F	6B	Bbls @ 60 °F
01P	O	15-03 03/04	30.61	0.0	60.0	1.04047	641.45	
	C	13-04 01/04	647.11					
				616.50				
01S	O	15-03 03/04	26.56	0.0	60.0	1.04047	629.88	
	C	13-04 01/02	631.94					
				605.38				
02P	O	15-03 00/00	55.39	0.0	60.0	1.04047	856.80	
	C	12-10 01/02	878.86					
				823.47				
02S	O	15-02 01/02	68.92	0.0	60.0	1.04047	842.95	
	C	12-10 03/04	879.08					
				810.16				
03P	O	15-00 00/00	139.23	0.0	60.0	1.04047	772.62	
	C	12-10 01/04	881.80					
				742.57				
03S	O	15-00 01/04	132.19	0.0	60.0	1.04047	879.28	
	C	12-07 01/04	977.27					
				845.08				

WEB - 277		Ft-In (Ull.)	Bbls	°F	@ 60 °F	6B	Bbls @ 60 °F
01P	O	15-03 01/02	26.58	0.0	60.0	1.04047	606.52
	C	13-05 00/00	609.51				
			582.93				
01S	O	15-03 03/04	26.57	0.0	60.0	1.04047	576.51
	C	13-06 01/04	580.66				
			554.09				
02P	O	15-02 00/00	68.94	0.0	60.0	1.04047	717.11
	C	13-02 01/04	758.16				
			689.22				
02S	O	15-02 01/02	55.40	0.0	60.0	1.04047	748.32
	C	13-01 03/04	774.61				
			719.21				
03P	O	14-11 01/02	146.43	0.0	60.0	1.04047	742.94
	C	12-11 00/00	860.47				



**LINE DISPLACEMENT REPORT N° BAY-1881****VESSEL** : WEB - 276 & 277**LOCATION** : ExxonMobil - Baytown, TX**PRODUCT** : CSO**MOVEMENT** : Load**JOB COMPLETED** : 17-OCT-2020**REFERENCE N°** : 5064008-10

Vessel	Observed Gauges	TOV	Temp.	API	VCF	TCV
		714.04				
03S	O	15-00 00/00	0.0	60.0	1.04047	740.49
	C	13-00 00/00				
		711.69				
Total		8,414.34				8,754.87

Note: DOCKLINE 106 / VOLUME DISPLACE 8100 BARRELS / TOLERANCE 175 BARRLES

TOV		
	Barrels	Gallons
Total Tank	8,442.45	354,582.90
Total Vessel	8,414.34	353,402.28
Volume Difference	-28.11	-1,180.62
% Difference	0.33	0.33

As per API Ch. 17.6 TOV of the product displaced was at least 120% of the combined capacity of all designated vessel and shore transfer lines unless the conditions referred to in 17.6.8.1.1 applied, then 100 % of line capacity.

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

**TIME LOG REPORT N° BAY-1881**

**VESSEL** : WEB - 276 & 277  
**LOCATION** : ExxonMobil - Baytown, TX  
**PRODUCT** : CSO

**MOVEMENT** : Load  
**JOB COMPLETED** : 17-OCT-2020  
**REFERENCE N°** : 5064008-10

Date	Time	Description
17-OCT-2020	02:00	Barge(s) Arrived
	02:30	Barge(s) Docked
	04:30	Barges Begin Re-docking
	04:30	Shore Tank 1016 Gauged Open
	05:30	Barges Complete Re-docking
	05:50	Inspector Arrived Dock #7
	06:10	Inspector on Board
	06:15	Preliminary Inspection Commenced
	06:50	Preliminary Inspection Completed
	06:50	Preliminary Calculations Commenced
	07:00	Preliminary Calculations Completed
	07:15	Cargo Hose(s) Connected
	07:20	Inspector Departed
	07:55	Load Commenced
	10:15	Load Suspended
	10:18	Inspector Notified
	10:30	Inspector Arrived
	10:35	Line Verification Commenced
	11:10	Line Verification Completed
	11:25	Inspector Arrived At Shore tank 1016
	12:00	Exxon Tech Arrived
	12:25	Shore Tank 1016 Gauged for Line Displacement
	12:37	Line Displacement Calculated and Approve / Dock Notified
	14:15	Load Resumed
	22:30	Load Completed
	22:35	Inspector Notified
	23:25	Shore Tank 1016 Gauged Close
	23:40	Inspector Arrived
	23:55	Final Inspection Commenced
	23:55	Cargo Hose(s) Disconnected
18-OCT-2020	00:50	Final Inspection Completed
	00:55	Final Calculations Commenced
	01:10	Final Calculations Completed
	02:20	Released To Terminal
20-OCT-2020	12:25	Sent For Confirmation
	15:30	Received Confirmation From The Terminal

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

6118 Bayway Drive  
Baytown, TX 77520  
Office Phone: 832-982-2001  
Email: opsbaytown@camincargo.com



## LETTER OF PROTEST ° BAY-1881

**VESSEL** : WEB - 276 & 277  
**LOCATION** : ExxonMobil - Baytown, TX  
**PRODUCT** : CSO

**MOVEMENT** : Load  
**JOB COMPLETED** : 17-OCT-2020

---

**TO** : Terminal

**REFERENCE** : Delays

---

**On Behalf of our Principals, we do hereby note the following Protest:**

Delays noted. Terminal not ready to commence after initial inspection.

**We hereby reserve the right of our Principals to refer to this matter at a later date and to take such action as may be deemed necessary.**

**The signature below is for receipt only.**

Respectfully,

Signature:
Print Name:
Position:
Date/Time:

---

Camin Cargo Control



## LETTER OF PROTEST ° BAY-1881

**VESSEL** : WEB - 276 & 277  
**LOCATION** : ExxonMobil - Baytown, TX  
**PRODUCT** : CSO

**MOVEMENT** : Load  
**JOB COMPLETED** : 17-OCT-2020

**TO** : Terminal

**REFERENCE** : Line Displacement

**On Behalf of our Principals, we do hereby note the following Protest:**

Difference noted upon completion of line displacement from shore to vessel.

**We hereby reserve the right of our Principals to refer to this matter at a later date and to take such action as may be deemed necessary.**

**The signature below is for receipt only.**

Respectfully,

Signature:
Print Name:
Position:
Date/Time:

\_\_\_\_\_  
Camin Cargo Control



## LETTER OF PROTEST ° BAY-1881

**VESSEL** : WEB - 276 & 277  
**LOCATION** : ExxonMobil - Baytown, TX  
**PRODUCT** : CSO

**MOVEMENT** : Load  
**JOB COMPLETED** : 17-OCT-2020

**TO** : Terminal

**REFERENCE** : Shore to Vessel variance after Load

**On Behalf of our Principals, we do hereby note the following Protest:**

Variance noted upon completion of cargo transfer from shore to vessel.

**We hereby reserve the right of our Principals to refer to this matter at a later date and to take such action as may be deemed necessary.**

**The signature below is for receipt only.**

Respectfully,

Signature:
Print Name:
Position:
Date/Time:

\_\_\_\_\_  
Camin Cargo Control



## LETTER OF PROTEST ° BAY-1881

**VESSEL** : WEB - 276 & 277  
**LOCATION** : ExxonMobil - Baytown, TX  
**PRODUCT** : CSO

**MOVEMENT** : Load  
**JOB COMPLETED** : 17-OCT-2020

**TO** : Vessel

**REFERENCE** : Shore to Vessel variance after Load

**On Behalf of our Principals, we do hereby note the following Protest:**

Variance noted upon completion of cargo transfer from shore to vessel.

**We hereby reserve the right of our Principals to refer to this matter at a later date and to take such action as may be deemed necessary.**

**The signature below is for receipt only.**

Respectfully,

Signature:
Print Name:
Position:
Date/Time:

\_\_\_\_\_  
Camin Cargo Control



## LETTER OF PROTEST ° BAY-1881

**VESSEL** : WEB - 276 & 277  
**LOCATION** : ExxonMobil - Baytown, TX  
**PRODUCT** : CSO

**MOVEMENT** : Load  
**JOB COMPLETED** : 17-OCT-2020

---

**TO** : Vessel

**REFERENCE** : Line Displacement

---

**On Behalf of our Principals, we do hereby note the following Protest:**

Difference noted upon completion of line displacement from shore to vessel.

**We hereby reserve the right of our Principals to refer to this matter at a later date and to take such action as may be deemed necessary.**

**The signature below is for receipt only.**

Respectfully,

Signature:
Print Name:
Position:
Date/Time:

---

Camin Cargo Control

**CERTIFICATE OF ANALYSIS N° BAY-1881**

**VESSEL** : WEB - 276 & 277  
**LOCATION** : ExxonMobil - Baytown, TX  
**PRODUCT** : CSO

**MOVEMENT** : Load  
**REF. NO.** : 5064008-10

Volumetric Composite		After Load	Sample N° : 13	18-OCT-2020 Sampled at 04:15
<b>Description :</b>		<b>WEB - 276 &amp; 277</b>		
D 4052	API Gravity @ 60°F (Elevated Temp.)	-1.5 °API		
D 93B	Flash Point	164 °F		
D 97	Pour Point	12 °C		
D 445	Viscosity @ 50 °C	370.4 cSt		
D 4294	Sulfur	1.70 Mass %		
D 5705	Hydrogen Sulfide in Vapor (60°C / 140°F)	<5 ppm		
D 4312	Toluene Insolubles	0.050 Wt. %	^	
D 893-B	Pentane Insolubles	17.6 %	^	

The results apply to the samples as received and specifically to the items listed on this certificate.

This report may not be reproduced except in full without the written consent of the Camin Cargo Control. Data contained in this report is confidential to the addressee and shall not be disclosed to any other party without their approval

All testing performed by Camin Cargo Control unless denoted by a ^ or \*. ^ Result(s) was submitted to Camin Cargo Control by another laboratory. We do not assume any responsibility for the results, or accuracy and handling of said equipment.

Nikolaos Deverikos / Laboratory  
Supervisor