



**ExxonMobil Oil Corporation**

22777 Springwoods Village Parkway  
Spring, TX 77389

**Attention : Alex Wood**

**MOVEMENT** : Discharge  
**VESSEL** : **EMS - 504 & 508**  
**LOCATION** : P66 - Beaumont, TX  
**File N°** : PAR-77136  
**DATE** : 01/21/2021 - 01/26/2021  
**REFERENCE N°** : 5256678

**Contents**

Voyage Analysis Report  
Shore Tank Quantity  
Vessel Quantity Report  
Line Displacement  
Timelog  
Vessel Experience Factor  
LOP/NAD

Dear Client,

Please find attached our Inspection Report No. PAR-77136 corresponding to the Discharge operation of the captioned vessel, at place and date(s) shown above. The complete report is composed of individual field reports, which we believe are self-explanatory.

We trust that this report supplies the proper input needed so that we comply with your requirements. Should there be any points that need further clarification, please do not hesitate to contact us.

All Camin Cargo Control measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 98.3 et. seq. (Greenhouse Gas Mandatory Reporting Rule)

Yours Sincerely,

**Camin Cargo Control**

1550 Industrial Drive Nederland, TX 77627  
Phone: 409-729-3399  
Opsparthur@camincargo.com

[www.camincargo.com](http://www.camincargo.com)



## VOYAGE ANALYSIS REPORT N° PAR-77136

**VESSEL** : EMS - 504 & 508  
**LOCATION** : P66 - Beaumont, TX  
**PRODUCT** : HEAVY REFORMATE

**MOVEMENT** : Discharge  
**JOB COMPLETED** : 23-JAN-2021  
**REFERENCE N°** : 5256678

LOAD		Port	VCF		Voyage#	Gauge Date	
<b>DISCHARGE</b>		: P66 - Beaumont, TX	<b>6B</b>			<b>23-JAN-2021</b>	
Barrels @ 60 °F	API @ 60 °F	TCV	FW	GSV	S&W	NSV	Reference
<b>I. SHORE/SHORE COMPARISON-NOT AVAILABLE</b>							
1. Loading Quantity							
2. Outturn	33.7	46,836.95	0.00	46,836.95	0.00	46,836.95	
3. Difference							(2-1)
4. Difference %							(3/1*100)
<b>Adjusted TCV Difference</b>							(3-b+l)
<b>II. VESSEL/SHORE COMPARISON AT LOADPORT-NOT AVAILABLE</b>							
a. After Loading					Liquid	Non-Liquid	
b. OBQ							
c. Vessel Received							(a-b)
d. Difference							(c-1)
e. Difference %							(d/1*100)
f. Load Ratio							(c/1)
g. VEF							
h. Theoretical Shore							(c/g)
i. Theoretical Shore Diff.							(h-1)
j. Theoretical Shore Diff. %							(i/1*100)
<b>III. VESSEL/SHORE COMPARISON AT DISPORT</b>							
k. Before Discharge	46,998.86		0.00	46,998.86	Liquid	Non-Liquid	
l. ROB	0.00		0.00	0.00			
m. Vessel Delivered	46,998.86		0.00	46,998.86			(k-l)
n. Difference	-161.91		0.00	-161.91			(2-m)
o. Difference %	-0.35			-0.35			(n/2*100)
p. Discharge Ratio	1.00346						(m/2)
q. VEF	1.0022						
r. Theoretical Shore	46,895.69						(m/q)
s. Theoretical Shore Diff.	-58.74						(2-r)
t. Theoretical Shore Diff. %	-0.13						(s/2*100)
<b>IV. VESSEL IN TRANSIT COMPARISON-NOT AVAILABLE</b>							
u. In-Transit Diff.							(k-a)
v. In-Transit Diff. %					Liquid	Non-Liquid	(u/a*100)
w. OBQ/ROB Difference							(b-l)
<b>Adjusted TCV Difference</b>		<b>S&amp;W at Loadport</b>		---	<b>S&amp;W at Disport</b>		0.000 %

Calculated as per Chapter 17.5

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

1550 Industrial Drive  
 Nederland, TX 77627  
 Office Phone: 409-729-3399  
 Email: Opsparthur@camincargo.com

EXXM00-74 / 559221 / January 27, 2021

**QUANTITY CERTIFICATE N° PAR- 77136**

Based on Shore Measurements

**VESSEL** : EMS - 504 & 508  
**LOCATION** : P66 - Beaumont, TX  
**PRODUCT** : HEAVY REFORMATE

**MOVEMENT** : Discharge  
**JOB COMPLETED** : 23-JAN-2021  
**REFERENCE N°** : 5256678

	Gauge	TOV	Water Gauge	Water Vol.	CTSh	Roof Corr.	GOV	Amb. Temp	Temp.	API	VCf	GSV	S&W	S&W Vol.	NSV
Tank: 233		Ref. Gauge Ht: 50-09 03/08					Gauge Date Open: 23-Jan 05:00				Gauge Date Close: 23-Jan 18:40				
	Ft-In (Ull.)	Bbls	Ft-In	Bbls	Factor	Bbls	Bbls	°F	°F	@ 60°F	6B	Bbls @ 60°F	%	@ 60°F	Bbls @ 60°F
O	04-07 00/00	9,056.16	00-01 03/04	201.38	0.99995	9.84	8,864.18	58.0	56.1	33.7 (S)	1.00178	8,879.96	---	---	8,879.96
C	27-10 01/04	55,968.87	00-01 03/04	201.38	1.00002	9.66	55,778.27	63.0	62.4	33.7 (S)	0.99890	55,716.91	---	---	55,716.91
		46,912.71		0			46,914.09					46,836.95			46,836.95
Line:													---		
Adjustment:													---		

S=Submitted / C=Calculated / T=Tested by CCC / W=Tested by Terminal/Refinery &amp; Witnessed by CCC

Totals computed using appropriate tables corresponding to Received API.

**HEAVY REFORMATE - TOTAL QUANTITIES - RECEIVED**

<b>TCV, Barrels @ 60 °F</b>	46,836.95	<b>S&amp;W</b>	---		
<b>Free Water Barrels</b>	0.00		---		
	<b>GSV</b>		<b>NSV</b>	<b>GSW</b>	<b>NSW</b>
<b>Barrels @ 60 °F</b>	46,836.95		46,836.95	<b>Long Tons - Air</b>	6,263.429
<b>Gallons @ 60 °F</b>	1,967,151.90		1,967,151.90	<b>Metric Tons - Air</b>	6,363.937
<b>API Gravity @ 60 °F (S)</b>	33.7			<b>Short Tons - Air</b>	7,015.040
<b>Lb/Gal @ 60 °F</b>	7.132179435			<b>Kilograms - Air</b>	6,363,937.0
				<b>Pounds - Air</b>	14,030,080.0
					14,030,080.0

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.



## VESSEL QUANTITY REPORT N° PAR-77136

**VESSEL** : EMS - 504  
**LOCATION** : P66 - Beaumont, TX  
**PRODUCT** : HEAVY REFORMATE

**MOVEMENT** : Discharge  
**JOB COMPLETED** : 23-JAN-2021  
**REFERENCE N°** : 5256678

Comp. No	Chart RH Ft-In	Phy GH Ft-In	Gauge Ft-In	TOV Bbls	Water Gauge	Water Bbls	Temp. °F	VCF 6B	GSV @ 60 °F Bbls
01P	18-00 00/00	18-00 00/00	06-07 00/00	3,761.63	----	Nil	62.3	0.99895	3,757.68
01S	17-11 03/04	17-11 03/04	07-01 00/00	3,581.90	----	Nil	62.1	0.99904	3,578.46
02P	17-11 03/04	17-11 03/04	07-03 01/04	4,157.22	----	Nil	62.2	0.99899	4,153.02
02S	17-11 03/04	17-11 03/04	07-02 03/04	4,158.18	----	Nil	62.1	0.99904	4,154.19
03P	17-11 01/04	17-11 01/04	07-01 01/04	3,865.96	----	Nil	62.3	0.99895	3,861.90
03S	17-11 01/02	17-11 01/02	07-02 00/00	3,847.53	----	Nil	62.1	0.99904	3,843.84
				23,372.42		Nil	62.2		23,349.09

Draft (Ft-in)	Fwd (P)	Fwd (S)	Aft (P)	Aft (S)	Trim	List
Before	09-06	09-06	09-06	09-06	00-00 00/00	0.00

**Note:**

No Trim Correction was applied.

VEF (divisor) of 1.0022 was applied to Vessel Delivered Quantities only

Vessel was gauged/sampled using a Closed/Restricted System

## VESSEL QUANTITIES

## ARRIVAL

TCV, Barrels @ 60 °F	23,349.09
Free Water Barrels	0.00
<b>GSV</b>	
Barrels @ 60 °F	23,349.09
Gallons @ 60 °F	980,661.78
API Gravity @ 60 °F	33.7 (T)
Lb/Gal @ 60 °F	7.132179435



## VESSEL QUANTITY REPORT N° PAR-77136

**VESSEL** : EMS - 504  
**LOCATION** : P66 - Beaumont, TX  
**PRODUCT** : HEAVY REFORMATE

**MOVEMENT** : Discharge  
**JOB COMPLETED** : 23-JAN-2021  
**REFERENCE N°** : 5256678

Comp. No	Chart RH Ft-In	Phy GH Ft-In	Gauge Ft-In	TOV Bbls	Water Gauge	Water Bbls	Temp. °F	VCF 6B	GSV @ 60 °F Bbls
01P	18-00 00/00	18-00 00/00	00-00 00/00	Nil	----	Nil			
01S	17-11 03/04	17-11 03/04	00-00 00/00	Nil	----	Nil			
02P	17-11 03/04	17-11 03/04	00-00 00/00	Nil	----	Nil			
02S	17-11 03/04	17-11 03/04	00-00 00/00	Nil	----	Nil			
03P	17-11 01/04	17-11 01/04	00-00 00/00	Nil	----	Nil			
03S	17-11 01/02	17-11 01/02	00-00 00/00	Nil	----	Nil			
				Nil		Nil			

Draft (Ft-in)	Fwd (P)	Fwd (S)	Aft (P)	Aft (S)	Trim	List
Before	09-06	09-06	09-06	09-06	00-00 00/00	0.00
After	01-06	01-06	01-06	01-06	00-00 00/00	0.00

**Note:**

No Trim Correction was applied.

VEF (divisor) of 1.0022 was applied to Vessel Delivered Quantities only

Vessel was gauged/sampled using a Closed/Restricted System

VESSEL QUANTITIES	DEPARTURE	DELIVERED				
TCV, Barrels @ 60 °F	0.00	23,297.83	S&W	---		
Free Water Barrels	0.00	0.00		---		
	GSV	GSV	NSV		GSW	NSW
Barrels @ 60 °F	0.00	23,297.83	23,297.83	Long Tons - Air	3,115.581	3,115.581
Gallons @ 60 °F	0.00	978,508.86	978,508.86	Metric Tons - Air	3,165.576	3,165.576
API Gravity @ 60 °F		33.7 (T)		Short Tons - Air	3,489.450	3,489.450
Lb/Gal @ 60 °F		7.132179435		Kilograms - Air	3,165,576.0	3,165,576.0
				Pounds - Air	6,978,901.0	6,978,901.0

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

1550 Industrial Drive  
 Nederland, TX 77627  
 Office Phone: 409-729-3399  
 Email: Opsparthur@camincargo.com

EXXM00-74 / 559221 / January 27, 2021



## VESSEL QUANTITY REPORT N° PAR-77136

**VESSEL** : EMS - 508  
**LOCATION** : P66 - Beaumont, TX  
**PRODUCT** : HEAVY REFORMATE

**MOVEMENT** : Discharge  
**JOB COMPLETED** : 23-JAN-2021  
**REFERENCE N°** : 5256678

Comp. No	Chart RH Ft-In	Phy GH Ft-In	Gauge Ft-In	TOV Bbls	Water Gauge	Water Bbls	Temp. °F	VCF 6B	GSV @ 60 °F Bbls
01P	17-11 01/02	17-11 01/02	06-04 01/04	3,814.36	----	Nil	62.1	0.99904	3,810.70
01S	17-11 00/00	17-11 00/00	06-02 03/04	3,839.59	----	Nil	62.3	0.99895	3,835.56
02P	17-11 00/00	17-11 00/00	07-08 00/00	3,977.53	----	Nil	62.0	0.99908	3,973.87
02S	17-11 01/04	17-11 01/04	07-07 01/08	4,006.24	----	Nil	61.9	0.99913	4,002.75
03P	17-11 03/04	17-11 03/04	06-05 01/02	4,062.55	----	Nil	62.1	0.99904	4,058.65
03S	17-11 01/04	17-11 01/04	06-08 01/08	3,972.25	----	Nil	62.2	0.99899	3,968.24
				23,672.52		Nil	62.1		23,649.77

Draft (Ft-in)	Fwd (P)	Fwd (S)	Aft (P)	Aft (S)	Trim	List
Before	09-06	09-06	09-06	09-06	00-00 00/00	0.00

**Note:**

No Trim Correction was applied.

VEF (divisor) of 1.0022 was applied to Vessel Delivered Quantities only

Vessel was gauged/sampled using a Closed/Restricted System

**VESSEL QUANTITIES****ARRIVAL**

<b>TCV, Barrels @ 60 °F</b>	23,649.77
<b>Free Water Barrels</b>	0.00
<b>GSV</b>	
<b>Barrels @ 60 °F</b>	23,649.77
<b>Gallons @ 60 °F</b>	993,290.34
<b>API Gravity @ 60 °F</b>	33.7 (T)
<b>Lb/Gal @ 60 °F</b>	7.132179435



## VESSEL QUANTITY REPORT N° PAR-77136

**VESSEL** : EMS - 508  
**LOCATION** : P66 - Beaumont, TX  
**PRODUCT** : HEAVY REFORMATE

**MOVEMENT** : Discharge  
**JOB COMPLETED** : 23-JAN-2021  
**REFERENCE N°** : 5256678

Comp. No	Chart RH Ft-In	Phy GH Ft-In	Gauge Ft-In	TOV Bbls	Water Gauge	Water Bbls	Temp. °F	VCF 6B	GSV @ 60 °F Bbls
01P	17-11 01/02	17-11 01/02	00-00 00/00	Nil	----	Nil			
01S	17-11 00/00	17-11 00/00	00-00 00/00	Nil	----	Nil			
02P	17-11 00/00	17-11 00/00	00-00 00/00	Nil	----	Nil			
02S	17-11 01/04	17-11 01/04	00-00 00/00	Nil	----	Nil			
03P	17-11 03/04	17-11 03/04	00-00 00/00	Nil	----	Nil			
03S	17-11 01/04	17-11 01/04	00-00 00/00	Nil	----	Nil			
				Nil		Nil			

Draft (Ft-in)	Fwd (P)	Fwd (S)	Aft (P)	Aft (S)	Trim	List
Before	09-06	09-06	09-06	09-06	00-00 00/00	0.00
After	01-06	01-06	01-06	01-06	00-00 00/00	0.00

**Note:**

No Trim Correction was applied.

VEF (divisor) of 1.0022 was applied to Vessel Delivered Quantities only

Vessel was gauged/sampled using a Closed/Restricted System

VESSEL QUANTITIES	DEPARTURE	DELIVERED				
TCV, Barrels @ 60 °F	0.00	23,597.85	S&W	---		
Free Water Barrels	0.00	0.00		---		
	GSV	GSV	NSV		GSW	NSW
Barrels @ 60 °F	0.00	23,597.85	23,597.85	Long Tons - Air	3,155.702	3,155.702
Gallons @ 60 °F	0.00	991,109.70	991,109.70	Metric Tons - Air	3,206.341	3,206.341
API Gravity @ 60 °F		33.7 (T)		Short Tons - Air	3,534.386	3,534.386
Lb/Gal @ 60 °F		7.132179435		Kilograms - Air	3,206,341.0	3,206,341.0
				Pounds - Air	7,068,772.0	7,068,772.0

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

1550 Industrial Drive  
 Nederland, TX 77627  
 Office Phone: 409-729-3399  
 Email: Opsparthur@camincargo.com

EXXM00-74 / 559221 / January 27, 2021



## LINE DISPLACEMENT REPORT N° PAR-77136

**VESSEL** : EMS - 504 & 508  
**LOCATION** : P66 - Beaumont, TX  
**PRODUCT** : HEAVY REFORMAT

**MOVEMENT** : Discharge  
**JOB COMPLETED** : 23-JAN-2021  
**REFERENCE N°** : 5256678

Shore Tank		Observed Gauges	TOV	Temp.	API	VCF	TCV
Gauge Date: 23-JAN-2021		Ft-In (Ull.)	Bbls	°F	@ 60 °F	6B	Bbls @ 60 °F
233	O	04-06 07/08	9,034.35	56.1	58.0	1.00262	1,641.95
	C	05-04 05/08	10,672.01				
			1,637.66				
Total			1,637.66				1,641.95

Shore Line	Length	Size	Nominal Capacity	Condition Before Displacement
	0 km	0"	1200.00 Bbls	Full

Vessel		Observed Gauges	TOV	Temp.	API	VCF	TCV
EMS - 508		Ft-In (Ull.)	Bbls	°F	@ 60 °F	6B	Bbls @ 60 °F
03P	O	06-05 01/02	4,062.55	62.1	58.0	0.99859	862.09
	C	09-01 01/02	3,199.24				
			863.31				
03S	O	06-08 01/08	3,972.25	62.1	58.0	0.99859	787.80
	C	09-01 00/00	3,183.34				
			788.91				
Total			1,652.22	1,649.89			

Vessel's System	Condition Before	Condition After	Nominal Capacity	Adjusted Volume Displaced
	Full	Full	0.00 Bbls	0.00

### TOV

	Barrels	Gallons
<b>Total Tank</b>	1,637.66	68,781.72
<b>Total Vessel</b>	1,652.22	69,393.24
<b>Volume Difference</b>	-14.56	-611.52
<b>% Difference</b>	0.89	0.89

As per API Ch. 17.6 TOV of the product displaced was at least 120% of the combined capacity of all designated vessel and shore transfer lines unless the conditions referred to in 17.6.8.1.1 applied, then 100 % of line capacity.

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.



**TIME LOG REPORT N° PAR-77136**

**VESSEL** : EMS - 504 & 508  
**LOCATION** : P66 - Beaumont, TX  
**PRODUCT** : HEAVY REFORMATE

**MOVEMENT** : Discharge  
**JOB COMPLETED** : 23-JAN-2021  
**REFERENCE N°** : 5256678

Date	Time	Description
21-JAN-2021	17:35	Barge Tendered
23-JAN-2021	02:35	Inspector Notified
	03:35	Barge(s) Arrived
	03:45	Inspector Arrived
	03:55	Barge(s) Docked
	05:00	Shore Tank 233 Gauged Open
	05:30	Preliminary Inspection Commenced
	06:10	Cargo Hose(s) Connected
	07:25	Preliminary Inspection Completed
	07:30	Preliminary Calculations Commenced
	08:30	Preliminary Calculations Completed
	08:40	Discharge Commenced
	09:05	Discharge Suspended
	09:05	Line Verification Commenced
	09:45	Line Verification Completed
	09:55	Discharge Resumed
	16:00	Inspector Notified
	16:45	Inspector Arrived
	17:35	Discharge Completed
	17:35	Final Inspection Commenced
	17:50	Final Inspection Completed
	17:50	Hose(s) Disconnected
	17:55	Released
	18:40	Shore Tank 233 Gauged Close
25-JAN-2021	14:48	Sent for/Awaiting Confirmation
26-JAN-2021	08:37	Received confirmation from the terminal
	11:37	Received confirmation from TOTAL

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

**VESSEL EXPERIENCE FACTOR REPORT N° PAR-77136**

**VESSEL** : EMS - 504 & 508  
**LOCATION** : P66 - Beaumont, TX  
**PRODUCT** : HEAVY REFORMATE

**MOVEMENT** : Discharge  
**JOB COMPLETED** : 23-JAN-2021  
**REFERENCE N°** : 5256678

	Date	Voyage Number	Location	Cargo	Vessel Bbls	Shore Bbls	Ratio	Qual.	Rejection Reason
Last	17-JAN-2021		GT Gulfway - Port Arthur, TX	ALKYLATE	57,246	57,072	1.00305	Y	
2nd	13-DEC-2020		KMI - Galena Park, TX	LVN-LIGHT NAPHTHA	54,715	54,483	1.00426	Y	
3rd	29-NOV-2020		GT Gulfway - Port Arthur, TX	LIGHT CAT NAPHTHA	56,804	56,681	1.00217	Y	
4th	26-NOV-2020		Total - Port Arthur, TX	HEAVY NAPHTHA	54,203	54,203	1.00000		Vessel Measurement
5th	18-NOV-2020		KMI - Galena Park, TX	LVN-LIGHT NAPHTHA	55,161	55,107	1.00098	Y	
6th	08-NOV-2020		GT Gulfway - Port Arthur, TX	LIGHT CAT NAPHTHA	56,337	56,183	1.00274	Y	
7th	01-NOV-2020		GT Gulfway - Port Arthur, TX	HEAVY RAFFINATE	56,181	56,114	1.00119	Y	
8th	15-OCT-2020		Magellan - Galena Park, TX	HEAVY REFORMATE	44,954	44,942	1.00027	Y	
9th	03-OCT-2020		GT Gulfway - Port Arthur, TX	RAFFINATE	55,629	55,705	0.99864	N	
10th	13-SEP-2020		ExxonMobil Chemical - Beaumont, TX	NAPHTHA	50,187	52,210	0.96125		Gross Error
11th	19-AUG-2020		GT Gulfway - Port Arthur, TX	ALKYLATE	56,234	55,324	1.01645	N	
12th	06-AUG-2020		GT Gulfway - Port Arthur, TX	CAT GASOLINE	55,656	55,581	1.00135	Y	
13th	02-AUG-2020		GT Gulfway - Port Arthur, TX	CAT NAPHTHA	55,786	55,686	1.00180	Y	
14th	29-JUL-2020		GT Gulfway - Port Arthur, TX	RAFFINATE	54,262	54,162	1.00185	Y	
15th	11-JUN-2020		Valero - Tule Lake, TX	HEAVY REFORMATE	48,498	48,498	1.00000		Commercial Agreement
16th	26-APR-2020		ITC - Pasadena, TX	HEAVY REFORMATE	45,757	45,626	1.00287		Commercial Agreement
17th	20-APR-2020		ITC - Deer Park, TX	HEAVY REFORMATE	45,937	45,713	1.00490	Y	

<b>Totals:</b>	<b>17 considered voyages (TCV Bbls)</b>	<b>704,902</b>	<b>702,753</b>
	<b>11 qualifying voyages (TCV Bbls)</b>	<b>593,039</b>	<b>591,724</b>

All voyages Ratio: 1.00306  
Qualifying Range (\*1.003): 1.00607  
(\*0.997): 1.00005

N: Excluded (not in qualifying range)

**Vessel Experience Factor (DISCHARGE) : 1.0022**

Calculated as per API Ch. 17.9 3rd Edition, 2019. Method: Primary

1550 Industrial Drive  
Nederland, TX 77627  
Office Phone: 409-729-3399  
Email: Opsparthur@camincargo.com

EXXM00-74 / 559221 / January 27, 2021



## LETTER OF PROTEST ° PAR-77136

**VESSEL** : EMS - 504 & 508  
**LOCATION** : P66 - Beaumont, TX  
**PRODUCT** : HEAVY REFORMAT

**MOVEMENT** : Discharge  
**JOB COMPLETED** : 23-JAN-2021

---

**TO** : Vessel

**REFERENCE** : Vessel Intransit Difference

---

**On Behalf of our Principals, we do hereby note the following Protest:**  
VESSEL INTRANSIT DIFFERENCE

**We hereby reserve the right of our Principals to refer to this matter at a later date and to take such action as may be deemed necessary.**

**The signature below is for receipt only.**

Respectfully,

Signature:
Print Name:
Position:
Date/Time:

---

Camin Cargo Control



## LETTER OF PROTEST ° PAR-77136

**VESSEL** : EMS - 504 & 508  
**LOCATION** : P66 - Beaumont, TX  
**PRODUCT** : HEAVY REFORMAT

**MOVEMENT** : Discharge  
**JOB COMPLETED** : 23-JAN-2021

---

**TO** : Terminal

**REFERENCE** : Line Displacement

---

**On Behalf of our Principals, we do hereby note the following Protest:**  
LD differnece.

**We hereby reserve the right of our Principals to refer to this matter at a later date and to take such action as may be deemed necessary.**

**The signature below is for receipt only.**

Respectfully,

Signature:
Print Name:
Position:
Date/Time:

---

Camin Cargo Control



## LETTER OF PROTEST ° PAR-77136

**VESSEL** : EMS - 504 & 508  
**LOCATION** : P66 - Beaumont, TX  
**PRODUCT** : HEAVY REFORMATE

**MOVEMENT** : Discharge  
**JOB COMPLETED** : 23-JAN-2021

**TO** : Terminal

**REFERENCE** : Vessel to Shore variance after Discharge

**On Behalf of our Principals, we do hereby note the following Protest:**

Vessel To Shore Variance After Discharge

**We hereby reserve the right of our Principals to refer to this matter at a later date and to take such action as may be deemed necessary.**

**The signature below is for receipt only.**

Respectfully,

Signature:
Print Name:
Position:
Date/Time:

\_\_\_\_\_  
Camin Cargo Control