



**COASTAL GULF &
INTERNATIONAL, INC.**

"Precision"

Inspection & Analytical
Services

13615 River Road, Luling, LA. 70070
Phone (985)785-0765 Fax (985)785-1328

Assuring accuracy through expertise!

Vessel:	EMS 3001 & 3004B	Date:	November 7, 2020
Product:	CSO/MCB	Terminal:	P.F.T.
Subject:	Report of Loading	Port:	Mt Airy, Louisiana
ExxonMobil Ref. #: 5107066-10		File Number:	99093
Cabot Ref. #: 108282-118106			

RECAPITULATION

**OFFICIAL QUANTITY
SHORE FIGURES**

Barrels	17,884.77
Gallons	751,160.34
Pounds	6,852,085.00
Metric Tons	3,108.057
Short Tons	3,426.043
Long Tons	3,058.967

**FOR REFERENCE ONLY
BARGE FIGURES**

Barrels	18,516.17
Gallons	777,679.14
Pounds	7,093,989.00
Metric Tons	3,217.783
Short Tons	3,546.995
Long Tons	3,166.960

No Qualifying VEF at the Time of Loading

BARGE FIGURES In Barrels

<u>BARGE</u>	<u>ARRIVAL</u>	<u>DEPARTURE</u>	<u>DIFFERENCE</u>
EMS 3004B	442.49	9,612.91	9,170.42
EMS 3001	<u>747.82</u>	<u>10,093.57</u>	<u>9,345.75</u>
	1,190.31	19,706.48	18,516.17

Survey was performed by CGI Surveyor Michael Briant
Table 6B used for Volume Correction purposes
Surveyor equipment verified daily using Certified Thermometer

Survey performed as per and strictly adhering to methods set forth by API Chapters 3,7,8,17 & 12

Coastal Gulf & International, Inc.

Bentley Kraemer

Central Communication Center

Version 7.0 06-05-13 NLE



**COASTAL GULF &
INTERNATIONAL, INC.**

"Precision"

Inspection & Analytical
Services

13615 River Road, Luling, LA. 70070
Phone (985)785-0765 Fax (985)785-1328

Assuring accuracy through expertise!

<i>Vessel:</i>	EMS 3001 & 3004B	<i>Date:</i>	November 7, 2020
<i>Product:</i>	CSO/MCB	<i>Terminal:</i>	P.F.T.
<i>Subject:</i>	Report of Loading	<i>Port:</i>	Mt Airy, Louisiana
ExxonMobil Ref. #: 5107066-10		<i>File Number:</i>	99093
Cabot Ref. #: 108282-118106			

TIME LOG OF EVENTS

November 6, 2020	1550	hrs.	Barge(s) Tendered
November 6, 2020	1550	hrs.	Barge(s) Called In
November 6, 2020	1745	hrs.	Surveyor notified of barge arrival
November 6, 2020	1950	hrs.	Surveyor arrived
November 6, 2020	2050	hrs.	Barge(s) arrived
November 6, 2020	2110	hrs.	Barge(s) docked
November 6, 2020	2035	hrs.	Shore Tank gauged open
November 6, 2020	2115	hrs.	Commenced arrival barge inspection
November 6, 2020	2155	hrs.	Completed arrival barge inspection
November 6, 2020	2310	hrs.	Completed arrival barge paperwork
November 6, 2020	2310	hrs.	Barge approved to commence with Logistics
November 6, 2020	2200	hrs.	Cargo hose connected
November 6, 2020	2315	hrs.	Commenced transfer
November 6, 2020	2330	hrs.	Suspended transfer for Line Displacement
November 6, 2020	2330	hrs.	Commenced LD Inspection
November 6, 2020	2335	hrs.	Completed LD Inspection
November 6, 2020	2350	hrs.	Completed line displacement paperwork
November 7, 2020	0000	hrs.	Barge approved to resume with Logistics
November 7, 2020	0015	hrs.	Resumed transfer
November 7, 2020	0705	hrs.	Surveyor notified for barge completion
November 7, 2020	0830	hrs.	Surveyor arrived
November 7, 2020	0525	hrs.	Completed transfer
November 7, 2020	0625	hrs.	Cargo hose disconnected
November 7, 2020	0845	hrs.	Commenced departure barge inspection
November 7, 2020	1035	hrs.	Completed departure barge inspection
November 7, 2020	1140	hrs.	Completed departure barge paperwork
November 7, 2020	1145	hrs.	Barge approved to released with Logistics
November 7, 2020	1110	hrs.	Barge sailed
November 7, 2020	1135	hrs.	Shore Tank gauged close



**COASTAL GULF &
INTERNATIONAL, INC.**

"Precision"

Inspection & Analytical
Services

13615 River Road, Luling, LA. 70070

Phone (985)785-0765 Fax (985)785-1328

Assuring accuracy through expertise!

Vessel: *EMS 3001 & 3004B*

Date: *November 7, 2020*

Product: *CSO/MCB*

Terminal: *P.F.T.*

Subject: *Report of Loading*

Port: *Mt Airy, Louisiana*

ExxonMobil Ref. #: *5107066-10*

File Number: *99093*

Cabot Ref. #: *108282-118106*

SHORE TANK MEASUREMENT REPORT

SHORE TANK	INNAGE	TEMP. DEG. F	T.O.V. BARRELS	FACTOR	G.S.V, BARRELS
217					
6-Nov-20 2035	16' 00"	119.5	43,404.27		
	Water Volume (00' 00")		0.00	API	
Ambient Temp.	Shell Correction		1.00074	-2.3	
70.0	Roof Correction		0.00		
			43,436.39	0.98003	42,568.97
7-Nov-20 1135	09' 04"	115.4	25,134.68		
	Water Volume (00' 00")		0.00	API	
Ambient Temp.	Shell Correction		1.00068	-2.3	
74.0	Roof Correction		0.00		
			25,151.77	0.98141	24,684.20
Tank API	0.0				
Diff:	0.00				
Insulated	Yes				
Working Temp	60.0				
			Line Quantity		
			TCV:		17,884.77
			TOTAL:		17,884.77

Open: Tape Serial #: 20243 Probe Serial #: 8917 Close: Tape Serial #: 20243 Probe Serial #: 8917

Opening Guage Height 43' 02"	Reference Gauge Height 43' 01 1/8"	Closing Gauge Height 43' 02"
---------------------------------	---------------------------------------	---------------------------------

TOTAL QUANTITY

Barrels @ 60 °F	17,884.77
Gallons @ 60 °F	751,160.34
Pounds	6,852,085.00
Metric Tons	3,108.057
Short Tons	3,426.043
Long Tons	3,058.967
Pounds per Gallon	9.122
API Gravity @ 60°F	-2.30

Coastal Gulf & International, Inc.

Bentley Kraemer

Central Communication Center

Version 7.0 06-05-13 NLE



**COASTAL GULF &
INTERNATIONAL, INC.**

"Precision"
Inspection & Analytical
Services
13615 River Road, Luling, LA. 70070
Phone (985)785-0765 Fax (985)785-1328

Assuring accuracy through expertise!

Vessel: EMS 3001 & 3004B

Date: November 7, 2020

Product: CSO/MCB

Terminal: P.F.T.

Subject: Report of Loading

Port: Mt Airy, Louisiana

ExxonMobil Ref. #: 5107066-10

File Number: 99093

Cabot Ref. #: 108282-118106

VESSEL MEASUREMENT REPORT

EMS 3004B UPON ARRIVAL

Tank	Obs. Gauge Height	Gauge (Ft.)	Temp. (°F)	T.O.V. Barrels	Water		API @ 60° F	V.C. F	G.S.V Barrels
					Gauge	Barrels			
1 Port	14' 02"	14' 02"	60.0	68.64	00' 00"	0.00	-2.3	1.00000	68.64
1 Stbd	14' 01 3/4"	14' 01 3/4"	60.0	82.94	00' 00"	0.00	-2.3	1.00000	82.94
2 Port	14' 06"	14' 05"	60.0	12.74	00' 00"	0.00	-2.3	1.00000	12.74
2 Stbd	14' 05 1/2"	14' 05 1/2"	60.0	8.13	00' 00"	0.00	-2.3	1.00000	8.13
3 Port	14' 06"	14' 00"	60.0	135.02	00' 00"	0.00	-2.3	1.00000	135.02
3 Stbd	14' 06"	14' 00"	60.0	135.02	00' 00"	0.00	-2.3	1.00000	135.02
Tape Serial #: 20243 Probe Serial #: 8917					0.00		Total:		442.49

60.0 T.O.V. bbls Total **442.49**

EMS 3004B UPON DEPARTURE

Tank	Obs. Gauge Height	Gauge (Ft.)	Temp. (°F)	T.O.V. Barrels	Water		API @ 60° F	V.C. F	G.S.V Barrels
					Gauge	Barrels			
1 Port	14' 02"	09' 03 3/4"	109.9	1,857.30	00' 00"	0.00	-2.3	0.98327	1,826.23
1 Stbd	14' 01 3/4"	09' 04 1/2"	109.0	1,841.66	00' 00"	0.00	-2.3	0.98357	1,811.40
2 Port	14' 06"	10' 06"	107.3	1,416.30	00' 00"	0.00	-2.3	0.98414	1,393.84
2 Stbd	14' 05 1/2"	10' 05 1/4"	108.9	1,441.96	00' 00"	0.00	-2.3	0.98360	1,418.31
3 Port	14' 06"	10' 00 3/4"	106.2	1,579.64	00' 00"	0.00	-2.3	0.98451	1,555.17
3 Stbd	14' 06"	09' 11 1/4"	106.5	1,633.43	00' 00"	0.00	-2.3	0.98441	1,607.96
Tape Serial #: 20243 Probe Serial #: 8917					0.00		Total:		9,612.91

Arrival: 108.0 T.O.V. bbls Total **9,770.29**

QUANTITY RECEIVED

Fwd Port: <u>02' 00"</u>	Fwd Stbd: <u>02' 00"</u>	Barrels @ 60 °F	9,170.42
Aft Port: <u>02' 00"</u>	Aft Stbd.: <u>02' 00"</u>	Gallons @ 60 °F	385,157.64
Departure:		TCV Barrels	9,170.42
Fwd Port: <u>06' 00"</u>	Fwd Stbd: <u>06' 00"</u>	Pounds	3,513,408.00
Aft Port: <u>06' 00"</u>	Aft Stbd.: <u>06' 00"</u>	Metric Tons	1,593.657
		Short Tons	1,756.704
		Long Tons	1,568.486
		Lbs / Gallon	9.122
		API Gravity @ 60°F	-2.30

Coastal Gulf & International, Inc.

Bentley Kraemer

Central Communication Center

Version 7.0 06-05-13 NLE



**COASTAL GULF &
INTERNATIONAL, INC.**

"Precision"
Inspection & Analytical
Services
13615 River Road, Luling, LA. 70070
Phone (985)785-0765 Fax (985)785-1328

Assuring accuracy through expertise!

Vessel: EMS 3001 & 3004B **Date:** November 7, 2020
Product: CSO/MCB **Terminal:** P.F.T.
Subject: Report of Loading **Port:** Mt Airy, Louisiana
ExxonMobil Ref. #: 5107066-10 **File Number:** 99093
Cabot Ref. #: 108282-118106

GAUGE HEIGHT REPORT

Barge Name: EMS 3004B

<i>Tank No.</i>	<i>Observed Gauge Height Open</i>	<i>Reference Gauge Height</i>	<i>Observed Gauge Height Close</i>
1 Port	14' 02"	14' 05 3/4"	14' 02"
1 Stbd	14' 01 3/4"	14' 06 1/4"	14' 01 3/4"
2 Port	14' 06"	14' 06 1/4"	14' 06"
2 Stbd	14' 05 1/2"	14' 06 1/4"	14' 05 1/2"
3 Port	14' 06"	14' 06 1/2"	14' 06"
3 Stbd	14' 06"	14' 06 1/2"	14' 06"

ANCILLARY TANK MEASUREMENTS

<i>Tank No.</i>	<i>Observed Arrival Measurement</i>	<i>Observed Departure Measurement</i>
BOW	00' 00"	00' 00"
1 Port	00' 00"	00' 00"
1 Stbd	00' 00"	00' 00"
2 Port	00' 00"	00' 00"
2 Stbd	00' 00"	00' 00"
3 Port	00' 00"	00' 00"
3 Stbd	00' 00"	00' 00"
AFT	00' 00"	00' 00"

Coastal Gulf & International, Inc.

Bentley Kraemer

Central Communication Center

Version 7.0 06-05-13 NLE



**COASTAL GULF &
INTERNATIONAL, INC.**

"Precision"
Inspection & Analytical
Services
13615 River Road, Luling, LA. 70070
Phone (985)785-0765 Fax (985)785-1328

Assuring accuracy through expertise!

Vessel: EMS 3001 & 3004B

Date: November 7, 2020

Product: CSO/MCB

Terminal: P.F.T.

Subject: Report of Loading

Port: Mt Airy, Louisiana

ExxonMobil Ref. #: 5107066-10

File Number: 99093

Cabot Ref. #: 108282-118106

VESSEL MEASUREMENT REPORT

EMS 3001 UPON ARRIVAL

Tank	Obs. Gauge Height	Gauge (Ft.)	Temp. (°F)	T.O.V. Barrels	Water		API @ 60° F	V.C. F	G.S.V Barrels
					Gauge	Barrels			
1 Port	14' 10"	14' 09"	60.0	81.27	00' 00"	0.00	-2.3	1.00000	81.27
1 Stbd	14' 11"	14' 11"	60.0	25.00	00' 00"	0.00	-2.3	1.00000	25.00
2 Port	14' 08 1/2"	14' 07 1/4"	60.0	127.38	00' 00"	0.00	-2.3	1.00000	127.38
2 Stbd	14' 08"	14' 07"	60.0	142.79	00' 00"	0.00	-2.3	1.00000	142.79
3 Port	14' 07"	14' 05 1/2"	60.0	189.56	00' 00"	0.00	-2.3	1.00000	189.56
3 Stbd	14' 06 1/2"	14' 05 3/4"	60.0	181.82	00' 00"	0.00	-2.3	1.00000	181.82
Tape Serial #: 20243 Probe Serial #: 8917					0.00			Total:	747.82

60.0 T.O.V. bbls Total **747.82**

EMS 3001 UPON DEPARTURE

Tank	Obs. Gauge Height	Gauge (Ft.)	Temp. (°F)	T.O.V. Barrels	Water		API @ 60° F	V.C. F	G.S.V Barrels
					Gauge	Barrels			
1 Port	14' 10"	10' 10 1/4"	109.4	1,529.03	00' 00"	0.00	-2.3	0.98344	1,503.71
1 Stbd	14' 11"	10' 09"	108.9	1,567.74	00' 00"	0.00	-2.3	0.98360	1,542.03
2 Port	14' 08 1/2"	09' 06"	117.0	2,018.51	00' 00"	0.00	-2.3	0.98087	1,979.90
2 Stbd	14' 08"	09' 03 3/4"	116.2	2,095.70	00' 00"	0.00	-2.3	0.98114	2,056.18
3 Port	14' 07"	10' 10"	111.4	1,535.97	00' 00"	0.00	-2.3	0.98276	1,509.49
3 Stbd	14' 06 1/2"	10' 10 1/4"	110.7	1,528.24	00' 00"	0.00	-2.3	0.98300	1,502.26
Tape Serial #: 20243 Probe Serial #: 8917					0.00			Total:	10,093.57

Arrival: 112.3 T.O.V. bbls Total **10,275.19**

QUANTITY RECEIVED

Fwd Port: 02' 00" Fwd Stbd: 02' 00"
Aft Port: 02' 00" Aft Stbd.: 02' 00"

Barrels @ 60 °F 9,345.75
Gallons @ 60 °F 392,521.50
TCV Barrels 9,345.75
Pounds 3,580,581.00
Metric Tons 1,624.126
Short Tons 1,790.291
Long Tons 1,598.474
Lbs / Gallon 9.122
API Gravity @ 60°F -2.30

Departure:
Fwd Port: 06' 00" Fwd Stbd: 06' 00"
Aft Port: 06' 00" Aft Stbd.: 06' 00"

Coastal Gulf & International, Inc.

Bentley Kraemer

Central Communication Center

Version 7.0 06-05-13 NLE



**COASTAL GULF &
INTERNATIONAL, INC.**

"Precision"
Inspection & Analytical
Services
13615 River Road, Luling, LA. 70070
Phone (985)785-0765 Fax (985)785-1328

Assuring accuracy through expertise!

Vessel: EMS 3001 & 3004B **Date:** November 7, 2020
Product: CSO/MCB **Terminal:** P.F.T.
Subject: Report of Loading **Port:** Mt Airy, Louisiana
ExxonMobil Ref. #: 5107066-10 **File Number:** 99093
Cabot Ref. #: 108282-118106

GAUGE HEIGHT REPORT

Barge Name: EMS 3001

Tank No.	Observed Gauge Height Open	Reference Gauge Height	Observed Gauge Height Close
1 Port	14' 10"	14' 11"	14' 10"
1 Stbd	14' 11"	14' 11"	14' 11"
2 Port	14' 08 1/2"	14' 11"	14' 08 1/2"
2 Stbd	14' 08"	14' 10 3/4"	14' 08"
3 Port	14' 07"	14' 11"	14' 07"
3 Stbd	14' 06 1/2"	14' 11"	14' 06 1/2"

ANCILLARY TANK MEASUREMENTS

Tank No.	Observed Arrival Measurement	Observed Departure Measurement
BOW	00' 00"	00' 00"
1 Port	00' 00"	00' 00"
1 Stbd	00' 00"	00' 00"
2 Port	00' 00"	00' 00"
2 Stbd	00' 00"	00' 00"
3 Port	00' 00"	00' 00"
3 Stbd	00' 00"	00' 00"
AFT	00' 00"	00' 00"

Coastal Gulf & International, Inc.

Bentley Kraemer

Central Communication Center

Version 7.0 06-05-13 NLE



**COASTAL GULF &
INTERNATIONAL, INC.**

"Precision"

Inspection & Analytical
Services

13615 River Road, Luling, LA. 70070
Phone (985)785-0765 Fax (985)785-1328

Assuring accuracy through expertise!

Vessel: *EMS 3001 & 3004B*

Date: *November 7, 2020*

Product: *CSO/MCB*

Terminal: *P.F.T.*

Subject: *Report of Loading*

Port: *Mt Airy, Louisiana*

ExxonMobil Ref. #: *5107066-10*

File Number: *99093*

Cabot Ref. #: *108282-118106*

SHORE LINE VERIFICATION REPORT

Comparison made for Line Displacement at: Loading

SHORE TANK NO.: 217

	<u>Innage Gauge</u>	<u>Gross Barrels</u>
OPEN:	<u>16' 00"</u>	<u>43,404.27</u>
CLOSE:	<u>15' 09 1/8"</u>	<u>42,747.77</u>
GROSS BARRELS:	<u>Delivered</u>	<u>656.50</u>

BARGE: EMS 3004B

Prior to Displacement:

<u>Tank #</u>	<u>Ullage</u>	<u>Gross Barrels</u>
3p	14' 00"	135.02
3s	14' 00"	135.02
		270.04

On Completion of Displacement:

<u>Tank #</u>	<u>Ullage</u>	<u>Gross Barrels</u>
3p	13' 08"	254.99
3s	13' 05 1/4"	337.47
		592.46

Gross Barrels: 322.42

Vessel to Shore Difference: 334.08

Line Status: Empty

Line Capacity: 300.00

Variance: 34.08

Line Discrepancy: 10.57%

<u>Shore Line</u>	<u>Capacity</u>	<u>Tolerance*</u>
14"	300.00	50.00

Coastal Gulf & International, Inc.

Bentley Kraemer

Central Communication Center

Version 7.0 06-05-13 NLE



**COASTAL GULF &
INTERNATIONAL, INC.**

"Precision"

Inspection & Analytical
Services

13615 River Road, Luling, LA. 70070
Phone (985)785-0765 Fax (985)785-1328

Assuring accuracy through expertise!

<i>Vessel:</i>	<i>EMS 3001 & 3004B</i>	<i>Date:</i>	<i>November 7, 2020</i>
<i>Product:</i>	<i>CSO/MCB</i>	<i>Terminal:</i>	<i>P.F.T.</i>
<i>Subject:</i>	<i>Report of Loading</i>	<i>Port:</i>	<i>Mt Airy, Louisiana</i>
<i>ExxonMobil Ref. #:</i>	<i>5107066-10</i>	<i>File Number:</i>	<i>99093</i>
<i>Cabot Ref. #:</i>	<i>108282-118106</i>		

LINE VERIFICATION REPORT

SHORE TANK NO.: 217

	Gauge	Quantity
Shore Tank Measurment prior to line blow:	<u>09' 03 5/8"</u>	<u>25,048.97</u>

Shore Tank Measurment after line blow:	<u>09' 04 1/2"</u>	<u>25,248.81</u>
--	--------------------	------------------

Quantity received after blowing shore line:	<u>199.84</u>
---	---------------

Shore Line Capacity:	<u>300</u>
----------------------	------------

Difference:	<u>100.16 or 33.39%</u>
-------------	-------------------------

Coastal Gulf & International, Inc.

Bentley Kraemer

Central Communication Center



**COASTAL GULF &
INTERNATIONAL, INC.**

"Precision"

Inspection & Analytical
Services

13615 River Road, Luling, LA. 70070
Phone (985)785-0765 Fax (985)785-1328

Assuring accuracy through expertise!

Vessel:	EMS 3001 & 3004B	Date:	November 7, 2020
Product:	CSO/MCB	Terminal:	P.F.T.
Subject:	Report of Loading	Port:	Mt Airy, Louisiana
ExxonMobil Ref. #:	5107066-10	File Number:	99093
Cabot Ref. #:	108282-118106		

LETTER OF PROTEST

On Behalf of our principals, we hereby notify you that on the above date, the following occurred:

- | | | | | |
|-------------------------------------|--|----------------------------|---------------|--------------|
| <input type="checkbox"/> | Shore Tank was active during movement. | | | |
| <input type="checkbox"/> | Terminal would not allow a Line Displacement to take place | | | |
| <input type="checkbox"/> | Terminal didn't allow adequate settling time after movement. | | | |
| <input type="checkbox"/> | In transit Difference: | GSV at Loadport Departure: | | |
| | | GSV at Disport Arrival: | | |
| | | Difference | | |
| <input type="checkbox"/> | OBQ / ROB Difference: | OBQ at Loadport: | | |
| | | ROB at Disport: | | |
| | | Difference | | |
| <input type="checkbox"/> | Shore to Shore Difference: | GSV at Loadport: | | |
| | | GSV on Disport: | | |
| | | Difference | | |
| <input checked="" type="checkbox"/> | Vessel to Shore Difference: | Vessel Del./Rec. | 18,516.17 | |
| | | Shore Del./Rec. | 17,884.77 | |
| | | Difference | 631.40 | 3.41% |
| <input type="checkbox"/> | Free Water: | Opening Bbls. | | |
| | | Closing Bbls. | | |
| | | Difference | | |
| <input checked="" type="checkbox"/> | Barge company not able to provide sequential log. | | | |
| <input checked="" type="checkbox"/> | No Qualifying VEF at the Time of Loading | | | |
| <input checked="" type="checkbox"/> | VEF Info: 20 Total Movements: 2 Qualifying Movements / 18 Non-Qualifying Movements | | | |
| <input checked="" type="checkbox"/> | VEF Qualifying Range: 432.97 Bbls Barge over Shore to 727.57 Bbls Barge over Shore | | | |
| <input checked="" type="checkbox"/> | VEF Total Range: 349.76 Bbls Barge over Shore to 1090.53 Bbls Barge over Shore | | | |
| <input checked="" type="checkbox"/> | The Line Blow Back was Less than the Line Displacement by 134.24 Bbls | | | |

Accordingly, we are holding your terminal, Operators, and other interested parties responsible for the loss and damage thereby sustained, as well as any consequential loss and damage arising therefrom. Will you kindly acknowledge receipt on the copy thereof and return to us. **The signatures thus obtained are for receipt only and in no way acknowledge responsibility for the incident.**

Michael Briant
CGI Inspector

Refused to Sign
Vessel / Terminal Rep.

11/7/2020
Date



**COASTAL GULF &
INTERNATIONAL, INC.**

"Precision"
Inspection & Analytical
Services
13615 River Road, Luling, LA. 70070
Phone (985)785-0765 Fax (985)785-1328

®

Assuring accuracy through expertise!

Vessel:	EMS 3001 & 3004B	Date:	November 7, 2020
Product:	CSO/MCB	Terminal:	P.F.T.
Subject:	Report of Loading	Port:	Mt Airy, Louisiana
ExxonMobil Ref. #: 5107066-10		File Number:	99093
Cabot Ref. #: 108282-118106			

INSPECTION REPORT SUMMARY

Job Conditions:

Opening Ambient:	70° and clear
Closing Ambient:	74° and warm
Shore Conditions:	Normal

Vessel Conditions:	Normal
---------------------------	--------

General Information:

Type of Water Paste:	Kolor Kut
Vessel:	
Reference Gauge Height Location:	8 inch hatch and 2 inch ball valve
Stand Pipes:	None
Measurement Type:	Ullage
Measurement Equipment:	Tape
Trim Corrections Applied:	No
Quality Determination:	Shore Tank Prior Sample
Survey Equipment Owner:	Field Surveyor
Survey Equipment Operator:	Field Surveyor

Shore:	
Reference Gauge Height Location:	8 inch hatch
Stand Pipes:	None
Measurement Type:	Innage by Ullage
Measurement Equipment:	Tape
Temperature Equipment:	Electronic Hand Held

Comments:

Barge company not able to provide sequential log.
No Qualifying VEF at the Time of Loading
VEF Info: 20 Total Movements: 2 Qualifying Movements / 18 Non-Qualifying Movements
VEF Qualifying Range: 432.97 Bbls Barge over Shore to 727.57 Bbls Barge over Shore
VEF Total Range: 349.76 Bbls Barge over Shore to 1090.53 Bbls Barge over Shore
The Line Blow Back was Less than the Line Displacement by 134.24 Bbls

Coastal Gulf & International, Inc.

Bentley Kraemer

Central Communication Center



**COASTAL GULF &
INTERNATIONAL, INC.**

"Precision"
Inspection & Analytical
Services

13615 River Road, Luling, LA. 70070
Phone (985)785-0765 Fax (985)785-1328

Assuring accuracy through expertise!

Vessel: *EMS 3001 & 3004B*

Date: *November 7, 2020*

Product: *CSO/MCB*

Terminal: *P.F.T.*

Subject: *Report of Loading*

Port: *Mt Airy, Louisiana*

ExxonMobil Ref. #: *5107066-10*

File Number: *99093*

Cabot Ref. #: *108282-118106*

NON COMMERCIAL BILL OF LADING

THE FOLLOWING FORM APPLIES TO THE TRANSPORTATION OF SAMPLES THAT HAVE NO COMMERCIAL VALUE.

CHAIN OF CUSTODY ☐

SAMPLE TRANSPORTATION RECORD ☐

SAMPLE RECIEPT **X**

DOT SHIPPING NAME:	CSO/MCB	HAZARD CLASS:	3	UN#	1993	PKG GROUP:	III
---------------------------	---------	----------------------	---	------------	------	-------------------	-----

SAMPLE SIZE & NUMBER	SAMPLE SOURCE (BARGE, VESSEL, SHORE TANK)	TYPE OF SAMPLE (TOP, MIDDLE, BOTTOM,AVG)	SEAL NUMBER	DISTRIBUTION
5x 1 qt	st 217 (prior)	u, m , l, 1st, db	na	cgi
12x 1 qt	ems 3001 & 3004B (final)	running	na	cgi
2x 1 qt	ems 3001 & 3004B (final)	running	na	cgi

SIGNATURE BELOW IS TO CERTIFY THAT THE ABOVE NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, AND LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICATION, REGULATION OF THE DEPARTMENT OF TRANSPORTATION.

THIS DOCUMENT IS TO BE RETAINED BY THE SHIPPER / RECIEVER FOR NO LESS THAN 365 DAYS.

Michael Briant
FOR CGI

SIGNATURE IS TO VERIFY ABOVE
MENTIONED SAMPLES WHERE
RECEIVED BY YOUR FACILITY.

11/7/2020
DATE

TOLL FREE 24 HOUR EMERGENCY CONTACT (Fire, Accident, Exposure, Spill) CHEMTREC 1-800-424-9300