



ExxonMobil Oil Corporation

22777 Springwoods Village Parkway
Spring, TX 77389

Attention : **Martin Schnell**

MOVEMENT : Discharge
VESSEL : **WEB - 262 & 263**
LOCATION : CPT - Port Allen, LA
File N° : GON-10399
DATE : 03/28/2021 - 03/29/2021
REFERENCE N° : 5364221-20

Contents

Voyage Analysis Report
Shore Tank Quantity
Vessel Quantity Report
Line Displacement
Timelog

Dear Client,

Please find attached our Inspection Report No. GON-10399 corresponding to the Discharge operation of the captioned vessel, at place and date(s) shown above. The complete report is composed of individual field reports, which we believe are self-explanatory.

We trust that this report supplies the proper input needed so that we comply with your requirements. Should there be any points that need further clarification, please do not hesitate to contact us.

All Camin Cargo Control measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 98.3 et. seq. (Greenhouse Gas Mandatory Reporting Rule)

Yours Sincerely,

Camin Cargo Control

2137 S. Phillipe Ave. Gonzales, LA 70737
Phone: 225-307-0900
OpsGonzales@camincargo.com

www.camincargo.com



VOYAGE ANALYSIS REPORT N° GON-10399

VESSEL : WEB - 262 & 263
LOCATION : CPT - Port Allen, LA
PRODUCT : HAFO

MOVEMENT : Discharge
JOB COMPLETED : 29-MAR-2021
REFERENCE N° : 5364221-20

| Port | | VCF | Voyage# | Gauge Date | | | |
|---|--------------------------------|-----------|---------|-----------------|----------|----------------|-----------|
| LOAD | : ExxonMobil - Baton Rouge, LA | 6B | | 25-MAR-2021 | | | |
| DISCHARGE | : CPT - Port Allen, LA | 6B | | 28-MAR-2021 | | | |
| Barrels @ 60 °F | API @ 60 °F | TCV | FW | GSV | S&W | NSV | Reference |
| I. SHORE/SHORE COMPARISON | | | | | | | |
| 1. Loading Quantity | -1.5 | 36,773.32 | 1.07 | 36,772.25 | 0.00 | 36,772.25 | |
| 2. Outturn | -1.5 | 37,027.66 | 0.00 | 37,027.66 | 0.00 | 37,027.66 | |
| 3. Difference | | 254.34 | -1.07 | 255.41 | 0.00 | 255.41 | (2-1) |
| 4. Difference % | | 0.69 | | 0.69 | | 0.69 | (3/1*100) |
| Adjusted TCV Difference | | -757.99 | | | | | (3-b+l) |
| II. VESSEL/SHORE COMPARISON AT LOADPORT | | | | | | | |
| a. After Loading | | 37,959.21 | 0.00 | 37,959.21 | Liquid | Non-Liquid | |
| b. OBQ | | 1,012.33 | 0.00 | 1,012.33 | 1,012.33 | 0.00 | |
| c. Vessel Received | | 36,946.88 | 0.00 | 36,946.88 | | | (a-b) |
| d. Difference | | 173.56 | -1.07 | 174.63 | | | (c-1) |
| e. Difference % | | 0.47 | | 0.47 | | | (d/1*100) |
| f. Load Ratio | | 1.00472 | | | | | (c/1) |
| g. VEF | | | | | | | |
| h. Theoretical Shore | | | | | | | (c/g) |
| i. Theoretical Shore Diff. | | | | | | | (h-1) |
| j. Theoretical Shore Diff. % | | | | | | | (i/1*100) |
| III. VESSEL/SHORE COMPARISON AT DISPORT | | | | | | | |
| k. Before Discharge | | 37,064.93 | 0.00 | 37,064.93 | Liquid | Non-Liquid | |
| l. ROB | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| m. Vessel Delivered | | 37,064.93 | 0.00 | 37,064.93 | | | (k-l) |
| n. Difference | | -37.27 | | -37.27 | | | (2-m) |
| o. Difference % | | -0.10 | | -0.10 | | | (n/2*100) |
| p. Discharge Ratio | | 1.00101 | | | | | (m/2) |
| q. VEF | | | | | | | |
| r. Theoretical Shore | | | | | | | (m/q) |
| s. Theoretical Shore Diff. | | | | | | | (2-r) |
| t. Theoretical Shore Diff. % | | | | | | | (s/2*100) |
| IV. VESSEL IN TRANSIT COMPARISON | | | | | | | |
| u. In-Transit Diff. | | -894.28 | 0.00 | -894.28 | | | (k-a) |
| v. In-Transit Diff. % | | -2.36 | | -2.36 | Liquid | Non-Liquid | (u/a*100) |
| w. OBQ/ROB Difference | | 1,012.33 | 0.00 | 1,012.33 | 1,012.33 | 0.00 | (b-l) |
| Adjusted TCV Difference | | -757.99 | | S&W at Loadport | 0.000 % | S&W at Disport | 0.000 % |

There are an insufficient number of voyages to compute a Load VEF.

There are an insufficient number of voyages to compute a Discharge VEF.

Calculated as per Chapter 17.5

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

2137 S. Phillipe Ave.
 Gonzales, LA 70737
 Office Phone: 225-307-0900
 Email: OpsGonzales@camincargo.com

EXXM00-05 / 568439 / March 30, 2021

**QUANTITY CERTIFICATE N° GON- 10399**

Based on Shore Measurements

VESSEL : WEB - 262 & 263
LOCATION : CPT - Port Allen, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 29-MAR-2021
REFERENCE N° : 5364221-20

| | Gauge | TOV | Water Gauge | Water Vol. | CTSh | Roof Corr. | GOV | Amb. Temp | Temp. | API | VCf | GSV | S&W | S&W Vol. | NSV |
|--------------|--------------|----------------------------|-------------|------------|---------|------------|-------------------------------|-------------|-------|----------|--------------------------------|-------------|-----|----------|-------------|
| Tank: 110-09 | | Ref. Gauge Ht: 41-02 01/08 | | | | | Gauge Date Open: 28-Mar 07:05 | | | | Gauge Date Close: 29-Mar 13:50 | | | | |
| | Ft-In (Ull.) | Bbls | Ft-In | Bbls | Factor | Bbls | Bbls | °F | °F | @ 60°F | 6B | Bbls @ 60°F | % | @ 60°F | Bbls @ 60°F |
| O | 39-04 00/00 | 3,889.20 | --- | Nil | 1.00078 | --- | 3,892.23 | 71.0 | 123.0 | -1.8 (S) | 0.97874 | 3,809.48 | --- | --- | 3,809.48 |
| C | 25-06 01/02 | 41,677.19 | --- | Nil | 1.00077 | --- | 41,709.28 | 69.0 | 121.8 | -1.5 (C) | 0.97909 | 40,837.14 | --- | --- | 40,837.14 |
| | | 37,787.99 | | 0 | | | 37,817.05 | | | | | 37,027.66 | | | 37,027.66 |
| | | | | | | | | Line: | | --- | | | | | |
| | | | | | | | | Adjustment: | | --- | | | | | |

S=Submitted / C=Calculated / T=Tested by CCC / W=Tested by Terminal/Refinery & Witnessed by CCC

Totals computed using appropriate tables corresponding to Received API.

CSO/MCB - TOTAL QUANTITIES - RECEIVED

| | | | | | |
|--------------------------------|--------------|----------------|--------------|--------------------------|--------------|
| TCV, Barrels @ 60 °F | 37,027.66 | S&W | --- | | |
| Free Water Barrels | 0.00 | | --- | | |
| | GSV | | NSV | GSW | NSW |
| Barrels @ 60 °F | 37,027.66 | | 37,027.66 | Long Tons - Air | 6,294.284 |
| Gallons @ 60 °F | 1,555,161.72 | | 1,555,161.72 | Metric Tons - Air | 6,395.288 |
| API Gravity @ 60 °F (S) | -1.5 | | | Short Tons - Air | 7,049.598 |
| Lb/Gal @ 60 °F | 9.066064451 | | | Kilograms - Air | 6,395,288.0 |
| | | | | Pounds - Air | 14,099,196.0 |
| | | | | | 14,099,196.0 |

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.



VESSEL QUANTITY REPORT N° GON-10399

VESSEL : WEB - 262
LOCATION : CPT - Port Allen, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 29-MAR-2021
REFERENCE N° : 5364221-20

| Comp. No | Chart | RH | Phy GH | Gauge | TOV | Water | Water | Temp. | VCF | GSV @ 60 °F | | |
|----------|-------|-------|--------|-------|-------|-------|-----------|-------|-----|-------------|---------|-----------|
| | Ft-In | | Ft-In | Ft-In | Bbls | Gauge | Bbls | °F | 6B | Bbls | | |
| 01C | 15-01 | 00/00 | 05-02 | 00/00 | 09-11 | 00/00 | 5,012.85 | ---- | Nil | 115.4 | 0.98127 | 4,918.96 |
| 02P | 14-08 | 01/04 | 04-05 | 03/04 | 10-02 | 01/02 | 2,681.53 | ---- | Nil | 116.1 | 0.98103 | 2,630.66 |
| 02S | 14-08 | 03/04 | 04-06 | 01/02 | 10-02 | 01/04 | 2,664.76 | ---- | Nil | 114.6 | 0.98154 | 2,615.57 |
| 03P | 14-08 | 01/02 | 05-03 | 00/00 | 09-05 | 01/02 | 2,472.78 | ---- | Nil | 117.8 | 0.98045 | 2,424.44 |
| 03S | 14-08 | 01/02 | 05-00 | 01/02 | 09-08 | 00/00 | 2,538.99 | ---- | Nil | 121.6 | 0.97916 | 2,486.08 |
| 04C | 14-10 | 03/04 | 06-04 | 00/00 | 08-06 | 03/04 | 4,010.20 | ---- | Nil | 113.1 | 0.98205 | 3,938.22 |
| | | | | | | | 19,381.11 | | Nil | 116.0 | | 19,013.93 |

| Draft (Ft-in) | Fwd (P) | Fwd (S) | Aft (P) | Aft (S) | Trim | List |
|---------------|---------|---------|---------|---------|-------------|------|
| Before | 10-00 | 10-00 | 10-00 | 10-00 | 00-00 00/00 | 0.00 |

Note:

No Trim Correction was applied.

VESSEL QUANTITIES

ARRIVAL

| | |
|----------------------|-------------|
| TCV, Barrels @ 60 °F | 19,013.93 |
| Free Water Barrels | 0.00 |
| GSV | |
| Barrels @ 60 °F | 19,013.93 |
| Gallons @ 60 °F | 798,585.06 |
| API Gravity @ 60 °F | -1.5 (S) |
| Lb/Gal @ 60 °F | 9.066064451 |



VESSEL QUANTITY REPORT N° GON-10399

VESSEL : WEB - 262
LOCATION : CPT - Port Allen, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 29-MAR-2021
REFERENCE N° : 5364221-20

| Comp. No | Chart RH Ft-In | Phy GH Ft-In | Gauge Ft-In | TOV Bbls | Water Gauge | Water Bbls | Temp. °F | VCF 6B | GSV @ 60 °F Bbls-Liquid | GSV @ 60 °F Bbls-NonLiquid |
|----------|----------------|--------------|-------------|----------|-------------|------------|----------|---------|-------------------------|----------------------------|
| 01C | 15-01 00/00 | 14-11 01/04 | 00-01 03/04 | 29.18 | ---- | Nil | 60.0 | 1.00000 | 29.18 | |
| 01C-NL | 15-01 00/00 | | | Nil | | Nil | | | | |
| 02P | 14-08 01/04 | 14-08 00/00 | 00-00 01/04 | 21.14 | ---- | Nil | 60.0 | 1.00000 | 21.14 | |
| 02P-NL | 14-08 01/04 | | | Nil | | Nil | | | | |
| 02S | 14-08 03/04 | 14-07 01/04 | 00-01 01/02 | 41.51 | ---- | Nil | 60.0 | 1.00000 | 41.51 | |
| 02S-NL | 14-08 03/04 | | | Nil | | Nil | | | | |
| 03P | 14-08 01/02 | 14-06 01/02 | 00-02 00/00 | 51.14 | ---- | Nil | 60.0 | 1.00000 | 51.14 | |
| 03P-NL | 14-08 01/02 | | | Nil | | Nil | | | | |
| 03S | 14-08 01/02 | 14-06 01/02 | 00-02 00/00 | 51.12 | ---- | Nil | 60.0 | 1.00000 | 51.12 | |
| 03S-NL | 14-08 01/02 | | | Nil | | Nil | | | | |
| 04C | 14-10 03/04 | 14-06 01/02 | 00-04 01/04 | 130.92 | ---- | Nil | 60.0 | 1.00000 | 130.92 | |
| 04C-NL | 14-10 03/04 | | | Nil | | Nil | | | | |
| | | | | 325.01 | | Nil | 60.0 | | 325.01 | 0.00 |

| Draft (Ft-in) | Fwd (P) | Fwd (S) | Aft (P) | Aft (S) | Trim | List |
|---------------|---------|---------|---------|---------|-------------|------|
| Before | 10-00 | 10-00 | 10-00 | 10-00 | 00-00 00/00 | 0.00 |
| After | 02-00 | 02-00 | 02-00 | 02-00 | 00-00 00/00 | 0.00 |

Note:

No Trim Correction was applied.

| VESSEL QUANTITIES | ROB | DELIVERED | S&W | | | |
|----------------------|-------------|-------------|------------|-------------------|-------------|-------------|
| TCV, Barrels @ 60 °F | 325.01 | 18,688.92 | --- | | | |
| Free Water Barrels | 0.00 | 0.00 | --- | | | |
| | GSV | GSV | NSV | | GSW | NSW |
| Barrels @ 60 °F | 325.01 | 18,688.92 | 18,688.92 | Long Tons - Air | 3,176.905 | 3,176.905 |
| Gallons @ 60 °F | 13,650.42 | 784,934.64 | 784,934.64 | Metric Tons - Air | 3,227.885 | 3,227.885 |
| API Gravity @ 60 °F | -1.5 (S) | -1.5 (S) | | Short Tons - Air | 3,558.134 | 3,558.134 |
| Lb/Gal @ 60 °F | 9.066064451 | 9.066064451 | | Kilograms - Air | 3,227,885.0 | 3,227,885.0 |
| | | | | Pounds - Air | 7,116,268.0 | 7,116,268.0 |

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

2137 S. Phillipe Ave.
 Gonzales, LA 70737
 Office Phone: 225-307-0900
 Email: OpsGonzales@camincargo.com



VESSEL QUANTITY REPORT N° GON-10399

VESSEL : WEB - 263
LOCATION : CPT - Port Allen, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 29-MAR-2021
REFERENCE N° : 5364221-20

| Comp. No | Chart RH Ft-In | Phy GH Ft-In | Gauge Ft-In | TOV Bbls | Water Gauge | Water Bbls | Temp. °F | VCF 6B | GSV @ 60 °F Bbls |
|----------|----------------|--------------|-------------|-----------|-------------|------------|----------|---------|------------------|
| 01C | 15-00 01/02 | 15-00 01/02 | 09-11 01/04 | 4,945.50 | ---- | Nil | 121.3 | 0.97926 | 4,842.93 |
| 02P | 14-08 01/02 | 14-08 01/02 | 09-10 03/04 | 2,601.77 | ---- | Nil | 124.4 | 0.97821 | 2,545.08 |
| 02S | 14-08 01/02 | 14-08 01/02 | 09-10 03/04 | 2,589.62 | ---- | Nil | 122.9 | 0.97872 | 2,534.51 |
| 03P | 14-08 00/00 | 14-08 00/00 | 09-10 03/04 | 2,585.49 | ---- | Nil | 124.4 | 0.97821 | 2,529.15 |
| 03S | 14-08 01/02 | 14-08 01/02 | 09-11 01/02 | 2,614.07 | ---- | Nil | 121.9 | 0.97906 | 2,559.33 |
| 04C | 14-11 01/04 | 14-11 01/04 | 08-05 01/02 | 3,962.65 | ---- | Nil | 128.5 | 0.97681 | 3,870.76 |
| | | | | 19,299.10 | | Nil | 123.9 | | 18,881.76 |

| Draft (Ft-in) | Fwd (P) | Fwd (S) | Aft (P) | Aft (S) | Trim | List |
|---------------|---------|---------|---------|---------|-------------|------|
| Before | 10-00 | 10-00 | 10-00 | 10-00 | 00-00 00/00 | 0.00 |

Note:

No Trim Correction was applied.

| VESSEL QUANTITIES | ARRIVAL |
|----------------------|-------------|
| TCV, Barrels @ 60 °F | 18,881.76 |
| Free Water Barrels | 0.00 |
| | GSV |
| Barrels @ 60 °F | 18,881.76 |
| Gallons @ 60 °F | 793,033.92 |
| API Gravity @ 60 °F | -1.5 (S) |
| Lb/Gal @ 60 °F | 9.066064451 |



VESSEL QUANTITY REPORT N° GON-10399

VESSEL : WEB - 263
LOCATION : CPT - Port Allen, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 29-MAR-2021
REFERENCE N° : 5364221-20

| Comp. No | Chart RH Ft-In | Phy GH Ft-In | Gauge Ft-In | TOV Bbls | Water Gauge | Water Bbls | Temp. °F | VCF 6B | GSV @ 60 °F Bbls-Liquid | GSV @ 60 °F Bbls-NonLiquid |
|----------|----------------|--------------|-------------|----------|-------------|------------|----------|---------|-------------------------|----------------------------|
| 01C | 15-00 01/02 | 15-00 01/02 | 14-11 01/02 | 16.60 | ---- | Nil | 60.0 | 1.00000 | 16.60 | |
| 01C-NL | 15-00 01/02 | | | Nil | | Nil | | | | |
| 02P | 14-08 01/02 | 14-08 01/02 | 14-07 00/00 | 41.53 | ---- | Nil | 60.0 | 1.00000 | 41.53 | |
| 02P-NL | 14-08 01/02 | | | Nil | | Nil | | | | |
| 02S | 14-08 01/02 | 14-08 01/02 | 14-06 03/04 | 46.36 | ---- | Nil | 60.0 | 1.00000 | 46.36 | |
| 02S-NL | 14-08 01/02 | | | Nil | | Nil | | | | |
| 03P | 14-08 00/00 | 14-08 00/00 | 14-06 00/00 | 51.09 | ---- | Nil | 60.0 | 1.00000 | 51.09 | |
| 03P-NL | 14-08 00/00 | | | Nil | | Nil | | | | |
| 03S | 14-08 01/02 | 14-08 01/02 | 14-06 01/02 | 51.09 | ---- | Nil | 60.0 | 1.00000 | 51.09 | |
| 03S-NL | 14-08 01/02 | | | Nil | | Nil | | | | |
| 04C | 14-11 01/04 | 14-11 01/04 | 14-02 03/04 | 299.08 | ---- | Nil | 60.0 | 1.00000 | 299.08 | |
| 04C-NL | 14-11 01/04 | | | Nil | | Nil | | | | |
| | | | | 505.75 | | Nil | 60.0 | | 505.75 | 0.00 |

| Draft (Ft-in) | Fwd (P) | Fwd (S) | Aft (P) | Aft (S) | Trim | List |
|---------------|---------|---------|---------|---------|-------------|------|
| Before | 10-00 | 10-00 | 10-00 | 10-00 | 00-00 00/00 | 0.00 |
| After | 02-00 | 02-00 | 02-00 | 02-00 | 00-00 00/00 | 0.00 |

Note:

No Trim Correction was applied.

| VESSEL QUANTITIES | ROB | DELIVERED | S&W | | | |
|----------------------|-------------|-------------|------------|-------------------|-------------|-------------|
| TCV, Barrels @ 60 °F | 505.75 | 18,376.01 | --- | | | |
| Free Water Barrels | 0.00 | 0.00 | --- | | | |
| | GSV | GSV | NSV | | GSW | NSW |
| Barrels @ 60 °F | 505.75 | 18,376.01 | 18,376.01 | Long Tons - Air | 3,123.714 | 3,123.714 |
| Gallons @ 60 °F | 21,241.50 | 771,792.42 | 771,792.42 | Metric Tons - Air | 3,173.840 | 3,173.840 |
| API Gravity @ 60 °F | -1.5 (S) | -1.5 (S) | | Short Tons - Air | 3,498.560 | 3,498.560 |
| Lb/Gal @ 60 °F | 9.066064451 | 9.066064451 | | Kilograms - Air | 3,173,840.0 | 3,173,840.0 |
| | | | | Pounds - Air | 6,997,120.0 | 6,997,120.0 |

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

2137 S. Phillipe Ave.
 Gonzales, LA 70737
 Office Phone: 225-307-0900
 Email: OpsGonzales@camincargo.com



LINE DISPLACEMENT REPORT N° GON-10399

VESSEL : WEB - 262 & 263
LOCATION : CPT - Port Allen, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 29-MAR-2021
REFERENCE N° : 5364221-20

| Shore Tank | Observed Gauges | | TOV | Temp. | API | VCF | TCV |
|-------------------------|-----------------|-------------|----------|-------|---------|---------|--------------|
| Gauge Date: 28-MAR-2021 | Ft-In (Ull.) | | Bbls | °F | @ 60 °F | 6B | Bbls @ 60 °F |
| 110-09 | O | 39-04 00/00 | 3,889.20 | 122.1 | -1.5 | 0.97899 | 1,480.44 |
| | C | 38-09 03/08 | 5,401.41 | | | | |
| | | | 1,512.21 | | | | |
| Total | | | 1,512.21 | | | | 1,480.44 |

| | | | | |
|------------|--------|------|------------------|-------------------------------|
| Shore Line | Length | Size | Nominal Capacity | Condition Before Displacement |
| | 0 km | 0" | 0.00 Bbls | Empty |

| Vessel | Observed Gauges | | TOV | Temp. | API | VCF | TCV |
|-----------|-----------------|-------------|----------|----------|---------|---------|--------------|
| WEB - 263 | Ft-In (Ull.) | | Bbls | °F | @ 60 °F | 6B | Bbls @ 60 °F |
| 01C | O | 09-11 01/04 | 4,945.50 | 123.9 | -1.5 | 0.97838 | 1,524.65 |
| | C | 06-09 03/04 | 3,387.16 | | | | |
| | | | 1,558.34 | | | | |
| Total | | | 1,558.34 | 1,524.65 | | | |

| | | | | |
|-----------------|------------------|-----------------|------------------|---------------------------|
| Vessel's System | Condition Before | Condition After | Nominal Capacity | Adjusted Volume Displaced |
| | Full | Full | 0.00 Bbls | 0.00 |

Note: Unable to obtain Line Capacity from terminal

| | TOV | |
|--------------------------|----------|-----------|
| | Barrels | Gallons |
| Total Tank | 1,512.21 | 63,512.82 |
| Total Vessel | 1,558.34 | 65,450.28 |
| Volume Difference | -46.13 | -1,937.46 |
| % Difference | 3.05 | 3.05 |

As per API Ch. 17.6 TOV of the product displaced was at least 120% of the combined capacity of all designated vessel and shore transfer lines unless the conditions referred to in 17.6.8.1.1 applied, then 100 % of line capacity.

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

2137 S. Phillipe Ave.
 Gonzales, LA 70737
 Office Phone: 225-307-0900
 Email: OpsGonzales@camincargo.com

**TIME LOG REPORT N° GON-10399**

VESSEL : WEB - 262 & 263
LOCATION : CPT - Port Allen, LA
PRODUCT : CSO/MCB

MOVEMENT : Discharge
JOB COMPLETED : 29-MAR-2021
REFERENCE N° : 5364221-20

| Date | Time | Description |
|-------------|-------|---|
| 28-MAR-2021 | 02:58 | Inspector Notified |
| | 04:35 | Inspector Arrived |
| | 04:50 | Barge(s) Arrived |
| | 05:10 | Barge(s) Docked |
| | 05:50 | Hose(s) Connected |
| | 06:52 | Inspector on Board |
| | 07:05 | Shore Tank 110-09 Gauged Open |
| | 07:25 | Preliminary Inspection Completed |
| | 07:25 | Preliminary Calculations Commenced |
| | 07:25 | Preliminary Calculations Completed |
| | 07:30 | Discharge Commenced (WEB - 263) |
| | 08:25 | Discharge Suspended |
| | 08:30 | Line Verification Commenced |
| | 09:00 | Line Verification Completed |
| | 09:05 | Discharge Resumed |
| | 09:25 | Inspector Departed |
| | 12:00 | Inspector Notified |
| | 13:20 | Inspector Arrived |
| | 13:45 | Discharge Completed (WEB - 263) |
| | 13:50 | Final Inspection Commenced |
| | 14:00 | Final Inspection Completed |
| | 14:00 | Final Calculations Commenced |
| | 14:10 | Final Calculations Completed |
| | 14:20 | Hose(s) Disconnected (WEB - 263) |
| | 14:25 | Released |
| | 15:50 | Barge(s) Arrived |
| | 16:00 | Inspector on Board |
| | 16:10 | Preliminary Inspection Commenced |
| | 16:10 | Barge(s) Docked |
| | 16:30 | Hose(s) Connected |
| | 16:35 | Preliminary Inspection Completed |
| | 16:35 | Preliminary Calculations Commenced |
| | 16:50 | Discharge Commenced (WEB - 262) |
| | 17:00 | Preliminary Calculations Completed |
| | 21:31 | Inspector Notified |
| | 22:55 | Inspector Arrived |
| | 23:10 | Inspector on Board |
| | 23:45 | Discharge Completed (WEB - 262) |
| | 23:50 | Final Inspection Commenced |
| 29-MAR-2021 | 00:00 | Hose(s) Disconnected (WEB - 262) |
| | 00:01 | Final Inspection Completed |
| | 00:01 | Final Calculations Commenced |
| | 00:05 | Final Calculations Completed |
| | 00:15 | Released |
| | 13:50 | Shore Tank 110-09 Gauged Close |
| | 16:32 | Sent for/Awaiting Confirmation |
| | 16:42 | Received confirmation from the terminal |

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.