

$e$

Here are some nice formulas for  $e$  – there are lots more:

$$e = 1 + \frac{1}{1!} + \frac{1}{2!} + \frac{1}{3!} + \frac{1}{4!} + \dots$$

$$\frac{1}{e} = 1 - \frac{1}{1!} + \frac{1}{2!} - \frac{1}{3!} + \frac{1}{4!} - \dots$$

$$\text{If } n \rightarrow \infty \text{ then } \left(1 + \frac{1}{n}\right)^n \rightarrow e$$

$$\text{If } n \rightarrow \infty \text{ then } \left(1 - \frac{1}{n}\right)^n \rightarrow \frac{1}{e}$$

$$\text{If } n \rightarrow \infty \text{ then } \frac{n}{(n!)^{1/n}} \rightarrow e$$

Example 1

$e$  and compound interest

I invest £1 for one year. How much is my investment worth if ...

a) the interest rate is 100% per year

$$\text{answer } £(1+1)^1$$

b) the interest rate is 50% per 1/2 year

$$\text{answer } £\left(1 + \frac{1}{2}\right)^2$$

c) the interest rate is 10% per 1/10 year

$$\text{answer } £\left(1 + \frac{1}{10}\right)^{10}$$

d) the interest rate is 5% per 1/20 year

$$\text{answer } £\left(1 + \frac{1}{20}\right)^{20}$$

e) the interest rate is  $(100/n)\%$  per  $1/n$  year

$$\text{answer } £\left(1 + \frac{1}{n}\right)^n$$

Note:

as  $n \rightarrow \infty$  so  $\text{answer} \rightarrow £e$

### Example 2

$e$  and arranging ornaments

I have 3 ornaments. In how many ways can I arrange some (or none) ornaments in a line on my mantelpiece? see chapter: Arrangements and Selections

There are  $(3P0)$  arrangements with no ornaments.

There are  $(3P1)$  arrangements with one ornament.

There are  $(3P2)$  arrangements with two ornaments.

There are  $(3P3)$  arrangements with three ornaments.

The total number of arrangements is:

$$(3P0)+(3P1)+(3P2)+(3P3)=\frac{3!}{3!}+\frac{3!}{2!}+\frac{3!}{1!}+3!=3!\left(\frac{1}{3!}+\frac{1}{2!}+\frac{1}{1!}+1\right)=3!\left(1+\frac{1}{1!}+\frac{1}{2!}+\frac{1}{3!}\right)$$

In general:

If I have  $n$  ornaments then the number of arrangements is:

$$n!\left(1+\frac{1}{1!}+\frac{1}{2!}+\dots+\frac{1}{n!}\right)$$

If  $n$  is large then the number of arrangements is about  $n!e$

### Example 3

Theorem

$$e < 3$$

Proof:

$$e = 1 + \left(1 + \frac{1}{2!} + \frac{1}{3!} + \frac{1}{4!} + \frac{1}{5!} + \dots\right) < 1 + \left(1 + \frac{1}{2^1} + \frac{1}{2^2} + \frac{1}{2^3} + \frac{1}{2^4} + \dots\right) = 1 + \frac{1}{1-1/2} = 3$$

### Example 4

Theorem

$e$  is irrational

Note:

$$\frac{7!}{8!} + \frac{7!}{9!} + \frac{7!}{10!} + \dots = \left(\frac{1}{8}\right) + \left(\frac{1}{8 \times 9}\right) + \left(\frac{1}{8 \times 9 \times 10}\right) + \dots < \frac{1}{8^1} + \frac{1}{8^2} + \frac{1}{8^3} + \dots = \frac{\frac{1}{8}}{\left(1 + \frac{1}{8}\right)} = \frac{1}{7}$$

So:

$$\frac{7!}{8!} + \frac{7!}{9!} + \frac{7!}{10!} + \dots < \frac{1}{7}$$

Proof (by contradiction)

Assume  $e$  is rational, say  $e = \frac{19}{7}$

Now:

$$e = 1 + \frac{1}{1!} + \frac{1}{2!} + \frac{1}{3!} + \frac{1}{4!} + \dots$$

So:

$$\frac{19}{7} = 1 + \frac{1}{1!} + \frac{1}{2!} + \frac{1}{3!} + \frac{1}{4!} + \dots$$

So:

$$\frac{19}{7} \times 7! = \left( 7! + \frac{7!}{1!} + \frac{7!}{2!} + \frac{7!}{3!} + \dots + \frac{7!}{7!} \right) + \left( \frac{7!}{8!} + \frac{7!}{9!} + \frac{7!}{10!} + \dots \right)$$

The LHS is an integer and the first bracket on the RHS is an integer but the second bracket isn't – see above.

Contradiction.

If we assume:

$e = \frac{p}{q}$  where  $p$  and  $q$  are any positive integers, then we can repeat the above argument and again get a contradiction. So  $e$  must be irrational.

It has been proved that  $e$ ,  $\pi$  and  $e^\pi$  are irrational

We do not know about  $\pi + e$ ,  $\pi e$ ,  $\pi^\pi$ ,  $e^e$ ,  $\pi^e$

Example 5 if you know about differentiation ...

Investigation

$2^4 = 4^2$  Can you think of another pair of positive integers with this property?

Hint:

If:

$$p^q = q^p$$

show that:


$$q \ln p = p \ln q$$

so:

$$\frac{\ln p}{p} = \frac{\ln q}{q}$$

Here is the graph:

$$y = \frac{\ln x}{x}$$



We want two different  $x$  values, call them  $p$  and  $q$  with the same  $y$  value.

So we want to be able to draw a horizontal line that cuts the graph twice.

Use differentiation to show that the maximum point on the graph occurs at  $x=e$

Hence show that  $2^4=4^2$  is the only solution of  $p^q=q^p$  if  $p$  and  $q$  are positive integers.

Also

The maximum on the graph occurs at  $x=e$

So:

$$\frac{\ln e}{e} > \frac{\ln x}{x} \text{ for any } x \text{ value, in particular } \frac{\ln e}{e} > \frac{\ln \pi}{\pi}$$

Show:

$$\pi \ln e > e \ln \pi$$

Show:

$$e^\pi > \pi^e$$