

Dec 1 2023 Coordination

Point of contact

Point of
contact:

Address:

Phone:

E-mail:

Notes:

Venue information

Venue:

Address:

Phone:

E-mail:

Coordination report

RF zone: 4D Interior

Primary frequencies (5)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (5)				
ULXD/Standard	G50		G:-- Ch:--	479.175 MHz
ULXD/Standard	G50		G:-- Ch:--	479.600 MHz
ULXD/Standard	G50		G:-- Ch:--	482.275 MHz
ULXD/Standard	G50		G:-- Ch:--	483.150 MHz
ULXD/Standard	G50		G:-- Ch:--	529.350 MHz

Backup frequencies (4)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (4)				
ULXD/Standard	G50		G:-- Ch:--	518.700 MHz
ULXD/Standard	G50		G:-- Ch:--	520.550 MHz
ULXD/Standard	G50		G:-- Ch:--	521.625 MHz
ULXD/Standard	G50		G:-- Ch:--	523.075 MHz

RF zone: Driving School

Primary frequencies (1)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (1)				
ULX	G3		G:02 Ch:05	479.900 MHz

Backup frequencies (1)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULX	G3		G:06 Ch:06	476.800 MHz

RF zone: Duplo Schoolhouse

Primary frequencies (2)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50	TeachOne	G:-- Ch:--	523.475 MHz
ULXD/Standard	G50	TeachTwo	G:-- Ch:--	485.125 MHz

Backup frequencies (1)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULXD/Standard	G50		G:-- Ch:--	472.350 MHz

RF zone: EVENT Kingdoms Stage

Primary frequencies (3)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (3)				
PSM900	G7		G:-- Ch:--	518.375 MHz
ULXD/Standard	J50A		G:-- Ch:--	592.100 MHz
ULXD/Standard	J50A		G:-- Ch:--	593.000 MHz

Backup frequencies (3)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (3)				
PSM900	G7		G:-- Ch:--	529.025 MHz
ULXD/Standard	J50A		G:-- Ch:--	590.450 MHz
ULXD/Standard	J50A		G:-- Ch:--	594.825 MHz

RF zone: EVENT Market Circle

Primary frequencies (2)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	J50A		G:-- Ch:--	576.775 MHz
ULXD/Standard	J50A		G:-- Ch:--	603.650 MHz

Backup frequencies (2)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	J50A		G:-- Ch:--	590.525 MHz
ULXD/Standard	J50A		G:-- Ch:--	606.650 MHz

RF zone: EVENT Miniland

Primary frequencies (4)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (4)				
ULXD/Standard	G50		G:-- Ch:--	483.200 MHz
ULXD/Standard	G50		G:-- Ch:--	520.600 MHz
ULXD/Standard	G50		G:-- Ch:--	522.800 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	519.850 MHz

Backup frequencies (2)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50		G:-- Ch:--	472.450 MHz
ULXD/Standard	G50		G:-- Ch:--	473.000 MHz

RF zone: EVENT OUTSIDE 4D

Primary frequencies (4)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (4)				
PSM900	G7		G:-- Ch:--	521.000 MHz
PSM900	G7		G:-- Ch:--	524.100 MHz
QLXD	J50A		G:-- Ch:--	593.650 MHz
QLXD	J50A		G:-- Ch:--	603.900 MHz

Backup frequencies (4)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (4)				
PSM900	G7		G:-- Ch:--	526.050 MHz
PSM900	G7		G:-- Ch:--	529.825 MHz
QLXD	J50A		G:-- Ch:--	595.225 MHz

Type	Band	Source	Group & Channel	Frequency
QLXD	J50A		G:-- Ch:--	604.925 MHz

RF zone: EVENT South Stadium

Primary frequencies (4)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (4)				
ULXD/Standard	G50		G:-- Ch:--	529.800 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	471.375 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	484.450 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	524.050 MHz

Backup frequencies (2)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50	Shure	G:-- Ch:--	526.725 MHz
ULXD/Standard	G50	(WWB: EVENT South Stadium)	G:-- Ch:--	527.850 MHz

RF zone: EVENT Technic

Primary frequencies (1)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (1)				
ULXD/Standard	G50	Shure	G:-- Ch:--	527.325 MHz

Backup frequencies (1)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULXD/Standard	G50		G:-- Ch:--	483.250 MHz

RF zone: EVENT Unikitty

Primary frequencies (1)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (1)				
QLXD	G50		G:-- Ch:--	519.275 MHz

Backup frequencies (1)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
QLXD	G50		G:-- Ch:--	520.300 MHz

RF zone: Event HLH

Primary frequencies (4)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (4)				
ULXD/Standard	G50		G:-- Ch:--	470.875 MHz
ULXD/Standard	G50		G:-- Ch:--	481.300 MHz
ULXD/Standard	G50		G:-- Ch:--	486.025 MHz
ULXD/Standard	G50		G:-- Ch:--	521.500 MHz

Backup frequencies (2)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50		G:-- Ch:--	475.300 MHz
ULXD/Standard	G50		G:-- Ch:--	528.375 MHz

RF zone: Hotel Castle Stage

Primary frequencies (2)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50		G:-- Ch:--	471.875 MHz
ULXD/Standard	G50		G:-- Ch:--	527.450 MHz

Backup frequencies (1)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULXD/Standard	G50		G:-- Ch:--	519.950 MHz

RF zone: Hotel Pirate Stage

Primary frequencies (4)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (4)				
ULXD/Standard	G50		G:-- Ch:--	485.275 MHz
ULXD/Standard	G50		G:-- Ch:--	528.100 MHz
ULXD/Standard	G50	Pirate 1	G:-- Ch:--	472.800 MHz
ULXD/Standard	G50	Pirate 2	G:-- Ch:--	526.100 MHz

Backup frequencies (2)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50		G:-- Ch:--	473.600 MHz
ULXD/Standard	G50		G:-- Ch:--	483.900 MHz

RF zone: LCS

Primary frequencies (8)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (8)				

Type	Band	Channel name	Group & Channel	Frequency
PSM900	G7	Shure	G:-- Ch:--	527.125 MHz
PSM900	G7	Shure	G:-- Ch:--	528.425 MHz
ULXD/Standard	J50A	Backup	G:-- Ch:--	591.175 MHz
ULXD/Standard	J50A	Lexi	G:-- Ch:--	602.625 MHz
ULXD/Standard	J50A	Sam	G:-- Ch:--	580.900 MHz
ULXD/Standard	J50A	Shure	G:-- Ch:--	593.950 MHz
ULXD/Standard	J50A	Shure	G:-- Ch:--	595.025 MHz
ULXD/Standard	J50A	Switch	G:-- Ch:--	606.850 MHz

Backup frequencies (6)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (6)				
PSM900	G7		G:-- Ch:--	520.625 MHz
PSM900	G7		G:-- Ch:--	521.600 MHz
ULXD/Standard	J50A		G:-- Ch:--	575.700 MHz
ULXD/Standard	J50A		G:-- Ch:--	580.475 MHz
ULXD/Standard	J50A		G:-- Ch:--	594.575 MHz
ULXD/Standard	J50A		G:-- Ch:--	595.650 MHz

RF zone: Master Model Builder

Primary frequencies (2)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50	Shure	G:-- Ch:--	480.325 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	481.450 MHz

Backup frequencies (1)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				

Type	Band	Source	Group & Channel	Frequency
ULXD/Standard	G50		G:-- Ch:--	524.775 MHz

RF zone: Parkwide Backup Freq

Primary frequencies (4)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (4)				
PSM1000	G10		G:-- Ch:--	474.025 MHz
ULX	G3	Shure	G:02 Ch:03	477.450 MHz
ULXD/Standard	G50		G:-- Ch:--	525.225 MHz
ULXD/Standard	J50A		G:-- Ch:--	615.050 MHz

Backup frequencies (0)

RF zone: Peppa Stage

Primary frequencies (3)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (3)				
QLXD	J50A	Shure	G:-- Ch:--	575.450 MHz
QLXD	J50A	Shure	G:-- Ch:--	575.800 MHz
QLXD	J50A	Shure	G:-- Ch:--	578.400 MHz

Backup frequencies (2)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (2)				
QLXD	J50A		G:-- Ch:--	583.350 MHz
QLXD	J50A		G:-- Ch:--	607.150 MHz

RF zone: Rescue Academy

Primary frequencies (2)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (2)				
ULX	G3	Shure	G:10 Ch:08	481.675 MHz
ULX	G3	Shure	G:03 Ch:04	483.925 MHz

Backup frequencies (1)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULX	G3		G:10 Ch:05	475.500 MHz

RF zone: Ski

Primary frequencies (6)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (6)				
PSM1000	G10	Char	G:-- Ch:--	472.675 MHz
PSM1000	G10	K&K	G:-- Ch:--	519.050 MHz
ULXD/Standard	G50	Keel	G:-- Ch:--	522.300 MHz
ULXD/Standard	G50	Ketch	G:-- Ch:--	482.575 MHz
ULXD/Standard	G50	SL Spare	G:-- Ch:--	527.300 MHz
ULXD/Standard	G50	SR Spare	G:-- Ch:--	518.400 MHz

Backup frequencies (3)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (3)				
PSM1000	G10		G:-- Ch:--	470.925 MHz
ULXD/Standard	G50		G:-- Ch:--	523.325 MHz
ULXD/Standard	G50		G:-- Ch:--	529.200 MHz

Frequency coordination parameters

Exclusions

Active TV channels (14)

Type	Channels
Digital	10, 12, 13, 17, 18, 19, 20, 21, 25, 29, 9
Other	24, 33, 35

Other exclusions (49)

Type	Source	Frequency	Notes
Range	Scan	487.955 MHz - 487.995 MHz	
Range	Scan	488.005 MHz - 506.047 MHz	
Single	Scan	488.325 MHz	
Single	Scan	498.800 MHz	
Single	Scan	500.350 MHz	
Range	Scan	506.062 MHz - 506.083 MHz	
Range	Scan	506.112 MHz - 511.918 MHz	
Range	Scan	511.933 MHz - 511.964 MHz	
Range	Scan	512.202 MHz - 517.783 MHz	
Range	Scan	517.825 MHz - 517.825 MHz	
Range	Scan	518.197 MHz - 518.202 MHz	
Range	Scan	518.247 MHz - 518.359 MHz	
Range	Scan	518.390 MHz - 518.409 MHz	
Range	Scan	522.075 MHz -	

Type	Source	Frequency	Notes
		522.075 MHz	
Range	Scan	528.075 MHz - 528.100 MHz	
Range	Scan	528.141 MHz - 528.227 MHz	
Range	Scan	530.190 MHz - 530.209 MHz	
Range	Scan	530.242 MHz - 530.365 MHz	
Range	Scan	530.384 MHz - 530.417 MHz	
Range	Scan	530.775 MHz - 530.775 MHz	
Range	Scan	531.275 MHz - 531.275 MHz	
Range	Scan	531.325 MHz - 531.350 MHz	
Range	Scan	531.400 MHz - 531.400 MHz	
Range	Scan	531.475 MHz - 531.475 MHz	
Range	Scan	531.575 MHz - 531.575 MHz	
Range	Scan	531.675 MHz - 531.700 MHz	
Range	Scan	531.750 MHz - 531.875 MHz	
Range	Scan	531.925 MHz - 531.950 MHz	
Range	Scan	532.025 MHz - 532.025 MHz	
Range	Scan	532.100 MHz - 532.125 MHz	
Range	Scan	532.175 MHz -	

Type	Source	Frequency	Notes
		532.225 MHz	
Range	Scan	532.275 MHz - 532.300 MHz	
Range	Scan	532.450 MHz - 532.450 MHz	
Range	Scan	532.500 MHz - 532.525 MHz	
Range	Scan	532.600 MHz - 532.600 MHz	
Range	Scan	532.675 MHz - 532.675 MHz	
Range	Scan	532.725 MHz - 532.725 MHz	
Range	Scan	532.775 MHz - 532.800 MHz	
Range	Scan	532.850 MHz - 532.850 MHz	
Range	Scan	533.125 MHz - 533.150 MHz	
Range	Scan	533.225 MHz - 533.225 MHz	
Range	Scan	533.375 MHz - 533.375 MHz	
Range	Scan	533.462 MHz - 533.500 MHz	
Range	Scan	533.575 MHz - 533.600 MHz	
Range	Scan	533.650 MHz - 533.700 MHz	
Range	Scan	533.750 MHz - 533.750 MHz	
Range	Scan	533.812 MHz - 533.837 MHz	
Range	Scan	533.875 MHz -	

Type	Source	Frequency	Notes
		533.900 MHz	
Range	Scan	533.950 MHz - 533.975 MHz	

Created on 1 Dec 2023 at 9:30PM
Generated using Wireless Workbench 7.0.0.400