Practice Session 3

The Relationship Between Two Quantitative Variables: Correlation and Regression

In this session you might use the formula of the correlation between two quantitative variables:

$$r_{xy} = \frac{1}{(n-1)s_z s_y} \sum_{i=1}^n \left(x_i - \bar{x}\right) \left(y_i - \bar{y}\right)$$

Remember that the fitted regression line is defined by the equation:

- $\hat{y} = a + bx$, or
- Response = $a + b \cdot (Explanatory)$
- Residuals = observed predicted = y \hat{y}

Where:


- Response: is the response variable or the dependent variable
- Explanatory: is the independent variable
- a: is the y-intercept
- b: is the slope of the regression line

You may use the following R functions: plot(), lm(), cor(), abline(). And you might need to download Lock5Data using library(Lock5Data).

Part 1: Two quantitative variables/ Scatterplot and Correlation

Practice 1:

Here are several scatterplots. The calculated correlations are 0.006, - 0.977, - 0.487, and 0.777. Match each scatter plot with the appropriate correlation coeffecient.



Answers:

- a.
- b.
- c.
- d.

Practice 2:

Load the data FloridaLakes from library(Lock5Data).

- 1. Describe the type of each of the variables: pH, Calcium, and Alkalinity.
- 2. Create a three scatter plots for each pair of variables: pHvsCalcium, pH vs Alkalinity, and Calcium vs Alkalinity. Add the main title to each plot.
- 3. What is the correlation coefficient between pH and Calcium? Is it positive or negative?
- 4. What do these coefficients mean in the context of this data?
- 5. Try to calculate the correlation coefficient between pH and Calcium without using the R function for correlation.

Answers:

```
# download the data and load it into R
library(Lock5Data)
data(FloridaLakes)
```

- 1.
- 2.
- 3.
- 4.
- 5.

Part 2: Two quantitative variables/ Linear Regression

Practice 3:

State if the following sentences are true or false:

- a. We choose the linear model that passes through the most data points on a scatterplot.
- b. The residuals are observed y-values minus the y-value predicted by a linear model.
- c. Least square means that the square of the largest residuas is as small as it could possibly be.
- d. Some of the residuals from least linear model will be positive, and some will be negative.
- e. Least squares means that some of the squares of the residuals are minimized.
- f. We write \hat{y} to denote the predicted value, and y to denote the observed value.

Answers:

- a.
- b.
- c.
- d.
- e.
- f.

Practice 4:

Use the previous data FloridaLakes and the two variables Alkalinity and calcium.

- 1. Using the appropriate R function, create a linear model to predict Alkalinity from calcium.
- 2. Find the coefficients of the regression and write the correct equation of this linear model.
- 3. Interpret the intercept and slope of the model within the context of the data.
- 4. Predict the Alkalinity level when Calcium= 2.5.
- 5. The actual Alkalinity level was 8.5 when Calcium = 2.5. Find the residual for this data point.
- 6. Find the five number summary for the variable Calcium.
- 7. Predict the Alkalinity level when Calcium = 0.5
- 8. Do both of these predictions make sense given the data?

Answers:

download the data and load it into R
library(Lock5Data)
data(FloridaLakes)

- 1.
- 2.
- 3.
- 4.
- 5.
- 6. 7.
- 8.

Part 3: Review

Practice 5:

From the data ICUAdmissions create descriptive statistics and visualizations for the variables Infection, Age, and Race, HeartRate.

Answers:

download the data and load it into R
library(Lock5Data)
data(ICUAdmissions)